

Project Planning Phase
Project Planning Template (Product Backlog, Sprint Planning, Stories, Story Points)

Date	30.9.2026
Team ID	SWTID-2026-6203
Project Name	Script Controlled ACL – Restrict Record Access Based on Field Value

Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority
Sprint-1	ACL Setup & Configuration	USN-1	Identify the target table and configure the required ACL rule.	5	High
Sprint-1	ACL Setup & Configuration	USN-2	Create the required record ACL for read/access control.	6	High
Sprint-1	Field-Based Access	USN-3	Identify the field value that controls record access.	5	High
Sprint-2	Scripted ACL Logic	USN-4	Write a server-side ACL script to evaluate the field value.	8	High
Sprint-2	Scripted ACL Logic	USN-5	Allow access when the field value matches the configured condition.	6	High
Sprint-2	Access Restriction	USN-6	Deny access when the field value does not satisfy the condition.	6	High
Sprint-3	User & Role Validation	USN-7	Validate access using different users and roles.	6	High
Sprint-3	Record Access Testing	USN-8	Test authorized and unauthorized record access scenarios.	8	High
Sprint-3	Error Handling	USN-9	Handle restricted access without exposing protected record data.	5	Medium
Sprint-4	ACL Testing	USN-10	Perform functional testing for multiple field values and records.	6	High
Sprint-4	Security Validation	USN-11	Verify that unauthorized users cannot bypass the ACL.	7	High
Sprint-4	Documentation	USN-12	Document ACL configuration, script logic and test results.	5	Medium

Sprint Planning – User Story Details

The sprint plan divides the project into configuration, scripting, access validation, testing and documentation activities. Each sprint delivers a testable part of the Script Controlled ACL solution.

User Story	Acceptance Criteria	Priority	Sprint
USN-1	Target table and ACL requirement are identified and configured.	High	Sprint-1
USN-2	ACL is created for the required record operation.	High	Sprint-1
USN-3	The selected field and permitted value are clearly defined.	High	Sprint-1
USN-4	ACL script reads the required field value and evaluates the condition.	High	Sprint-2
USN-5	Matching field value allows authorized record access.	High	Sprint-2
USN-6	Non-matching field value prevents record access.	High	Sprint-2
USN-7	Different users/roles are tested against the ACL condition.	High	Sprint-3
USN-8	Both permitted and restricted records behave as expected.	High	Sprint-3
USN-9	Restricted users do not receive protected record information.	Medium	Sprint-3
USN-10	Multiple field values and records are tested successfully.	High	Sprint-4
USN-11	Unauthorized access attempts are blocked by the ACL.	High	Sprint-4
USN-12	Configuration, script logic and test evidence are documented.	Medium	Sprint-4