



google console



Tất cả Hình ảnh Video Mua sắm Video ngắn Tin tức Web Thêm

Công cụ

Được tài trợ



Google Cloud

<https://cloud.google.com/gcp>

Develop New Apps Faster

Free Account Creation — Google Cloud — Build, test and deploy with ease. Get \$300 to try Google Cloud now. Start free! Modernise your apps and services on Google Cloud's scalable infrastructure. \$300 dùng thử miễn phí.

[Tạo tài khoản miễn phí](#)[Intuitive and Easy Console](#)[Sản phẩm và dịch vụ](#)[Tools and Modern Applications](#)[Công cụ tính giá](#)

Google

<https://console.cloud.google.com>

Google Console

Google Cloud Platform cho phép bạn tạo, triển khai và mở rộng ứng dụng, trang web và dịch vụ trên cơ sở hạ tầng giống với Google.

[Sign in](#)

Google Cloud Platform lets you build, deploy and scale ...

[Marketplace](#)

Spend smart and procure faster via online discovery, purchasing ...

Xem kết quả cho:



Google Search Console

Trang web



Truy cập vào google console




Kết quả trên Google Tìm kiếm có hữu ích không?




Không hề hữu ích

Cực kỳ hữu ích



Tạo project mới



Select a project

Search projects and folders



Recent

Starred

All

Name

Type

ID



No organization


Organization


0



New project

Cancel





1. Chọn OAuth consent screen

2. Click vào Get started



Google Auth Platform not configured yet
Get started to configure your application's identity and manage credentials for calling Google APIs and Sign in with Google. [Learn more](#)

Get started

Click 'View all products' to view more products and pin them to the navigation menu

Now viewing project "Demo" in organization "No organization"

1 App Information

App name *
abc

The name of the app asking for consent

User support email *
masterbate12357@gmail.com

For users to contact you with questions about their consent. [Learn more](#)

Next

Điền tên và support email, sau đó chọn Next

2 Audience

☐ Internal ?

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)

☐ External ?

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

Chọn External, sau đó chọn Next

Next

3

Contact Information

Email addresses *

saranghae123578@gmail.com ✕

These email addresses are for Google to notify you about any changes to your project.

Next

4

Finish

1. Thêm 1 email bất kì, sau đó chọn Next

2. Cuối cùng chọn Create

Google Cloud

Cloud Hub

Cloud overview

Solutions

Recently visited

Pinned products

Pin your top products here

Products

Billing

IAM & Admin

Marketplace

API

 APIs & Services

Vertex AI

Compute Engine

Kubernetes Engine

Cloud Storage

Security

BigQuery

Monitoring

Cloud Run

View all products

credentials

Create credentials

Delete

Restore deleted credentials

Create credentials to access your enabled APIs.

Learn more

PI Keys

☐	Name	Bound account	Creation date	Restrictions	Actions
No API keys to display					

Auth 2.0 Client IDs


☐	Name	Creation date	Type	Client ID	Actions
No OAuth clients to display					

Manage service accounts

Chon API & Services --> Credentials

8:32 AM

9/3/2025



Chọn Create credentials → Chọn OAuth client ID

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

- Web application
- Android
- Chrome Extension
- iOS
- TVs and Limited Input devices
- Desktop app**
- Universal Windows Platform (UWP)

1. Chọn Desktop app

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Desktop app

Name *
abc

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Note: It may take 5 minutes to a few hours for settings to take effect

Create Cancel

2. Đặt tên bất kì và chọn Create

1. Trên màn hình sẽ hiển thị thông báo như sau, Chọn Download Json để tải file credential về máy

OAuth client created

The client ID can always be accessed from Clients tab under Google Auth Platform.



OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID	962701629970-b4d32m98b59dg9rcobaip7jq15ocgeep.apps.googleusercontent.com
-----------	--




Starting in June 2025, you will no longer be able to view or download the client secret once you close this dialog. Make sure you have copied or downloaded the information below and securely stored it.

Client secret	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
---------------	-------------------------------------

Creation date	September 3, 2025 at 8:46:30 AM GMT+7
---------------	---------------------------------------


Status	✓ Enabled
--------	-----------

Download JSON




2. Đổi tên file vừa tải về thành tên kênh mà tài khoản sở hữu, để thuận tiện cho việc quản lý

OK



Tìm kiếm từ khóa "youtube"



Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss [Start free](#)

APIs & Services

- Enabled APIs & services
- Library
- Credentials
- OAuth consent screen
- Page usage agreements

Credentials [+ Create credentials](#) [Delete](#) [Restore deleted credentials](#)

Create credentials to access your enabled APIs. [Learn more](#)

API Keys

☐	Name	Bound account ?	Creation date ↓	Restrictions	Actions
No API keys to display					

OAuth 2.0 Client IDs


☐	Name	Creation date ↓	Type	Client ID	Actions
☐	abc	Sep 3, 2025	Desktop	962701629970-b4d3... 📄	✎ 🗑

Service Accounts

[Manage service accounts](#)

☐	Email	Name ↑	Actions
No service accounts to display			

Chọn APIs & Services → Credentials → Click vào Client IDs vừa tạo



Data Access

Scopes express the permissions you request users to authorize for your app and allow your project to access specific types of private user data from their Google Account. [Learn more](#)

[Add or remove scopes](#)

Your non-sensitive scopes

API ↑	Scope	User-facing description
No rows to display		

Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.

API ↑	Scope	User-facing description
-------	-------	-------------------------

Chọn Data Access
→ Chọn Add or remove
scope

Filter Enter property name or value

☐	API ↑	Scope	User-facing description
☐	Cloud Trace API	.../auth/trace.append	Write Trace data for a project or application
☐	Service Management API	.../auth/service.management	Manage your Google API service configuration
☐	Service Management API	.../auth/service.management.readonly	View your Google API service configuration
☐	Service Management API	.../auth/iam.test	Test Identity and Access Management (IAM) Permissions
☒	YouTube Analytics API	.../auth/yt-analytics.readonly	View YouTube Analytics reports for your YouTube content
☒	YouTube Analytics API	.../auth/yt-analytics-monetary.readonly	View monetary and non-monetary YouTube Analytics reports for your YouTube content
☒	YouTube Data API v3	.../auth/youtube.readonly	View your YouTube account
☒	YouTube Data API v3	.../auth/youtube	Manage your YouTube account
☒	YouTube Data API v3	.../auth/youtube.force-ssl	See, edit, and permanently delete your YouTube videos, ratings, comments and captions
☒	YouTube Data API v3	.../auth/youtubepartner	View and manage your assets and associated content on YouTube

Rows per page: 10 21 – 30 of 35

Filter Enter property name or value

☒	API ↑	Scope	User-facing description
☒	YouTube Data API v3	.../auth/youtubepartner-channel-audit	View private information of your YouTube channel relevant during the audit process with a YouTube partner
☒	YouTube Data API v3	.../auth/youtube.upload	Manage your YouTube videos
☒	YouTube Data API v3	.../auth/youtube.channel-memberships.creator	See a list of your current active channel members, their current level, and when they became a member
☒	YouTube Data API v3	.../auth/youtube.third-party-link.creator	Link to your YouTube channel, and add, remove, and edit the apps own info on your YouTube channel
☒	YouTube Data API v3	.../auth/youtube.download	Download your public YouTube videos

Rows per page

1. Bật tất cả các scope liên quan đến youtube API

2. Chọn update

Update selected scopes

Only scopes for enabled APIs are listed below. To add a missing scope to this screen, find and enable the API in the [Google API Library](#) or use the Pasted Scopes text box below. Refresh the page to see any new APIs you enable from the Library.

Filter Enter property name or value

☒	API ↑	Scope	User-facing description
☒	YouTube Data API v3	.../auth/youtubepartner-channel-audit	View private information of your YouTube channel relevant during the audit process with a YouTube partner
☒	YouTube Data API v3	.../auth/youtube.upload	Manage your YouTube videos
☒	YouTube Data API v3	.../auth/youtube.channel-memberships.creator	See a list of your current active channel members, their current level, and when they became a member
☒	YouTube Data API v3	.../auth/youtube.third-party-link.creator	Link to your YouTube channel, and add, remove, and edit the apps own info on your YouTube channel
☒	YouTube Data API v3	.../auth/youtube.download	Download your public YouTube videos

Rows per page: 10 31 – 35 of 35


Already on the last page.


Manually add scopes


If the scopes you would like to add do not appear in the table above, you can enter them here. Each scope should be on a new line or separated by commas. Please provide the full scope string (beginning with "https://"). When you are finished, click "Add to table".

Add to table

Update








Thêm tài khoản gmail hiện tại và Save

Truy cập đường link sau để tải chương trình tạo token

<https://drive.google.com/file/d/1SiJVK6TeLPE-bfSpqmdOdbT0bEXT-3rn/view?usp=sharing>

Giải nén và chạy file cài python



Python 3.9.13 (64-bit) Setup



Install Python 3.9.13 (64-bit)

Select Install Now to install Python with default settings, or choose Customize to enable or disable features.

→ **Install Now**
C:\Users\Admin\AppData\Local\Programs\Python\Python39
Includes IDLE, pip and documentation
Creates shortcuts and file associations


→ Customize installation
Choose location and features

☒ Install launcher for all users (recommended)

☐ Add Python 3.9 to PATH

Cancel

Chọn Add Path sau đó chọn Install Now



```
gspread-dataframe 4.0.0 requires pandas>=0.24.0, which is not installed.
Successfully installed google-auth-2.40.3
[INFO] 'pandas' chưa có. Thử cài 'pandas'...
[INFO] Installing pandas via: C:\Users\Admin\AppData\Local\Programs\Python\Python39\python.exe -m pip install pandas
Collecting pandas
  Using cached pandas-2.3.2-cp39-cp39-win_amd64.whl.metadata (19 kB)
Requirement already satisfied: numpy>=1.22.4 in c:\users\admin\appdata\local\programs\python\python39\lib\site-packages (from pandas) (2.0.2)
Requirement already satisfied: python-dateutil>=2.8.2 in c:\users\admin\appdata\local\programs\python\python39\lib\site-packages (from pandas) (2.9.0.post0)
Requirement already satisfied: pytz>=2020.1 in c:\users\admin\appdata\local\programs\python\python39\lib\site-packages (from pandas) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in c:\users\admin\appdata\local\programs\python\python39\lib\site-packages (from pandas) (2025.2)
Requirement already satisfied: six>=1.5 in c:\users\admin\appdata\local\programs\python\python39\lib\site-packages (from python-dateutil>=2.8.2->pandas) (1.17.0)
Using cached pandas-2.3.2-cp39-cp39-win_amd64.whl (11.3 MB)
Installing collected packages: pandas
Successfully installed pandas-2.3.2
Nhập đường dẫn thư mục chứa credentials (.json):
```

Sau đó paste đường dẫn thư mục vừa copy vào đây (ctrl +v) và enter

```
Nhập đường dẫn thư mục chứa credentials (.json): D:\cred
Danh sách credentials:
  1. Rodi.json
  2. Siuu.json
Chọn file (vd: 1,3,5-7) hoặc gõ 'all' để chọn tất cả:
```

Chương trình sẽ hiện ra danh sách các file credentials với tên tương ứng, chọn file cần tạo token bằng cách nhập số thứ tự (vd:1,2,3..) sau đó enter

 Đăng nhập bằng Google

Chọn tài khoản

để tiếp tục tới Demo

1 cửa sổ lựa xác minh sẽ hiện ra, chọn đúng tài khoản



Vũ Viết Du

saranghae123578@gmail.com



thanh nguyen

megumin123578@gmail.com



du vu

vuvietdu2003@gmail.com



Du Vu

masterbate12357@gmail.com



Sử dụng một tài khoản khác



Google hasn't verified this app

You've been given access to an app that's currently being tested. You should only continue if you know the developer that invited you.

Continue

Back to safety

Google sẽ cảnh báo đây là app đang chạy test, chỉ tiếp tục nếu biết rõ người đang phát triển app này → chọn Continue

Demo wants access to your Google Account

 masterbate12357@gmail.com

Chọn Select all sau đó chọn Continue

Select what Demo can access

☐ Select all

 View your YouTube account. [Learn more](#) ☐

 View YouTube Analytics reports for your YouTube content. [Learn more](#) ☐

Make sure you trust Demo

 [Learn why you're not seeing links to Demo's Privacy Policy or Terms of Service](#)

Review Demo's Privacy Policy and Terms of Service to understand how Demo will process and protect your data.

To make changes at any time, go to your [Google Account](#).

Learn how Google helps you [share data safely](#).


Cancel

Continue

Cấp quyền thành công, sẽ hiện ra thông báo như sau

The authentication flow has completed. You may close this window.

Đồng thời file token cũng sẽ được tạo trong cùng thư mục với thư mục chứa creds, và có cùng tên với file gốc



Chạy lại chương trình nếu muốn tạo token cho các file credentials khác

Lưu ý: Do thiết lập xác minh của google, cửa sổ mở ra sẽ là trình duyệt có thao tác gần nhất, nếu tài khoản đang ở một trình duyệt khác, thao tác trên trình duyệt đó rồi hãy chạy chương trình