

```
Last login: Wed Apr  2 15:09:04 on ttys000
mehakgupta@Mehaks-Air ~ % git clone https://github.com/megupta06/repo_cse110.git
Cloning into 'repo_cse110'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
mehakgupta@Mehaks-Air ~ % cd repo_cse110
[mehakgupta@Mehaks-Air repo_cse110 % git checkout -b add-read-me

Switched to a new branch 'add-read-me'
mehakgupta@Mehaks-Air repo_cse110 % nano README.md

mehakgupta@Mehaks-Air repo_cse110 % git add README.md

mehakgupta@Mehaks-Air repo_cse110 % git commit -m "Update readme file"

[add-read-me 5959cdc] Update readme file
 1 file changed, 2 insertions(+), 1 deletion(-)
mehakgupta@Mehaks-Air repo_cse110 % git push --set-upstream origin add-read-me

Username for 'https://github.com': megupta06
Password for 'https://megupta06@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 273 bytes | 273.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
remote:      https://github.com/megupta06/repo_cse110/pull/new/add-read-me
remote:
To https://github.com/megupta06/repo_cse110.git
 * [new branch]      add-read-me -> add-read-me
branch 'add-read-me' set up to track 'origin/add-read-me'.
mehakgupta@Mehaks-Air repo_cse110 % █
```