SQF Food Safety Audit Edition 9

AL-SHAMAS UNIT 3 - 103768

Summary

Audit Decision
Certified

Decision Date
October 31, 2025

Recertification Date
October 14, 2026

Expiration Date
December 28, 2026

Issue Date
November 4, 2025

Certificate Number
103768

Audit Type
Initial Certification

On-Site Audit Dates
October 13, 2025 - October 14, 2025

ICT Dates
-

Audit Rating



Good

Facility and Scope

AL-SHAMAS UNIT 3 - 103768

2244 Drew Rd
Mississauga, ON L5S 1B1 Canada

Products
Chicken and Beef Kebabs, Samosas and Spring rolls

Food Sector Categories
20. Recipe Meals Manufacturing

Scope of Certification
Category 20: Recipe Meals Manufacturing: Chicken and Beef Kebabs, Samosas and Spring rolls

Certification Body and Audit Team

Intertek SAI Global

45 Clarence Street
Suite 7.01, Level 7
Sydney, NSW 2000 Australia

CB#: 41736
Accreditation Body: JASANZ
Accreditation Number: Z1440295AS

Lead Auditor: Varinder Randhawa (C-366260)
Technical Reviewer: Aleksandra Ziuzianska (C-365091)

Hours Spent on Site: 16
Hours of ICT Activities:

Hours Spent Writing Report: 8

Section Responses

Audit Statement - Audit

SQF Practitioner Name - Name the designated SQF Practitioner

Response: Qaiser Iqbal

SQF Practitioner Email - Email of the designated SQF Practitioner

Response: qaiser@alshamasfoodproducts.ca

Opening Meeting - People Present at the Opening Meeting (Please list names and roles in the following format Name: Role separated by commas)

Response: Qaiser Iqbal: QA Specialist/SQF Practitioner, Rafath Nisar: SQF Consultant, Syed Riazuddin: SQF Consultant, Gunesha N: HACCP Coordinator/QA Coordinator, Majid Ashraf: President & CEO, Eric Wooder: External Consultant, Varinder Randhawa: Auditor - Intertek SAI Global.

Facility Description - Auditor Description of Facility (Please provide facility description include # of employees, size, production schedule, general layout, and any additional pertinent details

Response: This is 36000 square feet CFIA registered facility (Establishment 866) located in the city of Mississauga, Ontario. The facility is part of multi-unit building. Facility is constructed of vinyl/plastic panels on wooden frame walls, ceilings constructed of insulated and plastic panels. Facility's processes include receiving of various dry ingredients such as fresh vegetables, frozen ingredients, storage, mixing, cooking, cooling, and packing of finished products. Finished products include - Chicken and Beef Kebabs, Samosas and Spring rolls. Finished products are shipped to third party storage warehouse through the contracted carrier. Facility is divided into main production room, packaging room, raw cooler, finished products storage freezer, wrapping room, cooler, set-up cooler, shipping and receiving area. The facility operates 7 days a week, with two production shifts. Shift patterns are: 07:00 AM - 03:30 PM, 04:00 PM - 12:00 AM, and 12:30 PM - 06:00 AM (sanitation). There are total of 35 employees. Products manufactured at this facility are distributed in Canada & US. Site has been assessed to SQF designated customer specific requirements where noted.

Closing Meeting - People Present at the Closing Meeting (Please list names and roles in the following format Name: Role separated by commas)

Response: Qaiser Iqbal: QA Specialist/SQF Practitioner, Rafath Nisar: SQF Consultant, Gunesha N: HACCP Coordinator/QA Coordinator, Majid Ashraf: President & CEO, Eric Wooder: External Consultant, Varinder Randhawa: Auditor - Intertek SAI Global.

Auditor Recommendation - Auditor Recommendation

Response: Certification recommended following close-out of all CAR's (Annual re-certification audit).

2.1.1 - Management Responsibility (Mandatory)

2.1.1.1 - Senior site management shall prepare and implement a policy statement that outlines at a minimum the commitment of all site management to: i. Supply safe food; ii. Establish and maintain a food safety culture within the site; iii. Establish and continually improve the site's food safety management system; and iv. Comply with customer and regulatory requirements to supply safe food. The policy statement shall be: v. Signed by the senior site manager and displayed in prominent positions; and vi. Effectively communicated to all site personnel in the

language(s) understood by all site personnel

Response: Compliant

2.1.1.2 - Senior site management shall lead and support a food safety culture within the site that ensures at a minimum: i. The establishment, documentation, and communication to all relevant staff of food safety objectives and performance measures; ii. Adequate resources are available to meet food safety objectives; iii. Food safety practices and all applicable requirements of the SQF System are adopted and maintained; iv. Employees are informed and held accountable for their food safety and regulatory responsibilities; v. Employees are positively encouraged and required to notify management about actual or potential food safety issues; and vi. Employees are empowered to act to resolve food safety issues within their scope of work.

Response: Compliant

2.1.1.3 - The reporting structure shall identify and describe site personnel with specific responsibilities for tasks within the food safety management system and identify a backup for the absence of key personnel. Job descriptions for the key personnel shall be documented. Site management shall ensure departments and operations are appropriately staffed and organizationally aligned to meet food safety objectives.

Response: Compliant

2.1.1.4 - Senior site management shall designate a primary and substitute SQF practitioner for each site with responsibility and authority to: i. Oversee the development, implementation, review, and maintenance of the SQF System; ii. Take appropriate action to ensure the integrity of the SQF System; and iii. Communicate to relevant personnel all information essential to ensure the effective implementation and maintenance of the SQF System.

Response: Compliant

2.1.1.5 - The primary and substitute SQF practitioner shall: i. Be employed by the site; ii. Hold a position of responsibility related to the management of the site's SQF System; iii. Have completed a HACCP training course; iv. Be competent to implement and maintain HACCP based food safety plans; and v. Have an understanding of the SQF Food Safety Code: Food Manufacturing and the requirements to implement and maintain an SQF System relevant to the site's scope of certification

Response: Compliant

2.1.1.6 - Senior site management shall ensure the training needs of the site are resourced, implemented, and meet the requirements outlined in system elements 2.9 and that site personnel meet the required competencies to carry out those functions affecting the legality and safety of food products.

Response: Compliant

2.1.1.7 - Senior site management shall ensure the integrity and continued operation of the food safety system in the event of organizational or personnel changes within the company or associated facilities.

Response: Compliant

2.1.1.8 - Senior site management shall designate defined blackout periods that prevent unannounced re-certification audits from occurring out of season or when the site is not operating for legitimate business reasons. The list of blackout dates and their justification shall be submitted to the certification body a minimum of one (1) month before the sixty (60) day re-certification window for the agreed-upon unannounced audit.

Response: Compliant

Evidence: • The blackout dates are not required, it was announced audit.

Summary -

Response: The site has a food safety commitment statement, called food safety and quality policy statement that senior management has implemented. It is signed by the President (dated 06/26/25. The policy statement requires compliance to customer and regulatory requirements, ensure employee training is adequate, establishment and maintenance of food safety culture, production, and delivery of consistent, safe and quality food products. Food safety objectives are established, monitored monthly and include implementation of SQF based food safety management system, 100 % employee training, 100% compliance to FCS ATP swabbing. Food safety objectives are reviewed during monthly meetings. Food safety culture - implemented through employee empowerment, discussion of findings from daily walk throughs with senior management (monthly for infractions and deviations), employee communication through regular employee GMP training. Facility is in the process of starting the employee food safety culture surveys to evaluate employee understanding of their roles and responsibilities to promote food safety culture, their understanding of food safety in their daily roles. Food safety culture is promoted through empowering employees to report any food safety issues to the management, encourage employee involvement to raise any food safety concerns to the management. Senior management ensures food safety issues are resolved and addressed in a timely manner. The reporting system includes direct communication from the employees to the management. The policy is communicated to the facility's staff through employee training, and posting at entrance to the production area and is available in languages (English, Punjabi) used in the site. The policy was observed to be posted at the entrance to production, and lunch room area. An organizational chart (dated 06/26/25) outlines the structure of staff having responsibility for food safety. Senior management has communicated this to the organization and provides the resources for implementation of the food safety systems. Example: Packaging Manager reports to President. QA Specialist is the designated SQF Practitioner, is a full-time employee of the facility and has a HACCP food safety training course, as evidenced by certificate from Food Safety First Inc. dated 08/03/23 - 08/04/23. SQF Practitioner is responsible for the development, implementation, and maintenance of the SQF System. HACCP/QA Coordinator is substitute SQF Practitioner and completed training - HACCP Managers Certificate (dated 06/25/24) from Tap Series LLC. Job descriptions are written for staff responsible for food safety, with coverage for absenteeism assigned. Example: QA Coordinator alternates for Packaging Manager. Job descriptions were reviewed for Wrapping Manager, Shipping Receiving Personnel, QA Coordinator (dated 07/01/25). Plant staff is required to report food safety issues to management, as evidenced by policy statement and interviews with QA Coordinator, shipping receiving personnel, QA Specialist, President. Senior site management has processes in place to demonstrate continuous improvement and to ensure the integrity of the food safety systems when there are organizational or personnel changes. The blackout dates are not required, it was announced audit. During the assessment the site was assessed to customer specific requirements and a minor to the requirement (There was no waste container for used paper towels beside one hand washing station (beside the chargrill) in kebab production room, and beside hand washing station in the production room) was raised in 11.3.2.3.

2.1.2 - Management Review (Mandatory)

2.1.2.1 - The SQF System shall be reviewed by senior site management at least annually and include: i. Changes to food safety management system documentation (policies, procedures, specifications, food safety plan); ii. Food safety culture performance; iii. Food safety objectives and performance measures; iv. Corrective and preventative actions and trends in findings from internal and external audits, customer complaints, and verification and validation activities; v. Hazard and risk management system; and vi. Follow-up action items from previous management reviews. Records of all management reviews and updates shall be maintained.

Response: Compliant

2.1.2.2 - The SQF practitioner(s) shall update senior site management on at least a monthly basis on matters impacting the implementation and maintenance of the SQF System. The updates and management responses shall be documented.

Response: Compliant

Summary -

Response: According to SOP – Management Review (dated 06/26/25) the entire SQF System is required to be reviewed annually by the site's senior management (President). Current audit is initial certification audit, annual audit is scheduled to be conducted in year 2026. Good Manufacturing Practices and the rest of the SQF system are reviewed by management when any potential changes are made in products and processes. The SQF Practitioner has updated senior site management (President) monthly, by means of monthly meetings on any matters that impact the site's SQF System. Records of monthly meetings were reviewed for 06/25/25, 07/19/25, 08/19/25, 09/25/25, (items covered included - results of internal, second and third party audits, food safety objectives, customer complaints, waste management review, HACCP review, CCP monitoring).

2.1.3 - Complaint Management (Mandatory)

2.1.3.1 - The methods and responsibility for handling, investigating, and resolving food safety complaints from commercial customers, consumers, and authorities, arising from products manufactured or handled on-site or co-manufactured, shall be documented and implemented.

Response: Compliant

2.1.3.2 - Adverse trends of customer complaint data shall be investigated and analyzed and the root cause established by personnel knowledgeable about the incidents.

Response: Compliant

2.1.3.3 - Corrective and preventative action shall be implemented based on the seriousness of the incident and the root cause analysis as outlined in 2.5.3. Records of customer complaints, their investigation, and resolution shall be maintained.

Response: Compliant

Summary -

Response: SOP – Complaint Management (dated 06/26/25) defines the methods and responsibilities for handling customer complaints and has been implemented. The complaints are received by the owner/president followed by investigation of complaints handled by SQF Practitioner, records to be kept in customer complaint form. Trending of customer complaints is required to be done annually through consumer complaints data analysis by SQF Practitioner, there have been no customer complaints received in year 2025.

2.2.1 - Food Safety Management (Mandatory)

2.2.1.1 - The methods and procedures the site uses to meet the requirements of the SQF Food Safety Code: Food Manufacturing shall be maintained in electronic and/or hard copy documentation. They will be made available to relevant staff and include i. A summary of the organization's food safety policies and the methods it will apply to meet the requirements of this standard; ii. The food safety policy statement and organization chart; iii. The processes and products included in the scope of certification; iv. Food safety regulations that apply to the manufacturing site and the country(ies) of sale (if known); v. Raw material, ingredient, packaging, and finished

product specifications; vi. Food safety procedures, prerequisite programs, food safety plans; vii. Process controls that impact product safety; and viii. Other documentation necessary to support the development, implementation, maintenance, and control of the SQF System.

Response: Compliant

2.2.1.2 - Food safety plans, Good Manufacturing Practices, and all relevant aspects of the SQF System shall be reviewed, updated, and communicated as needed when any changes implemented have an impact on the site's ability to deliver safe food. All changes to food safety plans, Good Manufacturing Practices, and other aspects of the SQF System shall be validated or justified prior to their implementation. The reasons for the change shall be documented.

Response: Compliant

Summary -

Response: A food safety manual has been developed and is maintained in electronic form called food safety manual (dated 06/26/25) and maintained by third party food safety consultant. The food safety manual contains the scope of the certification, a list of products in the scope, the organizational chart and food safety policies, programs and procedures that make up the site’s SQF System. It is made available to all relevant staff by means of hard copies of SOPs, forms by President or QA Specialist.

2.2.2 Document Control (Mandatory)

2.2.2.1 - The methods and responsibility for maintaining document control and ensuring staff have access to current requirements and instructions shall be documented and implemented. Current SQF System documents and amendments to documents shall be maintained.

Response: Compliant

Summary -

Response: The site has implemented its policy called SOP -Document Control Procedure (dated 06/26/25) defining the methods and responsibilities for document control. A current list of all SQF documents is maintained and documents were observed to be stored securely in the QA Manager’s office and are accessible. The register of SQF documents is called Document Register (dated 06/26/25) and includes list of SOPs, forms. A revision log is maintained at the bottom of all SOPs as well as SQF logbook for changes in HACCP & SQF system documents. There have been no changes to SOPs or forms since June 2025.

2.2.3 - Records (Mandatory)

2.2.3.1 - The methods, frequency, and responsibility for verifying, maintaining, and retaining records shall be documented and implemented.

Response: Compliant

2.2.3.2 - All records shall be legible and confirmed by those undertaking monitoring activities that demonstrate inspections, analyses, and other essential activities that have been completed.

Response: Compliant

2.2.3.3 - Records shall be readily accessible, retrievable, and securely stored to prevent unauthorized access, loss, damage, and deterioration. Retention periods shall be in accordance with customer, legal, and regulatory requirements, at minimum the product shelf-life or established by the site if no shelf-life exists.

Response: Compliant

Summary -

Response: The site has implemented its policy for verifying and retaining records found in the document called SOP – Records Controls Procedure (dated 06/26/25). The facility has documented procedures for recording production as well as the proper correcting and initialing of errors. Records are kept in hard copies. These are based on customer, company and regulatory requirements. Records were observed to be readily accessible, legibly filled out, securely stored to prevent damage, and have documented retention times. Records are retained for 3 year(s). Examples of records reviewed during the audit included: product label & packaging record, products - packaging log, operational record, building record, products cooking & cooling record, plant temperature log, sanitation checklist, sanitation chemical concentration form.

2.3.1 - Specification, Formulation, and Realization

2.3.1.1 - The methods and responsibility for designing and developing new product formulations and converting product concepts to commercial realization shall be documented and implemented.

Response: Compliant

2.3.1.2 - New product formulations, manufacturing processes, and the fulfillment of product requirements shall be established, validated, and verified by site trials and product testing as required to ensure product safety. Product formulations shall be developed by authorized persons to ensure that they meet the intended use. Where necessary, shelf life trials shall be conducted to validate and verify a new product's: i. Pre-consumer handling and storage requirements, including the establishment of "use by," "best before dates," or equivalent terminology; ii. Microbiological criteria, where applicable; and iii. Consumer preparation, where applicable, and storage and handling requirements.

Response: Compliant

2.3.1.3 - A food safety plan shall be validated and verified by the site food safety team for each new product and its associated process through conversion to commercial production and distribution or where a change to ingredients, process, or packaging occurs that may impact food safety.

Response: Compliant

2.3.1.4 - Product formulations and manufacturing processes for products included in the scope of certification shall be reviewed when there are changes in materials, ingredients, or equipment.

Response: Compliant

2.3.1.5 - The process flows for all new and existing manufacturing processes shall be designed to ensure that product is manufactured according to approved product formulations and to prevent cross-contamination.

Response: Compliant

2.3.1.6 - Records of product design, formulations, label compliance, process flows, shelf life trials, and approvals for all new and existing products shall be maintained.

Response: Compliant

Summary -

Response: SOP – Specification Formulation & Realization (dated 06/26/25) and SOP – Formulation Approval Process define the methods and responsibilities for commercialization of new products and has been

implemented. The food safety plans are required to be validated and verified for each new product and process by re-assessment of food safety plans. Procedures conducted at the facility include checking formulations and processes review and approval, production trials, shelf-life trials and product testing. This review includes changes to distribution and ingredients, allergen ingredient verification (if any), label approval, any changes to process (if different from existing product type). Formulation approval checklist is in place for completion whenever there are new products developed or changes to the product formulations. There have been no new products developed or changed since year 2024 which required validations. All finished products are shipped out frozen and are labeled with "best before" dates, and validation is based on CFIA guidelines for frozen finished products and HACCP system validation.

2.3.2 - Specifications (Raw Material, Packaging, Finished Product, and Services)

2.3.2.1 - The methods and responsibility for developing, managing, and approving raw material, finished product, and packaging specifications shall be documented.

Response: Compliant

2.3.2.2 - Specifications for all raw materials and packaging, including, but not limited to, ingredients, additives, hazardous chemicals, processing aids, and packaging that impact finished product safety shall be documented and kept current.

Response: Compliant

2.3.2.3 - All raw materials, packaging, and ingredients, including those received from other sites under the same corporate ownership, shall comply with specifications and with the relevant legislation in the country of manufacture and country(ies) of destination if known.

Response: Compliant

2.3.2.4 - Raw materials, packaging, and ingredients shall be validated to ensure product safety is not compromised and the material is fit for its intended purpose.

Response: Compliant

2.3.2.5 - Site management shall require approved raw materials suppliers to notify the site of changes in product composition that could have an impact on product formulation (e.g., protein content, moisture, amino acid profiles, contaminant levels, allergens, and/or other parameters that may vary by crop or by season).

Response: Compliant

2.3.2.6 - Verification of packaging shall include a certification of all packaging that comes into direct contact with food meets either regulatory acceptance or approval criteria. Documentation shall either be in the form of a declaration of continued guarantee of compliance, a certificate of conformance, or a certificate from the applicable regulatory agency. In the absence of a certificate of conformance, certificate of analysis, or letter of guarantee, analyses to confirm the absence of potential chemical migration from the packaging to the food contents shall be conducted and records maintained.

Response: Compliant

2.3.2.7 - Finished product labels shall be accurate, comply with the relevant legislation, and be approved by qualified company personnel.

Response: Compliant

2.3.2.8 - Description of services for contract service providers that have an impact on product safety shall be documented, current, include a full description of the services to be provided, and detail relevant training requirements of all contract personnel.

Response: Compliant

2.3.2.9 - Finished product specifications shall be documented, current, approved by the site and its customer, accessible to relevant staff, and shall include, where applicable: i. Microbiological, chemical, and physical limits; ii. Composition to meet label claims; iii. Labeling and packaging requirements; and iv. Storage conditions.

Response: Compliant

2.3.2.10 - Specifications for raw materials and packaging, chemicals, processing aids, contract services, and finished products shall be reviewed as changes occur that impact product safety. Records of reviews shall be maintained. A list of all the above specifications shall be maintained and kept current.

Response: Compliant

Summary -

Response: Specifications for raw materials, packaging, ingredients, additives, chemicals, and processing aids have been documented. A policy defining the methods and responsibilities for developing and maintaining specifications has been documented and implemented as per SOP – Specifications of Raw Materials, Packaging Materials, Finished Products & Services (dated 06/26/25). Raw and packaging materials are verified to ensure product safety, regulatory requirements and fit for purpose requirements are met. Packaging materials are validated based on letter of guarantee and confirmation for use of packaging materials for packaging food products and review of specifications. Meat products/ingredients purchased from federally approved facilities require valid export eligibility documentation. Spices - certificate of origin, CoA. Examples reviewed during the audit - Onions - specifications (dated 08/11/23 (include composition, microbiological attributes). Wheat Flour - specifications dated 02/22/23 (include moisture, protein, vomitoxin (< 1 ppm), shelf life). Chicken - specifications dated 05/02/22 (include chemical parameters, microbial limits, sensory attributes). Plastic poly bag - specifications dated 01/25/25. Product labels are approved by President who is qualified to ensure they are accurate and meet regulatory requirements. New labels for new products are approved based on review of product specifications, and nutritional analysis. During packaging, product label & packaging record is used for verification of the finished product label, a copy of the label is attached to this form, monitored by QA . Products - packaging log is used to document accuracy of product labels, number of labels printed and rejected/discarded, BBD. During the audit, an example was reviewed for a product label - Chicken Charcoal Kebab. Descriptions of services provided by all contract service providers having an impact on food safety are documented and maintained in QA office (SOP – 1122 (922): Contract Service Providers (dated 06/26/25) and service agreements. Examples of service providers include - providers of pest control, laundry service. Contract service agreements for service provider for laundry service, pest control were reviewed during the audit and found to be satisfactory. Finished product specifications are current, documented and approved by the site's customers. Specifications include microbiological, storage requirements, weight, labeling and packaging requirements. Finished product specifications for Chicken Charcoal Kebab dated 10/12/23 (customer 1) were reviewed during the audit and they include parameters such as microbiological characteristics, allergen information, shelf life, storage and distribution, cooking and preparation instructions, storage and handling, and ingredients. Current registers were reviewed for raw materials, packaging materials, product specifications, maintained in hard copies. Examples: Annex A dated 10/15/24, Annex B dated 07/22/19 (for finished product specifications), contract service providers binders are in place.

2.3.3 - Contract Manufacturers

2.3.3.1 - The methods and responsibility for ensuring all agreements with contract manufacturers relating to food safety, customer product requirements, their realization, and delivery shall be documented and implemented.

Response: N/A

Evidence: • The site does not use contract manufacturers.

2.3.3.2 - The site shall establish a method to determine the food safety risk level of contract manufactured product and shall document the risk. The site shall ensure that: i. Products and processes of co-manufacturers that are considered high-risk have undergone an audit by the site or third-party agency to confirm compliance with the SQF Food Safety Code: Food Manufacturing and regulatory and customer requirements; ii. Products and processes of co-manufacturers that are considered low-risk meet the requirements of the SQF Food Safety Code: Food Manufacturing, or other GFSI benchmarked certification programs, and regulatory and customer requirements; and iii. Changes to contractual agreements are approved by both parties and communicated to relevant personnel.

Response: N/A

Evidence: • The site does not use contract manufacturers.

2.3.3.3 - Contractual agreements with third party storage and distribution businesses shall include requirements relating to customer product requirements and compliance with clause 2.3.3.2 of the SQF Food Safety Code: Food Manufacturing. Contractual agreements shall be approved by both parties and communicated to relevantpersonnel. The site shall verify compliance with the SQF Code and ensure that customer and regulatory requirements are being met at all times.

Response: N/A

Evidence: • The site does not use contract manufacturers.

2.3.3.4 - Records of audits, contracts, and changes to contractual agreements and their approvals shall be maintained.

Response: N/A

Evidence: • The site does not use contract manufacturers.

Summary -

Response: The site does not use contract manufacturers.

2.3.4 - Approved Supplier Program (Mandatory)

2.3.4.1 - The responsibility and procedure for selecting, evaluating, approving, and monitoring an approved supplier shall be documented and implemented. A current record of approved suppliers, receiving inspections, and supplier audits shall be maintained. Code Amendment #2 Approved supplier registers shall include supplier contact details. All approved and emergency suppliers shall be registered.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

2.3.4.2 - The approved supplier program shall be based on the past performance of a supplier and the risk level of the raw materials, ingredients, processing aids, packaging, and services supplied, and shall contain at a minimum: i. Agreed specifications (refer to 2.3.2); ii. Reference to the level of risk applied to raw materials, ingredients, packaging, and services from the approved supplier; iii. A summary of the food safety controls implemented by the

approved supplier; iv. Methods for granting approved supplier status; v. Methods and frequency of monitoring approved suppliers; vi. Details of the certificates of conformance, if required; and vii. Methods and frequency of reviewing approved supplier performance and status.

Response: Compliant

2.3.4.3 - Verification of raw materials shall include certificates of conformance, certificates of analysis, or sampling, and testing. The verification frequency shall be identified by the site.

Response: Compliant

2.3.4.4 - The receipt of raw materials, ingredients, processing aids, and packaging from nonapproved suppliers shall be acceptable only in an emergency situation and provided a receiving inspection or analysis is conducted and recorded before use.

Response: Compliant

Evidence: • Emergency suppliers are not accepted here.

2.3.4.5 - Raw materials, ingredients, and packaging received from other sites under the same corporate ownership shall be subject to the same specification requirements (refer to 2.3.2), approved supplier requirements, and receiving inspections as all other material providers.

Response: Compliant

2.3.4.6 - Supplier audits shall be based on risk (as determined in 2.3.4.2) and shall be conducted by individuals knowledgeable of applicable regulatory and food safety requirements and trained in auditing techniques.

Response: Compliant

Evidence: • Supplier audits are not done here.

Summary -

Response: SOP -234: Supplier Approval (date 06/26/25) is in place, and they cover the procedures for approving suppliers of raw materials, ingredients, packaging materials and services. They are based on risk assessment as part of hazard analysis for the two HACCP plans (dated 08/07/25) and food fraud raw material vulnerability assessment (dated 06/26/25). The procedures require a submission of completed supplier qualification approval form by the supplier, review of the specifications of products, the supplier's food safety controls, procedures for granting and monitoring approved suppliers, the level of risk of products to the site and details of requirements for Certificate of Conformance, Certificate of analysis (e.g., dry spices), allergen declaration, LoG, and third party GFSI certification. Approved supplier performance and status is reviewed using Certificates of Analysis, LoG, third party GFSI certification. Chemicals are required to be on CFIA's Approved Materials List or LoG from the supplier is acceptable. SOF-41: vendor evaluation form is used to review suppliers on annual basis, reviewed during the audit for supplier of cilantro (dated 07/25/25). Examples of approved suppliers reviewed during the audit: Onions - LoG dated 01/06/25, HACCP Certification from SGS Expiry: 01/25/28. Wheat Flour - LoG for dated 01/25/25, vendor qualification record dated 01/29/25, SQF Code Ed 9 Expiry: 12/10/25. Chicken - LoG dated 01/02/25, SQF Code Ed 9 Expiry: 07/17/26. Plastic poly bag - LoG dated 01/25/25, Vendor qualification record (dated 09/15/25), CoC dated 04/18/24, SQF Code Ed 9 Expiry: 10/22/26. Registers are maintained of all current approved suppliers - Approved Supplier List for Meat (dated 07/05/25), Approved Supplier List for Chemicals (dated 04/08/25), and Approved Supplier List (dated 07/02/25) which were reviewed during the audit and found to be acceptable. Raw materials: wheat flour, and onions found in the storage areas were verified to have come from suppliers on the approved supplier list. NA (Clause 2.3.4.4) - Emergency suppliers are not accepted here. NA (Clause 2.3.4.6) - Supplier audits are not done here.

During the assessment the site was verified to comply with customer specific requirements.

2.4.1 - Food Legislation (Mandatory)

2.4.1.1 - The site shall ensure that at the time of delivery to customers finished products shall comply with food safety legislation applicable in the country of manufacture and sale. This includes compliance with legislative requirements applicable to maximum residue limits, food safety, packaging, product description, net weights, nutritional, allergen, and additive labeling, labeling of identity preserved foods, any other criteria listed under food legislation, and to relevant established industry codes of practice.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

2.4.1.2 - The methods and responsibility for ensuring the site is kept informed of changes to relevant legislation, scientific and technical developments, emerging food safety issues, and relevant industry codes of practice shall be documented and implemented.

Response: Compliant

2.4.1.3 - SQFI and the certification body shall be notified in writing within twenty-four (24) hours as a result of a regulatory warning or event. Notification to SQFI shall be by email to foodsafetycrisis@sqfi.com.

Response: Compliant

Summary -

Response: The site has ensured that products delivered to its customers comply with regulatory requirements in the country of use. Regulatory compliance for this operation includes FSMA's preventive controls (for products exported to US) and CFIA's labelling requirements. Site has current valid bioterrorism registration on file. The site keeps itself updated about changes in relevant legislation, technical developments and industry codes of practice in their specific industry, by means of on-site CFIA inspector, CFIA updates, updates from President. The site has a written provision that NSF, the certification body, and SQFI will be notified within 24 hours if a food safety event requiring public notification occurs. During the assessment the site was verified to comply with customer specific requirements.

2.4.2 - Good Production Practices (Mandatory)

2.4.2.1 - The site shall ensure the applicable Good Manufacturing Practices described in Module 11 of this Food Safety Code are applied or exempted according to a written risk analysis outlining the justification for exemption or evidence of the effectiveness of alternative control measures that ensure food safety is not compromised.

Response: Compliant

2.4.2.2 - The Good Manufacturing Practices applicable to the scope of certification outlining how food safety is controlled and assured shall be documented and implemented.

Response: Compliant

Summary -

Response: The property, buildings and equipment are located, constructed and designed to ensure food is manufactured in a safe, hygienic environment. The site has documented and implemented those Good Manufacturing Practices (GMPs) as per SOP 242: Good Production Practices (dated 06/26/25) as applicable to

the scope of this certification (no exclusions) along with risk assessment for building interiors, incoming materials, production environment, all rated as low risk (dated 06/26/25). These food safety pre-requisite programs are found in food safety manual (dated 06/26/25). The effectiveness of the pre-requisite programs has been verified based on a schedule (daily GMP inspections - operational records, monthly inspections), which are found in food safety manual. Records of daily inspections (done once per day) are kept in operational records and were reviewed from 01/01/25 -10/12/25 (cover items such as waste handling, employee hygiene, housekeeping, product exposure to dripping condensation, evidence of condensation, employee flow). Monthly inspections covering waste management, chemical handling and storage, floors adequately drained, building condition, records kept in building record, reviewed for 07/26/25, 06/25/25, 05/29/25, 04/27/25, 09/15/25.

2.4.3 - Food Safety Plan (Mandatory)

2.4.3.1 - A food safety plan shall be prepared in accordance with the twelve steps identified in the Codex Alimentarius Commission HACCP guidelines. The food safety plan shall be effectively implemented and maintained and shall outline how the site controls and assures food safety of the products or product groups included in the scope of the SQF certification and their associated processes. More than one HACCP food safety plan may be required to cover all products included in the scope of certification.

Response: Compliant

2.4.3.2 - The food safety plan or plans shall be developed and maintained by a multidisciplinary team that includes the SQF practitioner and those site personnel with technical, production, and engineering knowledge of the relevant raw materials, packaging, processing aids, products, and associated processes. Where the relevant expertise is not available on-site, advice may be obtained from other sources to assist the food safety team.

Response: Compliant

2.4.3.3 - The scope of each food safety plan shall be developed and documented including the start and endpoints of the processes under consideration and all relevant inputs and outputs.

Response: Compliant

2.4.3.4 - Product descriptions shall be developed and documented for all products included in the scope of the food safety plans. The descriptions shall reference the finished product specifications (refer to 2.3.2.9) plus any additional information relevant to product safety, such as pH, water activity, composition, and/or storage conditions.

Response: Minor

Evidence: • Annex B - Frozen Halal Vegetarian Products - important product characteristics are listed as allergen sensitivity products (wheat, milk, egg, soy). Annex A - Frozen Halal met Processing - important product characteristics are listed as allergen sensitivity products (wheat, milk, egg, soy). Note that the facility handles only one allergen - wheat, and it is present in all products.

Root Cause: Annex B- Frozen Halal Vegetarian Product- Allergen list wasn't updated on document as the facility was using pastry dough wrapper which contained milk, soy previously till June 20th 2025. SQF Documents were updated but Annex A and Annex B was not updated.

Corrective Action: Corrected and updated Annex A & Annex B with removal of allergens such as milk and soy dated October 15, 2025. (Attachment)

Verification Of Closeout: Reviewed: CAPA 2.4.3.4 Annex B.

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

2.4.3.5 - The intended use of each product shall be determined and documented by the food safety team. This shall include target consumer groups, the potential for consumption by vulnerable groups of the population, requirements for further processing if applicable, and potential alternative uses of the product.

Response: Compliant

2.4.3.6 - The food safety team shall develop and document a flow diagram covering the scope of each food safety plan The flow diagram shall include every step in the process, all raw materials, packaging, service inputs (e.g., water, steam, gasses as applicable), scheduled process delays, and all process outputs including waste and rework. Each flow diagram shall be confirmed by the food safety team to cover all stages and hours of operation.

Response: Compliant

2.4.3.7 - The food safety team shall identify and document all food safety hazards that can reasonably be expected to occur at each step in the processes, including raw materials and other inputs.

Response: Compliant

2.4.3.8 - The food safety team shall conduct a hazard analysis for every identified hazard to determine which hazards are significant, i.e., their elimination or reduction to an acceptable level is necessary to control food safety. The methodology for determining hazard significance shall be documented and used consistently to assess all potential hazards.

Response: Compliant

2.4.3.9 - The food safety team shall determine and document the control measures that must be applied to all significant hazards. More than one control measure may be required to control an identified hazard, and more than one significant hazard may be controlled by a specific control measure.

Response: Compliant

2.4.3.10 - Based on the results of the hazard analysis (refer to 2.4.3.8), the food safety team shall identify the steps in the process where control must be applied to eliminate a significant hazard or reduce it to an acceptable level (i.e., a critical control point or CCP). In instances where a significant hazard has been identified at a step in the process, but no control measure exists, the food safety team shall modify the process to include an appropriate control measure.

Response: Compliant

2.4.3.11 - For each identified CCP, the food safety team shall identify and document the limits that separate safe from unsafe product (critical limits). The food safety team shall validate all of the critical limits to ensure the level of control of the identified food safety hazard(s) and that all critical limits and control measures individually or in combination effectively provide the level of control required (refer to 2.5.2.1).

Response: Compliant

2.4.3.12 - The food safety team shall develop and document procedures to monitor CCPs to ensure they remain within the established limits (refer to 2.4.3.11). Monitoring procedures shall identify the personnel assigned to conduct monitoring, the sampling and test methods, and the test frequency.

Response: Compliant

2.4.3.13 - The food safety team shall develop and document deviation procedures that identify the disposition of affected product when monitoring indicates a loss of control at a CCP. The procedures shall also prescribe actions to correct the process step to prevent recurrence of the safety failure.

Response: Compliant

2.4.3.14 - The documented and approved food safety plan(s) shall be implemented in full. The effective implementation shall be monitored by the food safety team, and a full review of the documented and implemented plans shall be conducted at least annually, or when changes to the process, equipment, inputs, or other changes affecting product safety occur.

Response: Compliant

2.4.3.15 - Procedures shall be in place to verify that critical control points are effectively monitored and appropriate corrective actions are applied. Implemented food safety plans shall be verified as part of SQF System verification (refer to 2.5).

Response: Compliant

2.4.3.16 - Critical control point monitoring, corrective action, and verification records shall be maintained and appropriately used.

Response: Compliant

2.4.3.17 - Where food safety regulations in the country of production and destination (if known) prescribe a food safety control methodology other than the Codex Alimentarius Commission HACCP guidelines, the food safety team shall implement food safety plans that meet both Codex and food regulatory requirements.

Response: Compliant

Summary -

Response: The food safety plans (2) have been developed, implemented and maintained by the site. They are kept on file in QA office and maintained by QA Specialist, supported by an external food safety consultant. The food safety plans have been prepared in accordance with the 12 steps identified in the Codex Alimentarius Commission HACCP guidelines, CFIA's requirements and FDA's FSMA requirements for food safety plan. A multi-disciplinary food safety team has been identified (dated 07/07/25) and trained, with documentation found in employee training register (trained on 08/20/25). The plan includes a list of all products - Annex A (dated 10/15/24 for Kebabs, Samosas), Annex B (dated 07/22/19 for Samosas, Spring Rolls) in the scope of the certification, a complete product description, intended product use (including vulnerable populations), shelf life (18 month at < - 18 C), labelling (keep frozen for all products, cooking instructions), and flow diagram for each process including all input and output steps in the process. The process flows have been verified by the

---

HACCP team (dated 08/26/25) through on-site verification and employee interviews. Form 4 – Plant Schematic is in place for employee flow (handling unpacked products and packaged products). There are two food safety plans - HACCP Plan 1 – Frozen halal Vegetarian Products (dated 08/07/25). HACCP Plan 2 – Frozen Halal Vegetarian Products (dated 08/07/25). The food safety team has analyzed all hazards reasonably likely to occur including physical, chemical, radiological hazards and microbiological hazards for each process step, ingredient and packaging. Control measures are in place to eliminate or reduce the food safety risk to acceptable levels. Examples: Process step 21 – cooked product handling onto cooling trays, risk of pathogenic bacterial contamination due to improper employee hygiene/handling practices due to movement of in-process and cooked products is listed to be minor and controlled through pre-requisites - A 3.2.1, D.1.2.1, D.2.1.1. There are following critical control points identified in the food safety plans - CCP 1B (cooking) – critical limits: ground meat products containing beef, lamb or mutton to a minimum internal temperature of >/= 71.2 C, ground meat products containing chicken to a minimum internal temperature of >/= 74 C. CCP 2B (cooling) – critical limits: during cooling, the products' maximum internal temperature should not remain between 54 C – 27 C for more than 2 hours nor between 54 C and 4 C for more than 7 hours. Records of monitoring of CCPs (cooking and cooling records) were reviewed from 01/02/25 - 10/13/25. FDA's FSMA rule also requires a preventive control plan-based food safety plan, which was observed to be implemented within the food safety plan. The facility has incorporated the preventive controls requirements into the existing HACCP plan through updating the hazard analysis. Example: the plan is verified as part of the SQF System and reviewed annually or when changes occur, by the food safety team with the last review done on 08/05/25. Minor (Clause 2.4.3.4) - Annex B - Frozen Halal Vegetarian Products - important product characteristics are listed as allergen sensitivity products (wheat, milk, egg, soy). Annex A - Frozen Halal met Processing - important product characteristics are listed as allergen sensitivity products (wheat, milk, egg, soy). Note that the facility handles only one allergen - wheat, and it is present in all products.

2.4.4 - Product Sampling, Inspection, and Analysis

2.4.4.1 - The methods, responsibility, and criteria for sampling, inspecting, and/or analyzing raw materials, work-in-progress, and finished product shall be documented and implemented. The methods applied shall ensure that inspections and analyses are completed at regular intervals as required and to agreed specifications and legal requirements. Sampling and testing shall be representative of the process batch and ensure that process controls are maintained to meet specification and formulation.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

2.4.4.2 - Product analyses shall be conducted to nationally recognized methods or company requirements, or alternative methods that are validated as equivalent to the nationally recognized methods. Where internal laboratories are used to conduct input, environmental, or product analyses, sampling and testing methods shall be in accordance with the applicable requirements of ISO/IEC 17025, including annual proficiency testing for staff conducting analyses. External laboratories shall be accredited to ISO/IEC 17025, or an equivalent international standard, and included on the site's contract service specifications list (refer to 2.3.2.11).

Response: Compliant

2.4.4.3 - On-site laboratories conducting chemical and microbiological analyses that may pose a risk to product safety shall be located separate from any food processing or handling activity and designed to limit access only to authorized personnel. Signage shall be displayed identifying the laboratory area as a restricted area, accessible only by authorized personnel.

Response: N/A

Evidence: • There is no on-site laboratory here.

2.4.4.4 - Provisions shall be made to isolate and contain all hazardous laboratory waste held on the premises and manage it separately from food waste. Laboratory waste outlets shall at a minimum be downstream of drains that service food processing and handling areas.

Response: N/A

Evidence: • There is no on-site laboratory here.

2.4.4.5 - Retention samples, if required by customers or regulations, shall be stored according to the typical storage conditions for the product and maintained for the stated shelf-life of the product.

Response: Compliant

2.4.4.6 - Records of all inspections and analyses shall be maintained.

Response: Compliant

Summary -

Response: The site's procedures and criteria for sampling, inspecting, and analyzing raw materials, work-in-progress and finished product have been documented and implemented as per SOP 244: Product Sampling, Inspection & Analysis (dated 06/26/25). Records of in-house testing and checks are kept in products – packaging log (for labels, foreign material, carton lot #, bag lot #, BBD, packaging and bag seal check), reviewed for 08/30/25, 08/27/25, 08/23/25, 08/13/25, 07/31/25, 07/15/25, 07/08/25. Finished product microbiological testing - RTE products (Fully cooked kebabs) are sampled and tested based on risk based sampling program for category 2B RTE Foods, CFIA. Microbiological testing includes sampling and testing of finished products (meat-based products, RTE products containing chicken and beef) once a month (per product line) for Listeria monocytogenes and Salmonella species. Acceptable test results were reviewed for 09/04/25 (chicken charcoal kebab lot 0903599), 08/26/25 (chicken charcoal kebab lot 0825599), 07/10/25 (chicken charcoal kebab lot 0709599). All analyses are conducted to nationally recognized standards or by an equivalent validated method by ISO 17035 accredited laboratory (ISO 17025: 2017 Expiry: 10/06/28). Test methods include - Listeria monocytogenes - MFLP-28, Salmonella species: MFLP-29. Finished products (RTE) exported to US – samples are retained until USDA verifies the microbiological testing (e.g., Listeria species) and notifies the President, the retained samples are then discarded. During the assessment the site was verified to comply with customer specific requirements. NA (Clause 2.4.4.3, 2.4.4.4) - There is no on-site laboratory here.

2.4.5 - Non-conforming Materials and Product

2.4.5.1 - The responsibility and methods outlining how to handle non-conforming product, raw material, ingredient, work-in-progress, or packaging, which is detected during receipt, storage, processing, handling, or delivery, shall be documented and implemented. The methods applied shall ensure i. Non-conforming product is quarantined, identified, handled, and/or disposed of in a manner that minimizes the risk of inadvertent use, improper use, or risk to the integrity of finished product; and ii. All relevant personnel are aware of the organization's quarantine and release requirements applicable to product placed under quarantine status.

Response: Compliant

2.4.5.2 - Quarantine records and records of the handling, corrective action, or disposal of nonconforming materials or product shall be maintained.

Response: Compliant

Summary -

Response: The site has written procedures for withholding non-conforming products, raw materials, work-in-progress, ingredients, packaging detailed in SOP 245 – Non-Conforming Material & Products (dated 06/26/25) which was found to be properly implemented in the facility. Methods to segregate, identify, handle and dispose of product include application of Non-Conforming Tag on product/material and was observed to minimize any inadvertent use. Affected materials are moved to quarantine area within the facility. Hold & release record is required to be maintained for non-conforming products. Nonconforming products are identified, segregated or disposed of, with records required to be maintained by QA Specialist or HACCP/QA Coordinator. There have been no such cases to document in year 2025. Relevant staff is aware of the site's procedures, as evidenced by interviews with production area QA monitor, HACCP Coordinator shipping/receiving personnel.

2.4.6 - Product Rework

2.4.6.1 - The responsibility and methods outlining how ingredients, packaging, or products are reworked shall be documented and implemented. The methods applied shall ensure: i. Reworking operations are overseen by qualified personnel; ii. Reworked product is clearly identified and traceable; iii. Reworked product is processed in accordance with the site’s food safety plan; iv. Each batch of reworked product is inspected or analyzed as required before release; v. Inspections and analyses conform to the requirements outlined in element 2.4.4.1; vi. Release of reworked product conforms to element 2.4.7; and vii. Reworked product does not affect the safety or integrity of the finished product. Records of all reworking operations shall be maintained.

Response: N/A

Evidence: • Reworks are not handled here.

Summary -

Response: Reworks are not handled here.

2.4.7 - Product Release (Mandatory)

2.4.7.1 - The responsibility and methods for releasing products shall be documented and implemented. The methods applied shall ensure the product is released by authorized personnel, and only after all inspections and analyses are successfully completed and documented to verify legislative and other established food safety controls have been met. Records of all product releases shall be maintained.

Response: Compliant

2.4.7.2 - Product release shall include a procedure to confirm that product labels comply with the food legislation that applies in the country of manufacture and the country(ies) of use or sale if known (refer to 2.4.1.1). If product is packaged and distributed in bulk or unlabeled, product information shall be made available to inform customers and/or consumers of the requirements for its safe use.

Response: Compliant

2.4.7.3 - In the event that the site uses positive release based on product pathogen or chemical testing, a procedure shall be in place to ensure that product is not released until acceptable results have been received. In the event that off-site or contract warehouses are used, these requirements shall be effectively communicated and verified as being followed.

Response: Compliant

Summary -

Response: SOP – SOP 247: Product Release Procedure (dated 06/26/25) & SOP - Pre-Shipment Program have been implemented for releasing finished products. These release procedures include ensuring that all product inspections and analyses have been verified and documented by authorized personnel (QA) to show that all food safety and quality controls have been met. As part of monthly finished product pathogen testing program, the products being sampled are automatically put on hold until the acceptable microbiological test results are received for the products. For products shipped to US, pre-shipment record is completed for verification of completion of CCPs and reviewed for 09/10/25, 08/25/25. Records of regular local shipments (Canadian) product release are kept in shipping records, reviewed for 10/10/25, 10/07/25, 10/09/25, 10/06/25, 10/07/25, 09/29/25, 09/26/25, 09/17/25, 09/09/25, 08/27/25, 08/19/25, 08/12/25, 08/06/25, 07/31/25, 07/24/25, 06/24/25, 06/11/25 (for different products) during the audit showed they had been conducted as per procedures.

2.4.8 - Environmental Monitoring

2.4.8.1 - A risk-based environmental monitoring program shall be in place for all food manufacturing processes and immediate surrounding areas, which impact manufacturing processes. The responsibility and methods for the environmental monitoring program shall be documented and implemented.

Response: Compliant

2.4.8.2 - An environmental sampling and testing schedule shall be prepared. It shall at a minimum: i. Detail the applicable pathogens or indicator organisms to test for in that industry; ii. List the number of samples to be taken and the frequency of sampling; iii. Outline the locations in which samples are to be taken and the rotation of locations as needed; and iv. Describe the methods to handle elevated or undesirable results.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

2.4.8.3 - Environmental testing results shall be monitored, tracked, and trended, and preventative actions (refer to 2.5.3.1) shall be implemented where unsatisfactory results or trends are observed.

Response: Compliant

Summary -

Response: Site complies with customer specific requirements. SOP 248 - Environmental Sampling Procedure (dated 06/26/25) is in place for sampling and testing of FCS and NFCS areas as per Risk Based Paired Product Sampling Program - Protocol/Procedures for FCS Environmental Swabbing - RTE Testing and Protocol/Procedures for NFCS Environmental Swabbing - RTE Testing to maintain export eligibility. Risk assessment is also in place (dated 06/26/25). Facility is divided into four zones - zone 1 (FCS), zone 2 (non-FCS in proximity to zone 1), zone 3 (non-FCS further from packaging area but within processing areas), and zone 4 (include remote areas). Sampling plan includes 10 FCS to be sampled from each production line (in operation) in production area once a month. There is one production line for RTE products. Current sampling and testing program include swabbing and testing for Listeria species from the RTE production line (when in production). Examples: records were reviewed for zone 1 dated 09/04/25, 08/26/25, 07/10/25 (10 samples taken from FCS in RTE area – Kebab packaging, e.g. - tray lid, packaging table, employee gloves 1,2). Ten NFCs (zone 2,3,4 together) are sampled semi-annually, and acceptable test results dated 09/03/25 (e.g., packaging room door

handle, sealing machine belt, sliding dock door handle), 07/15/25 (e.g., metal detector belt, shrink wrap control panel, packaging table leg) were reviewed during the audit. Test method included: MFHPB - 30 (Listeria species). Testing is done through external ISO 17025 accredited laboratory. Environmental testing results are reviewed and trended once a month for any deviations, reviewed during the audit from July 2025 - Sep 2025, there were no deviations to report for the data reviewed during the audit. Test results are monthly with the senior management. Air plate testing – ambient air is required to be sampled form different areas from within the facility and sent to external laboratory for yeast and mold, scheduled to be sampled in October 2025. During the assessment the site was verified to comply with customer specific requirements.

2.5.1 - Validation and Effectiveness (Mandatory)

2.5.1.1 - The methods, responsibility, and criteria for ensuring the effectiveness of all applicable elements of the SQF Program shall be documented and implemented. The methods applied shall validate that: i. Good Manufacturing Practices are confirmed to ensure they achieve the required results; ii. Critical food safety limits are reviewed annually and re-validated or justified by regulatory standards when changes occur; and iii. Changes to the processes or procedures are assessed to ensure the controls are still effective. Records of all validation activities shall be maintained.

Response: Compliant

Summary -

Response: The methods, responsibilities and criteria for ensuring the effectiveness of Good Manufacturing Practices, critical food safety limits and all other applicable elements of the SQF System have been documented and implemented. These schedules and methods are detailed in SOP 251: Validation & Effectiveness Procedure, Control Points (dated 06/26/25) and were found to ensure that each has been implemented effectively. Methods to ensure that procedure or process changes are still effective in controlling food safety are in place and documented in validation schedule SOPs for individual programs and procedures. Critical food safety limits are re-evaluated at least annually based on in-house data collection. Records of all verifications of effectiveness and validations are maintained by the QA Coordinator. Examples of validation activities reviewed include: CCP 1B (cooking) – through cook temperature data collection, USDA FSIS cooking guidelines for meat and poultry products Dec 2021, CFIA preventive control recommendations for manufacturing cooking RTE meat products, in-house data collection dated 07/19/22, 08/03/22, 08/13/22, 08/15/22, indicated cook temperature validations. It was re-evaluated again in year 2025. Example: product internal cook temperature data collection for product - Chicken Charcoal Kebab (dated 08/19/25), Chicken Charcoal Kebab (dated 08/20/25) indicated CCP is met. CCP 2B (cooling) - Based on CFIA's Preventive Control Recommendations for Cooling Heat Processed Meat Products (done on 06/04/22). Sanitation Program - Validation of control measures to prevent cross contamination of microbiological risks during handling of skewer handles during cooking procedure (between raw and cooked kebabs on the cooking lines), sample was taken from different spots (skewer handle from skewer bin, skewer sink inside, warm water bin inside, kebab remover's glove), sampled on three days (08/27/25, 08/29/25, 09/02/25), tested for Listeria species, acceptable test results indicated sanitation program effectiveness.

2.5.2 - Verification Activities (Mandatory)

2.5.2.1 - The methods, responsibility, and criteria for verifying monitoring of Good Manufacturing Practices, critical control points, and other food safety controls, and the legality of certified products shall be documented and implemented. The methods applied shall ensure that personnel with responsibility for verifying monitoring

activities authorize each verified record.

Response: Compliant

2.5.2.2 - A verification schedule outlining the verification activities, their frequency of completion, and the person responsible for each activity shall be prepared and implemented. Records of verification of activities shall be maintained.

Response: Minor

Evidence: • Records of completed monthly on-site verification for the completed metal detector monitoring, monthly on-site verification of cooking CCP (CCP 1B) and cooling CCP (CCP 2B), and monthly on-site verification of completed GMP inspections are not maintained.

Root Cause: Instructions given to coordinator was not understood as per the requirement.

Corrective Action: Training was provided for performing the verification as per the verification schedule. Monthly onsite verification for metal detector and cooking CCP (1B) and cooling CCP (2B) and GMP inspection are completed. (Attachment)

Verification Of Closeout: Reviewed: CAPA 2.5.2.2, Element 2.5.2.2 metal Detector, Element 2.5.2.2.

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

Summary -

Response: Procedures outlining the verification steps, procedures, and responsibilities for each verification activity are detailed in SOP 252 - Verification Activities Procedure (dated 06/26/25). The schedule is found in RD-VS-252: Verification Schedule (dated 06/26/25) and maintained by QA Coordinator. The procedures for verifying Good Manufacturing Practices, critical control points, other food safety controls and regulatory compliance include utilizing authorized personnel to verify all monitoring activities. Records of verification of monitoring activities are kept. Examples: Metal Detector Checks – weekly through records review (products - packaging log) by QA (reviewed for 08/30/25, 08/24/25, 08/19/25, 08/13/25, 08/09/25, 08/05/25, 07/30/25, 10/11/25, 10/05/25, 09/30/25, 09/25/25. Cooking & Cooling CCP Monitoring Verification - weekly through records review (products cooking & cooling record) by QA (reviewed for 10/10/25, 10/08/25, 10/05/25, 10/02/25, 09/30/25, 09/27/25, 09/25/25, 09/14/25, 09/12/25. Minor (Clause 2.5.2.2) - Records of completed monthly on-site verification for the completed metal detector monitoring, monthly on-site verification of cooking CCP (CCP 1B) and cooling CCP (CCP 2B), and monthly on-site verification of completed GMP inspections are not maintained.

2.5.3 - Corrective and Preventative Action (Mandatory)

2.5.3.1 - The responsibility and methods outlining how corrective and preventative actions are determined, implemented, and verified, including the identification of the root cause and resolution of non-compliance of critical food safety limits and deviations from food safety requirements, shall be documented and implemented. Deviations from food safety requirements may include customer complaints, nonconformances raised at internal or external audits and inspections, non-conforming product and equipment, withdrawals and recalls, as appropriate.

Response: Compliant

2.5.3.2 - Records of all investigation, root cause analysis, and resolution of non-conformities, their corrections, and the implementation of preventative actions shall be maintained.

Response: Compliant

Summary -

Response: SOP 253: Corrective & Preventive Action Procedure (dated 06/26/25) describes the methods and responsibilities for investigating, resolving, and managing corrective actions. The identification of root causes and resolutions to deviations of critical control limits, GMP deviations, internal audits are documented. Records of investigations and corrective actions are kept on corrective action preventative action report. Records were reviewed for site's hand washing station without adequate hot water noticed during a customer audit (dated 09/05/25), expired supplier evaluation for supplier of onions and poly bag supplier (dated 09/05/25). These were found to have reviews, investigations, root cause analysis, corrective and preventative actions and resolutions along with verification of completion documented.

2.5.4 - Internal Audits and Inspections (Mandatory)

2.5.4.1 - The methods and responsibility for scheduling and conducting internal audits to verify the effectiveness of the SQF System shall be documented and implemented. Internal audits shall be conducted in full and at least annually. The methods applied shall ensure: i. All applicable requirements of the SQF Food Safety Code: Food Manufacturing are audited per the SQF audit checklist or a similar tool; ii. Objective evidence is recorded to verify compliance and/or non-compliance; iii. Corrective and preventative actions of deficiencies identified during the internal audits are undertaken; and iv. Audit results are communicated to relevant management personnel and staff responsible for implementing and verifying corrective and preventative actions.

Response: Compliant

2.5.4.2 - Staff conducting internal audits shall be trained and competent in internal audit procedures. Where practical, staff conducting internal audits shall be independent of the function being audited.

Response: Compliant

2.5.4.3 - Regular inspections of the site and equipment shall be planned and carried out to verify Good Manufacturing Practices and facility and equipment maintenance are compliant to the SQF Food Safety Code: Food Manufacturing. The site shall: i. Take corrections or corrective and preventative action; and ii. Maintain records of inspections and any corrective actions taken.

Response: Compliant

2.5.4.4 - Records of internal audits and inspections and any corrective and preventative actions taken as a result of internal audits shall be recorded as per 2.5.3.Changes implemented from internal audits that have an impact on the site's ability to deliver safe food shall require a review of applicable aspects of the SQF System (refer to 2.3.1.3).

Response: Compliant

Summary -

Response: The site's procedure for scheduling and conducting internal audits to assess the effectiveness of the SQF system has been documented and implemented as per SOP 254: Internal Audit & Inspection Procedure (dated 06/26/25). The internal audit program is maintained by HACCP Coordinator. IAS-2.5.4: Internal Audit Schedule is also in place. All applicable SQF Code requirements are verified using the SQF Code 9 checklist as part of the internal audit program. The frequency of the audits is communicated to management; HACCP Coordinator and external consultant is responsible to see that corrective actions are implemented and verified. Personnel conducting internal audits have been properly trained. External consultant conducted the internal audit based on SQF Code 9 module 2, 11, trained in internal auditing and audit areas independent of their function. Records of internal audits in the facility conducted on 09/12/25 – 09/13/25, 09/23/25 (SQF Code

Module 2, 9,11) were sampled and reviewed during the audit. Facility and equipment inspections are conducted regularly to ensure Good Manufacturing Practices are followed, which are documented in building record (done monthly, and reviewed for 07/26/25, 06/25/25, 05/29/25, 04/27/25, 09/15/25) and daily GMP inspections (records were reviewed from 01/02/25 – 10/12/25).

2.6.1 - Product Identification (Mandatory)

2.6.1.1 - The methods and responsibility for identifying raw materials, ingredients, packaging, work-in-progress, process inputs, and finished products during all stages of production and storage shall be documented and implemented to ensure: i. Raw materials, ingredients, packaging, work-in-progress, process inputs, and finished products are clearly identified during all stages of receipt, production, storage, and dispatch; and ii. Finished product is labeled to the customer specification and/or regulatory requirements.

Response: Compliant

2.6.1.2 - Product start-up, product changeover, and packaging changeover (including label changes) procedures shall be documented and implemented to ensure that the correct product is in the correct package and with the correct label and that the changeover is inspected and approved by an authorized person. Procedures shall be implemented to ensure that label use is reconciled, and any inconsistencies investigated and resolved. Product changeover and label reconciliation records shall be maintained.

Response: Compliant

Summary -

Response: SOP 261: Product Identification & Traceability (dated 06/26/25) is in place for identification of materials from receipt through production and shipping. The site's identification system ensures all raw materials, ingredients, packaging materials, work-in-progress, process inputs and finished goods are clearly identified at all stages of their process. Items are marked at receipt by the receiver, a lot # is assigned to each incoming material, documented in receiving log. Packaging materials to be used are documented. At the start, and changeover, line is cleared of all previous labels and packaging materials and recorded on products – packaging log (bag lot #, cardboard carton #). Product identification records reviewed during the audit included - products – production record (product lot #), products - packaging log (for carton lot code, bag lot #) and demonstrated the products were properly identified throughout the process. Product startup/changeover procedures during production/packing ensure that the correct product goes into the correct package with the correct label. Records are required to be kep in product change over record, site only produces one type of product during the day. A changeover was not observed due to production and packing of one product type only. Records of label reconciliation are kept in product label & packaging record (for types of label and checked prior to start of product run on the packing line.

2.6.2 - Product Trace (Mandatory)

2.6.2.1 - The responsibility and methods used to trace product shall be documented and implemented to ensure: i. Finished product is traceable at least one step forward to the customer and at least one step back from the process to the manufacturing supplier; ii. The receipt dates of raw materials, ingredients, food contact packaging and materials, and other inputs are recorded (refer to 2.8.1.8 for traceback of allergen containing food products.); iii. Traceability is maintained where product is reworked (refer to 2.4.6); and iv. The effectiveness of the product trace system is reviewed at least annually, as part of the product recall and withdrawal review (refer to 2.6.3.2). Records of raw and packaging material receipt and use and finished product dispatch and destination shall be maintained.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

Summary -

Response: A policy for methods and responsibilities for tracing product to the customer (one up) and from vendors of raw materials and packaging (one back) is defined in SOP 262: Product Trace (dated 06/26/25). Reworks are not handled here. The effectiveness of the trace system is conducted annually, as part of the product withdrawal and recall program. Records of the receipt, use and dispatch of finished product are maintained. Rework is not generated or used here. One exercise was done on 06/19/25 for incoming chicken - received on 05/28/25 (lot EG 052805), 100% traceability was achieved in 45 minutes. Second exercise was done on 09/05/25 for packaging material - poly bag (lot 05224), 100% traceability was achieved in 2 hours. During the audit, traceability was tested on product - Chicken Charcoal Kebab (lot 0729599, production date: 07/29/25), quantity produced: 198 cases, quantity shipped: 198 cases (07/31/25: 96 cases, 08/06/25: 6 cases, 08/107/25: 96 cases). Incoming chicken - received: 240 cases (4800 kg) on 07/25/25 (lot EG07255, fresh MDM chicken leg quarter - halal), quantity used: 1242 kg on above production date, remaining quantity: used in other products from 07/25/25 - 07/31/25. 100% traceability was achieved in 1 hour 15 minutes. All traceability is maintained through records- products cooking & cooling record, receiving log, shipping record, products - production record. During the assessment the site was verified to comply with customer specific requirements.

2.6.3 - Product Withdrawal and Recall (Mandatory)

2.6.3.1 - The responsibility and methods used to withdraw or recall product shall be documented and implemented. The procedure shall: i. Identify those responsible for initiating, managing, and investigating a product withdrawal or recall; ii. Describe the management procedures to be implemented, including sources of legal, regulatory, and expert advice, and essential traceability information; iii. Outline a communication plan to inform site personnel, customers, consumers, authorities, and other essential bodies in a timely manner appropriate about the nature of the incident; and iv. Ensure that SQFI, the certification body, and the appropriate regulatory authority are listed as essential organizations and notified in instances of a food safety incident of a public nature or product recall for any reason.

Response: Minor

Evidence: • The contact information for Logistic Manager (listed in the recall team) is not included.

Root Cause: While providing information on contact details, contact information for Logistic Manager was not included.

Corrective Action: The contact information for Logistic Manager updated in the recall team list.

Verification Of Closeout: Reviewed: Element 2.6.3.1, CAPA 2.6.3.1

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

2.6.3.2 - The product withdrawal and recall system shall be reviewed, tested, and verified as effective at least annually. Testing shall include incoming materials (minimum traceability one step back) and finished product (minimum traceability one step forward). Testing shall be carried out on products from different shifts and for materials (including bulk materials) that are used across a range of products and/or products that are shipped to a wide range of customers.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

2.6.3.3 - Records shall be maintained of withdrawal and recall tests, root cause investigations into actual withdrawals and recalls, and corrective and preventative actions applied.

Response: Compliant

2.6.3.4 - SQFI and the certification body shall be notified in writing within twenty-four (24) hours upon identification of a food safety event that requires public notification. SQFI shall be notified at foodsafetycrisis@sqfi.com.

Response: Compliant

Summary -

Response: SOP: 263: Product Withdrawal & Recall Procedure (dated 06/26/25) is in place for methods and responsibilities for withdrawing and recalling product if necessary. A recall team has been designated and is led by President, designated as recall coordinator. The withdrawal procedure includes the requirement to investigate a recall and determine the root cause of a recall/withdrawal with a corrective action. It also includes a communication plan to notify customers, consumers, regulatory authorities and other essential bodies. This includes SQFI and Intertek SAI Global the Certification Body, who must be notified within 24 hours in writing of any food safety event requiring public notification. Investigation into the root cause of any product recall, mock recall or product withdrawal, with actions taken, was observed to be documented. Mock trace exercises are completed once annually, one step forward and one step back, to verify the effectiveness of the system. Records were reviewed of the recall plan and summary of the trace exercise performed on 06/18/25 for product -Chicken Charcoal Kebab (lot 0602599). The mock trace exercise records reviewed showed the Product Withdrawal and Recall procedure was tested one step back and one step forward with acceptable accountability. During the assessment the site was verified to comply with customer specific requirements. Minor (Clause 2.6.3.1) - The contact information for Logistic Manager (listed in the recall team) is not included.

2.6.4 - Crisis Management Planning

2.6.4.1 - A crisis management plan based on the understanding of known potential dangers (e.g., flood, drought, fire, tsunami, or other severe weather events, warfare or civil unrest, computer outage, pandemic, loss of electricity or refrigeration, ammonia leak, labor strike) that can impact the site's ability to deliver safe food shall be documented by senior management, outlining the methods and responsibility the site shall implement to cope with such a business crisis. The crisis management plan shall include at a minimum: i. A senior manager responsible for decision making, oversight, and initiating actions arising from a crisis management incident; ii. The nomination and training of a crisis management team; iii. The controls implemented to ensure any responses do not compromise product safety; iv. The measures to isolate and identify product affected by a response to a crisis; v. The measures taken to verify the acceptability of food prior to release; vi. The preparation and maintenance of a current crisis alert contact list, including supply chain customers; vii. Sources of legal and expert advice; and viii. The responsibility for internal communications and communicating with authorities, external organizations, and media.

Response: Compliant

2.6.4.2 - The crisis management plan shall be reviewed, tested, and verified at least annually with gaps and appropriate corrective actions documented. Records of reviews of the crisis management plan shall be maintained.

Response: Compliant

Summary -

Response: SOP 2.6.4: Crisis Management Program (dated 06/26/25) has been implemented and it addresses serious disaster threats to the extended interruption of the business (e.g., transportation accident, fire, utility supply failure, severe weather conditions, extortion or sabotage). CEO/President has oversight of the plan. A Crisis management team (dated 09/02/25) has been identified and trained. The plan includes responses to a business interruption, isolating and identifying affected product. The crisis management plan includes internal/external communications and sources of legal and expert advice. Crisis management plan was tested on 10/08/25 involving a disaster scenario of unidentified box inside the lunch room for employees. Outcome was identified as isolation and controlling the box, securing the area to ensure food safety is not compromised. Records are maintained in QA office, including follow-up corrective actions of this review and annual test of the crisis management plan.

2.7.1 - Food Defense Plan (Mandatory)

2.7.1.1 - A food defense threat assessment shall be conducted to identify potential threats that can be caused by a deliberate act of sabotage or terrorist-like incident.

Response: Compliant

2.7.1.2 - A food defense plan shall be documented, implemented, and maintained based on the threat assessment (refer to 2.7.1.1). The food defense plan shall meet legislative requirements as applicable and shall include at a minimum: i. The methods, responsibility, and criteria for preventing food adulteration caused by a deliberate act of sabotage or terrorist-like incident; ii. The name of the senior site management person responsible for food defense; iii. The methods implemented to ensure only authorized personnel have access to production equipment and vehicles, manufacturing, and storage areas through designated access points; iv. The methods implemented to protect sensitive processing points from intentional adulteration; v. The measures taken to ensure the secure receipt and storage of raw materials, ingredients, packaging, equipment, and hazardous chemicals to protect them from deliberate acts of sabotage or terrorist-like incidents; vi. The measures implemented to ensure raw materials, ingredients, packaging (including labels), work-in-progress, process inputs, and finished products are held under secure storage and transportation conditions; and vii. The methods implemented to record and control access to the premises by site personnel, contractors, and visitors.

Response: Compliant

2.7.1.3 - Instruction shall be provided to all relevant staff on the effective implementation of the food defense plan (refer to 2.9.2.1).

Response: Compliant

2.7.1.4 - The food defense threat assessment and prevention plan shall be reviewed and tested at least annually or when the threat level, as defined in the threat assessment, changes. Records of reviews and tests of the food defense plan shall be maintained.

Response: Compliant

Summary -

Response: SOP 271 – Food Defense Plan (dated 06/26/25) lists procedures, responsibilities, and criteria for preventing deliberate food adulteration have been documented and implemented. Crisis Management & Food Defense Team (dated 09/02/25) has been designated). A food defense protocol includes the name of the senior manager responsible for food defense (CEO/President), methods to allow access to the site only for authorized personnel, designated access points to different areas through a locked scan card for access into the facility, the secured storage of materials and hazardous chemicals and the control of access to shipping

and receiving, contractors and visitors. Site’s computer system access control is protected through the password to prevent administrative access to unauthorized employee. The food defense plan has not been tested yet, it was noted during internal audit with follow up plan listed.

2.7.2 - Food Fraud (Mandatory)

2.7.2.1 - The methods, responsibility, and criteria for identifying the site's vulnerability to food fraud, including susceptibility to raw material or ingredient substitution, finished product mislabeling, dilution, or counterfeiting, shall be documented, implemented, and maintained.

Response: Compliant

2.7.2.2 - A food fraud mitigation plan shall be developed and implemented that specifies the methods by which the identified food fraud vulnerabilities shall be controlled, including identified food safety vulnerabilities of ingredients and materials.

Response: Compliant

2.7.2.3 - Instruction shall be provided to all relevant staff on the effective implementation of the food fraud mitigation plan (refer to 2.9.2.1).

Response: Compliant

2.7.2.4 - The food fraud vulnerability assessment and mitigation plan shall be reviewed and verified at least annually with gaps and corrective actions documented. Records of reviews shall be maintained.

Response: Compliant

Summary -

Response: SOP 272 – Food Fraud (dated 06/26/25) is in place along with vulnerability assessment (dated 06/26/25) Factors considered include site’s susceptibility to fraudulent economic gain, including product substitution, mislabeling, counterfeiting that could impact food safety. The site has developed a food fraud mitigation plan to address the control of the identified food fraud vulnerabilities (e.g., supplier CoAs where needed, ingredient list verification, periodic testing for fat profile/allergens (for the potential for cheaper fat substitution, undeclared allergens). The vulnerability assessment and mitigation plan was last reviewed on 06/26/25. The review of the vulnerability assessment and the mitigation plan is kept in the food safety manual.

2.8.1 - Allergen Management (Mandatory)

2.8.1.1 - The responsibility and methods used to control allergens and to prevent sources of allergens from contaminating product shall be documented and implemented. The allergen management program shall include: i. A risk analysis of those raw materials, ingredients, and processing aids, including food grade lubricants, that contain food allergens; ii. An assessment of workplace-related food allergens that may originate from locker rooms, vending machines, lunchrooms, and visitors; iii. A list of allergens that is applicable in the country of manufacture and the country(ies) of destination, if known; iv. A list of allergens that is accessible to relevant staff; v. The control of hazards associated with allergens and incorporated into the food safety plan; and vi. Management plans for control of the identified allergens.

Response: Compliant

2.8.1.2 - Instructions shall be provided to all relevant staff involved in the receipt or handling of raw materials, work-in-progress, rework, or finished product on how to identify, handle, store, and segregate raw materials and

products containing allergens.

Response: Compliant

2.8.1.3 - Provisions shall be made to clearly identify and segregate foods that contain allergens. Segregation procedures shall be implemented and continually monitored.

Response: Compliant

2.8.1.4 - Where allergenic material may be intentionally or unintentionally present cleaning and sanitation of product contact surfaces between line changeovers shall be effective, appropriate to the risk and legal requirements, and sufficient to remove all potential target allergens from product contact surfaces, including aerosols as appropriate, to prevent cross-contact. Separate handling and production equipment shall be provided, where satisfactory line hygiene and clean-up or segregation are not possible.

Response: Compliant

2.8.1.5 - Based on risk assessment, procedures for validation and verification of the effectiveness of the cleaning and sanitation of areas and equipment in which allergens are used shall be documented and effectively implemented.

Response: Compliant

2.8.1.6 - Where allergenic material may be present, product changeover procedures shall be documented and implemented to eliminate the risk of cross-contact.

Response: Compliant

2.8.1.7 - The product identification system (refer to 2.6.1.1) shall make provision for clear identification and labeling, in accordance with the regulatory requirements of those products produced on production lines and equipment on which foods containing allergens are manufactured.

Response: Compliant

2.8.1.8 - The product trace system (refer to 2.6.2) shall take into consideration the conditions under which allergen-containing foods are manufactured and ensure full traceback of all ingredients and processing aids used.

Response: Compliant

2.8.1.9 - The site shall document and implement methods to control the accuracy of finished product labels (or consumer information where applicable) and assure work-in progress and finished product are true to label with regard to allergens. Measures may include label approvals at receipt, label reconciliations during production, destruction of obsolete labels, verification of labels on finished product as appropriate, and product change over procedures.

Response: Compliant

2.8.1.10 - Re-working of product (refer to 2.4.6) containing food allergens shall be conducted under conditions that ensure product safety and integrity are maintained. Re-worked product containing allergens shall be clearly identified and traceable.

Response: Compliant

Evidence: • Reworks are not handled here.

2.8.1.11 - Sites that do not handle allergenic materials or produce allergenic products shall document, implement and maintain an allergen management program addressing at a minimum the mitigation of introduced or

unintended allergens through supplier, contract manufacturer, site personnel, and visitor activities.

Response: Compliant

Summary -

Response: The site's allergen management policy to control allergens and prevent contamination of other products is found in SOP 281: Allergen Management (dated 06/26/25) and is the responsibility of QA Specialist. Additionally, allergen management is implemented through receiving, storage, GMPs. Allergens handled here include wheat (in all products) and egg (indirectly expected from the fowl). A risk assessment was observed to be in place for allergens including raw materials, ingredients, included within the hazard analysis as part of two food safety plans. Workplace allergens from locations such as lunch rooms were found to be part of the allergen management program. Risk assessment for allergen cross contamination is also in place covering receiving (packaged raw materials), storage, processing, cooking, packing/assembling, finished product storage, staff facilities and employee practices (dated 06/26/25) along with control strategies listed, the risks are identified as low. During storage, allergenic materials are stored with allergen labels (e.g. Wheat for gluten free production). Proper procedures for cleaning of food contact surfaces, including periodic validation of cleaning methods by protein-specific testing, were found to be in place. Regular verification include visual inspections, label checks. Annual validation of allergen cleaning program is done . Example: raw material - Spring Roll Pastry (lot ESB 2605241929, tested for soy, test result dated 03/07/25 from external laboratory reported soy as < 2.5 ppm, and test result dated 03/06/25 for raw material - spring roll pastry lot 27 OC 31 reported soy as < 2.5 ppm). Additionally, FCS is swabbed annually through allergen specific swab and sent to external laboratory, test result dated 12/11/24 from packaging table top and reported milk allergen as < 0.5 micro g/swab. Finished product - chicken charcoal kebab was tested for sesame, and test result dated 01/02/23 indicated result reported as < LOQ (0.25 ppm). Additionally, Hygiena ATP test swabs are taken daily from FCS for sanitation verification and acceptable test results were reviewed from 08/01/25 – 10/13/25. On a weekly basis, protein residue swabs (Pro Clean 100) are taken from FCS (2 swabs) during pre-operational swabs and records kept in pre-operational records, reviewed from January 2025 - Oct 2025. The product trace system ensures the complete trace of allergen ingredients. Site's traceability system does not allow any ingredients which are not part of the product formulation to be picked up or entered and mixed into the batch. Allergenic products in storage were observed during the audit to be properly labeled and stored separately to prevent cross-contamination. NA (Clause 2.8.1.10) - Reworks are not handled here.

2.9.1 - Training Requirements

2.9.1.1 - The responsibility for establishing and implementing the training needs of the organization's personnel to ensure they have the required competencies to carry out those functions affecting products, legality, and safety shall be defined and documented (refer to 2.1.1.6).

Response: Compliant

2.9.1.2 - Appropriate training shall be provided for personnel carrying out the tasks essential to the effective implementation of the SQF System and the maintenance of food safety and regulatory requirements.

Response: Compliant

Summary -

Response: Appropriate training is provided for all plant personnel for all tasks to ensure the effective implementation of the SQF system. Training programs are the assigned responsibility of QA Specialist, HACCP Coordinator/HACCP Coordinator. The effectiveness of the facility 's training program was evidenced by

interviews with plant production employees, wrapping manager, packaging room employees, shipper/receiver, QA Coordinator.

2.9.2 - Training Program (Mandatory)

2.9.2.1 - A training program shall be documented and implemented that at a minimum outlines the necessary competencies for specific duties and the training methods to be applied to personnel carrying out tasks associated with: i. Implementing HACCP for staff involved in developing and maintaining food safety plans; ii. Monitoring and corrective action procedures for all staff engaged in monitoring critical control points (CCPs); iii. Personal hygiene for all staff involved in the handling of food products and food contact surfaces; iv. Good Manufacturing Practices and work instructions for all staff engaged in food handling, food processing, and equipment; v. Sampling and test methods for all staff involved in sampling and testing of raw materials, packaging, work-in-progress, and finished products; vi. Environmental monitoring for relevant staff; vii. Allergen management, food defense, and food fraud for all relevant staff; and viii. Tasks identified as critical to meeting the effective implementation and maintenance of the SQF code. The training program shall include provisions for identifying and implementing the refresher training needs of the organization.

Response: Compliant

2.9.2.2 - Training materials, the delivery of training, and procedures on all tasks critical to meeting regulatory compliance and the maintenance of food safety shall be provided in language(s) understood by staff.

Response: Compliant

2.9.2.3 - Training records shall be maintained and include: i. Participant name; ii. Skills description; iii. Description of the training provided; iv. Date training completed; v. Trainer or training provider; and vi. Verification that the trainee is competent to complete the required tasks.

Response: Minor

Evidence: • One employee training record of completed training for one production employee was not dated and one completed training record for another employee was dated as 12/14/25.

Root Cause: Training record completion was not done with required attention.

Corrective Action: Training records were corrected as per the exact dates. (Attachment)

Verification Of Closeout: Reviewed: CAPA 2.9.2.3, Element 2.9.2.3.

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

Summary -

Response: The site has implemented a training program, entitled SOP 292 - Training Program (dated 06/26/25) & SOP 291 - Training Requirements (dated 06/26/25) which cover the necessary competencies for plant personnel. This program requires training to be conducted in GMPs, HACCP, food safety and quality fundamentals, chemical control and handling, food defense, traceability and recall, foreign material control, allergen control. Training matrix is also in place for identifying the trainings completed for different employees in different areas. Work instructions have been written explaining how tasks critical to maintaining food safety are performed. Records of work instruction training were reviewed for wrapping manager, shipping/receiving personnel, QA coordinator. HACCP training for personnel (QA Specialist) involved in the development and maintaining the food safety plan is administered through HACCP training. The training completed include HACCP food safety training course, as evidenced by certificate from Food Safety First Inc. dated 08/03/23 - 08/04/23. The training language and materials are in English, the language used in the operation and

understood by all plant personnel. Periodic refresher training needs have been identified. Review of refresher training records indicated that training covered general food hygiene, pre-op inspections, allergen awareness, food safety culture, segregation/cross contamination, equipment - maintenance awareness, HACCP program overview, sanitation. Interviews with wrapping manager, shipper/receiver, QA coordinator, production/packaging personnel indicated proper refresher training has been conducted to ensure food safety, quality and the SQF system are maintained. Specific refresher training topics are covered on an annual basis (e.g., CCP training (for cooking CCP, cooling CCP) or when a new employee is designated for CCP monitoring. A training matrix is maintained by the QA Specialist. Review of training matrix and individual training record was found to include the listing of the trainee, trainer, the description of the training, the date of training and verification by supervision that the training was completed. The site verifies the effectiveness of training by random onsite observation and interview. Plant employees interviewed on the production floor had appropriate training completed. Examples: training records were reviewed for production room employee (dated 08/31/25 for GMPs, general food hygiene, cooking CCP), packaging room employee (dated 08/31/25, for packaging awareness, labeling, GMPs, food defense), shipping receiving personnel (dated 08/31/25 for allergen awareness, labeling, pre-shipment, shipping, food defense and food security), wrapping room employee (dated 08/31/25 for allergens, labeling), employees for shift end sanitation (dated 11/15/24, 07/23/25 for SSOPs). Minor (Clause 2.9.2.3) - One employee training record of completed training for one production employee was not dated and one completed training record for another employee was dated as 12/14/25.

11.1.1 - Premises Location and Approval

11.1.1.1 - The site shall assess local activities and the site environment to identify any risks that may have an adverse impact on product safety and implement controls for any identified risks. The assessment shall be reviewed in response to any changes in the local environment or activities. The construction and ongoing operation of the premises on the site shall be approved by the relevant authority.

Response: Compliant

Summary -

Response: The site's buildings, property and surroundings were observed during the audit to not pose a food safety risk to products. Site exterior areas and activities are assessed monthly through external inspections, and reviewed for 07/26/25, 06/25/25, 05/29/25, 04/27/25, 09/15/25. The site maintains the required approvals by relevant authorities, as evidenced by current valid business license from city of Mississauga, Ontario and current license from CFIA for SFCR (license # xxxxxxxG, Expiry: 12/28/27)for their ongoing operations.

11.1.2 - Building Materials

11.1.2.1 - Floors shall be constructed of smooth, dense, impact-resistant material that can be effectively graded, drained, impervious to liquid, and easily cleaned. Floors shall be sloped to floor drains at gradients suitable to allow the effective removal of all overflow or wastewater under normal working conditions. Where floor drainage is not available, plumbed options to handle overflow or wastewater shall be in place.

Response: Compliant

11.1.2.2 - Drains shall be constructed and located so they can be easily cleaned and not present a hazard.

Response: Compliant

11.1.2.3 - Waste trap system shall be located away from any food handling areas or entrances to the premises.

Response: Compliant

11.1.2.4 - Walls, partitions, ceilings, and doors shall be of durable construction. Internal surfaces shall have an even and regular surface and be impervious with a light-colored finish and shall be kept clean (refer to 11.2.5). Wall-to-wall and wall-to-floor junctions shall be designed to be easily cleaned and sealed to prevent the accumulation of food debris.

Response: Compliant

11.1.2.5 - Ducting, conduit, and pipes that convey ingredients, products, or services, such as steam or water, shall be designed and constructed to prevent the contamination of food, ingredients, and food contact surfaces and allow ease of cleaning. A risk analysis shall be conducted to ensure food contamination risks are mitigated.

Response: Compliant

11.1.2.6 - Pipes carrying sanitary waste or wastewater that are located directly over product lines or storage areas shall be designed and constructed to prevent the contamination of food, materials, ingredients, and food contact surfaces and shall allow ease of cleaning. A risk analysis shall be conducted to ensure food contamination risks are mitigated.

Response: N/A

Evidence: • There are no overhead waste water pipe installations that pose a hazard of contamination to food, materials or food contact surfaces.

11.1.2.7 - Doors, hatches, and windows and their frames in food processing, handling, or storage areas shall be of a material and construction that meets the same functional requirements as for internal walls and partitions. Doors and hatches shall be of solid construction, and windows shall be made of shatterproof glass or similar material.

Response: Compliant

11.1.2.8 - Product shall be processed and handled in areas that are fitted with a ceiling or other acceptable structure that is constructed and maintained to prevent the contamination of products. Drop ceilings, where present, shall be constructed to enable monitoring for pest activity, facilitate cleaning, and provide access to utilities.

Response: Compliant

11.1.2.9 - Stairs, catwalks, and platforms in food processing and handling areas shall be designed and constructed so they do not present a product-contamination risk and with no open grates directly above exposed food product surfaces. They shall be kept clean (refer to 11.2.5).

Response: N/A

Evidence: • There are no stairs or catwalks in product handling areas.

Summary -

Response: Floors are constructed of smooth and dense impact resistant material and properly graded for effective drainage of overflow or waste water. There is a grease trap in the facility, cleaned every two weeks by external service provider (last cleaned on 09/26/25). Drains were observed to be located and constructed for ease of cleaning and inspection. Walls, ceilings and doors are of durable construction with smooth and light-colored surfaces. These areas were observed to be clean during the audit tours. Wall to wall and wall to floor junctures were observed to be sealed and free of debris. Ducting, piping and conduit conveying services were observed to be properly designed and installed to prevent contamination and for ease of cleaning. Risk assessment is completed. Overhead cleaning was found to be on a cleaning schedule and is completed as

scheduled. Examples: raw cooler, spice room, wrapping room (monthly, completed from Jan 2025 – Sep 2025). Doors, windows and frames in product areas were observed to be properly materials with the same functional requirements as internal walls and partitions. The ceilings in all food processing and handling areas are constructed of insulated panels and are easily cleaned and prevent product contamination. NA (Clause 11.1.2.6) - There are no overhead waste water pipe installations that pose a hazard of contamination to food, materials or food contact surfaces. NA (Clause 11.1.2.9) – There are no stairs or catwalks in product handling areas.

11.1.3 - Lightings and Light Fittings

11.1.3.1 - Lighting in food processing and handling areas and at inspection stations shall be of appropriate intensity to enable the staff to carry out their tasks efficiently and effectively and shall comply with local light-intensity regulations or industry standards.

Response: Compliant

11.1.3.2 - Light fixtures in processing areas, inspection stations, ingredient and packaging storage areas, and all areas where the product is exposed shall be shatterproof, manufactured with a shatterproof covering or fitted with protective covers, and recessed into or fitted flush with the ceiling. Where fixtures cannot be recessed, structures must be protected from accidental breakage, manufactured from cleanable materials, and addressed in the cleaning and sanitation program.

Response: Compliant

11.1.3.3 - Light fixtures in the warehouse or other areas where product is covered or otherwise protected shall be designed to prevent breakage and product contamination.

Response: Compliant

Summary -

Response: Lighting was of the appropriate intensity for employees to carry out their tasks efficiently. All lighting is either covered or is shatter-proof. Light intensity within plant areas is checked once annually by QA Specialist and was last tested and found to be at 340 Lux in dry storage area (required to be @ 220 Lux).

11.1.4 - Inspection/ Quality Control Area

11.1.4.1 - If online inspection is required, a suitable area close to the processing line shall be provided for the inspection of product (refer to 2.4.4). The inspection/quality control area shall be provided with facilities that are suitable for examination and testing of the type of product being handled/processed. The inspection area shall: i. Have easy access to handwashing facilities; ii. Have appropriate waste handling and removal; and iii. Be kept clean to prevent product contamination.

Response: N/A

Evidence: • There is no Inspection / Quality Control Area here.

Summary -

Response: There is no Inspection / Quality Control Area here.

11.1.5 - Dust, Insect, and Pest Proofing

11.1.5.1 - All external windows, ventilation openings, doors, and other openings shall be effectively sealed when closed, and proofed against dust, vermin, and other pests. External personnel access doors shall be effectively insect-proofed and fitted with a self-closing device and proper seals to protect against entry of dust, vermin, and other pests.

Response: Compliant

11.1.5.2 - External doors, including overhead dock doors in food handling areas used for product, pedestrian, or truck access, shall be designed and maintained to prevent pest ingress by at least one or a combination of the following methods: i. A self-closing device; ii. An effective air curtain; iii. A pest-proof screen; iv. A pest-proof annex; and v. Adequate sealing around trucks in docking areas.

Response: Compliant

11.1.5.3 - Electric insect control devices, pheromone, or other traps and baits shall be located and operated so they do not present a contamination risk to the product, packaging, containers, or processing equipment. Poison rodenticide bait shall not be used inside ingredients or product storage areas or processing areas where ingredients, packaging, and products are handled, processed, or exposed.

Response: Compliant

Summary -

Response: External windows, doors and other openings were observed during facility tours to be properly sealed to prevent any pest infestation or dust coming into the facility. External personnel doors were observed to be self-closing and sealed to prevent dust and pest ingress. All external doors and dock doors were sealed to prevent infestation. Electric insect devices, interior and exterior rodent stations are located so the product is not at risk for contamination. Rodenticide bait is only used on the outside of the facility.

11.1.6 - Ventilation

11.1.6.1 - Adequate ventilation shall be provided in enclosed processing and food handling areas. Where appropriate, positive air-pressure systems shall be installed to prevent airborne contamination.

Response: Compliant

11.1.6.2 - All ventilation equipment and devices in product storage and handling areas shall be adequately cleaned as per 11.2.5 to prevent unsanitary conditions.

Response: Compliant

11.1.6.3 - Extractor fans and canopies shall be provided in areas where open cooking operations are carried out or a large amount of steam is generated. Capture velocities shall be sufficient to prevent condensation build-up and to evacuate all heat, fumes, and other aerosols to the exterior via an exhaust hood positioned over the cooker(s).

Response: Compliant

11.1.6.4 - Fans and exhaust vents shall be insect-proofed and located so they do not pose a contamination risk and shall be kept clean.

Response: Compliant

Summary -

Response: Adequate ventilation was available in the main production room, wrapping room, packaging room, mixing area. Ventilation equipment (exhaust hoods in the main production room) was seen to be adequately

cleaned, insect-proofed and located to not pose a risk of contamination. Ventilation and heat extraction were observed to be adequate above kebab grills so that no condensation was noted.

11.1.7 - Equipment and Utensils

11.1.7.1 - Specifications for equipment and utensils and procedures for purchasing equipment shall be documented and implemented.

Response: Minor

Evidence: • Equipment purchasing specification and approvals form is not completed for newly commissioned and purchased skewers.

Root Cause: This was managed through Supplier Approval, and the information was not covered.

Corrective Action: Implemented a form “New Equipment Approvals & Commissioning Record” with details of purchase. Preventive Measure: This form becomes Controlled document and purchasing notification. (Attachment-Form)

Verification Of Closeout: Reviewed: CAPA 11.1.7.1, Element 11.1.7.1, New Equipment Approval Commissioning Record Element 11.1.7.1.

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

11.1.7.2 - Equipment and utensils shall be designed, constructed, installed, operated, and maintained to meet any applicable regulatory requirements and to not pose a contamination threat to products.

Response: Compliant

11.1.7.3 - Equipment storage rooms shall be designed and constructed to allow for the hygienic and efficient storage of equipment and containers. Where possible, food contact equipment shall be segregated from non-food contact equipment.

Response: Compliant

11.1.7.4 - Product contact surfaces and those surfaces not in direct contact with food in food handling areas, raw material storage, packaging storage, and cold storage areas shall be constructed of materials that will not contribute to a food safety risk.

Response: Compliant

11.1.7.5 - Benches, tables, conveyors, mixers, mincers, graders, and other mechanical processing equipment shall be hygienically designed and located for appropriate cleaning. Equipment surfaces shall be smooth, impervious, and free from cracks or crevices.

Response: Compliant

11.1.7.6 - Product containers, tubs, and bins used for edible and inedible material shall be constructed of materials that are non-toxic, smooth, impervious, and readily cleaned as per 11.2.5.1. Bins used for inedible material shall be clearly identified.

Response: Compliant

11.1.7.7 - All equipment and utensils shall be cleaned after use (refer to 11.2.5.1) or at a set and validated frequency to control contamination and be stored in a clean and serviceable condition to prevent microbiological or cross-contact allergen contamination.

Response: Compliant

11.1.7.8 - Vehicles used in food contact, handling, or processing zones or cold storage rooms shall be designed and operated so as not to present a food safety hazard.

Response: Compliant

11.1.7.9 - Non-conforming equipment shall be identified, tagged, and/or segregated for repair or disposed of in a manner that minimizes the risk of inadvertent use, improper use, or risk to the integrity of finished product. Records of the handling, corrective action, and/or disposal of non-conforming equipment shall be maintained.

Response: Compliant

Summary -

Response: Specifications for the site's equipment, utensils, and purchase procedures for equipment are documented in SOP – 11 1 7 (907): Equipment & Utensils (dated 06/26/25) and was seen to be appropriately implemented. Example: specifications are on file for samosa electric kettle. Equipment Purchasing Specifications & Approval Form is in place for new equipment and required to be completed for new equipment. However, see minor non-conformance below. Equipment and utensils, (including tables, skewers, tubs, bins, and containers) are designed, constructed and installed to meet regulatory requirements and prevent risks of contamination of the product. These items were found to be cleaned and stored properly after use to prevent cross contamination. Product contact surfaces, surfaces not in contact with food and storage areas are constructed of suitable materials including skewers, grills. They were observed during the audit to be properly maintained so that food safety is not compromised. Equipment surfaces were observed to be smooth, impervious, and free from cracks and crevices. Containers and bins are made of non-toxic materials and were labeled or color-coded, for appropriate use with either edible or non-edible materials. Example: dark blue plastic trays – samosas only, black plastic containers – general garbage, red – daily garbage collection in production area, gray – in process food waste, light blue plastic baskets – for cooked kebabs coming off the grills as they are cooked. Equipment are easily cleaned and is made of material that will not contaminate food. All equipment, utensils are cleaned at appropriate frequencies and are properly stored to prevent contamination. Nonconforming equipment is identified, segregated or disposed of, with records maintained by QA Specialist as per corrective and preventive action form. Such equipment are tagged with Non-Conforming or Do Not Use. Example: bowl chopper broke down on 07/26/25, repaired, inspected for cleanliness same day, verified on 07/26/25. Minor (Clause 11.1.7.1) - Equipment purchasing specification and approvals form is not completed for newly commissioned and purchased skewers.

11.1.8 - Grounds and Roadways

11.1.8.1 - A suitable external environment shall be established, and the effectiveness of the measures shall be monitored and periodically reviewed. The premises, its surrounding areas, storage facilities, machinery, and equipment shall be kept free of waste or accumulated debris, and vegetation shall be controlled so as not to attract pests and vermin or present a food safety hazard to the sanitary operation of the site.

Response: Compliant

11.1.8.2 - Paths, roadways, and loading and unloading areas shall be maintained so as not to present a hazard to the food safety operations of the premises. They shall be adequately drained to prevent the pooling of water. Drains shall be separate from the site drainage system and regularly cleared of debris.

Response: Compliant

11.1.8.3 - Paths from amenities leading to site entrances shall be effectively sealed.

Response: Compliant

Summary -

Response: The grounds and surrounding areas were observed to minimize dust and be free of any waste, so pests are not attracted. Paths, roadways and dock areas were seen to be adequately and properly drained and well maintained, so they do not present a hazard. No ponding of water was observed. Walkways from the parking lot and other employee amenities were paved or effectively sealed.

11.2.1 - Repairs and Maintenance

11.2.1.1 - The methods and responsibility for the maintenance and repair of plant, equipment, and buildings shall be documented, planned, and implemented in a manner that minimizes the risk of product, packaging, or equipment contamination.

Response: Compliant

11.2.1.2 - Routine maintenance of plant and equipment in any food processing, handling, or storage areas shall be performed according to a maintenance control schedule and recorded. The maintenance schedule shall be prepared to include buildings, equipment, and other areas of the premises critical to the maintenance of product safety.

Response: Compliant

11.2.1.3 - Failures of plant and equipment in any food processing, handling, or storage areas shall be documented and reviewed, and their repair(s) incorporated into the maintenance control schedule.

Response: Compliant

11.2.1.4 - Site supervisors shall be notified when maintenance or repairs are to be undertaken in any processing, handling, or storage areas.

Response: Compliant

11.2.1.5 - The maintenance supervisor and the site supervisor shall be informed if any repairs or maintenance activities pose a potential threat to product safety (e.g., pieces of electrical wire, damaged light fittings, and loose overhead fittings). When possible, maintenance is to be conducted outside operating times.

Response: Minor

Evidence: • The black protective insulation around the drain pipe from the refrigeration unit inside the production room was torn and torn part was hanging down. Underneath this area, equipment such as bowl chopper were staged, and next to this area an employee was preparing the chicken kebab mix in the mixer.

Root Cause: This issue of drain pipe insulation hanging was not noticed during the regular inspection. Maintenance was scheduled for October 19th, 2025

Corrective Action: Repair was completed and the maintenance was done on October 19th, 2025 (Attachment-pictures) Preventive Measure: Maintenance and QA team are instructed to perform operational inspections diligently. (Attachment- training record of understanding/awareness)

Verification Of Closeout: Reviewed: Element 11.2.1.5, CAPA 11.2.1.5.

Completion Date: October 19, 2025 **Closeout Date:** October 30, 2025

11.2.1.6 - Temporary repairs, where required, shall not pose a food safety risk and shall be included in routine inspections (refer to 2.5.4.3) and the cleaning program. There shall be a plan in place to address the completion of

temporary repairs to ensure they do not become permanent solutions.

Response: Compliant

11.2.1.7 - Food contact equipment and equipment located over food contact equipment shall be lubricated with food-grade lubricant, and its use shall be controlled to minimize the contamination of the product.

Response: Compliant

11.2.1.8 - Paint used in a food handling or processing area shall be suitable for use, in good condition, and not be used on any product contact surfaces.

Response: Minor

Evidence: • The yellow paint on the gas pipe behind the chargrill was flaking.

Root Cause: This issue of gas pipe yellow paint flaking was not noticed during the regular inspection. Maintenance was scheduled for October 19th, 2025

Corrective Action: Repair was completed and the maintenance was done on October 19th, 2025 (Attachment-pictures) Maintenance and QA team are instructed to perform operational inspections diligently. (Attachment-training record of understanding/awareness)

Verification Of Closeout: Reviewed: CAPA 11.2.1.8, ATTACH 11.2.1.18 JPG.

Completion Date: October 19, 2025 **Closeout Date:** October 30, 2025

Summary -

Response: SOP 1121 (921) – Repairs & Maintenance Manual (dated 06/26/25) defines the responsibilities for the maintenance and repair of all plant equipment and buildings. Equipment preventative maintenance is done on as needed basis through external service provider. There is a preventative maintenance checklist in place for different equipment. Examples: mixer, grinder, bowl chopper – weekly, completed on 09/15/25, 08/29/25, 07/02/25, 06/28/25, 05/29/25. Maintenance personnel (external contractor) are trained in good manufacturing practices and food safety. When repairs and maintenance are complete, maintenance personnel (contractor) removes all tools and debris and notify the QA Specialist. Appropriate cleaning and pre-operational inspections are carried out after completion of repair activity and before resumption of operations and required to be documented in work order form. This was reviewed during the audit and found to be complete. Repair is done as work order request. Periodic inspections are completed to ensure loose parts and other materials are not potential contaminants. Temporary repairs are subjected to be followed up and to be sanitary and cleanable and are maintained and checked daily if not replaced by permanent solution. Machinery, conveyors and other equipment over or near food or food contact surfaces are required to be lubricated with food grade materials. The food grade lubricants are maintained by the external maintenance contractor, they are not stored on-site. Paint is not used on food contact surfaces and any paint in processing areas was noted to be in good condition with no observed flaking except minor non-conformance below. Minor (Clause 11.2.1.5) - The black protective insulation around the drain pipe from the refrigeration unit inside the production room was torn and torn part was hanging down. Underneath this area, equipment such as bowl chopper were staged, and next to this area an employee was preparing the chicken kebab mix in the mixer. Minor (Clause 11.2.1.8) - The yellow paint on the gas pipe behind the chargrill was flaking.

11.2.2 - Maintenance Staff and Contractors

11.2.2.1 - Maintenance staff and contractors shall comply with the site’s personnel and process hygiene requirements (refer to 11.3).

Response: Compliant

11.2.2.2 - All maintenance and other engineering contractors required to work on-site shall be trained in the site's food safety and hygiene procedures or shall be escorted at all times until their work is completed.

Response: Compliant

11.2.2.3 - Maintenance staff and contractors shall remove all tools and debris from any maintenance activity once it has been completed, and inform the area supervisor and maintenance supervisor, so appropriate hygiene and sanitation can be conducted and a pre-operational inspection completed prior to the restarting of site operations.

Response: Compliant

Summary -

Response: Visitor Policy is in place for maintenance contractors. Maintenance and engineering contractors on site are trained in the site's food safety and hygiene procedures by means of review of visitor requirements , sign in visitor log and they are always monitored by QA Specialist while on-site. When repairs and maintenance are complete, maintenance personnel or contractors remove all tools and debris and notify President or QA Specialist. Appropriate cleaning and pre-operational inspections are carried out before resumption of operations, documented in work order form. This was reviewed during the audit and found to be complete. Tools are taken away by the maintenance personnel/contractor and verified.

11.2.3 - Calibration

11.2.3.1 - The methods and responsibility for calibration and re-calibration of measuring, testing, and inspection equipment used for monitoring activities outlined in prerequisite programs, food safety plans, and other process controls, or to demonstrate compliance with customer specifications, shall be documented and implemented. Software used for such activities shall be validated as appropriate.

Response: Compliant

11.2.3.2 - Equipment shall be calibrated against national or international reference standards and methods or to an accuracy appropriate to its use. In cases where standards are not available, the site shall provide evidence to support the calibration reference method applied.

Response: Compliant

11.2.3.3 - Calibration shall be performed according to regulatory requirements and/or to the equipment manufacturers' recommended schedule.

Response: Compliant

11.2.3.4 - Procedures shall be documented and implemented to address the resolution of potentially affected products when measuring, testing, or inspection equipment is found to be out of calibration.

Response: Compliant

11.2.3.5 - Calibrated measuring, testing, and inspection equipment shall be protected from damage and unauthorized adjustment or use.

Response: Compliant

11.2.3.6 - A directory of measuring, testing, and inspection equipment that require calibration and records of the calibration tests shall be maintained.

Response: Compliant

Summary -

Response: SOP 1123 (923): Calibration (dated 06/26/25) defines the methods and responsibilities for calibrating measuring, testing and inspection, and have been implemented. Equipment are calibrated against national or international standards. The facility has developed a calibration schedule for all devices which require calibration. The frequency of calibrations is based on the manufacturer's recommendations or customer requirements. The procedure includes the procedures to address the disposition of any affected product should inspection equipment be found to be out of calibration, written in SOP 253: Corrective & Preventive Action Procedure (dated 06/26/25). Inspection and testing equipment are protected from damage or unauthorized use by employees. Review of completed calibration activities for different instruments and equipment confirms the schedule is being followed. Examples reviewed during the audit: Scales – twice annually scales are calibrated through external service provider (last done on 09/05/25). Thermometers (hand held thermometers for CCP checks, monthly in-house) - last done on 09/05/25, 08/20/25, 07/26/25 (reference thermometer: certificate # xxxxxxxxxxH, Expiry: 11/15/25). Metal detector (1) - calibrated annually by external service provider (last done on 07/02/25). A review of the calibration records as mentioned above confirms the schedule is being followed.

11.2.4 - Pest Prevention

11.2.4.1 - A documented pest prevention program shall be effectively implemented. It shall: i. Describe the methods and responsibility for the development, implementation, and maintenance of the pest prevention program; ii. Record pest sightings and trend the frequency of pest activity to target pesticide applications; iii. Outline the methods used to prevent pest problems; iv. Outline the pest elimination methods and the appropriate documentation for each inspection; v. Outline the frequency with which pest status is to be checked; vi. Include the identification, location, number, and type of applied pest control/monitoring devices on a site map; vii. List the chemicals used. The chemicals are required to be approved by the relevant authority and their Safety Data Sheets (SDS) made available; viii. Outline the methods used to make staff aware of the bait control program and the measures to take when they come into contact with a bait station; ix. Outline the requirements for staff awareness and training in the use of pest and vermin control chemicals and baits; and x. Measure the effectiveness of the program to verify the elimination of applicable pests and to identify trends.

Response: Compliant

11.2.4.2 - Pest contractors and/or internal pest controllers shall: i. Be licensed and approved by the local relevant authority; ii. Use only trained and qualified operators, who comply with regulatory requirements; iii. Use only approved chemicals; iv. Provide a pest prevention plan (refer to 2.3.2.8), which includes a site map, indicating the location of bait stations traps and other applicable pest control/monitoring devices; v. Report to a responsible authorized person on entering the premises and after the completion of inspections or treatments; vi. Provide regular inspections for pest activity with appropriate action taken if pests are present, and vii. Provide a written report of their findings and the inspections and treatments applied.

Response: Compliant

11.2.4.3 - Pest activity risks shall be analyzed and recorded. Inspections for pest activity shall be conducted on a regular basis by trained site personnel and the appropriate action taken if pests are present. Identified pest activity shall not present a risk of contamination to food products, raw materials, or packaging. Records of all pest control inspections and applications shall be maintained.

Response: Compliant

11.2.4.4 - Food products, raw materials, or packaging that are found to be contaminated by pest activity shall be effectively disposed of, and the source of pest infestation shall be investigated and resolved. Records shall be kept of the disposal, investigation, and resolution.

Response: Compliant

11.2.4.5 - Pesticides shall be clearly labeled and stored per 11.6.4 if kept on-site.

Response: N/A

Evidence: • Pesticides are handled by the pest control service provider.

11.2.4.6 - No animals shall be permitted on-site in food handling and storage areas.

Response: Compliant

Summary -

Response: SOP 1124 9924): Pest Control Program (dated 06/26/25) defines the site's program for pest prevention and the appropriate follow up to pest prevention issues that may occur. The program was observed during the audit to be effectively implemented. The premises were free of waste and debris as observed during the interior and exterior tours. No pest activity was identified or noted during tours, which presented a risk for product contamination and corrective action and record keeping procedures are in place should this occur. A pest contractor has been contracted for pest prevention and an updated scope of service defines the methods of pest prevention, the frequency of interior and exterior inspections and targeted pests (every two weeks throughout the year). A current site map (dated 10/02/25) is in place accurate showing the location of interior rodent traps, fly lights (interior), exterior bait stations for rodents. Exterior pesticide application is recorded on pest inspection reports with dates of all chemical usage (last applied on 09/23/25). The service provider has valid current pesticide operator license on file from Ontario Ministry of Environment Conservation & Parks (Expiry: 12/31/25). Pest control technician has valid pesticide applicator certificate (# L-206-90977144-0, Expiry: 08/28/30) from Ontario Ministry of Environment Conservation & Parks and indicates the technician is adequately trained and competent. A list of chemicals used by the pest contractor is found in pest control program and includes SDS information (Contrac Blox). Inspection reports are signed by QA Specialist/Designate after visits (last done on 10/02/25). Inspection reports were reviewed and found to be completed as scheduled (reviewed for 10/01/25, 09/23/25, 09/03/25, 08/19/25, 08/05/25). Pesticide application is documented on inspection reports (Contrac Blox was last applied on 09/23/25). Any observations or issues noted by the pest contractor are addressed and documented by the site. NA (Clause 11.2.4.5) - Pesticides are handled by the pest control service provider.

11.2.5 - Cleaning and Sanitation

11.2.5.1 - The methods and responsibility for the effective cleaning of the food handling and processing equipment and environment and storage areas shall be documented and implemented. Consideration shall be given to: i. What is to be cleaned; ii. How it is to be cleaned; iii. When it is to be cleaned; iv. Who is responsible for the cleaning; v. Validation of the cleaning procedures for food contact surfaces (including CIP); vi. Methods used to confirm the correct concentrations of detergents and sanitizers; and vii. The responsibility and methods used to verify the effectiveness of the cleaning and sanitation program.

Response: Compliant

11.2.5.2 - Detergents and sanitizers shall be suitable for use in a food manufacturing environment, labeled

according to regulatory requirements, and purchased in accordance with applicable legislation. The organization shall ensure: i. The site maintains a list of chemicals approved for use; ii. An inventory of all purchased and used chemicals is maintained; iii. Detergents and sanitizers are stored as outlined in element 11.6.4; iv. Safety Data Sheets (SDS) are provided for all detergents and sanitizers purchased; and v. Only trained staff handle sanitizers and detergents.

Response: Compliant

11.2.5.3 - Detergents and sanitizers that have been mixed for use shall be correctly mixed according to the manufacturers' instructions, stored in containers that are suitable for use, and clearly identified. Mix concentrations shall be verified and records maintained.

Response: Compliant

11.2.5.4 - Cleaning-in-place (CIP) systems, where used, shall not pose a chemical contamination risk to raw materials, ingredients, or product. CIP parameters critical to assuring effective cleaning shall be defined, monitored, and recorded (e.g., chemical and concentration used, contact time, and temperature). CIP equipment, including spray balls, shall be maintained, and any modifications to CIP equipment shall be validated. Personnel engaged in CIP activities shall be effectively trained.

Response: N/A

Evidence: • Clean-In-Place procedures are not carried out here.

11.2.5.5 - Cleaning equipment, tools, racks, and other items used in support of the cleaning and sanitizing program shall be clearly identified, stored, and maintained in a manner that prevents contamination of processing areas, product handling equipment, and storage areas as well as the tools themselves.

Response: Compliant

11.2.5.6 - Suitably equipped areas shall be designated for cleaning product containers, knives, cutting boards, and other utensils used by staff. The areas for these cleaning operations shall be controlled so they do not interfere with manufacturing operations, equipment, or product. Racks and containers for storing cleaned utensils shall be provided as required.

Response: Compliant

11.2.5.7 - Pre-operational inspections shall be conducted following cleaning and sanitation operations to ensure food processing areas, product contact surfaces, equipment, staff amenities, sanitary facilities, and other essential areas are clean before the start of production. Pre-operational inspections shall be conducted by qualified personnel.

Response: Compliant

11.2.5.8 - Staff amenities, sanitary facilities, and other essential areas shall be inspected by qualified personnel at a defined frequency to ensure the areas are clean.

Response: Compliant

11.2.5.9 - The responsibility and methods used to verify the effectiveness of the cleaning procedures shall be documented and implemented. A verification schedule shall be prepared. A record of pre-operational hygiene inspections, cleaning and sanitation activities, and verification activities shall be maintained.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

Summary -

Response: SOP 1125 (925): Cleaning & Sanitation Procedure (dated 06/26/25) describes the methods and responsibilities for cleaning of processing equipment, the environment, storage areas, bathrooms and break rooms. Sanitation Standard Operating Procedures are written and include what is cleaned, chemical usage (concentrations, etc., e.g., C-Foam @ 3% - 8%, Quat 10 @ 170 ppm – 400 ppm (for FCS sanitizing), cleaning methods and who is responsible. Examples of SSOPs reviewed included: SSSOP for grills, bins, onion chopper, vegetable bowl chopper. Sanitation schedules are documented in sanitation checklist and include all areas of the facility with frequencies and responsibilities for deep cleaning. Examples: grills, onion chopper, vegetable bowl chopper – daily, spice room, cooler, exhaust hood – weekly, ceiling overheads (e.g., raw cooler, spice room, wrapping room) – monthly. Records of completed sanitation are kept in sanitation checklist and reviewed (weekly cleaning – completed on 10/04/25, 09/27/25, 09/06/25, 09/13/25, daily cleaning – completed and reviewed from 07/28/25 – 10/13/25). There is a designated area in the production room cleaning containers, knives, skewers and other utensils that does not cause a food product contamination. Chemical concentration is checked weekly in-house, and recorded in sanitation chemical concentration form, and reviewed for 10/11/25, 10/04/25, 09/27/25, 09/21/25, 09/13/25, 09/07/25, 08/31/25, 08/24/25, 08/17/25, 08/10/25, 08/03/25. Cleaning and sanitizing chemicals are mixed manually, sanitizer is filled into spray bottles, and then used for spraying on the equipment surfaces and wiped off. Cleaning materials are stored securely in designated storage room beside the shipping dock area and properly labeled with SDS information available to all employees. Boot sanitizer at main entrance door to main production room (Quat 10 required to be @ >/= 300 ppm), was verified during the audit and found to be @ 300 ppm. Chemicals – Smokehouse cleaner, Persan 15 LP, C Foam, Quat 10 were observed to be included on a list of approved chemicals, labeled consistent with regulations, and had SDS on hand. Dispensed cleaning chemicals were properly stored and identified. Inventory of sanitation chemicals is checked by QA Specialist as chemicals as purchased. Sanitation tasks (by designated sanitation personnel) and pre-operational inspections by designated trained production personnel are documented. Staff facilities Staff amenities, sanitary facilities, and lunch room areas are inspected by QA/trained personnel, and documented in sanitation checklist, reviewed from 07/28/25 - 10/13/25. A verification schedule includes the methods, frequencies, and responsibilities for verifying the effectiveness of cleaning methods. Pre-operational inspections are done by QA and were reviewed from 07/28/25 - 10/13/25 and had proper corrective actions documented as required. Once daily Hygiena ATP swabs are taken (one swab from raw area and one swab from RTE area), records kept in pre-operational inspection forms and reviewed from 08/01/25 – 10/13/25. Additionally, weekly on-site verification of pre-operational inspections is conducted by QA Specialist/Designate and reviewed for 09/13/25, 09/21/25, 09/06/25, 09/27/25, 10/04/25, 08/23/25, 08/16/25. Sanitation personnel are properly trained in cleaning methods and the safe use of chemicals. During the assessment the site was verified to comply with customer specific requirements. NA (Clause 11.2.5.4) - Clean-In-Place procedures are not carried out here.

11.3.1 - Personnel Welfare

11.3.1.1 - Personnel who are known to be carriers of infectious diseases that present a health risk to others through the packing or storage processes shall not engage in the processing or packing of food or enter storage areas where food is exposed. Medical Amendment added: Code Amendment #1A medical screening procedure shall be in place for all employees, visitors and contractors who handle exposed product or food contact surfaces.

Response: Compliant

11.3.1.2 - The site shall have measures in place to prevent contact of materials, ingredients, food packaging, food, or food contact surfaces from any bodily fluids, open wounds, coughing, sneezing, spitting, or any other means. In

the event of an injury that causes the spillage of bodily fluid, a properly trained staff member shall ensure that all affected areas, including handling and processing areas, have been adequately cleaned, and that all materials and products have been quarantined and/or disposed of.

Response: Compliant

11.3.1.3 - Personnel with exposed cuts, sores, or lesions shall not engage in handling or processing exposed products or handling primary (food contact) packaging or touching food contact surfaces. Minor cuts or abrasions on exposed parts of the body shall be covered with a colored, metal-detectable bandage or an alternative suitable waterproof and colored dressing.

Response: Compliant

Summary -

Response: Good Manufacturing Practices (GMPs) as per SOP 242: Good Production Practices (dated 06/26/25) have been documented and implemented. Employees are prohibited from working in food handling or open food storage areas who are suffering from, or who are or were carriers of, an infectious disease that may be passed through food. The site has documented measures based on Good Manufacturing Practices (GMPs) as per SOP 242: Good Production Practices (dated 06/26/25) to prevent contact of product materials with bodily fluids and respond appropriately to any bodily fluid spillage. The policy includes the prohibition of any food handling activity for persons with exposed cuts, sores or lesions and requires that minor cuts or abrasions be covered with bandage. The policy prohibits eating, drinking or spitting in the facility. Employee interviews confirmed that employees are trained in good manufacturing practices and are knowledgeable of the requirements.

11.3.2 - Handwashing

11.3.2.1 - All personnel shall have clean hands, and hands shall be washed by all staff, contractors, and visitors: i. On entering food handling or processing areas; ii. After each visit to a toilet; iii. After using a handkerchief; iv. After smoking, eating, or drinking; and v. After handling wash down hoses, cleaning materials, dropped product, or contaminated material.

Response: Compliant

11.3.2.2 - Handwashing stations shall be provided adjacent to all personnel access points and in accessible locations throughout food handling and processing areas as required.

Response: Compliant

11.3.2.3 - Handwashing stations shall be constructed of stainless steel or similar non-corrosive material and at a minimum supplied with: i. A potable water supply at an appropriate temperature; ii. Liquid soap contained within a fixed dispenser; iii. Paper towels in a hands-free cleanable dispenser; and iv. A means of containing used paper towels.

Response: Minor

Evidence: • There was no waste container for used paper towels beside one hand washing station (beside the chargrill) in kebab production room, and beside hand washing station in the production room.

Root Cause: Employee moved the waste bin for cleaning. Preventive Measure: QA team was instructed to monitor facility and not to remove any equipment or bins without the approval of QA Manager.

Corrective Action: Waste container was replaced with a small waste bin.

Verification Of Closeout: Reviewed: CAPA 11.3.2.3

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

11.3.2.4 - The following additional facilities shall be provided in high-risk areas: i. Hands-free operated taps; and ii. Hand sanitizers.

Response: Compliant

11.3.2.5 - Signage in appropriate languages instructing people to wash their hands before entering the food processing areas shall be provided in a prominent position in break rooms, at break room exits, toilet rooms, and in outside eating areas, as applicable.

Response: Compliant

11.3.2.6 - When gloves are used, personnel shall maintain the handwashing practices outlined above.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

Summary -

Response: Good Manufacturing Practices (GMPs) as per SOP 242: Good Production Practices (dated 06/26/25) have been documented and implemented. Hand wash basins are located at appropriate employee access points to processing areas. Hand wash sinks are made of non-corrosive materials and supplied with tempered potable water. Soap in a fixed dispenser, paper towels and waste containers are available. Hands-free operated taps and hand sanitizers are available at the entrance from hallway to main production area and at transfer points from one area to other area within the processing area of the facility. Signs are posted reminding employees to wash their hands before returning to work. Signs are posted at hand wash stations and in bathrooms. Employees are required to wash hands when wearing gloves. Interviews conducted with cook room personnel, packaging personnel and observation of employees coming to work from break demonstrated that employees understand the hand washing requirements. Employees were observed to wash their hands properly during the audit and to use proper glove procedures. Employee practices are monitored once per shift by QA and recorded in operational records and reviewed from 01/01/25 – 10/13/25. During the assessment the site was verified to comply with customer specific requirements. Minor (Clause 11.3.2.3) - There was no waste container for used paper towels beside one hand washing station (beside the chargrill) in kebab production room, and beside hand washing station in the production room.

11.3.3 - Clothing and Personal Effects

11.3.3.1 - The site shall undertake a risk analysis to ensure that the clothing and hair policy protects materials, food, and food contact surfaces from unintentional microbiological or physical contamination.

Response: Compliant

11.3.3.2 - Clothing worn by staff engaged in handling food shall be maintained, stored, laundered, and worn so it does not present a contamination risk to products.

Response: Compliant

11.3.3.3 - Clothing, including shoes, shall be clean at the start of each shift and maintained in a serviceable condition.

Response: Compliant

11.3.3.4 - Excessively soiled uniforms shall be changed or replaced when they present a product contamination risk.

Response: Compliant

11.3.3.5 - Disposable gloves and aprons shall be changed after each break, upon re-entry into the processing area, and when damaged. Non-disposable aprons and gloves shall be cleaned and sanitized as required and when not in use stored on racks provided in the processing area or in designated sealed containers in personnel lockers. They should not be placed or stored on packaging, ingredients, product, or equipment.

Response: Compliant

11.3.3.6 - Protective clothing shall be manufactured from material that will not pose a food safety threat and is easily cleaned. All protective clothing shall be cleaned after use, or at a frequency to control contamination, and stored in a clean and serviceable condition to prevent microbiological or cross-contact allergen contamination.

Response: Compliant

11.3.3.7 - Racks shall be provided for the temporary storage of protective clothing when staff leave the processing area and shall be provided nearby or adjacent to the personnel access doorways and handwashing facilities.

Response: Compliant

11.3.3.8 - Jewelry and other loose objects shall not be worn or taken into a food handling or processing operation or into any area where food is exposed. Wearing plain bands with no stones, prescribed medical alert bracelets, or jewelry accepted for religious or cultural reasons can be permitted, provided these items are properly covered and do not pose a food safety risk. All exceptions shall meet regulatory and customer requirements and shall be subject to a risk assessment and evidence of ongoing risk management.

Response: Compliant

Summary -

Response: if excessively soiled. Visitors are required to wear company provided protective clothing when entering the production areas. Disposable gloves, and white smocks are to be changed when soiled or damaged. Employees were observed to comply with the clothing requirements of the facility. Examples: maroon – raw, blue – packaging & wrapping, white – production. Non-disposable gloves and smocks were observed to be cleaned and properly stored as per site's policies. Protective clothing meets documented specifications, is easily cleaned, and is made of material that will not contaminate food. Employees store protective clothing on hooks adjacent to entrance to production area when going on breaks. Jewelry and other loose objects are prohibited in food processing and handling areas. Employees were observed to comply with the jewelry policy during the facility audit tours. Prescribed medical alert bracelets that cannot be removed must be covered all times.

11.3.4 - Visitors

11.3.4.1 - All visitors shall be trained in the site's food safety and hygiene procedures before entering any food processing and handling areas or shall be escorted at all times in food processing, handling, and storage areas.

Response: Compliant

11.3.4.2 - All visitors, including management staff, shall be required to remove jewelry and other loose objects in accordance with the facilities Good Manufacturing Practices and 11.3.3.8. All visitors shall wear suitable clothing and footwear when entering any food processing and handling area.

Response: Compliant

11.3.4.3 - Visitors exhibiting visible signs of illness shall be prevented from entering areas in which food is handled and processed.

Response: Compliant

11.3.4.4 - Visitors shall enter and exit food handling areas through the proper staff entrance points and comply with all handwashing and personnel practice requirements.

Response: Compliant

Summary -

Response: Requirements for visitors and contractors are detailed in SOP 242: Good Production Practices (dated 06/26/25) and SOP 1134 (934): Visitors). The policies require that visitors review the hygiene and food safety requirements before entering food processing or handling areas, and that they be continually escorted while in those locations. The requirements for visitors in those areas include the proper use of access points, hand wash requirements, suitable protective clothing and footwear, removal of jewelry or other loose objects, and an absence of visible signs of illness. A visitor log was noticed to be completed for the service provider for pest control (dated 10/01/25).

11.3.5 - Staff Amenities (change rooms, toilet, break rooms)

11.3.5.1 - Staff amenities shall have documented cleaning procedures, be supplied with appropriate lighting and ventilation, and shall be made available for use by all persons engaged in the handling and processing of product.

Response: Compliant

11.3.5.2 - Change rooms shall be provided to enable staff and visitors to change into and out of protective clothing as required. Change rooms shall be kept clean.

Response: Compliant

11.3.5.3 - High-risk change areas shall be provided for staff engaged in the processing of high-risk foods or processing operations in which clothing can be soiled.

Response: Compliant

11.3.5.4 - Provision shall be made for staff to store their street clothing and personal items separate from clean uniforms, food contact zones, food, and packaging storage areas.

Response: Compliant

11.3.5.5 - Where required, a sufficient number of showers shall be provided for use by staff.

Response: N/A

Evidence: • Showers are not required here.

11.3.5.6 - Toilet rooms shall be: i. Designed and constructed so that they are accessible to staff and separate from any processing and food handling operations; ii. Accessed from the processing area via an airlock vented to the exterior or through an adjoining room; iii. Sufficient in number for the maximum number of staff; iv. Constructed so that they can be easily cleaned and maintained; v. Located inside or nearby areas for storing protective clothing, outer garments, and other items while using the facilities; and vi. Kept clean and tidy. Tools/equipment used for cleaning toilet rooms shall not be used to clean processing areas.

Response: Compliant

11.3.5.7 - Sanitary drainage shall not be connected to any other drains within the premises and shall be directed to a septic tank or a sewerage system in accordance with regulations.

Response: Compliant

11.3.5.8 - Handwashing basins shall be provided immediately outside or inside the toilet room and designed as outlined in 11.3.2.3.

Response: Compliant

11.3.5.9 - Separate break rooms shall be provided away from food contact/handling zones.Break rooms shall be: i. Ventilated and well lit; ii. Provided with adequate tables and seating to cater for the maximum number of staff at one sitting; iii. Equipped with a sink serviced with hot and cold potable water for washing utensils; iv. Equipped with refrigeration and heating facilities, enabling staff to store or heat food and to prepare non-alcoholic beverages if required; and v. Kept clean and free from waste materials and pests.

Response: Compliant

11.3.5.10 - Where outside eating areas are provided, they should be kept clean and free from waste materials and maintained in a manner that minimizes the potential for the introduction of contamination, including pests to the site.

Response: N/A

Evidence: • There are no outside areas here.

Summary -

Response: Employee bathrooms and break rooms were observed to be appropriately lit and ventilated and available for all personnel at the facility. There are facilities for employees to change into and out of protective clothing. Provisions have been made for storage of street clothing and personal items and are separate from processing and storage areas. Change areas are provided for employees working in production areas. Restrooms and washrooms were observed to be separate from food processing and handling areas and accessed via a separate door. An area has been provided in employee lunch room area for the storage of outer garments and other items while using the facilities. Sanitary facilities were observed to be sufficient in number for all employees and were cleaned and maintained on a scheduled basis (daily and monitored and records kept and reviewed). Site blueprint and interview with QA Specialist, QA Coordinator, production employee, shipper/receiver combined with onsite observations provided satisfactory evidence that sanitary drainage is separated from plant drainage and that it is disposed of in accordance with regulations. The sanitary facilities have hand wash sinks that comply with the requirements of the SQF Code. NA (Clause 11.3.5.5) - Showers are not required here. NA (Clause 11.3.5.10) - There are no outside areas here.

11.4.1 - Staff Engaged in Food Handling and Processing Operations

11.4.1.1 - All personnel engaged in any food handling, preparation, or processing operations shall ensure that products and materials are handled and stored in such a way as to prevent damage or product contamination. They shall comply with the following processing practices: i. Personnel entry to processing areas shall be through the personnel access doors only; ii. All doors are to be kept closed. Doors shall not be open for extended periods when access is required for waste removal or receiving of product/ingredient/packaging; iii. Packaging, product, and ingredients shall be kept in appropriate containers as required and off the floor; v. Waste shall be contained in the bins identified for this purpose and removed from the processing area on a regular basis and not left to

accumulate; and v. All wash down and compressed air hoses shall be stored on hose racks after use and not left on the floor.

Response: Compliant

11.4.1.2 - Personnel working in or visiting food handling or processing operations shall ensure that: i. Staff shall not eat or taste any product being processed in the food handling/contact zones, except as noted in element 11.4.1.4; ii. The wearing of false fingernails, false eyelashes, eyelash extensions, long nails, or fingernail polish is not permitted when handling exposed food; iii. Hair restraints and beard covers, where applicable, shall be used in areas where product is exposed. iv. Smoking, chewing, eating, or spitting is not permitted in areas where product is produced, stored, or otherwise exposed. v. Drinking water is permissible only under conditions that prevent contamination or other food safety risks from occurring. Drinking water containers in production and storage areas shall be stored in clear, covered containers, and in designated areas away from raw materials, packaging, tools, or equipment storage.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

11.4.1.3 - The flow of personnel in food processing and handling areas shall be managed such that the potential for contamination is minimized.

Response: Compliant

11.4.1.4 - In circumstances where it is necessary to undertake sensory evaluations in a food handling/contact zone, the site shall implement controls and procedures to ensure: i. Food safety is not compromised; ii. Sensory evaluations are conducted by authorized personnel only; iii. A high standard of personal hygiene is practiced by personnel conducting sensory evaluations; iv. Sensory evaluations are conducted in areas equipped for the purpose; and v. Equipment used for sensory evaluations is sanitized, maintained, and stored separately from processing equipment.

Response: N/A

Evidence: • Sensory evaluations are not conducted in the food handling/processing areas.

Summary -

Response: Food handling procedures for all employees are documented and implemented. Personnel are required to access the processing areas through personnel doors only and doors were observed closed. False fingernails or fingernail polish, long nails, false or extended eyelashes are prohibited, and no violations were noted. Hair restraints were observed to be worn where the product is exposed. Ingredients were in appropriate, labeled containers and kept off the floor. Wash down hoses were observed to be properly stored on racks when not in use. The process flow was observed to be logical, with a continuous flow and designed to prevent cross contamination. It was observed during audit tours that the flow of employees is such that any cross contamination is minimal. Smoking is only allowed in designated area on the exterior of the building. Sensory evaluations are not conducted in the food handling/processing areas. During the assessment the site was verified to comply with customer specific requirements. NA (Clause 11.4.1.4) - Sensory evaluations are not conducted in the food handling/processing areas.

11.5.1 - Water Supply

11.5.1.1 - Adequate supplies of potable water drawn from a known clean source shall be provided for water used as an ingredient during processing operations and for cleaning the premises and equipment. The source of

potable water shall be identified as well as on-site storage (if applicable) and reticulation within the facility.

Response: Compliant

11.5.1.2 - Contingency plans shall be in place for instances when the potable water supply is deemed to be contaminated or otherwise inappropriate for use.

Response: Compliant

11.5.1.3 - Supplies of hot and cold water shall be provided, as required, to enable the effective cleaning of the premises and equipment.

Response: Compliant

11.5.1.4 - The delivery of water within the premises shall ensure potable water is not contaminated. Testing of the backflow system, where possible, shall be conducted at least annually and records shall be maintained.

Response: Compliant

11.5.1.5 - The use of non-potable water shall be controlled such that: i. There is no cross-contamination between potable and non-potable water lines; ii. Non-potable water piping and outlets are clearly identified; and iii. Hoses, taps, and other similar sources of possible contamination are designed to prevent backflow or back-siphonage.

Response: Compliant

11.5.1.6 - Where water is stored on-site, storage facilities shall be adequately designed, constructed, and routinely cleaned to prevent contamination.

Response: N/A

Evidence: • Water is not stored on site.

Summary -

Response: Potable water is sourced for use in the facility for processing and cleaning the premises and equipment. Potable water is supplied from city of Edmonton. It was determined that there was adequate hot and cold water for cleaning and processing. SOP 1151 (951): Water Supply (dated 06/26/25) is in place. The contingency plan for handling water contamination issues is also in place. Non-potable water systems were properly designed and were observed to be separated from the potable source. Back flow device is installed on water intake system. Back flow device is tested annually, and the last test was conducted on 09/30/25 by city of Mississauga. Hose stations, taps and other water sources are designed to prevent back flow or back siphonage. NA (Clause 11.5.1.6) - Water is not stored on site.

11.5.2 - Water Treatment

11.5.2.1 - Water treatment methods, equipment, and materials, if required, shall be designed, installed, and operated to ensure water receives effective treatment. Water treatment equipment shall be monitored regularly to ensure it remains serviceable.

Response: N/A

Evidence: • Water is not required to be treated here.

11.5.2.2 - Water used as an ingredient in processing or for cleaning and sanitizing equipment shall be tested and, if required, treated to maintain potability (refer to 11.5.2.1).

Response: N/A

Evidence: • Water is not required to be treated here.

11.5.2.3 - Treated water shall be regularly monitored to ensure it meets the specified indicators. Water treatment chemicals usage shall be monitored to ensure chemical residues are within acceptable limits. Records of testing results shall be kept.

Response: N/A

Evidence: • Water is not required to be treated here.

Summary -

Response: Water is not required to be treated here.

11.5.3 - Water Quality

11.5.3.1 - Water shall comply with local, national, or internationally recognized potable water microbiological and quality standards, as required when used for: i. Washing, thawing, and treating food; ii. Handwashing; iii. Conveying food; iv. An ingredient or food processing aid; v. Cleaning food contact surfaces and equipment; vi. The manufacture of ice; orvii. The manufacture of steam that will come into contact with food or be used to heat water that will come into contact with food.

Response: Compliant

11.5.3.2 - Microbiological analysis of the water and ice supply shall be conducted to verify the cleanliness of the supply, the monitoring activities, and the effectiveness of the treatment measures implemented. Samples for analysis shall be taken at sources supplying water for the process or cleaning or from within the site. The frequency of analysis shall be risk-based and at a minimum annually.

Response: Compliant

11.5.3.3 - Water and ice shall be analyzed using reference standards and methods.

Response: Compliant

Summary -

Response: Water used in processing, cleaning or handwashing is monitored periodically for potability by the site. Samples from inside the facility are sent to an outside laboratory for analysis. Based on risk, the site's testing frequency is set at a minimum frequency of bi-annually (through external laboratory, (ISO 17025: 2017 accredited). Acceptable external test results dated 06/11/25 (tested for HPC, E coli, total coliforms) are on file.

11.5.4 - Ice Supply

11.5.4.1 - Ice provided for use during processing operations, as a processing aid, or an ingredient shall comply with 11.5.3.1.

Response: N/A

Evidence: • Ice is not used here.

11.5.4.2 - Ice that is purchased shall be from an approved supplier and included in the site's food safety risk assessment. Ice shall be supplied in containers that are appropriate for use, cleanable if reused, and tested as appropriate.

Response: N/A

Evidence: • Ice is not used here.

11.5.4.3 - Ice rooms and receptacles shall be constructed of materials as outlined in element 11.1.2 and designed to minimize contamination of the ice during storage, retrieval, and distribution.

Response: N/A

Evidence: • Ice is not used here.

Summary -

Response: Ice is not used here.

11.5.5 - Air and Other Gasses

11.5.5.1 - Compressed air or other gases (e.g., nitrogen or carbon dioxide) that contact food or food contact surfaces shall be clean and present no risk to food safety.

Response: N/A

Evidence: • Compressed air is not used here.

11.5.5.2 - Compressed air systems and systems used to store or dispense other gases that come into contact with food or food contact surfaces shall be maintained and regularly monitored for quality and applicable food safety hazards. The frequency of analysis shall be risk-based and at a minimum annually.

Response: N/A

Evidence: • Compressed air is not used here.

Summary -

Response: Compressed air is not used here.

11.6.1 - Receipt, Storage and Handling of Goods

11.6.1.1 - The site shall document and implement an effective storage plan that allows for the safe, hygienic receipt and storage of raw materials (i.e., frozen, chilled, and ambient), ingredients, packaging, equipment, and chemicals.

Response: Compliant

11.6.1.2 - Controls shall be in place to ensure all ingredients, raw materials, processing aids, and packaging are received and stored properly to prevent cross-contamination risks. Unprocessed raw materials shall be received and stored separately from processed raw materials to avoid cross-contamination risk.

Response: Compliant

11.6.1.3 - The responsibility and methods for ensuring effective stock rotation principles shall be documented and implemented.

Response: Compliant

11.6.1.4 - Procedures shall be in place to ensure that all ingredients, materials, work- in-progress, rework, and finished product are utilized within their designated shelf-life.

Response: Compliant

11.6.1.5 - Where raw materials, ingredients, packaging, equipment, and chemicals are held under temporary or overflow conditions that are not designed for the safe storage of goods, a risk analysis shall be undertaken to

ensure there are no risks to the integrity of those goods, no potential for contamination or adverse effect on food safety.

Response: N/A

Evidence: • Temporary or overflow conditions are not used by the site.

11.6.1.6 - Records shall be available to verify the effectiveness of alternate or temporary control measures for the storage of raw materials, ingredients, packaging, equipment, chemicals, or finished products.

Response: N/A

Evidence: • The site has not used alternate storage or temporary control measures over the timeframe being audited.

Summary -

Response: The site has implemented effective documented storage plan for the storage of raw materials, ingredients, packaging, equipment and chemicals. For example, the SOP 1161 (962): Storage & Handling of Goods (dated 06/26/25)was reviewed during the audit and found to be acceptable. Stock rotation, based on FEFO has been implemented by the site to ensure that all materials, including rework, are used within their designated shelf-life. QA Coordinator or QA Specialist monitors it daily and records are kept in operational records (once daily, reviewed from 01/01/25 – 10/13/25). All finished products, work in progress, ingredients are labelled with labels for the items. NA (Clause 11.6.1.5) - Temporary or overflow conditions are not used by the site. NA (Clause 11.6.1.6) - The site has not used alternate storage or temporary control measures over the timeframe being audited.

11.6.2 - Cold Storage, Freezing and Chilling of Foods

11.6.2.1 - The site shall provide confirmation of the effective operational performance of freezing, chilling, and cold storage facilities. Chillers, blast freezers, and cold storage rooms shall be designed and constructed to allow for the hygienic and efficient refrigeration of food and be easily accessible for inspection and cleaning.

Response: Compliant

11.6.2.2 - Sufficient refrigeration capacity shall be available to chill, freeze, store chilled, or store frozen the maximum anticipated throughput of product with allowance for periodic cleaning of refrigerated areas.

Response: Compliant

11.6.2.3 - The site shall have a written procedure for monitoring temperatures, including the frequency of checks, and corrective actions, if the temperature is out of specification. Freezing, chilling, and cold storage rooms shall be fitted with temperature monitoring equipment that is located to monitor the warmest part of the room and be fitted with a temperature measurement device that is easily readable and accessible. Records shall be kept of frozen, cold, and chilled storage room temperatures.

Response: Compliant

11.6.2.4 - Discharge from defrost and condensate lines shall be controlled and discharged into the drainage system.

Response: Compliant

Summary -

Response: SOP 51162 (963): Cold Storage Freezing Chilling of Foods (dated 06/26/25). Coolers, freezer and

other cold storage areas are designed and constructed to allow for hygienic and efficient refrigeration. There appeared to be sufficient capacity for the facilities requirements and sufficient space for periodic cleaning. The condensate lines were connected directly to the plant drainage system. Temperature monitoring devices are located at the warmest part of the refrigerators/freezers, and temperatures are periodically monitored and recorded. Temperature monitoring for shipping freezer (</= -18 °C), cooler (</= 4 °C), process room (</= 15 °C) is documented once minimum per shift by QA, and recorded on plant temperature log, reviewed from 07/01/25 – 10/14/25 and indicated no infractions. Refrigeration equipment is maintained on the plant's preventive maintenance schedule (s needed, through external service provider), and work was completed as scheduled (last done on 10/12/25).

11.6.3 - Storage of Dry Ingredients, Packaging, and Shelf Stable Packaged Goods

11.6.3.1 - Rooms used for the storage of product ingredients, packaging, and other dry goods shall be located away from wet areas and constructed to protect the product from contamination and deterioration and prevent packaging from becoming a harborage for pests or vermin.

Response: Compliant

11.6.3.2 - Racks provided for the storage of packaging shall be constructed of impervious materials and designed to enable cleaning and inspection of the floors and behind the racks. Storage areas shall be cleaned at a pre-determined frequency.

Response: Compliant

Summary -

Response: Storage areas for packaging were observed to be located away from any wet areas, clean and well maintained. Racking is designed and constructed from impervious materials and located so storage areas can be cleaned and inspected.

11.6.4 - Storage of Hazardous Chemicals and Toxic Substances

11.6.4.1 - Hazardous chemicals and toxic substances with the potential for food contamination shall be: i. Clearly labeled, identifying and matching the contents of their containers; ii. Included in a current register of all hazardous chemicals and toxic substances that are stored on-site; and iii. Supplemented with current Safety Data Sheets (SDS) made available to all staff.

Response: Compliant

11.6.4.2 - Storage of hazardous chemicals and toxic substances shall be: i. Located in an area with appropriate signage indicating that the area is for hazardous storage; ii. Controlled, lockable, and accessible only by personnel trained in the storage and use of chemicals; iii. Adequately ventilated;iv. Stored where intended and not comingled (e.g., food versus non-food grade);v. Designed such that pesticides, rodenticides, fumigants, and insecticides are stored separately from sanitizers and detergents; and vi. Stored in a manner that prevents a hazard to finished product or product contact surfaces. Processing utensils and packaging shall not be stored in areas used to store hazardous chemicals and toxic substances.

Response: Compliant

11.6.4.3 - Hazardous chemicals and toxic substances shall be correctly labeled and: i. Used only according to manufacturers' instructions; ii. Controlled to prevent contamination or a hazard to raw and packaging material, work-in-progress, finished product, or product contact surfaces; iii. Returned to the appropriate storage areas after

use; and iv. Be compliant with national and local legislation.

Response: Compliant

11.6.4.4 - Daily supplies of chemicals used for continuous sanitizing of water, as a processing aid, or for emergency cleaning of food processing equipment and surfaces in food contact zones may be stored within or in close proximity to a processing area, provided that access to the chemical storage facility is restricted to only authorized personnel.

Response: Compliant

11.6.4.5 - Personnel who handle hazardous chemicals and toxic substances, including pesticides and cleaning chemicals,: i. Shall be fully trained in the purpose of the hazardous chemicals and toxic substances, their storage, handling, and use; ii. Be provided first aid equipment and personnel protective equipment (PPE); and iii. Ensure compliance with the proper identification, storage, usage, disposal, and clean-up requirements.

Response: Compliant

11.6.4.6 - The site shall dispose of empty, obsolete, and unused chemicals, pesticides, toxic substances, and containers in accordance with requirements and ensure that primary containers are: i. Not reused; ii. Segregated and securely stored prior to collection; and iii. Disposed through an approved vendor.

Response: Compliant

11.6.4.7 - In the event of a hazardous spill, the site shall: i. Have spillage clean-up instructions to ensure that the spill is properly contained; and ii. Be equipped with PPE, spillage kits, and cleaning equipment.

Response: Compliant

Summary -

Response: Any hazardous chemicals were observed to be properly stored and labeled and did not appear to present a hazard to personnel or food products. No processing utensils or packaging were stored next to chemicals. Staff responsible for chemical handling are trained in chemical handling. Pesticides are not handled or stored here. Chemical storage areas were observed to be locked and had instructions on handling hazardous chemicals, protective equipment, and spill containment equipment. Empty containers are taken back by the chemical's supplier. Daily supplies of chemicals were properly stored. All stored chemicals have current SDS information on file at the facility. SDS and the label declaration and documented approval for the chemical's intended use were reviewed for Persan 15 LP, C Foam, Chlor San 12, C Foam, Smokehouse Cleaner.

11.6.5 - Loading, Transport, and Unloading Practices

11.6.5.1 - The practices applied during loading, transport, and unloading of food shall be documented, implemented, and designed to maintain appropriate storage conditions and product integrity. Foods shall be loaded, transported, and unloaded under conditions suitable to prevent cross-contamination.

Response: Compliant

11.6.5.2 - Vehicles (e.g., trucks/vans/containers) used for transporting food within the site and from the site shall be inspected prior to loading to ensure they are clean, in good repair, suitable for the purpose, and free from odors or other conditions that may impact negatively on the product.

Response: Compliant

11.6.5.3 - Vehicles (e.g., trucks/vans/containers) shall be secured from tampering using seals or other agreed-upon

and acceptable devices or systems.

Response: Compliant

11.6.5.4 - Loading and unloading docks shall be designed to protect the product during loading and unloading. Loading practices shall be designed to minimize unnecessary exposure of the product to conditions detrimental to maintaining product and package integrity during loading and transport.

Response: Compliant

11.6.5.5 - Refrigerated units shall maintain the product at the required temperature. The unit's temperature settings shall be set, checked, and recorded before loading, and the product temperature shall be recorded at regular intervals during loading, as applicable.

Response: Compliant

11.6.5.6 - The refrigeration unit shall be operational at all times and checks completed of the unit's operation, the door seals, and the storage temperature at regular intervals during transit.

Response: Compliant

11.6.5.7 - On arrival, prior to opening the doors, the food transport vehicle's refrigeration unit's storage temperature settings and operating temperature shall be checked and recorded. Unloading shall be completed efficiently, and product temperatures shall be recorded at the start of unloading and regular intervals during unloading.

Response: Compliant

11.6.5.8 - Unloading practices shall be designed to minimize unnecessary exposure of the product to conditions detrimental to maintaining product and package integrity.

Response: Compliant

Summary -

Response: A policy defining the practices for loading, unloading and storage of food products has been documented and implemented in SOP 1165 (966): Loading Transport & Unloading Practices (dated 06/26/25). It was observed during the audit tours that food is unloaded, stored and loaded under conditions that prevent cross contamination. The site's policy requires that all trailers be inspected for truck condition, cleanliness, damage, etc. before loading and that vehicles be secured from tampering by use of lock. Trailers and vehicles used for transport were observed to be properly secured from tampering by a lock. All shipments are shipped to third party off site storage warehouse from where the products are shipped to the final customers as needed based on the orders. Records are kept and reviewed from January 2025 – September 2025. It was observed during the audit tours that loading practices do not expose products to detrimental conditions. All products are shipped out frozen, and temperatures of outgoing shipments are monitored and documented before loading of product. This was observed to be recorded on shipping records. Product temperatures are checked at regular intervals before loading and the refrigeration units are checked and maintained for proper operation. It is the responsibility of the carrier to maintain the required temperatures during transport to the final destination. SOP 1165 (966): Loading Transport & Unloading Practices (dated 06/26/25) is in place. Refrigeration unit temperatures are monitored and recorded before opening the trailer doors. Product temperatures are recorded at appropriate intervals during the unloading. Interviews with warehouse loading/unloading personnel, revealed that employees are aware of the proper procedures and follow them. It was observed that unloading practices are designed to prevent product contamination.

11.7.1 - High-Risk Processes

11.7.1.1 - The processing of high-risk food shall be conducted under controlled conditions, such that sensitive areas, in which the high-risk food has undergone a “kill” step, a “food safety intervention” or is subject to post-process handling, are protected/segregated from other processes, raw materials, or staff who handle raw materials, to ensure cross-contamination is minimized.

Response: Compliant

11.7.1.2 - Ambient air in high-risk areas shall be tested at least annually to confirm that it does not pose a risk to food safety.

Response: Compliant

11.7.1.3 - Areas in which high-risk processes are conducted shall only be serviced by staff dedicated to that function.

Response: Compliant

11.7.1.4 - Staff engaged in high-risk areas shall change into clean clothing and footwear or temporary protective outerwear when entering high-risk areas. Staff access points shall be located, designed, and equipped to enable staff to change into the distinctive protective clothing and practice a high standard of personal hygiene to prevent product contamination.

Response: Compliant

11.7.1.5 - Product transfer points shall be located and designed, so they do not compromise high-risk segregation and minimize the risk of cross-contamination.

Response: Compliant

Summary -

Response: The process of manufacturing high risk products (e.g., kebabs) takes place under controlled conditions in a protected/segregated area. Air make up units for production are fed through filtered air. High risk area is provided with fully equipped hand washing station consisting of hands free tap, hand soap, hand sanitizer and paper towel at the entrance from office to main cooking/production room. Personnel are dedicated to the high-risk function by using distinctive equipment and protective clothing with separate access points, and staff entering these areas change into clean clothing or temporary protective outerwear. Employees working in the high-risk area were observed to follow high standards of personal hygiene with minimal risk to the controlled environment and product. Employee flow, practices are monitored and recorded once per shift by QA on operational records and reviewed during the audit from 01/02/25 – 10/13/25. The entrances to the production areas are equipped with boot sanitizers. Knife sanitizer is available in the main production room to sanitize the knives if needed (required to be @ >/= 82 °C). Employees putting the skewers of raw kebabs onto the grills wear white smock and white smocks. Employees picking up/removing the skewers of cooked kebabs from the grills wear red coat and blue sleeve on the arm used to pick/remove the cooked kebabs from the grill at the end of cooking. Cooked kebabs are removed from the skewers and placed into designated light blue plastic baskets. Used skewers after removing the kebabs from the grills are placed in grey plastic bins. The skewers before putting raw chicken mix onto the grills are kept inside the stainless steel bins with clean cold running water. Door boot sanitizer concentration is checked daily (Quat 10 @ >/= 300 ppm, verified during the audit at the main entrance door to the main cooking/production room and noticed at 300 ppm), found to be in compliance.

11.7.2 - Thawing of Food

11.7.2.1 - Thawing of food shall be undertaken in equipment and rooms appropriate for the purpose. Equipment for water thawing shall be continuous flow to ensure the water exchange rate and temperature do not contribute to product deterioration or contamination. Water overflow shall be directed into the floor drainage system and not onto the floor or shall be appropriately plumbed.

Response: N/A

Evidence: • Thawing is not done here.

11.7.2.2 - Air thawing facilities shall be designed to thaw food under controlled conditions at a rate and temperature that does not contribute to product deterioration or contamination.

Response: N/A

Evidence: • Thawing is not done here.

11.7.2.3 - Provision is to be made for the containment and regular disposal of used cartons and packaging from thawed product so that there is no risk to the product.

Response: N/A

Evidence: • Thawing is not done here.

Summary -

Response: Thawing is not done here.

11.7.3 - Control of Foreign Matter Contamination

11.7.3.1 - The responsibility and methods used to prevent foreign matter contamination of the product shall be documented, implemented, and communicated to all staff. Inspections shall be performed (refer to 2.5.4.3) to ensure plant and equipment remain in good condition and equipment has not become detached or deteriorated and is free from potential contaminants.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

11.7.3.2 - Containers, equipment, and other utensils made of glass, porcelain, ceramics, laboratory glassware, or other similar materials shall not be permitted in food processing /contact zones (except where the product is contained in packaging made from these materials, or measurement instruments with glass dial covers are used, or MIG thermometers are required under regulation). Where glass objects or similar material are required in food handling/contact zones, they shall be listed in a glass inventory, including details of their location and condition.

Response: Minor

Evidence: • One small portable weighing scale (Starfit scale) and black portable weighing scale in the wrapping room are not listed in the glass and brittle plastic registry.

Root Cause: Scale information was not specific and numbered.

Corrective Action: Each scale was added according to the production rooms in the G&B Registry, and all glass/plastic structures are numbered(quantity). (Attachment)

Verification Of Closeout: Reviewed: Element 11.7.3.2, CAPA 11.7.3.2.

Completion Date: October 15, 2025 **Closeout Date:** October 30, 2025

11.7.3.3 - Regular inspections of food handling/contact zones shall be conducted (refer to 2.5.4.3) to ensure they are free of glass or other like material and to establish changes to the condition of the objects listed in the glass inventory.

Response: Compliant

11.7.3.4 - Glass instrument dial covers on processing equipment and MIG thermometers shall be inspected at the start of each shift to confirm they have not been damaged.

Response: Compliant

11.7.3.5 - In circumstances where glass or similar material breakage occurs, the affected area shall be isolated, cleaned, thoroughly inspected (including cleaning equipment and footwear), and cleared by a suitably responsible person prior to the start of operations.

Response: Compliant

11.7.3.6 - Wooden pallets and other wooden utensils used in food processing and handling areas shall be dedicated for that purpose, clean, and maintained in good order. Their condition shall be subject to regular inspection.

Response: Compliant

11.7.3.7 - Loose metal objects on equipment, equipment covers, and overhead structures shall be removed or tightly fixed so as not to present a hazard.

Response: Compliant

11.7.3.8 - Knives and cutting instruments used in processing and packaging operations shall be controlled, kept clean, and well maintained. Snap-off blades shall not be used in manufacturing or storage areas.

Response: Compliant

11.7.3.9 - Gaskets, rubber impellers, and other equipment made of materials that can wear or deteriorate over time shall be inspected on a regular frequency (refer to 2.5.4.3).

Response: Compliant

Summary -

Response: SOP 1173 (973): Foreign Material Control (dated 06/26/25) and SOP – Glass & Plastic Control are in place for methods and responsibilities to prevent foreign material contamination. The implementation of procedures was demonstrated through pre-operational inspections and regularly scheduled maintenance inspections, which are conducted and documented for the condition of equipment and any potential contaminants. G 2.1.1 – Glass & Brittle Plastic Registry has been documented with glass, brittle plastic and ceramic sources included in all areas of the plant and is current as of 10/15/24, however see minor non-conformance below. Periodic inspections with documentation are made of these areas to ensure breakage has not occurred, and items are not missing or moved. The last inspections conducted on 09/20/25, reviewed and found to be completed as scheduled. Wood pallets were clean and in good condition, and the facility has a policy prohibiting and/or controlling wooden utensils in processing/food handling areas. SOP 1173 (973): Knife Control Policy (dated 06/26/25) details the requirements for knife control within the facility. Knives are used to open bags of ingredients, controlled, cleaned and required to be in good condition, inspected daily during pre-operational inspection. Site has created a knife register and is in process of implementing the verification based on knife control register. Daily pre-operational inspections for blade conditions (vegetable chopper) before the production and reviewed during the audit from 01/02/25 –

10/13/25. Daily operational inspections for potential contaminants from overheads, equipment condition are also conducted. The site's policy requires that any product affected by foreign material contamination be isolated, inspected, disposed of. The policy requires that a thorough cleanup and inspection (including of cleaning equipment and footwear) occur if a glass breakage were to occur. A responsible person, QA Specialist or President, is required to inspect the affected area before the restarting of production. During the assessment the site was verified to comply with customer specific requirements. Minor (Clause 11.7.3.2) - One small portable weighing scale (Starfit scale) and black portable weighing scale in the wrapping room are not listed in the glass and brittle plastic registry.

11.7.4 - Detection of Foreign Objects

11.7.4.1 - The responsibility, methods, and frequency for monitoring, maintaining, calibrating, and using screens, sieves, filters, or other technologies to remove or detect foreign matter shall be documented and implemented.

Response: Compliant

11.7.4.2 - Where detection and/or removal systems are used, the site shall establish limits for detection, based on a risk assessment of the product and its packaging, and identify the location(s) of the detector(s) in the process.

Response: Compliant

11.7.4.3 - Metal detectors or other physical contaminant detection technologies shall be routinely monitored, validated, and verified for operational effectiveness. The equipment shall be designed to isolate defective product and indicate when it is rejected.

Response: Compliant

Evidence: • Site complies with customer specific requirements.

11.7.4.4 - Records shall be maintained of the inspection of foreign object detection devices, of any products rejected or removed by them, and of corrective and preventative actions resulting from the inspections.

Response: Compliant

11.7.4.5 - In all cases of foreign matter contamination, the affected batch or item shall be isolated, inspected, reworked, or disposed of. Records shall be maintained of the disposition.

Response: Compliant

Summary -

Response: SOP 1174 (974): Detection of Foreign Objects Procedure (dated 06/26/25) is in place for methods and responsibilities for the use of foreign material detection and removal devices and has been documented and implemented. The devices used in the facility include metal detectors (1). The parameters for metal detector monitoring include - Fe: 2.5 mm, Non-Fe: 2.5 mm, St Steel: 3.5 mm. Metal detector is routinely monitored (at the start of packaging, and hourly minimum) and verified by packaging operator and QA Coordinator. Demonstration and documentation of the metal detector during the audit indicated no infractions. Interviews with packaging operator and QA Coordinator as well as on-site verification of metal detector functionality check indicated that employees responsible for the monitoring indicated were knowledgeable and understood what to do if the devices failed when tested with known samples. Metal detectors were equipped with belt stop and alarm mechanism and were observed to reject defective product physically and isolate product. Records (products – packaging log) were reviewed and indicated that the site was verifying the functioning of these devices, documenting any objects rejected or removed by them and implementing corrective actions. During the assessment the site was verified to comply with customer specific

requirements.

11.8.1 - Waste Disposal

11.8.1.1 - The responsibility and methods used to collect and handle dry, wet, and liquid waste and how to store it prior to removal from the premises shall be documented and implemented.

Response: Compliant

11.8.1.2 - Waste shall be removed on a regular basis and not allowed to build up in food handling or processing areas. Designated waste accumulation areas shall be maintained in a clean and tidy condition until external waste collection is undertaken.

Response: Compliant

11.8.1.3 - Waste and overflow water from tubs, tanks, and other equipment shall be discharged directly to the floor drainage system or by an alternative method that meets local regulatory requirements.

Response: Compliant

11.8.1.4 - Trolleys, vehicle waste disposal equipment, collection bins, and storage areas shall be maintained in a serviceable condition, cleaned, and sanitized regularly to prevent the attraction of pests and other vermin.

Response: Compliant

11.8.1.5 - Adequate provision shall be made for the disposal of all solid processing waste, including trimmings, inedible material, and used packaging.

Response: Compliant

11.8.1.6 - Where applicable, a documented procedure shall be in place for the controlled disposal of trademarked materials waste considered high-risk for handling or other reasons. Where a contracted disposal service is used, the disposal process shall be reviewed regularly to confirm compliance.

Response: N/A

Evidence: • Controlled disposal of trademarked materials is not required at the site.

11.8.1.7 - Inedible waste designated for animal feed shall be stored and handled so that it will not cause a risk to the animal or further processing. If denaturant is used to identify inedible waste, it shall be demonstrated that it does not pose a risk to animal health.

Response: N/A

Evidence: • The site does not supply waste materials for animal feed.

11.8.1.8 - Waste held on-site prior to disposal shall be stored in a separate storage facility that is suitably insect proofed and located where it does not present any hazards.

Response: Compliant

11.8.1.9 - Adequate provision shall be made for the disposal of all liquid waste from processing and food handling areas. Liquid waste shall either be removed from the processing environment continuously or held in a designated storage area in lidded containers prior to disposal where it does not present any hazards.

Response: Compliant

11.8.1.10 - Reviews of the effectiveness of waste management shall form part of regular site inspections (refer to

2.5.4.3), and the results of these inspections shall be included in the relevant inspection reports.

Response: Compliant

Summary -

Response: A policy defining the methods and responsibilities for handling dry, wet and liquid waste has been documented and implemented, is found in SOP 1181 (981): Waste Disposal Procedure (dated 06/26/25). Waste was observed to be removed on a scheduled basis, monitored by QA. Waste handling and removal from production areas is monitored daily and is documented on pre-operational inspections and operational records and were reviewed from 01/01/25 -10/12/25. Monthly inspections are also conducted covering waste management with records kept in building record and reviewed for 07/26/25, 06/25/25, 05/29/25, 04/27/25, 09/15/25. Waste containers, bins and storage areas on the interior and exterior of the facility were observed to be well-maintained and clean. Waste (general garbage)is picked up from the external waste collection bins once daily through external service provider. Recyclable waste (cardboard) is picked up by the external service provider three times a week. Solid waste from processing was observed to be properly disposed of. Waste water is discharged to plant drains and disposed into municipality's waste water system. NA (Clause 11.8.1.6) - Controlled disposal of trademarked materials is not required at the site. NA (Clause 11.8.1.7) - The site does not supply waste materials for animal feed.