Infrastructure as Code Management Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: Infrastructure as Code Management (IaCM)

Report Date: August 22, 2025

Product Description:

Contact Information:

Notes: The testing process was carried out in compliance to the WCAG 2.2 AA guidelines. The product was found to be overall partially supportive.

As a summary, there are some elements and functionalities that are not being supported such as color contrast, focus, role, name etc. However, the page is navigable, and, in majority cases, there is a solution for the features that are not being supported.

Accessibility for Americans with Disabilities Act (ADA) application compliance requires all public and (large) private organizations to make their applications and web content conform with mandatory accessibility standards (WCAG 2.2). WCAG is simply a set of formal guidelines on how to develop accessible web content. These standards represent a higher level of accessibility than 508 standards, although they are identical or very similar. WCAG focuses primarily on HTML accessibility.

Evaluation Methods Used:

The product was tested against all of the applicable 55 success criteria within the Web Content Accessibility Guidelines (WCAG) 2.2 Conformance Level A and AA. The testing methodology included a combination of automated testing, manual testing conducted via paired testing methodology involving two testers, one of them is a non-sighted and the other is a sighted accessibility expert. This testing methodology ensures that every aspect related to accessibility and user experience is included in our analysis. Below is a list of some of the technologies and environments used:

- Assistive technologies: Screen readers NVDA, Jaws, Voiceover
- Keyboard only interaction, Browser zoom
- Tools: Axe, Color Contrast Analyzer
- Browsers: Chrome, Edge, Firefox, Safari
- Accessibility plugins: Axe
- Desktop: Windows 10, Mac

The combinations of technologies used were the following:

- Windows with Firefox/ Chrome and NVDA
- Windows with Chrome and Jaws
- Windows with Edge and Jaws
- Mac with Safari and Voiceover
- Windows with Chrome and Axe
- Windows with Google Chrome and Zoom
- Windows with Google Chrome and Colour Contrast Analyzer

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - o Clause 9 Web
 - o Clauses 10.1-10.4 of Clause 10 Non-Web documents
 - o Clauses 11.1-11.4 and 11.8.2 of Clause 11 Software
 - o Clauses 12.1.2 and 12.2.4 of Clause 12 Documentation and support services
- Revised Section 508:
 - o Chapter 5 501.1 Scope and 504.2 Content Creation or Editing
 - o Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashee.com/wca

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Remarks: Proper alt text is provided to graphics present inside the application, however exceptions are present: Exceptions: 1. Workspaces> New Workspaces> Tooltip is not provided for 'x' icon. 2. Pipeline> Tooltip is not provided for three dot icon. 3. Pipeline> Tooltip is not provided for filter icon.
1.2.1 Audio-only and Video-only (Prerecorded) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Remarks: There is no audio only and video only content present in the application.
1.2.2 Captions (Prerecorded) (Level A) Also applies to:	Not Applicable	Remarks:

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool)		There is no multimedia content present in the application.
 602.3 (Support Docs) 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Remarks: There is no multimedia content present in the application.
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool)	Partially Supports	Remark: Screen reader properly identifies most of the information available in the application and the screen reader user is easily able to perceive the relationships between an element and its role. However exceptions are present:

Criteria	Conformance Level	Remarks and Explanations
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		 Exceptions: Overview> Landmark regions such as header, main and footer are not defined for the web page. Workspaces> No heading level 1 is present on the page. Workspaces> Visually appearing headings are not tagged in heading. Pipelines> Tabular content is not tagged in
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Remark: Screen reader reads all of the content present in the application in a meaningful sequence with the help of arrow keys and other reading commands.
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software)	Not Applicable	Remark: No symbol is used to convey information in the application.

Criteria	Conformance Level	Remarks and Explanations
 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Remark: No color is used to convey information in the application.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software)	Not Applicable	Remark: There is no such audio available in the application, which plays automatically as soon as the page is launched.

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		Remark:
Also applies to:		
EN 301 549 Criteria		Application has support for keyboard interaction,
• 9.2.1.1 (Web)		as most of the interactive elements are accessible
• 10.2.1.1 (Non-web document)		using the keyboard commands. However,
 11.2.1.1.1 (Open Functionality Software) 		exceptions are present:
• 11.2.1.1.2 (Closed Software)	Partially Supports	
• 11.8.2 (Authoring Tool)	,	Exceptions:
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		1. Pipeline Studio> Pipeline studio is not
Revised Section 508		accessible through screen reader.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		2. Workspaces> New Workspaces> Tooltip
• 602.3 (Support Docs)		content of 'i' icon is not accessible through screen
		reader.
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.2 (Web)		Remark:
• 10.2.1.2 (Non-web document)		Application has a good support for keyboard
 11.2.1.2 (Open Functionality Software) 	Summonto	
• 11.2.1.2 (Closed Software)	Supports	interaction and there is no keyboard trap issue
• 11.8.2 (Authoring Tool)		throughout the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)	Not Applicable	Remark:
Also applies to:		The state of the s

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)		There are no such character key shortcuts required in the application to operate any feature, which clashes with the predefined screen reader shortcuts.
Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Remark: There is no session time out functionality present in the application.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508	Not Applicable	Remark: There is no moving content present in the application.

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)	Not Applicable	Remark:
• 11.2.3.1 (Open Functionality Software)		
• 11.2.3.1 (Closed Software)		There is no flashing / blinking content present
• 11.8.2 (Authoring Tool)		anywhere in the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.1 (Web)		
 10.2.4.1 (Non-web document) – Does not apply 	Does Not Supports	Remark:
 11.2.4.1 (Open Functionality Software) – Does not apply 		
• 11.2.4.1 (Closed Software) – Does not apply		Skip to main content link is not present in the
• 11.8.2 (Authoring Tool)		application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
2.4.2 Page Titled (Level A)	Supports	Remark:
Also applies to:		The state of the s
EN 301 549 Criteria		

Criteria	Conformance Level	Remarks and Explanations
 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Appropriate page titles are provided for different web pages.
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	Remark: Focus order is moving in a correct sequence throughout the application. However exceptions are present: Exceptions: 1. Workspaces> New Workspaces> Screen reader focus does not automatically move to the first invalid edit field. 2. Workspaces> New Workspaces> Keyboard focus is not constrained within 'Create New Workspace' modal window. 3. Workspaces> New Workspaces> After hitting enter on 'next' button, focus does not move to top of next screen.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria	Supports	Remark:

Criteria	Conformance Level	Remarks and Explanations
 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Appropriate link text is provided to all the links available in the application.
2.5.1 Pointer Gestures (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply	Supports	Remark: All functionality that uses multipoint or pathbased gestures for operation can be operated with a single pointer without a path-based gesture.
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Remark: Entire Application supports pointer cancellation as the down-event of the pointer is not used to execute any part of the function, elements trigger only by using the up-event.

Criteria	Conformance Level	Remarks and Explanations
2.5.3 Label in Name (Level A 2.1 and 2.2)	Supports	
Also applies to:	Supports	
EN 301 549 Criteria		Para d
• 9.2.5.3 (Web)		Remark:
 10.2.5.3 (Non-web document) 		Visual label matches with the accessible or
• 11.2.5.3.1 (Open Functionality Software)		programmatic name for all of the elements.
• 11.2.5.3.2 (Closed Software)		programmatic name for all of the elements.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		Remark:
• 9.2.5.4 (Web)		
• 10.2.5.4 (Non-web document)	Not Applicable	There is no functionality in the application that
• 11.2.5.4 (Open Functionality Software)		can be operated by device motion or user
• 11.2.5.4 (Closed Software)		motion.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.1 (Web)		
• 10.3.1.1 (Non-web document)	Supports	Remark:
• 11.3.1.1.1 (Open Functionality Software)		
• 11.3.1.1.2 (Closed Software)		Lang attribute 'En' is provided for all of the pages
11.8.2 (Authoring Tool)12.1.2 (Product Docs)		in the application.
12.1.2 (Product Docs)12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
Jot (Men)(Soltwale)		

Remark: Application does not have any feature / functionality, which triggers automatically on
Application does not have any feature / functionality, which triggers automatically on
Application does not have any feature / functionality, which triggers automatically on
Application does not have any feature / functionality, which triggers automatically on
Application does not have any feature / functionality, which triggers automatically on
Application does not have any feature / functionality, which triggers automatically on
functionality, which triggers automatically on
functionality, which triggers automatically on
receiving the focus.
Remark:
Remark:
Change of context does not happen anywhere in
the application when changing the setting of any
UI component.
or component.
Remark:
Consistent help is provided on the site.
_

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.8.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Remark: Descriptive and precise error/ alert/ success messages are implemented in the application. However exceptions are present: Exceptions: 1. Pipeline Studio> Add Service> No alert message is implemented for user to know that service has been created successfully. 2. Pipeline Studio> Add Service> No alert message is implemented for user to know that stage has been added successfully.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Remark: Appropriate label is provided for edit field present in the application. However exceptions are present: Exceptions: 1. Workspaces> New Workspaces> The mandatory form fields is not announced as required by the screen reader 2. Workspaces> New Workspaces> Pen icon> Edit field does not have semantic labels.
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply	Not Applicable	Remark:

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		This success criteria is not applicable for this application. No redundant entry is required in site.
4.1.1 Parsing (Level A)		
Applies to:		
WCAG 2.0 and 2.1 – Always answer 'Supports'		
WCAG 2.2 (obsolete and removed) - Does not apply		
EN 301 549 Criteria		
• 9.4.1.1 (Web)		For WCAG 2.0, 2.1, EN 301 549, and Revised 508
• 10.4.1.1 (Non-web document)	Supports	Standards, the September 2023 errata update
• 11.4.1.1.1 (Open Functionality Software)	Supports	indicates this criterion is always supported. See
• 11.4.1.1.2 (Closed Software) – Does not apply		the WCAG 2.0 Editorial Errata and the WCAG 2.1
• 11.8.2 (Authoring Tool)		Editorial Errata.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
504.2 (Authoring Tool)602.3 (Support Docs)		
, , , ,		
4.1.2 Name, Role, Value (Level A) Also applies to:		Remark:
EN 301 549 Criteria		Most of the components present in the
• 9.4.1.2 (Web)		application have proper name/label, role/state
• 10.4.1.2 (Non-web document)	Partially Supports	
• 11.4.1.2.1 (Open Functionality Software)	raitiany supports	and value, which helps screen reader user to
• 11.4.1.2.2 (Closed Software) – Does not apply		understand the actual purpose and nature of
• 11.8.2 (Authoring Tool)		these components.
• 12.1.2 (Product Docs)		Exceptions:
• 12.2.4 (Support Docs)		Exceptions.
Revised Section 508		1. Workspaces> New Workspaces> Name and
• 501 (Web)(Software)		role of 'i' icon is not defined.
• 504.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
• 602.3 (Support Docs)		2. Workspaces> New Workspaces> Role of 'advanced' is not defined.
		3. Workspaces> New Workspaces> Expanded/ collapsed state of 'Advanced' is not defined.
		4. Workspaces> New Workspaces> Role of dropdowns are not defined.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Remark: There is no live multimedia content present in the application.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to:	Not Applicable	Remark:
EN 301 549 Criteria ■ 9.1.2.5 (Web) ■ 10.1.2.5 (Non-web document)		There is no multimedia content present in the application which requires audio description.

Criteria	Conformance Level	Remarks and Explanations
 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 		
• 602.3 (Support Docs)		
1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Remark: Application provides supports and works equally in both landscape/portrait orientation modes.
Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.8.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply	Partially Supports	Remark: Purpose of edit field is not programmatically determined.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria	Partially Supports	Remark:

Criteria	Conformance Level	Remarks and Explanations
• 9.1.4.3 (Web)		Application has sufficient contrast ratio i.e. 4.5:1
• 10.1.4.3 (Non-web document)		for most of the elements present in the
• 11.1.4.3 (Open Functionality Software)		application. However exceptions are present:
 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Exceptions: 1. Pipeline> The color contrast ratio of text 'Run' is less than the standard ratio 4.5:1. 2. IaCM Registry> The color contrast ratio of placeholder text is less than the standard ratio 4.5:1. 3. Overview> The color contrast ratio of text '{unscripted} 2025 - The {AI-Native} Software Delivery Conference - Register Today' is less than the standard ratio 4.5:1. 4. Pipeline> The color contrast ratio of text 'this
		pipeline never ran' is less than the standard ratio 4.5:1.
1.4.4 Resize text (Level AA)		
Also applies to:		Remark:
EN 301 549 Criteria	Partially Supports	
• 9.1.4.4 (Web)		Application is operable and readable while
• 10.1.4.4 (Non-web document)		resizing the content using the browser zoom
• 11.1.4.4.1 (Open Functionality Software)		feature. However exception is present:
• 11.1.4.4.2 (Closed Software)		·
• 11.8.2 (Authoring Tool)		Exception:
• 12.1.2 (Product Docs)		1. Overview> At 200% browser zoom both
• 12.2.4 (Support Docs)		
Revised Section 508		horizontal and vertical bars appear.
• 501 (Web)(Software)		

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	Remark:
• 9.1.4.5 (Web)	Not Applicable	Nemark.
 10.1.4.5 (Non-web document) 		There is no such information present in the
 11.1.4.5.1 (Open Functionality Software) 		application, which is in the form of Image of text.
 11.1.4.5.2 (Closed Software) – Does not apply 		approaction, transfer in the form of integer of contraction
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 and 2.2)		
Also applies to:	Partially Supports	Remark:
EN 301 549 Criteria	i artiany supports	
• 9.1.4.10 (Web)		Application is operable and readable while
• 10.1.4.10 (Non-web document)		resizing the content using the browser zoom
• 11.1.4.10 (Open Functionality Software)		feature. However exception is present:
• 11.1.4.10 (Closed Software)		
• 11.8.2 (Authoring Tool)		Exception:
• 12.1.2 (Product Docs)		1. Overview> At 400% browser zoom both
• 12.2.4 (Support Docs)		horizontal and vertical bars appear.
Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)	Partially Supports	Remark:
Also applies to:	Turtidity Supports	Remark:
EN 301 549 Criteria		Application has sufficient contrast ratio i.e. 3:1 for
• 9.1.4.11 (Web)		most of the elements present in the application.
• 10.1.4.11 (Non-web document)		·
• 11.1.4.11 (Open Functionality Software)		However exceptions are present:
• 11.1.4.11 (Closed Software)		

Criteria	Conformance Level	Remarks and Explanations
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 		Exceptions: 1. Workspaces> The color contrast ratio of 'x' icon
Revised Section 508 – Does not apply		is less than the standard ratio 3:1.
		2. IaCM Registry> The color contrast ratio of border line of edit field is less than the standard ratio 3:1.
		3. Overview> Project> The color contrast ratio of star icon is less than the standard ratio 3:1.
		4. Overview> The color contrast ratio of border line of combo box is less than the standard ratio 3:1.
1.4.12 Text Spacing (Level AA 2.1 and 2.2)	Partially Supports	Remark:
Also applies to:		Application provides support for popula with law
EN 301 549 Criteria		Application provides support for people with low
9.1.4.12 (Web)10.1.4.12 (Non-web document)		vision and cognitive disabilities as it allows users to view the application content in their desired
• 11.1.4.12 (Open Functionality Software)		text (Letter, word, line and paragraph) spacing.
11.1.4.12 (Closed Software)11.8.2 (Authoring Tool)		However an exception is present:
• 12.1.2 (Product Docs)		Exception:
• 12.2.4 (Support Docs)		1. Overview> On applying text spacing, text
Revised Section 508 – Does not apply		'project/ account' truncates.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)	Supports	Remark:
Also applies to:		
EN 301 549 Criteria		There are web element available in the
• 9.1.4.13 (Web)		application which triggers the additional content
 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 		after receiving pointer hover or keyboard focus.

Criteria	Conformance Level	Remarks and Explanations
 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Does Not Supports	Remark: Multiple ways of navigation is not present in the application.
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool)	Support	Remark: Headings present in the application are descriptive enough to understand their purpose and sufficient label is provided for each form field wherever descriptive label is needed.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Remark: Tab focus indicator is clearly visible on interactive elements.
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Remark: When element receives keyboard focus, then the component is not entirely hidden due to authorcreated content.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	Remark: No such dragging elements are present in the application.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Remark: Appropriate size, spacing etc are provided for the elements.

Criteria	Conformance Level	Remarks and Explanations
Criteria 3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508	Not Applicable	Remarks and Explanations Remark: No application content is available in foreign language.
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Remark: Repeated components are occurring in the same order in the application, which helps screen reader and cognitive user to predict the location of different elements.
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply	Supports	Remark: Elements that have the same functionality across multiple pages in the application have same labels or same name.

Criteria	Conformance Level	Remarks and Explanations
• 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	Remark: Sufficient and descriptive error message appears in application.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web)	Not Applicable	Remark: This success criterion is related to legal
 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 		commitment, financial data, etc., which involves serious risk, if no option, is provided for user to review or revert the data before submission. However, application does not have any such forms, where such risk is associated.

Criteria	Conformance Level	Remarks and Explanations
 504.2 (Authoring Tool) 602.3 (Support Docs) 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply 	Not Applicable	Remark: No cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	Remark: Alert/ notification/ message appears in the application and is announced automatically by screen reader. However exceptions are present: Exceptions: 1. Overview> Project> Screen reader does not automatically announce the typeahead search results. 2. Workspaces> New Workspaces> Error message is not automatically announced by screen reader. 3. Overview> Project> Loading status is not announced automatically by screen reader.

Table 3: Success Criteria, Level AAA

Notes: This section is Not Applicable

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Remark: NVDA and Jaws screen reader equally supports the application. Users using these screen readers can easily operate the application. However exceptions are present: Exceptions: 1. Overview> Landmark regions such as header, main and footer are not defined for the web page. 2. Workspaces> No heading level 1 is present on the page. 3. Workspaces> Visually appearing headings are not tagged in heading. 4. Pipelines> Tabular content is not tagged in table tag.
302.2 With Limited Vision	Partially Supports	Remark:

Criteria	Conformance Level	Remarks and Explanations
		Color scheme is appropriate and color
		contrast ratio of most of the
		interactive elements is equal to or
		greater than standard ratio of 4.5:1/
		3:1. However exceptions are present:
		Exceptions:
		1. Pipeline> The color contrast ratio of
		text 'Run' is less than the standard
		ratio 4.5:1.
		2. IaCM Registry> The color contrast
		ratio of placeholder text is less than
		the standard ratio 4.5:1.
		3. Overview> The color contrast ratio
		of text '{unscripted} 2025 - The {AI-
		Native} Software Delivery Conference
		- Register Today' is less than the
		standard ratio 4.5:1.
		4. Pipeline> The color contrast ratio of
		text 'this pipeline never ran' is less
		than the standard ratio 4.5:1.
		Remark:
302.3 Without Perception of Color	Not Applicable	No color is used to convey
		information in the application.
		information in the application.
302.4 Without Hearing	Not Applicable	Remarks:

Criteria	Conformance Level	Remarks and Explanations
		There is no multimedia content present in the application.
302.5 With Limited Hearing	Not Applicable	Remarks: There is no multimedia content present in the application.
302.6 Without Speech	Not Applicable	Remark: Speech is not required to complete any task or activity.
302.7 With Limited Manipulation	Not Applicable	Remark: There are no such complicated keyboard actions required in the application to perform any task, which requires simultaneous actions or fine motor control.
302.8 With Limited Reach and Strength	Partially Supports (Keyboard)	Remark: Application has a good support for keyboard interaction, as most of the interactive elements are accessible using the keyboard commands. However exceptions are present:

Criteria	Conformance Level	Remarks and Explanations
		Exceptions:
		 Pipeline Studio> Pipeline studio is not accessible through screen reader. Workspaces> New Workspaces> Tooltip content of 'i' icon is not
		accessible through screen reader.
		Remark:
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	Many features in the application have good support for users with cognitive disabilities due to following reasons: 1. Application does not have any moving text/images/animations, which disrupts in reading. 2. Application does not have any multimedia, which plays automatically and confuses the user. 3. Application does not have any flashing object, which causes seizure.

Chapter 4: Hardware

Notes: This section is Not Applicable

Chapter 5: Software

Notes: This section is Not Applicable

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Does Not Support	Remark: There is no section available in the application, which describes the information regarding accessibility and its compatibility with different assistive technologies.
602.3 Electronic Support Documentation	See <u>WCAG 2.2</u> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	Remark: Since, the application provides information through the digital medium and it allows user to access the 'Help' feature for further help regarding the digital content and documentation. There is no such requirement of alternate formats for non-electronic support documentation as support services are available electronically.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Does Not Support	There is no accessibility information section available in the application, which provides information regarding

Criteria	Conformance Level	Remarks and Explanations
		accessibility and compatibility
		features.
		There is no phone number/ email
	Da an Nat Carran ant	address mentioned under support
603.3 Accommodation of Communication Needs	Does Not Support	section, using which user can contact
		tech support.

EN 301 549 Report

Notes:

Clause 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Remarks and Explanations Remark: NVDA and Jaws screen reader equally supports the application. Users using these screen readers can easily operate the application. However exceptions are present: Exceptions: 1. Overview> Landmark regions such as header, main and footer are not defined for the web page. 2. Workspaces> No heading level 1 is present on the page. 3. Workspaces> Visually appearing headings are not tagged in heading. 4. Pipelines> Tabular content is not
4.2.2 Usage with limited vision	Partially Supports	tagged in table tag. Remark:

		Color scheme is appropriate and color contrast ratio of most of the interactive elements is equal to or greater than standard ratio of 4.5:1/3:1. However exceptions are present:
		Exceptions: 1. Pipeline> The color contrast ratio of text 'Run' is less than the standard ratio 4.5:1.
		2. IaCM Registry> The color contrast ratio of placeholder text is less than the standard ratio 4.5:1.
		3. Overview> The color contrast ratio of text '{unscripted} 2025 - The {AI-Native} Software Delivery Conference - Register Today' is less than the standard ratio 4.5:1.
		4. Pipeline> The color contrast ratio of text 'this pipeline never ran' is less than the standard ratio 4.5:1.
4.2.3 Usage without perception of colour	Not Applicable	Remark: No color is used to convey information in the application.
4.2.4 Usage without hearing	Not Applicable	Remarks:

		There is no multimedia content present in the application.
4.2.5 Usage with limited hearing	Not Applicable	Remarks: There is no multimedia content present in the application.
4.2.6 Usage with no or limited vocal capability	Not Applicable	Remark: Speech is not required to complete any task or activity.
4.2.7 Usage with limited manipulation or strength	Partially Supports (Keyboard)	Application has a good support for keyboard interaction, as most of the interactive elements are accessible using the keyboard commands. However exceptions are present: Exceptions: 1. Pipeline Studio> Pipeline studio is not accessible through screen reader. 2. Workspaces> New Workspaces> Tooltip content of 'i' icon is not accessible through screen reader.
4.2.8 Usage with limited reach	Not Applicable	Remark:

		There are no such complicated keyboard actions required in the application to perform any task, which requires simultaneous actions or fine motor control.
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	Remark: No such elements which causes seizure effect is present in the application.
4.2.10 Usage with limited cognition, language or learning	Supports	Remark: Many features in the application have good support for users with cognitive disabilities due to following reasons: 1. Application does not have any moving text/images/animations, which disrupts in reading. 2. Application does not have any multimedia, which plays automatically and confuses the user. 3. Application does not have any flashing object, which causes seizure.
4.2.11 Privacy	Supports	Remark: No such elements are present in the application which is violating the privacy.

Clause <u>5: Generic Requirements</u>

Notes: This section is not applicable.

Clause 6: ICT with Two-Way Voice Communication

Notes: This section is not applicable.

Clause 7: ICT with Video Capabilities

Notes: This section is not applicable.

Clause 8: Hardware

Notes: This section is not applicable.

Clause 9: Web (see WCAG 2.x section)

Notes:

Clause 10: Non-Web Documents

Notes: This section is not applicable.

Clause 11: Software

Notes: This section is not applicable.

Clause 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Does Not Support	Remark: There is no section available in the application, which describes the information regarding accessibility and its compatibility with different assistive technologies.
12.1.2 Accessible documentation	See <u>WCAG 2.2</u> section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Does Not Support	There is no accessibility information section available in the application, which provides information regarding accessibility and compatibility features.
12.2.3 Effective communication	Does Not Support	There is no phone number/ email address mentioned under support section, using which user can contact tech support.
12.2.4 Accessible documentation	See <u>WCAG 2.2</u> section	See information in WCAG 2.x section

Clause 13: ICT Providing Relay or Emergency Service Access

Notes: This section is Not Applicable

Legal Disclaimer (Infrastructure as Code Management (IaCM))

Include your company legal disclaimer here, if needed.