

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>HTML CSS Project</title>
    <style>
```

```
/* Global styles */
```

```
body {
  font-family: Arial, sans-serif, "Times New Roman", Times, serif;
  line-height: 1.6;
  margin: 0;
  padding: 0;
  text-align: center;
  background-color: #0afdf5;
}
```

```
.container {
  width: 80%;
  margin: auto;
  overflow: hidden;
}
```

```
/* Header styles */
```

```
#main-header {
  background: #ce0909;
  color: #fff;
  padding: 10px 0;
  text-align: center;
  width: 100%;
  position: fixed;
```

```
  top: 0;
  z-index: 1000;
```

```
/* Adjusted header height */
}
```

```
#main-header h1 {
  margin: 0;
  font-size: 1.5rem;
}
```

```
/* Main navigation styles */
```

```
#main-nav {  
  background-color: #333;  
  color: #fff;  
  position: fixed;  
  
  width: 100%;  
}
```

```
#main-nav ul {  
  padding: 0;  
  list-style: none;  
  display: flex;  
  justify-content: center;  
  margin: 0;  
}
```

```
#main-nav ul li {  
  margin-right: 20px;  
}
```

```
#main-nav ul li a {  
  color: #fff;  
  text-decoration: none;  
  font-size: 1.2rem;  
  transition: color 0.3s ease;  
  padding: 10px 15px;  
}
```

```
#main-nav ul li a:hover {  
  color: #ccc;  
}
```

```
/* Main content styles */
```

```
main {  
  padding-top: 140px; /* Adjusted top padding to accommodate fixed header */  
}
```

```
.section {  
  margin-bottom: 40px;  
  padding: 20px;  
  background-color: #fff;
```

```
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    transition: transform 0.3s ease; /* Adding transition for hover effect */
}
```

```
.section:hover {
    transform: translateY(-5px); /* Applying hover effect */
}
```

```
.section h2 {
    margin-bottom: 20px;
    color: #333;
}
```

```
.section p {
    margin-bottom: 20px;
    color: #666;
}
```

```
.content {
    margin-bottom: 20px;
}
```

```
.content h3 {
    margin-bottom: 10px;
    color: #333;
}
```

```
.content p {
    margin-bottom: 15px;
    color: #666;
}
```

```
.content img {
    max-width: 100%;
    height: auto;
    margin-bottom: 15px;
    display: block;
}
```

```
/* Form styles */
```

```
.form {
    max-width: 600px;
    margin: 0 auto;
```

```
background: #fff;
padding: 20px;
border-radius: 5px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}
```

```
.form label {
  display: block;
  margin-bottom: 10px;
  color: #333;
}
```

```
.form input[type="text"],
.form input[type="email"],
.form textarea,
.form select,
.form input[type="password"],
.form input[type="url"],
.form input[type="range"] {
  width: calc(100% - 16px);
  padding: 10px;
  margin-bottom: 15px;
  border: 1px solid #ccc;
  border-radius: 4px;
  font-size: 1rem;
}
```

```
.form textarea {
  resize: vertical;
}
```

```
.form input[type="submit"] {
  background: #333;
  color: #fff;
  border: none;
  padding: 12px 24px;
  cursor: pointer;
  font-size: 1rem;
  border-radius: 4px;
}
```

```
.form input[type="submit"]:hover {
  background: #555;
```

```
}
```

```
/* Table styles */
```

```
table {  
  width: 100%;  
  border-collapse: collapse;  
  margin-bottom: 30px;  
  background: #fff;  
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
}
```

```
table caption {  
  font-size: 1.2rem;  
  margin-bottom: 10px;  
  color: #333;  
}
```

```
table th,  
table td {  
  border: 1px solid #ccc;  
  padding: 10px;  
  text-align: left;  
  color: #333;  
}
```

```
table th {  
  background-color: #f2f2f2;  
  font-weight: bold;  
}
```

```
table tfoot {  
  font-weight: bold;  
}
```

```
/* Multimedia styles */
```

```
.video-container,  
.audio-container {  
  margin-bottom: 30px;  
}
```

```
/* Footer styles */
```

```
#main-footer {  
  background: #333;
```

```
color: #fff;
text-align: center;
padding: 15px 0;
position: relative;
bottom: 0;
width: 100%;
}
</style>
<!-- Link to external CSS file -->
</head>
<body>
  <!-- Header section -->
  <header id="main-header">
    <div class="container">
      <h1>Welcome to my HTML CSS Project</h1>
    </div>
    <!-- Navigation menu -->
    <nav id="main-nav">
      <ul>
        <li><a href="#section1">Section 1</a></li>
        <li><a href="#section2">Section 2</a></li>
        <li><a href="#section3">Section 3</a></li>
        <li><a href="#section4">Section 4</a></li>
        <li><a href="#section5">Section 5</a></li>
      </ul>
    </nav>
  </header>

  <!-- Main content -->
  <main class="container">
    <!-- Section 1 -->
    <section id="section1" class="section">
      <div class="card">
        <h2>Section 1: Basic Elements</h2>
        <p>This section demonstrates basic HTML elements.</p>
        <!-- Content within section 1 -->
        <div class="content">
          <h3>Text Elements</h3>
          <p>This is a paragraph.</p>
          <p><strong>This is bold text.</strong></p>
          <p><em>This is italic text.</em></p>
        </div>
        <!-- Content continued with different elements -->
```

```
<div class="content">
  <h3>List Elements</h3>
  <ul>
    <li>Unordered List Item 1</li>
    <li>Unordered List Item 2</li>
    <li>Unordered List Item 3</li>
  </ul>
  <ol>
    <li>Ordered List Item 1</li>
    <li>Ordered List Item 2</li>
    <li>Ordered List Item 3</li>
  </ol>
</div>
<!-- Additional content -->
<div class="content">
  <h3>Links and Images</h3>
  <a href="https://www.example.com">Visit Example.com</a>
  <br />
  
</div>
<!-- Form element -->
<div class="content">
  <h3>Dropdown List</h3>
  <label for="dropdown">Choose a category:</label>
  <select id="dropdown" name="category">
    <option value="option1">Option 1</option>
    <option value="option2">Option 2</option>
    <option value="option3">Option 3</option>
  </select>
</div>
</div>
</section>

<!-- Section 2 -->
<section id="section2" class="section">
  <div class="card">
    <h2>Section 2: Form Elements</h2>
    <p>This section demonstrates form elements.</p>
    <!-- Form element -->
    <form id="myForm" class="form">
```

<label for="fname">First Name:</label>
<input type="text" id="fname" name="fname" />

<label for="lname">Last Name:</label>
<input type="text" id="lname" name="lname" />

<label for="email">Email:</label>
<input type="email" id="email" name="email" />

<label for="message">Message:</label>

<textarea id="message" name="message" rows="4" cols="50"></textarea>
>

<label for="birthdate">Birthdate:</label>
<input type="date" id="birthdate" name="birthdate" />

<label for="color">Favorite Color:</label>
<input type="color" id="color" name="color" />

<label for="file">Upload File:</label>
<input type="file" id="file" name="file" />

<label for="password">Password:</label>
<input type="password" id="password" name="password" />

<label for="range">Range:</label>
<input
 type="range"
 id="range"
 name="range"
 min="0"
 max="100"
 value="50"
>

<label for="url">Website URL:</label>
<input
 type="url"
 id="url"
 name="url"
 value="https://">
>


```
<label for="checkbox">Checkbox:</label>
<input
  type="checkbox"
  id="checkbox"
  name="checkbox"
  value="checkbox"
/><br /><br />
```

```
<label for="radio1">Radio 1:</label>
<input type="radio" id="radio1" name="radio" value="radio1" />
```

```
<label for="radio2">Radio 2:</label>
<input
  type="radio"
  id="radio2"
  name="radio"
  value="radio2"
/><br /><br />
```

```
  <input type="submit" value="Submit" />
</form>
</div>
</section>
```

```
<!-- Section 3 -->
<section id="section3" class="section">
  <div class="card">
    <h2>Section 3: Tables</h2>
    <p>This section demonstrates tables.</p>
    <!-- Table element -->
    <table>
      <caption>
        Sample Table
      </caption>
      <thead>
        <tr>
          <th>Header 1</th>
          <th>Header 2</th>
          <th>Header 3</th>
        </tr>
      </thead>
      <tbody>
        <tr>
```

```

        <td>Data 1</td>
        <td>Data 2</td>
        <td>Data 3</td>
    </tr>
    <tr>
        <td>Data 4</td>
        <td>Data 5</td>
        <td>Data 6</td>
    </tr>
</tbody>
<tfoot>
    <tr>
        <td colspan="3">Footer Row</td>
    </tr>
</tfoot>
</table>
</div>
</section>

```

```

<!-- Section 4 -->
<section id="section4" class="section">
    <div class="card">
        <h2>Section 4: Multimedia</h2>
        <p>This section demonstrates multimedia elements.</p>
        <!-- Multimedia content -->
        <div class="content">
            <h3>Video</h3>
            <video width="320" height="240" controls>
                <source
                    src="https://www.w3schools.com/html/mov_bbb.mp4"
                    type="video/mp4"
                />
                Your browser does not support the video tag.
            </video>
        </div>
        <div class="content">
            <h3>Audio</h3>
            <audio controls>
                <source
                    src="https://www.w3schools.com/html/horse.mp3"
                    type="audio/mpeg"
                />
                Your browser does not support the audio tag.
            </audio>
        </div>
    </div>
</section>

```

```
</audio>
</div>
</div>
</section>
```

```
<!-- Section 5 -->
<section id="section5" class="section">
  <div class="card">
    <h2>Section 5: Additional Useful Tags</h2>
    <p>
      This section includes additional tags useful for building various
      projects.
    </p>
    <!-- Additional tags -->
    <div class="content">
      <h3>Interactive and Semantic Tags</h3>
      <details>
        <summary>Details</summary>
        <p>This is hidden content that can be toggled.</p>
      </details>
      <div>
        <h4>Figure and Figcaption</h4>
        <figure>
          
          <figcaption>A caption for the image.</figcaption>
        </figure>
      </div>
      <div>
        <h4>Abbreviation and Address</h4>
        <p><abbr title="World Wide Web">WWW</abbr></p>
        <address>
          John Doe<br />
          123 Main Street<br />
          Anytown, USA
        </address>
      </div>
    </div>
  </div>
  <!-- Canvas and SVG -->
  <div class="content">
    <h3>Canvas and SVG</h3>
    <canvas id="myCanvas" width="200" height="100"></canvas>
    <svg width="100" height="100">
      <circle
```

```
        cx="50"
        cy="50"
        r="40"
        stroke="black"
        stroke-width="3"
        fill="red"
    />
</svg>
</div>
</div>
</section>
</main>

<!-- Footer section -->
<footer id="main-footer">
    <div class="container">
        <p>&copy; 2024 HTML CSS Project. All rights reserved.</p>
    </div>
</footer>
</body>
</html>
```