webco programming

Hello everyone here we're gonna cover all sides of programming and tech.

if you want to be a professional programmer and get a job with

https://www.youtube.com/channel/UCMeVTDrjNwyoB8VKU6



Tag	Description
<u><!--</u--></u>	Defines a comment
	Defines the document type
<u><a></u>	Defines a hyperlink
<abbr></abbr>	Defines an abbreviation or an acronym
<acronym></acronym>	Not supported in HTML5. Use <abbr> instead.Defines an acronym</abbr>
<address></address>	Defines contact information for the author/owner of a document
<applet></applet>	Not supported in HTML5. Use <a href="mailto:sepadcolor: left) sepdcolor: left) supported in HTML5. Use

<canvas></canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption></caption>	Defines a table caption
<center></center>	Not supported in HTML5. Use CSS instead.Defines centered text
<cite></cite>	Defines the title of a work
<code></code>	Defines a piece of computer code
<col/>	Specifies column properties for each column within a <colgroup> element</colgroup>
<colgroup></colgroup>	Specifies a group of one or more columns in a table for formatting
<data></data>	Adds a machine-readable translation of a given content
<datalist></datalist>	Specifies a list of pre-defined options for input controls
<u><dd></dd></u>	Defines a description/value of a term in a description list
	Defines text that has been deleted from a document
<details></details>	Defines additional details that the user can view or hide
<dfn></dfn>	Specifies a term that is going to be defined within the content
<dialog></dialog>	Defines a dialog box or window
<dir></dir>	Not supported in HTML5. Use instead.Defines a directory list
<div></div>	Defines a section in a document
<u><dl></dl></u>	Defines a description list
<u><dt></dt></u>	Defines a term/name in a description list
<u></u>	Defines emphasized text
<embed/>	Defines a container for an external application
<fieldset></fieldset>	Groups related elements in a form
<figcaption></figcaption>	Defines a caption for a <figure> element</figure>
<figure></figure>	Specifies self-contained content
	Not supported in HTML5. Use CSS instead.Defines font, color, and size for text
<footer></footer>	Defines a footer for a document or section
<form></form>	Defines an HTML form for user input
<frame/>	Not supported in HTML5.Defines a window (a frame) in a frameset
<frameset></frameset>	Not supported in HTML5.Defines a set of frames
<h1> to <h6></h6></h1>	Defines HTML headings
<head></head>	Contains metadata/information for the document
<header></header>	Defines a header for a document or section

Shimb Defines the root of an HTML document ≤≥ Defines a part of text in an alternate voice or mood ⟨iframe⟩ Defines an inline frame ⟨img₂ Defines an image ⟨input⟩ Defines an input control ⟨ims₂ Defines an input control ⟨ims₂ Defines a text that has been inserted into a document ⟨kbd₂ Defines keyboard input ⟨label₂ Defines a label for an <input/> element ⟨label₂ Defines a caption for a <fieldset> element ⟨ligend₂⟩ Defines a list item ⟨link₂ Defines a list item ⟨link₂ Defines the relationship between a document and an external resource (most used to link to style sheets) ⟨main₂⟩ Defines an image map ⟨main₂⟩ Defines an image map ⟨main₂⟩ Defines an marked/highlighted text ⟨meta₂⟩ Defines metadata about an HTML document ⟨meta₂⟩ Defines a scalar measurement within a known range (a gauge) ⟨snav₂⟩ Defines an avigation links ⟨snav₂⟩ Defines an alternate content for users that do not support client-side scripts ⟨snoscript₂⟩ Defines a proterid</fieldset>	<u><hr/></u>	Defines a thematic change in the content
siffame≥ Defines an inline frame simg≥ Defines an image sinput Defines an input control sins≥ Defines a text that has been inserted into a document skbd≥ Defines a label for an <input/> element slabel≥ Defines a caption for a <filediset> element sli≥ Defines a caption for a <filediset> element sli≥ Defines a list item slink≥ Defines a list item slink≥ Defines the relationship between a document and an external resource (most used to link to style sheets) smain≥ Specifies the main content of a document smain≥ Specifies the main content of a document smain≥ Defines an image map smark≥ Defines marked/highlighted text smeta≥ Defines metadata about an HTML document smeta≥ Defines a scalar measurement within a known range (a gauge) snav≥ Defines an avigation links snot support frames Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts scobject> Defines an alternate content for users that do not support client-side scripts sobject> Defines a container for an external application <t< td=""><td><html></html></td><td>Defines the root of an HTML document</td></t<></filediset></filediset>	<html></html>	Defines the root of an HTML document
simg≥ Defines an image sinput≥ Defines an input control sins≥ Defines at ext that has been inserted into a document skbd≥ Defines keyboard input stabel≥ Defines a label for an <input/> element stegend≥ Defines a caption for a <fieldset> element stegend≥ Defines a list item stink≥ Defines the relationship between a document and an external resource (most used to link to style sheets) smain≥ Specifies the main content of a document smain≥ Defines an image map smark≥ Defines marked/highlighted text smeta≥ Defines metadata about an HTML document smete≥ Defines a scalar measurement within a known range (a gauge) snav≥ Defines navigation links snot supported in HTML5.Defines an alternate content for users that do not support client-side scripts snoscript≥ Defines an alternate content for users that do not support client-side scripts sobject≥ Defines a container for an external application solzentpul≥ Defines a group of related options in a drop-down list soption> Defines a paragraph sparam> Defines a paragr</fieldset>	<u><i></i></u>	Defines a part of text in an alternate voice or mood
Sinput≥ Defines an input control Sins≥ Defines a text that has been inserted into a document ≤kbd≥ Defines keyboard input ≤label≥ Defines a label for an <input/> element ≤legend≥ Defines a caption for a <fieldset> element ≤li≥ Defines a list item ≤link≥ Defines the relationship between a document and an external resource (most used to link to style sheets) ≤main≥ Specifies the main content of a document ≤map≥ Defines an image map ≤mat≥ Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document ≤mete> Defines a scalar measurement within a known range (a gauge) ≤nav≥ Defines an avigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript≥< th=""> Defines an alternate content for users that do not support client-side scripts <noscript≥< th=""> Defines a container for an external application Defines a container for an external application Defines a group of related options in a drop-down list Defines a paragraph </noscript≥<></noscript≥<></noframes></fieldset>	<iframe></iframe>	Defines an inline frame
sins≥ Defines a text that has been inserted into a document skbd≥ Defines keyboard input slabel≥ Defines a label for an <input/> element slegend≥ Defines a caption for a <fieldset> element sli≥ Defines a list item slink> Defines the relationship between a document and an external resource (most used to link to style sheets) smain> Specifies the main content of a document smap≥ Defines an image map smark> Defines marked/highlighted text smeta> Defines metadata about an HTML document smeter> Defines a scalar measurement within a known range (a gauge) snav> Defines navigation links snoframes> Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts scnoscript> Scripts sobject> Defines a container for an external application sobject> Defines a container for an external application sobject> Defines a proup of related options in a drop-down list soption> Defines an option in a drop-down list soption> Defines a paragraph sparam> Defines a containe</fieldset>		Defines an image
∠kbd≥ Defines keyboard input ∠label≥ Defines a label for an <input/> element ∠legend≥ Defines a caption for a <fieldset> element ∠li≥ Defines the relationship between a document and an external resource (most used to link to style sheets) ∠main≥ Specifies the main content of a document ∠map≥ Defines an image map ∠mark≥ Defines marked/highlighted text ∠meta≥ Defines metadata about an HTML document ∠meter≥ Defines a scalar measurement within a known range (a gauge) ∠nav≥ Defines navigation links ∠noframes> Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts ∠noscript> Defines an alternate content for users that do not support client-side scripts ∠object> Defines a container for an external application ∠object> Defines a container for an external application ∠option> Defines a poption in a drop-down list ∠option> Defines an option in a drop-down list ∠option> Defines the result of a calculation ≤p≥ Defines a paragraph ∠param> Defines a container for multiple image resources</fieldset>	<input/>	Defines an input control
≤label> Defines a label for an <input/> element ≤legend≥ Defines a caption for a <fieldset> element ≤li≥ Defines a list item ≤link> Defines the relationship between a document and an external resource (most used to link to style sheets) ≤main> Specifies the main content of a document ≤map≥ Defines an image map ≤mark≥ Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document ≤meta≥ Defines a scalar measurement within a known range (a gauge) ≤nav≥ Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application <object> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <option> Defines an paragraph Defines a paragraph Defines a container for multiple image resources <</option></option></object></object></noscript></noframes></fieldset>	<ins></ins>	Defines a text that has been inserted into a document
≤legend> Defines a caption for a <fieldset> element ≤li≥ Defines a list item ≤link≥ Defines the relationship between a document and an external resource (most used to link to style sheets) ≤main≥ Specifies the main content of a document ≤map≥ Defines an image map ≤mark≥ Defines marked/highlighted text ≤meta> Defines metadata about an HTML document ≤meter> Defines a scalar measurement within a known range (a gauge) ≤nav> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application <object> Defines a group of related options in a drop-down list <option> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <option> Defines the result of a calculation Defines a paragraph Defines a container for multiple image resources <td><kbd></kbd></td><td>Defines keyboard input</td></option></option></option></object></object></noscript></noframes></fieldset>	<kbd></kbd>	Defines keyboard input
≤li≥ Defines a list item ≤link≥ Defines the relationship between a document and an external resource (most used to link to style sheets) ≤main≥ Specifies the main content of a document ≤map≥ Defines an image map ≤mark≥ Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document <meter≥< td=""> Defines a scalar measurement within a known range (a gauge) ≤nav≥ Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript≥< td=""> Defines an alternate content for users that do not support client-side scripts <object≥< td=""> Defines a container for an external application <object> Defines a container for an external application <object> Defines a group of related options in a drop-down list <object> Defines an option in a drop-down list <object> Defines an aparagraph Defines a parameter for an object Defines a container for multiple image resources Optiones preformatted text</object></object></object></object></object≥<></noscript≥<></noframes></meter≥<>	<label></label>	Defines a label for an <input/> element
≤link≥ Defines the relationship between a document and an external resource (most used to link to style sheets) ≤main≥ Specifies the main content of a document ≤map≥ Defines an image map ≤mark≥ Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document ≤meter≥ Defines a scalar measurement within a known range (a gauge) ≤nav≥ Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript≥< th=""> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application <object> Defines a portion in a drop-down list <opt>option> Defines an option in a drop-down list <option> Defines the result of a calculation option> Defines a paragraph Defines a parameter for an object</option></opt></object></object></noscript≥<></noframes>	<legend></legend>	Defines a caption for a <fieldset> element</fieldset>
Sink≥ (most used to link to style sheets) ≤main≥ Specifies the main content of a document ≤map≥ Defines an image map ≤mark≥ Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document ≤meter≥ Defines a scalar measurement within a known range (a gauge) ≤nav≥ Defines navigation links ≤noframes> Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts ≤noscript> Defines an alternate content for users that do not support client-side scripts ≤object> Defines a container for an external application ≤object> Defines a group of related options in a drop-down list ≤optgroup> Defines an option in a drop-down list ≤option> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a container for multiple image resources ≤pre> Defines preformatted text	<u></u>	Defines a list item
≤map≥ Defines an image map <mark≥< th=""> Defines marked/highlighted text <meta≥< th=""> Defines metadata about an HTML document <meter> Defines a scalar measurement within a known range (a gauge) <nav≥< th=""> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support client-side scripts <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application <object> Defines an ordered list <option> Defines a group of related options in a drop-down list <output> Defines an option in a drop-down list <output> Defines the result of a calculation Defines a parameter for an object Defines a container for multiple image resources Defines preformatted text</output></output></option></object></object></noscript></noframes></nav≥<></meter></meta≥<></mark≥<>	link>	·
≤mark> Defines marked/highlighted text ≤meta≥ Defines metadata about an HTML document <meter> Defines a scalar measurement within a known range (a gauge) <nav> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application <object> Defines an ordered list <optgroup> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation Defines a paragraph Defines a parameter for an object Defines preformatted text</output></option></optgroup></object></object></noscript></noframes></nav></meter>	<main></main>	Specifies the main content of a document
≤meta≥ Defines metadata about an HTML document ≤meter> Defines a scalar measurement within a known range (a gauge) ≤nav> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application Object> Defines an ordered list <optgroup> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation Defines a paragraph Defines a parameter for an object Defines a container for multiple image resources Defines preformatted text</output></option></optgroup></object></noscript></noframes>	<u><map></map></u>	Defines an image map
≤meter> Defines a scalar measurement within a known range (a gauge) ≤nav> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application Defines an ordered list <option> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation <p≥< td=""> Defines a paragraph <param/> Defines a parameter for an object <picture> Defines preformatted text</picture></p≥<></output></option></option></object></noscript></noframes>	<mark></mark>	Defines marked/highlighted text
≤nav> Defines navigation links <noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application Defines an ordered list <optgroup> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation Defines a parameter for an object <pr>Defines a container for multiple image resources <pr></pr></pr></output></option></optgroup></object></noscript></noframes>	<meta/>	Defines metadata about an HTML document
<noframes> Not supported in HTML5.Defines an alternate content for users that do not support frames <noscript> Defines an alternate content for users that do not support client-side scripts <object> Defines a container for an external application Defines an ordered list <optgroup> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation <p≥< td=""> Defines a paragraph <param/> Defines a container for an object <pic><pre> Defines preformatted text</pre></pic></p≥<></output></option></optgroup></object></noscript></noframes>	<meter></meter>	Defines a scalar measurement within a known range (a gauge)
≤noscript> Defines an alternate content for users that do not support client-side scripts ≤object> Defines a container for an external application ≤ol> Defines an ordered list ≤optgroup> Defines a group of related options in a drop-down list ≤option> Defines an option in a drop-down list ≤output> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<nav></nav>	Defines navigation links
<noscript> scripts <object> Defines a container for an external application Defines an ordered list <optgroup> Defines a group of related options in a drop-down list <option> Defines an option in a drop-down list <output> Defines the result of a calculation ≤p≥ Defines a paragraph <param/> Defines a parameter for an object <picture> Defines a container for multiple image resources <pre> Defines preformatted text</pre></picture></output></option></optgroup></object></noscript>	<noframes></noframes>	
≤ol> Defines an ordered list ≤optgroup> Defines a group of related options in a drop-down list ≤option> Defines an option in a drop-down list ≤output> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<noscript></noscript>	
≤optgroup> Defines a group of related options in a drop-down list ≤option> Defines an option in a drop-down list ≤output> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<object></object>	Defines a container for an external application
≤option> Defines an option in a drop-down list ≤output> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<u><0 ></u>	Defines an ordered list
≤output> Defines the result of a calculation ≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<optgroup></optgroup>	Defines a group of related options in a drop-down list
≤p≥ Defines a paragraph ≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<option></option>	Defines an option in a drop-down list
≤param> Defines a parameter for an object ≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<output></output>	Defines the result of a calculation
≤picture> Defines a container for multiple image resources ≤pre> Defines preformatted text	<u></u>	Defines a paragraph
≤pre> Defines preformatted text	<pre><param/></pre>	Defines a parameter for an object
	<picture></picture>	Defines a container for multiple image resources
<pre>≤progress≥</pre> Represents the progress of a task	<pre><pre></pre></pre>	Defines preformatted text
	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Represents the progress of a task

SETIDE Defines what to show in browsers that do not support ruby annotations STE Defines an explanation/pronunciation of characters (for East Asian typography) SE2 Defines a ruby annotation (for East Asian typography) SE2 Defines text that is no longer correct Samp≥ Defines sample output from a computer program Section≥ Defines a client-side script Section≥ Defines a drop-down list Section≥ Defines a drop-down list Semall> Defines multiple media resources for media elements (<video> and <a audio="" href="</th><th><u><q></u></th><th>Defines a short quotation</th></tr><tr><td>typography) Sruby≥ Defines a ruby annotation (for East Asian typography) S≥ Defines text that is no longer correct Samp≥ Defines sample output from a computer program Script≥ Defines a client-side script Ssection> Defines a section in a document Sselect≥ Defines and pro-down list Small> Defines multiple media resources for media elements (<video> and ">">"><a< td=""><td><u><rp></rp></u></td><td>Defines what to show in browsers that do not support ruby annotations</td></a<></video>	<u><rp></rp></u>	Defines what to show in browsers that do not support ruby annotations
S≥ Defines text that is no longer correct ≤samp> Defines sample output from a computer program ≤script> Defines a client-side script ≤section≥ Defines a section in a document ≤select> Defines and rop-down list ≤small> Defines smaller text ≤source> Defines multiple media resources for media elements (<video> and <a a="" document<=""> <a doc<="" td=""><td><u><rt></rt></u></td><td>·</td></video>	<u><rt></rt></u>	·
Samp≥ Defines sample output from a computer program Section≥ Defines a client-side script Section≥ Defines a section in a document Section≥ Defines a drop-down list Semall≥ Defines smaller text Source≥ Defines multiple media resources for media elements (<video> and <audio>) Span≥ Defines multiple media resources for media elements (<video> and <audio>) Span≥ Defines multiple media resources for media elements (<video> and <audio> and <audio> audio>) Span≥ Defines a section in a document Strike> Not supported in HTML5. Use <ale a="" defines="" in="" stead.="" strikethrough="" text<=""> Strong≥ Defines important text Style> Defines subscripted text Sub> Defines subscripted text Summary> Defines a visible heading for a details element Sup> Defines a container for SVG graphics Stable> Defines a container for SVG graphics Stable> Defines a cell in a table Std> Defines a container for content that should be hidden when the page loads Std> Defines a multiline input control (text area) Stdoot> Groups the footer content in</ale></audio></audio></video></audio></video></audio></video>	<ruby></ruby>	Defines a ruby annotation (for East Asian typography)
Secript≥ Defines a client-side script Section> Defines a section in a document Select≥ Defines smaller text Defines multiple media resources for media elements (<video> and <audio>) Span> Defines a section in a document Strike> Not supported in HTML5. Use <ale> del> or <s> instead.Defines strikethrough text Strong≥ Defines important text Style≥ Defines style information for a document Sub> Defines subscripted text Summany> Defines a visible heading for a <details> element Sup≥ Defines superscripted text Syg≥ Defines a container for SVG graphics Stable> Defines a container for SVG graphics Stable> Defines a cell in a table Stbody≥ Groups the body content in a table Stemplate> Defines a container for content that should be hidden when the page loads stextarea> Defines a multiline input control (text area) Stoot> Groups the footer content in a table Sthod> Defines a header cell in a table Sthod> Defines a specific time (or datetime) Stime> Defines a title for the document</details></s></ale></audio></video>	<u><s></s></u>	Defines text that is no longer correct
Section Defines a section in a document Select Defines a drop-down list Semall Defines smaller text Source Defines multiple media resources for media elements (<video> and <audio>) Span> Defines a section in a document Not supported in HTML5. Use ≤del> or ≤s≥ instead.Defines strikethrough text Strike Defines important text Strong Defines subscripted text Sub> Defines a visible heading for a <details> element Sup> Defines superscripted text Sup> Defines a container for SVG graphics Stable> Defines a table Strong Defines a cell in a table Strong Defines a container for content that should be hidden when the page loads stextarea Defines a multiline input control (text area) Strong Groups the footer content in a table Strong Defines a specific time (or datetime) Strong Defines a specific time (or datetime) Strong Defines a title for the document</details></audio></video>	<samp></samp>	Defines sample output from a computer program
Select≥ Defines a drop-down list Small≥ Defines smaller text Source≥ Defines multiple media resources for media elements (<video> and <audio>) Span≥ Defines a section in a document Not supported in HTML5. Use or <s≥ <sub="" a="" defines="" document="" for="" important="" information="" instead.defines="" strikethrough="" strong≥="" style="" style≥="" text=""> Defines subscripted text <summary> Defines a visible heading for a <details> element ^{Defines a container for SVG graphics Defines a table Style≥ Defines a cell in a table Defines a cell in a table Stody> Defines a container for content that should be hidden when the page loads Stextarea> Defines a multiline input control (text area) Stextarea> Defines a header cell in a table Sthale> Defines a header content in a table Sthale> Defines a specific time (or datetime) Stitle≥ Defines a title for the document}</details></summary></s≥></audio></video>	<script></td><td>Defines a client-side script</td></tr><tr><td>Small≥ Defines smaller text Source> Defines multiple media resources for media elements (<video> and <audio>) Span≥ Defines a section in a document Strike> Not supported in HTML5. Use or <s≥ instead. Defines strikethrough text Strong≥ Defines important text Style≥ Defines style information for a document Sub> Defines subscripted text Summary≥ Defines a visible heading for a <details> element Sup≥ Defines a container for SVG graphics Stable> Defines a table Stbody≥ Groups the body content in a table Stemplate> Defines a container for content that should be hidden when the page loads Stextarea> Defines a multiline input control (text area) Stoot> Groups the footer content in a table Sthead> Groups the header cell in a table Sthead> Groups the header content in a table Sthead> Groups the header content in a table Sthead> Groups the header content in a table Sthead> Defines a specific time (or datetime) Stitle> Defines a title for the document</td><td><section></td><td>Defines a section in a document</td></tr><tr><td>Source> Defines multiple media resources for media elements (<video> and <audio>) Span> Defines a section in a document Not supported in HTML5. Use ≤del≥ or ≤s≥ instead.Defines strikethrough text Strong> Defines important text Style≥ Defines subscripted text Summary> Defines a visible heading for a <details> element Sup≥ Defines superscripted text Syg≥ Defines a container for SVG graphics Stable> Defines a table Stbody> Groups the body content in a table Stemplate> Defines a container for content that should be hidden when the page loads Stextarea> Defines a multiline input control (text area) Stoot> Groups the footer content in a table Sthead> Groups the header cell in a table Sthead> Groups the header content in a table Sthead> Groups the header content in a table Sthead> Defines a specific time (or datetime) Stitle> Defines a title for the document</td><td><select></td><td>Defines a drop-down list</td></tr><tr><td> Source Source </td><td><small></td><td>Defines smaller text</td></tr><tr><td>Strike≥ Not supported in HTML5. Use or <s> instead.Defines strikethrough text Strong≥ Defines important text Style> Defines style information for a document Sub≥ Defines subscripted text Summary> Defines a visible heading for a <details> element Sup≥ Defines superscripted text Sup≥ Defines a container for SVG graphics Stable> Defines a table Stody> Groups the body content in a table Stemplate> Defines a cell in a table Stemplate> Defines a multiline input control (text area) Stextarea> Defines a header cell in a table Sth> Defines a header cell in a table Sth> Defines a specific time (or datetime) Stitle> Defines a title for the document</td><td><source></td><td>·</td></tr><tr><td>text Strong Defines important text </td><td></td><td>Defines a section in a document</td></tr><tr><td>≤style≥ Defines style information for a document ≤sub> Defines subscripted text ≤sup> Defines superscripted text ≤svg> Defines a container for SVG graphics ≤table> Defines a table ≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><strike></td><td></td></tr><tr><td>≤sub> Defines subscripted text ≤sup> Defines a visible heading for a <details> element ≤sup> Defines superscripted text ≤svg≥ Defines a container for SVG graphics ≤table> Defines a table ≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td></td><td>Defines important text</td></tr><tr><td>≤summary≥ Defines a visible heading for a <details> element ≤sup≥ Defines superscripted text ≤svg≥ Defines a container for SVG graphics Defines a table ≤tbody≥ Groups the body content in a table ≤td> Defines a cell in a table <template> Defines a container for content that should be hidden when the page loads <textarea> Defines a multiline input control (text area) <tfoot> Groups the footer content in a table ≥ Defines a header cell in a table <thead> Groups the header content in a table <time> Defines a specific time (or datetime) <title> Defines a title for the document</td><td><style></td><td>Defines style information for a document</td></tr><tr><td>≤sup≥ Defines superscripted text ≤svg≥ Defines a container for SVG graphics ≤table> Defines a table ≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><sub></td><td>Defines subscripted text</td></tr><tr><td>≤svg≥ Defines a container for SVG graphics ≤table> Defines a table ≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><summary></td><td>Defines a visible heading for a <details> element</td></tr><tr><td>Stable > Defines a table ≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><sup></td><td>Defines superscripted text</td></tr><tr><td>≤tbody> Groups the body content in a table ≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><svg></td><td>Defines a container for SVG graphics</td></tr><tr><td>≤td> Defines a cell in a table ≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td></td><td>Defines a table</td></tr><tr><td>≤template> Defines a container for content that should be hidden when the page loads ≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td></td><td>Groups the body content in a table</td></tr><tr><td>≤textarea> Defines a multiline input control (text area) ≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><u></u></td><td>Defines a cell in a table</td></tr><tr><td>≤tfoot> Groups the footer content in a table ≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><template></td><td>Defines a container for content that should be hidden when the page loads</td></tr><tr><td>≤th> Defines a header cell in a table ≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><textarea></td><td>Defines a multiline input control (text area)</td></tr><tr><td>≤thead> Groups the header content in a table ≤time> Defines a specific time (or datetime) ≤title> Defines a title for the document</td><td><tfoot></td><td>Groups the footer content in a table</td></tr><tr><td></td><td><u>></u></td><td>Defines a header cell in a table</td></tr><tr><td><title> Defines a title for the document</td><td><thead></td><td>Groups the header content in a table</td></tr><tr><td></td><td><time></td><td>Defines a specific time (or datetime)</td></tr><tr><td></td><td><title></td><td>Defines a title for the document</td></tr><tr><td></td><td><u></u></td><td>Defines a row in a table</td></tr></tbody></table></script>	

<track/>	Defines text tracks for media elements (<video> and <audio>)</audio></video>
<u><tt></tt></u>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u><u></u></u>	Defines some text that is unarticulated and styled differently from normal text
<u></u>	Defines an unordered list
<var></var>	Defines a variable
<video></video>	Defines embedded video content
<wbr/>	Defines a possible line-break.

 $Channel\ link \Rightarrow \underline{https://www.youtube.com/channel/UCMeVTDrjNwyoB8VKU6JPOsw}$