

MEHDI BELHAJ

Power Electronics & Hardware Engineer

Analog & digital electronics · Embedded systems · Power conversion · Aerospace qualification — Toulouse & Europe

Toulouse 31300, France · +33 7 66 55 74 63 · belhaj.elmehdi.98@gmail.com
linkedin.com/in/mehdi-belhaj-eea · github.com/mehdi-belhaj-eea



270 VDC

SiC 1200 / 1700 V

10 kW

DO-160G · DAL A

EMC / EMI

OrCAD · KiCad

Matlab · PSIM · LTSpice

C · C++ · Python

AVAILABILITY	EXPERIENCE	MOBILITY	STATUS	LICENCE	ENGLISH
Immediate	3 years · aerospace	Toulouse · France · Europe	French work permit → Nov. 2028	B — own car	C1 · professional

PROFESSIONAL OBJECTIVE

Join a design office on a **long-term permanent contract**, ideally as a **technical lead** in power / analog electronics, designing safety-critical embedded boards across the full V-cycle from specification to qualification testing. Primary target: aerospace & space in the Toulouse area; open to defence, energy, rail, e-mobility and industry, in France and internationally. In parallel, looking to grow towards **embedded systems** and software (C / C++ / Python), including **edge-AI** applications.

PROFILE SUMMARY

Power electronics and hardware engineer with **3 years of experience in the aerospace sector** for Airbus, Safran Ventilation Systems, Safran Tech and SuperGrid Institute. Specialised in the complete design of high-voltage embedded electronic boards: **Flyback 540 V**, **Buck**, **SEPIC** and **LDO** power supplies, three-phase **SiC 1200 V inverter up to 10 kW**, **DO-160G**-compliant EMC filtering (Section 21 — categories B & H), analog and digital sensing chains — up to **DAL A** criticality.

Key differentiator: autonomous coverage of the entire V-cycle as **author of the key deliverables** — design justification file (DJD), PCB layout requirement specification, technical requirement specification (STB), hardware verification procedure (NTHW), test plans, compliance matrix — and active across the industrial process: configuration management and Windchill PLM, codification and bills of materials, supplier consultations, obsolescence management, facilitation of multidisciplinary meetings and gate reviews.

Profile broadened by **330 h of Cisco / OpenEDG certificate-track training** in C++ and Python (CPP, CPA, CPE, PCAP, PCEP frameworks — 2025-2026) and by an **entrepreneurial activity** run in parallel, bringing hands-on expertise in product compliance (CE, RoHS, WEEE, EPR, UKCA), supplier sourcing and business management. Bilingual French, professional English C1 (weekly technical meetings with Safran USA).

KEY STRENGTHS

- **V-cycle autonomy** — sole electronics lead on the last two assignments, from kick-off to testing, author of all technical deliverables.
- **Dual power & analog culture** — power-supply chains (Flyback, Buck, SEPIC, LDO), SiC 1200 / 1700 V stages up to 10 kW, sensor conditioning and 24-bit acquisition.
- **EMC and aerospace qualification** — common-mode / differential-mode filtering, lightning, ESD, DO-160G campaigns run end-to-end, dielectric tests up to 20 kV.
- **Project management and supply chain** — multidisciplinary meeting facilitation, gate reviews, codification & BOM, supplier consultations, obsolescence and second sourcing, Windchill PLM.
- **Simulation ↔ hardware versatility** — Matlab/Simulink/Simscape and Scilab/Xcos modelling, controller synthesis, Bode/Nyquist/FFT analyses, then prototyping, debugging and bench testing.
- **Software & data openness** — C++ and Python certificate tracks (330 h), oriented towards real-time embedded software, test automation and measurement post-processing.
- **Immediate availability & mobility** — available without notice, mobile within Toulouse, France and Europe.

DETAILED TECHNICAL SKILLS

POWER ELECTRONICS

Three-phase **SiC 1200 V / 1700 V** inverter — 10 kW pulsed · Quasi-resonant Flyback 540 V→24 V without optocoupler · Isolated multi-output Flyback 28 V→3.3 V (analog / digital rails) · Buck · SEPIC · LDO · Active DC rectifier · Isolated gate drivers UCC21750 with DESAT protection and Miller clamp · Driver supplies and biasing · RCD snubbers · DC-bus pre-charge and inrush current limiting · Magnetics design (transformers, inductors, ferrite cores)

ANALOG ELECTRONICS & SENSING

Current-measurement chains (ACS37002, INA190, shunts) · High-voltage sensing (divider bridges + MAX1363 ADC) · Temperature (TMP1075) · Force-measurement chain — 24-bit ADC ADS1247 · Position interface (CAM312) · Operational amplifiers (OPA387) · Signal conditioning and filtering · Galvanic isolation (ISO1640) · Precision references and LDOs

DIGITAL & EMBEDDED ELECTRONICS

Texas Instruments **TMS320F280049** DSP (C2000 family) · PIC16F877x microcontrollers · Embedded C · **C++** (OOP, templates, STL) · **Python** — Cisco / OpenEDG certificate tracks (330 h) · VHDL (basics) · LabVIEW · Buses and interfaces UART, SPI, I2C, RS422, PWM, ADC, EEPROM · Contribution to **DAL A** embedded software: equipment software (EQSW), sequencer, BITE, sub-assembly specifications (SES) · Git · Linux · PyTest

EMC, PROTECTIONS & TESTING

DO-160G Section 21 — categories B & H: conducted and radiated emissions, LISN measurements · Common-mode and differential-mode filters (cut-off frequency and attenuation sizing, 900 V inductors and capacitors) · Lightning protection by pin injection · 15 kV ESD · Reverse-current protection · Phase-loss detection on ± 270 VDC · Overvoltage and over-temperature · Dielectric tests up to 20 kV · Insulation measurements (> 100 M Ω at 500 VDC) · IEC 60068 · **ABD0100** requirements · Bench hardware debugging, oscilloscope

CAD & PCB DESIGN

OrCAD Capture CIS (schematics, BOM) · KiCad · Proteus · Author of PCB layout requirement specifications to **IPC-2221** (classes, high-voltage clearances, altitude correction per IEC 60664-1) · 6-layer FR4 PCB, stack-up definition · Track current sizing (DC bus 9 A RMS, $\Delta T < 10$ °C) · DFX and testability rules · EMC and thermal constraints · Mechanical integration on 3D models · Board-to-board flex links · IPC-A-600, IPC-A-610, IPC-7351 references

SIMULATION, MODELLING & CONTROL

Matlab / Simulink / Simscape · Simulink Control Design (automated linearisation: sLinearizer, getIOTransfer, getLoopTransfer, getSensitivity) · Control System Toolbox · **Scilab / Xcos** · **PSIM** (power electronics, FFT analyses) · **LTSpice** · Saber · Small-signal stability (open-loop transfer, $S_y/S_u/T_y/T_u$ sensitivities, gain, phase, delay and modulus margins) · PI controller synthesis and tuning by identification · Bode, Nyquist, Nichols diagrams · Field weakening · Load-step responses · Constant-power loads (CPL)

PROCESS, QUALITY & INDUSTRIALISATION

Full V-cycle from requirements analysis to qualification testing · Internal design reviews and gate reviews · Authoring: STB, NTHW, DJD, calculation notes, test plans, compliance matrix, capitalization sheet · Configuration management and **Windchill PLM** · Part codification and bills of materials (BOM) · Supplier consultations and selection · Aerospace component qualification (temperature, altitude, derating) · Obsolescence management and second sourcing · **DO-254 (basics)** · Product compliance CE, RoHS, WEEE, EPR, UKCA · Multidisciplinary meeting facilitation · International customer interface in English

MASTERED DEVELOPMENT METHODOLOGY

Specification

Requirements · STB · DO-160 · ABD0100

Architecture

Block diagrams · topologies · budgets

Detailed design

Schematics · DJD · layout spec · BOM

Prototyping

Prototype boards · procurement

Unit testing

Voltages · insulation · bench debug

Integration

EMC · lightning · ESD · thermal

Validation

Compliance matrix · capitalization

DETAILED PROFESSIONAL EXPERIENCE



Power Electronics & Hardware Engineer — Safran Ventilation Systems

Via Centum T&S · Toulouse (Blagnac), France · Electronics lead · 270 VDC embedded energy conversion · DO-160 category H

Nov. 2023 — Jan. 2025 · 14 mos

CONTEXT

Adaptation of an existing aerospace ventilation system from the 115 VAC network to the high-voltage **270 VDC** network (more-electric aircraft / helicopter — MEA), addressing the needs of future helicopter programmes (FARA / FLRAA). Goal: deliver a commercial demonstrator while minimising software and mechanical impact. Electronics-lead role with the V-cycle covered autonomously.

ACHIEVEMENTS

- **Architecture & hardware design**: full design of the **input board** (EMI filter and power supplies) within a multi-board architecture (input, inverter control, interface, power); 1,890 W delivered, -40 to $+100$ °C temperature range.
- **Nine hardware functions** designed and justified: diode-based reverse-current protection; low-voltage supplies (isolated Flyback, 18 / 16 / 5 V LDOs, Buck converter) with separate rails for high- and low-voltage groups; **phase loss flagged in under 4 ms** with ride-through of power interruptions ≥ 200 ms; inrush limiting to a normative envelope ($9\times / 4\times / 2\times$ nominal current); lightning protection by pin injection; 15 kV ESD; category-H EMI filter; over-temperature protection; temperature measurement.
- **PCB design & routing**: author of the layout requirement specification — **6-layer FR4** PCB (35 μ m, 1.6 mm, class 4, selective NiAu finish), stack-up definition (DC bus, ground planes, supply rails), **IPC-2221** clearance calculations with altitude correction per IEC 60664-1, DC-bus tracks sized for 9 A RMS ($\Delta T < 10$ °C), Y-routed lightning paths on outer layers, DFX and testability rules (100% of nets testable).
- **Mechanical integration**: interface drawing, thermal exchange zones, connector placement, iterations with the mechanical design office on the 3D model.
- **EMC qualification**: DO-160G category H — common-mode and differential-mode filter sizing, RCD snubbers, PSIM simulations and FFT analyses; writing and execution of EMI test plans (LISN, conducted and radiated emissions); lightning tests and insulation measurements.
- **Industrial documentation**: author of the **design justification file (DJD)** with per-function justifications and calculation notes, the **STB** (technical requirement specification), the **NTHW** (hardware verification procedure), the **requirement verification matrix** (analysis, calculation, simulation, compliance statuses) and the capitalization sheet.
- **Configuration management & PLM**: component codification, bills of materials (BOM), **Windchill** workflow.
- **Component procurement**: supplier consultations and selection, aerospace qualification (temperature, altitude, derating), obsolescence management and second sourcing.
- **Coordination**: facilitation of multidisciplinary technical meetings (hardware, layout, mechanical, procurement), internal design and gate reviews, weekly customer interface in English with Safran USA teams.

Results: functional mock-up **validated in EMI testing** on the applicable DO-160 sections; complete design package delivered; 270 VDC feasibility demonstrated with minimal software and mechanical impact — work capitalized for future 270 VDC programmes.

Environment: OrCAD Capture CIS · KiCad · PSIM · LTSpice · Matlab/Simulink · TMS320F280049 · DO-160G cat. H · IPC-2221 / A-600 / A-610 / 7351 · IEC 60664-1 · IEC 60068 · Windchill PLM

AIRBUS

Power Electronics & Hardware Engineer — R&D — Airbus / CROUZET

Via Serma Ingénierie · Toulouse, France · Zero-emission programme · DAL A criticality · ABD0100 requirements · EMC DO-160G Section 21 category B

Dec. 2022 — Nov. 2023 · 11 mos

CONTEXT

Proof of concept of an **ultra-fast electromechanical actuator (EMA — “Pop-Up Spoiler”)** deploying a wing surface in ≤ 130 ms to counter wind gusts and lighten the wing structure, within the zero-emission aircraft studies. Design of the motor control electronics (MCE): three boards — CPU 28 V, HVDC ± 270 V and Inverter — within a **65×65×170 mm** envelope. Serma Ingénierie · CROUZET · Airbus partnership.

ACHIEVEMENTS

- **Requirements, specifications & Safety:** contribution to the definition of hardware and software requirements and specifications, and to the **Safety study** conducted with Serma Safety; application of **ABD0100** aerospace requirements.
- **SiC gate-driver board:** supply, biasing and gate-driver design for 6 SiC 1200 V MOSFETs — isolated **UCC21750** drivers with DESAT protection, four driver supplies, phase-current and temperature sensors; three-phase inverter delivering **10 kW** in pulsed operation.
- **HVDC board:** ESD protections and inrush limiting, **540 V EMC filter** (common and differential mode, 900 V ceramic capacitors), high-voltage current / voltage sensing (ACS37002 + MAX1363 ADC), **quasi-resonant Flyback 540 V → 24 V without optocoupler** (auxiliary-winding regulation) and 24 V → 12 V Buck converter for the brake-and-locking device (TPS51604 + INA190 sensing).
- **CPU board:** 28 V EMC filter, ESD and reverse-current protections, **28 V → 3.3 V dual analog / digital Flyback** (LM5155), 5 V converter, force-acquisition chain — 24-bit ADC ADS1247, CAM312 position interface, **TMS320F280049** DSP and peripherals (UART, SPI, I2C, RS422, PWM, ADC).
- **Motor control & modelling:** detailed mechatronic modelling of the sub-assemblies in **Scilab/Xcos** and **Matlab/Simulink/Simscape**, parameter identification, controller design and validation for the ≤ 130 ms dynamic requirement (Bode and Nyquist analyses); power-electronics simulations in LTSpice and PSIM (PWM, losses, transients).
- **DAL A embedded software:** contribution to the preliminary and detailed design of the equipment software (EQSW), sequencer and BITE; writing of the electronic sub-assembly specifications (SES).
- **Reliability assessment:** SiC junction thermal analysis in pulsed operation (thermal shocks tied to the 130 ms sequences), ageing-risk analysis, reliability reviews with the partners.
- **Integration & reviews:** integration optimisation (board-to-board flex links, dedicated driver-supply board, 3D-model work with the mechanical engineers); preliminary and detailed justification files; design reviews with Airbus and CROUZET.

Results: 130 ms requirement validated in simulation; **hardware architecture approved in Airbus and CROUZET reviews**; proof of concept integrated into the zero-emission programme studies; know-how capitalized on transient-mode motor control.

Environment: OrCAD · KiCad · LTSpice · PSIM · Matlab/Simulink/Simscape · Scilab/Xcos · SiC 1200 V · UCC21750 · BM25C123FP2 · LM5155 · TPS51604 · MAX1363 · INA190 · ADS1247 · CAM312 · ACS37002 · TMP1075 · DAL A · ABD0100 · DO-160G Section 21

SAFRAN

Design Studies, Modelling & Control Engineer — Safran Tech

Via AKKODIS (formerly Aeroconseil AKKA) · Toulouse, France · DC voltage regulation and power sharing of an active rectifier — aerospace application

Aug. — Dec. 2022 · 5 mos

CONTEXT

Study of the voltage regulation and power sharing of a **DC active rectifier** for on-board electrical networks (more-electric aircraft): structured upskilling in modelling and control within a Safran Tech internal training programme, then full application on a case study.

ACHIEVEMENTS

- **Modelling:** representation of the power stage by a **2nd-order transfer function** (decoupled current loops); construction and comparison of the non-linear, linearised and theoretical models in Matlab/Simulink.
- **Controller development:** synthesis and tuning of **PI controllers** by identification (150 rad/s, 0.7 damping) for DC-bus voltage regulation and **current sharing between parallel converters**.
- **Identification of the dynamic parameters** of the system: damping (Mv), bandwidth (ω_v), bus capacitance (Cbus).
- **Small-signal stability analysis:** characteristic transfer functions (open loop, S_y/S_u sensitivities, T_y/T_u complementary sensitivities), gain, phase, delay and modulus margins; Bode, Nyquist and Nichols diagrams; automated linearisation of Simulink models by scripts (slLinearizer, getIOTransfer, getLoopTransfer, getSensitivity).
- **Simulation & robustness:** current loops, **field weakening**, dynamic load-step responses, behaviour on constant-power loads (CPL).
- **Synthesis:** exploitation of the simulation results and controller-tuning recommendations for a critical aerospace context; contribution to the scripts and results of an internal self-training support.

Results: tuning campaign with phase margins from **46.1° to 61.3°** and gain margins from **21 to 24.8 dB** — compliant with the criteria (GM > 6 dB, PM > 45°); ~265 ms response time and 4.5% overshoot; demonstration that small-signal stability does not imply large-signal stability (CPL case); reusable linearisation methodology delivered.

Environment: Matlab/Simulink · Simulink Control Design · Simscape · Scilab/Xcos · Control System Toolbox · Python · PI control · Bode / Nyquist / Nichols · DC active rectifier



Graduate Internship — R&D Power Electronics Engineer — SuperGrid Institute

Villeurbanne (Lyon), France · Research laboratory · High-voltage DC (HVDC) grids

Feb. — Jul. 2022 · 6 mos

CONTEXT

Research and development on high-voltage DC grids: design of an **isolated high-voltage power supply** for the gate drivers of 6 series-connected 1.7 kV SiC MOSFETs within a high-voltage leg.

ACHIEVEMENTS

- **Design:** isolated HV supply built on **12 cascaded ferrite transformers** driving 6 series-connected SiC **1.7 kV** MOSFETs (high and low sides); TDK EPCOS T38 core selection through a losses / insulation / size trade-off.
- **Simulation & correlation:** LTSpice modelling of the magnetic and electrical behaviour of the transformers, validated by oscilloscope measurements.
- **EMC analysis:** characterisation of the common-mode currents generated by **$dV/dt \leq 16 \text{ kV}/\mu\text{s}$** edges and definition of counter-measures.
- **Laboratory testing:** prototyping and **dielectric tests up to 20 kV** to validate insulation and safety.
- **Industrialisation:** specification written for industrial prototyping (efficiency, EMC compatibility).

Results: 20 kV insulation validated, 12-transformer cascade functional, industrialisation specifications delivered to the prototyping team.

Environment: LTSpice · Oscilloscope · Dielectric tests 20 kV · TDK EPCOS T38 ferrites · 1700 V SiC MOSFET · EMC

CONTINUING EDUCATION — SOFTWARE DEVELOPMENT



Continuing education — C++ & Python software development — Cisco

Networking Academy / OpenEDG

In partnership with OpenEDG C++ Institute and Python Institute · tracks aligned with the CPE / CPA / CPP and PCEP / PCAP professional frameworks · 5 verifiable Credly badges

2025 — 2026 · 330 h

CONTEXT

Structured software upskilling (330 h) completed in 2025–2026 alongside the entrepreneurial activity, oriented towards real-time embedded software and test tooling.

ACHIEVEMENTS

- **C++ Advanced** (CPP framework): function and class templates, **full STL** — sequential and associative containers, modifying and non-modifying algorithms, sorting, merging and set operations, iterators, utilities — stream, file and string I/O, formatting.
- **C++ Essentials 1 & 2** (CPE and CPA frameworks): data types, operators, flow control, functions; pointers, pointer arrays and multidimensional arrays, dynamic memory allocation; full object-oriented programming (classes, constructors, hierarchies, inheritance, polymorphism, abstraction); exceptions, namespaces, streams, vectors and strings.
- **Python Essentials 1 & 2** (PCEP and PCAP frameworks): algorithmic thinking and procedural programming, script design, development and debugging, best practices; object-oriented programming, exceptions, iterators and generators, modules, packages and PIP, file handling.
- **Target applications:** real-time embedded software in C/C++, test automation and measurement post-processing in Python (test benches, EMI campaigns, oscilloscope acquisitions).
- **Published projects** — github.com/mehdi-belhaj-eea: scope-emi-toolkit (oscilloscope CSV parser, dBμV spectrum, EMI pre-check — 8 unit tests, green CI) · embedded-dsp-cpp (C++17/STL ring buffer & digital filters — 12 GoogleTest cases, green CI).

Results: 5 verifiable Credly badges — CPP / CPA / CPE · PCAP / PCEP frameworks.



ENTREPRENEURSHIP — IN PARALLEL

Co-founding partner — TOKYOSEAT — side venture, run in parallel

Electrical & sanitary equipment · French SAS with 5 partners · TOKYOSEAT INPI-registered trademark · Pan-European e-commerce distribution — Amazon FBA & Shopify (France, Germany, Italy, Spain, Netherlands) and United Kingdom · long-term investment

Since Jul. 2023 · ongoing

CONTEXT

Creation and development of a European brand of electrical and sanitary home equipment, distributed mainly through European marketplaces. Founding-partner role covering product compliance, sourcing, supply chain and business management. Fully online model with outsourced logistics — **Amazon FBA** (Pan-European programme) and a **Shopify** store backed by a fulfilment centre (storage, order preparation, delivery) — and day-to-day operations handled by a **salaried manager: venture now stabilized and shared among the partners**, compatible with a full-time engineering commitment.

ACHIEVEMENTS

- **Product & regulatory compliance:** CE marking, Low Voltage Directive, **EMC**, **RoHS**, WEEE, extended producer responsibility (EPR) and **UKCA** — coordination of laboratory testing, preparation and verification of the **technical files** and EU declarations of conformity with French and German bodies, multi-country regulatory watch.
- **Environmental compliance & labels:** WEEE and packaging-EPR registrations for France / Germany (**Stiftung EAR** register); German quality label “**SEHR GUT (1.3)**” earned for the flagship product (DasQualitätssiegel.de, independent product testing, Oct. 2025).
- **Industrial property:** filing and management of the TOKYOSEAT trademark at **INPI** (classes 9 — electronic devices and 11 — sanitary appliances).
- **Sourcing & supplier quality:** factory identification and selection, sampling campaigns, quality control, product-improvement plans built from systematic customer-feedback analysis.
- **E-commerce operations & logistics:** **Amazon FBA** (Pan-European programme) and **Shopify** channels backed by a third-party fulfilment centre — storage, order preparation and delivery — with order-flow automation; recruitment and management of a **salaried employee** handling day-to-day operations.
- **International import & supply chain:** EORI number, TARIC tariff classification, import duties and VAT, freight-forwarder coordination, country-specific labelling and packaging requirements.
- **Business management:** business plans and profitability analyses (cost price, margin, ROI, pricing scenarios), cash-flow management, per-SKU profitability dashboards.

Results: product compliance maintained across **6 markets — EU & United Kingdom** — with no sales interruption; 2025–2026 dedicated to developing the **German** (quality label, WEEE) and **UK** (UKCA) markets alongside the C++ / Python training above.

KEY MEASURABLE ACHIEVEMENTS

PROJECT	MISSION	RESULT / IMPACT
270 VDC conversion Safran SVS · 2023–25	270 VDC power supply and conversion for embedded ventilation: input-board design, 9 protection functions, layout specification, DO-160G cat. H qualification, full documentation, procurement and codification.	Mock-up EMI-validated. Complete design package delivered. V-cycle covered autonomously.
EMA actuator Airbus · 2022–23	3-board MCE within 65×65×170 mm: 10 kW SiC inverter, SiC driver, Flyback 540 V→24 V, Simulink control, DAL A software, Safety study.	130 ms requirement validated. Architecture approved in Airbus & CROUZET reviews.
DC active rectifier Safran Tech · 2022	2 nd -order modelling, PI controllers, current sharing between parallel converters, small-signal stability.	PM 46°→61°, GM 21→24.8 dB. CPL robustness demonstrated. Methodology delivered.
Isolated HV SiC supply SuperGrid · 2022	12 cascaded ferrite transformers for 6 series-connected 1.7 kV SiC MOSFETs, EMC analysis at dV/dt 16 kV/μs.	20 kV insulation validated. Industrialisation specifications written.
TOKYOSEAT Since 2023	CE / RoHS / WEEE / EPR / UKCA compliance, WEEE (Stiftung EAR), supplier sourcing and quality, import and supply chain, business management.	6 compliant markets (EU & UK). DE & UK markets developed in 2025–26. German quality label “SEHR GUT (1.3)”.
Software training Cisco/ OpenEDG · 2025–26	330 h: C++ Advanced, C++ Essentials 1 & 2, Python Essentials 1 & 2.	5 verifiable Credly badges. CPP / CPA / CPE · PCAP / PCEP frameworks.

EDUCATION



2020 — 2022 · French national 5-year degree (Bac+5) · Master's grade — Master's in EEA: Electronics, Electrical Energy, Automatic Control · engineer-level — Electrical Energy track: Conversion, Materials, Sustainable Development · specialisation blocks in Power Electronics, Actuators and Control — Université Toulouse III Paul Sabatier · INP Toulouse – ENSEIHT

CERTIFICATIONS & AUTHORISATIONS

2025 — 2026 · Cisco Networking Academy / OpenEDG — 330 h: C++ Advanced · C++ Essentials 1 & 2 · Python Essentials 1 & 2 — verifiable Credly badges (CPP / CPA / CPE · PCAP / PCEP frameworks).



2024 · French electrical safety authorisation H0 · B2V · B2V Essai · BE Essai — CAMIRA training body: work and testing on low- and high-voltage installations.



2024 · EYE Berlin — European Youth Event · European Parliament · European Youth Parliament & Schwarzkopf Foundation — certificate of participation: Local EYE gathering **1,500 young Europeans** in Berlin, 18–20 April 2024, co-funded and supported by the European Parliament — workshops, panel debates and intercultural exchange on the European elections and the future of a sustainable, innovative and united Europe; European engagement and international network, supporting the dual engineer & entrepreneur profile.

LANGUAGES, SOFT SKILLS & CONDITIONS

LANGUAGES

French — bilingual

English — C1, professional: weekly technical meetings with Safran USA, documentation and deliverables in English

Spanish · Portuguese — basics

SOFT SKILLS & INTERESTS

Autonomous · rigorous · curious · responsive · team player · proactive · technical leadership

Competitive football · NQT mentoring · travel — European tour, 18 countries visited

CONDITIONS & AVAILABILITY

Availability: immediate, no notice period

Contract type: permanent (CDI), project-based CDI, fixed-term, contracting — full-time

Mobility: Toulouse, Occitanie, all of France, Europe — occasional travel accepted

Nationality: Moroccan · **Status:** French work permit valid until November 2028

Driving licence: B, own car

Target sectors: aerospace & space, defence, energy, rail, e-mobility, semiconductors, industry

Skills portfolio — Mehdi Belhaj · Document prepared for recruitment purposes: all information corresponds to assignments actually carried out · References available on request · Updated — August 2026