

Report from Tunisia



United Nations
Convention to Combat
Desertification

praus₄

This report has been submitted by the government of Tunisia to the United Nations Convention to Combat Desertification (UNCCD).

The designations employed and the presentation of material in this report do not imply the expression of any opinion whatsoever on the part of the UNCCD concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contents

1. SO: Strategic objectives

- A. SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.
 - SO1-1 Trends in land cover
 - SO1-2 Trends in land productivity or functioning of the land
 - SO1-3 Trends in carbon stocks above and below ground
 - SO1-4 Proportion of degraded land over the total land area
 - SO1 Voluntary Targets
- B. SO-2: To improve the living conditions of affected populations.
 - SO2-1 Trends in population living below the relative poverty line and/or income inequality in affected areas
 - SO2-2 Trends in access to safe drinking water in affected areas
 - SO2-3 Trends in the proportion of population exposed to land degradation disaggregated by sex
 - SO2 Voluntary Targets
- C. SO-3: To mitigate, adapt to, and manage the effects of drought in order to enhance resilience of vulnerable populations and ecosystems.
 - SO3-1 Trends in the proportion of land under drought over the total land area
 - SO3-2 Trends in the proportion of the population exposed to drought
 - SO3-3 Trends in the degree of drought vulnerability
 - SO3 Voluntary Targets
- D. SO-4: To generate global environmental benefits through effective implementation of the United Nations Convention to Combat Desertification.
 - SO4-1 Trends in carbon stocks above and below ground
 - SO4-2 Trends in abundance and distribution of selected species
 - SO4-3 Proportion of important sites for terrestrial and freshwater biodiversity that are covered by protected areas, by ecosystem type
 - SO4 Voluntary Targets
- E. SO-5: To mobilize substantial and additional financial and non-financial resources to support the implementation of the Convention by building effective partnerships at global and national level
 - SO5-1 Bilateral and multilateral public resources
 - SO5-2 Domestic public resources
 - SO5-3 International and domestic private resources
 - SO5-4 Technology transfer
 - SO5-5 Future support for activities related to the implementation of the Convention

2. IF: Implementation Framework

- A. Financial and Non-Financial Sources
- B. Policy and Planning
- C. Action on the Ground

3. Other files for Reporting

4. Templated Maps

- A. Land cover in the initial year of the baseline period
- B. Land cover in the baseline year
- C. Land cover in the latest reporting year
- D. Land cover change in the baseline period
- E. Land cover change in the reporting period
- F. Land cover degradation in the baseline period
- G. Land cover degradation in the reporting period
- H. Land productivity dynamics in the baseline period
- I. Land productivity dynamics in the reporting period
- J. Land productivity degradation in the baseline period
- K. Land productivity degradation in the reporting period
- L. Soil organic carbon stock in the initial year of the baseline period
- M. Soil organic carbon stock in the baseline year
- N. Soil organic carbon stock in the latest reporting year
- O. Change in soil organic carbon stock in the baseline period

P. Change in soil organic carbon stock in the reporting period
 Q. Soil organic carbon degradation in the baseline period
 R. Soil organic carbon degradation in the reporting period
 S. Proportion of land that is degraded over total land area (SDG Indicator 15.3.1) in the baseline period
 T. Proportion of land that is degraded over total land area (SDG Indicator 15.3.1) in the reporting period
 U. Progress towards Land Degradation Neutrality (LDN) in the reporting period
 V. Total Population exposed to land degradation (baseline)
 W. Female Population exposed to land degradation (baseline)
 X. Male Population exposed to land degradation (baseline)
 Y. Total Population exposed to land degradation (reporting)
 Z. Female Population exposed to land degradation (reporting)
 AA. Male Population exposed to land degradation (reporting)
 AB. Drought hazard in first epoch of baseline period
 AC. Drought hazard in second epoch of baseline period
 AD. Drought hazard in third epoch of baseline period
 AE. Drought hazard in fourth epoch of baseline period
 AF. Drought hazard in the reporting period
 AG. Drought exposure in first epoch of baseline period
 AH. Drought exposure in second epoch of baseline period
 AI. Drought exposure in third epoch of baseline period
 AJ. Drought exposure in fourth epoch of baseline period
 AK. Drought exposure in the reporting period
 AL. Female drought exposure in the reporting period
 AM. Male drought exposure in the reporting period
 VT. M1 Voluntary target Soil degradation by water erosion
 VT. M2 Voluntary target Soil degradation by wind erosion
 VT. M3 Voluntary target Soil degradation by salinization

SO1-1 Trends in land cover

Land area

SO1-1.T1: National estimates of the total land area, the area covered by water bodies and total country area

Year	Total land area (km ²)	Water bodies (km ²)	Total country area (km ²)	Comments
2 001	155712,53	904,92	156 617,45	
2 005	155714,54	902,91	156 617,45	
2 010	155714,706	902,74	156 617,45	
2015	155718,95	898,5	156 617,45	
2 016	155718,83	898,62	156 617,45	
2 019	155718,58	898,87	156 617,45	

Land cover legend and transition matrix

SO1-1.T2: Key Degradation Processes

Degradation Process	Starting Land Cover	Ending Land Cover
Urban Expansion	Croplands	Artificial surfaces
Urban Expansion	Tree-covered areas	Artificial surfaces
Urban Expansion	Grasslands	Artificial surfaces
Urban Expansion	Other Lands	Artificial surfaces
Other Agricultural Expansion	Other land	Croplands
Other Agricultural Expansion	Grasslands	Croplands
Other Agricultural Expansion	other	Grassland

Are the seven UNCCD land cover classes sufficient to monitor the key degradation processes in your country? ☒

Yes

☐ No

SO1-1.T4: UNCCD land cover legend transition matrix

Original/ Final	Tree-covered areas	Grasslands	Croplands	Wetlands	Artificial surfaces	Other Lands	Water bodies
Tree-covered areas	0	-	-	0	+	-	0
Grasslands	+	0	+	0	+	-	0
Croplands	+	-	0	0	+	-	0
Wetlands	0	0	0	0	0	0	+
Artificial surfaces	-	--	-	0	0	-	0
Other Lands	+	+	+	0	+	0	0
Water bodies	0	0	0.	0	0	0	0

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

Land cover

SO1-1.T5: National estimates of land cover (km²) for the baseline and reporting period

	Tree-covered areas (km ²)	Grasslands (km ²)	Croplands (km ²)	Wetlands (km ²)	Artificial surfaces (km ²)	Other Lands (km ²)	Water bodies (km ²)	No data (km ²)
2001	3571,25	17473,85	44643,83	4,23	842,41	89176,96	904,92	
2005	3817,68	17129,67	44507,23	6,45	1121,05	89132,46	902,91	
2010	3928,60	16721,13	44453,07	6,77	934,90	89670,24	902,74	
2015	3943,18	14318,31	46889,52	5,15	1087,94	89474,85	898,50	
2016	3955,14	14662,92	46865,50	5,15	1088,00	89142,11	898,62	
2019	3987,13	15715,10	46756,23	5,03	1238,59	88016,50	898,87	

Land cover change

SO1-1.T6: National estimates of land cover change (km²) for the baseline period

	Tree-covered areas (km ²)	Grasslands (km ²)	Croplands (km ²)	Wetlands (km ²)	Artificial surfaces (km ²)	Other Lands (km ²)	Water bodies (km ²)	Total (km ²)
Tree-covered areas (km ²)	3 566,44	0,19	4,44	0,00	0,06	0,12	0,00	3 571,25
Grasslands (km ²)	2,19	14 222,60	2 796,70	0,00	3,09	449,09	0,19	17 473,85
Croplands (km ²)	366,03	32,93	44 053,47	0,43	182,91	0,88	7,18	44 643,83
Wetlands (km ²)	0,00	0,00	0,00	4,11	0,00	0,00	0,12	4,23
Artificial surfaces (km ²)	0,00	0,00	0,00	0,00	842,41	0,00	0,00	842,41
Other Lands (km ²)	8,53	62,59	34,51	0,62	57,03	89 013,18	0,50	89 176,96
Water bodies (km ²)	0,00	0,00	0,39	0,00	2,44	11,58	890,51	904,92
Total	3 943,18	14 318,31	46 889,52	5,15	1 087,94	89 474,85	898,50	156 617,45

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

SO1-1.T7: National estimates of land cover change (km²) for the reporting period

	Tree-covered areas (km ²)	Grasslands (km ²)	Croplands (km ²)	Wetlands (km ²)	Artificial surfaces (km ²)	Other Lands (km ²)	Water bodies (km ²)	Total land area (km ²)
Tree-covered areas (km ²)	3 949,30	1,13	3,16	0,00	1,30	0,12	0,12	3 955,14
Grasslands (km ²)	4,87	14 617,28	34,89	0,00	3,88	2,01	0,00	14 662,92
Croplands (km ²)	31,02	16,67	46 711,44	0,00	104,07	2,30	0,00	46 865,50
Wetlands (km ²)	0,00	0,00	0,00	5,03	0,00	0,00	0,12	5,15
Artificial surfaces (km ²)	0,00	0,00	0,00	0,00	1 088,00	0,00	0,00	1 088,00
Other Lands (km ²)	1,93	1 080,02	6,75	0,00	41,35	88 012,06	0,00	89 142,11
Water bodies (km ²)	0,00	0,00	0,00	0,00	0,00	0,00	898,62	898,62
Total	3 987,13	15 715,10	46 756,23	5,03	1 238,59	88 016,50	898,87	156 617,45

Land cover degradation

SO1-1.T8: National estimates of land cover degradation (km²) in the baseline period

	Area (km ²)	Percent of total land area (%)
Land area with degraded land cover	731	0.5
Land area with non-degraded land cover	155 886	99.5
Land area with no land cover data	0	0.0

SO1-1.T9: National estimates of land cover degradation (km²) in the reporting period

	Area (km ²)	Percent of total land area (%)
Land area with improved land cover	1 159,48	0,74%
Land area with stable land cover	155 281,99	99,15%
Land area with degraded land cover	175,98	0,11%
Land area with no land cover data	0	0.0

General comments

Durant la période de référence 731 Km² de terres ont été dégradées sur 15 ans soit 52km² par an. Pour la période considérée par le reportage 155 km² de terres ont été dégradées soit 39 km² par an cela est due essentiellement a des parcours qui ont été dégradées et des terres cultivées ont été urbanisées notamment dans les grandes villes. Ainsi que des zones forestières ont subi des incendies. le rythme de dégradation a baissé par rapport a la période de référence. Les superficies améliorées concernent les grassland (notamment les parcours); tree covered areas (principalement l'extension des cultures d'oliviers) et artificial surface (urbanisation)

Le bilan est dans l'ensemble positif

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

SO1-2 Trends in land productivity or functioning of the land

Land productivity dynamics

SO1-2.T1: National estimates of land productivity dynamics (in km²) within each land cover class for the baseline period

Land cover class	Net land productivity dynamics (km ²) for the baseline period					
	Declining (km ²)	Moderate Decline (km ²)	Stressed (km ²)	Stable (km ²)	Increasing (km ²)	No Data (km ²)
Tree-covered areas	89,73	398,31	20,93	1 102,94	1 956,74	2,59
Grasslands	62,20	2 263,57	30,22	11 595,52	3 515,63	6,72
Croplands	559,01	3 722,58	605,60	26 792,42	12 917,92	46,29
Wetlands	0,13	0,06	0,76	1,13	0,43	1,72
Artificial surfaces	115,09	101,44	92,28	329,57	192,25	11,79
Other Lands	453,73	3 706,79	1 684,46	80 795,24	2 373,86	162,88
Water bodies	18,78	9,04	30,64	47,01	36,92	762,53
	1 298,67	10 201,79	2 464,90	120 663,83	20 993,74	994,51

SO1-2.T2: National estimates of land productivity dynamics (in km²) within each land cover class for the reporting period.

Land cover class	Net land productivity dynamics (km ²) for the reporting period					
	Declining (km ²)	Moderate Decline (km ²)	Stressed (km ²)	Stable (km ²)	Increasing (km ²)	No Data (km ²)
Tree-covered areas	9,04	0,00	58,87	2 513,51	1 370,63	3,09
Grasslands	7,58	0,00	22,00	11 488,83	3 137,29	7,22
Croplands	53,62	0,00	310,91	35 540,72	10 919,99	40,26
Wetlands	0,00	0,00	0,50	2,30	0,25	2,10
Artificial surfaces	5,77	0,00	101,29	765,57	196,39	18,99
Other Lands	304,98	0,00	3 297,91	82 559,03	2 676,98	303,21
Water bodies	2,93	0,00	25,71	84,68	16,31	768,99
	383,92	0,00	3 817,19	132 954,64	18 317,84	1 143,85

SO1-2.T3: National estimates of land productivity dynamics for areas where a land conversion to a new land cover class has taken place (in km²) for the baseline period.

Land Conversion		Net land productivity dynamics (km ²) for the baseline period					
From	To	Net area change (km ²)	Declining (km ²)	Moderate Decline (km ²)	Stressed (km ²)	Stable (km ²)	Increasing (km ²)
Grasslands	Croplands	2796,64	2,14	159,39	4,82	1916,99	713,3
Grasslands	Other Lands	449,61	0,9	38,32	4,45	343,14	62,8
Croplands	Tree-covered areas	366,02	9,23	61,21	0,19	85,19	210,2
Croplands	Artificial surfaces	179,55	38,12	30,56	10,91	66,09	33,87

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

SO1-2.T4: National estimates of land productivity dynamics for areas where a land conversion to a new land cover class has taken place (in km²) for the reporting period.

Land Conversion		Net land productivity dynamics (km ²) for the reporting period					
From	To	Net area change (km ²)	Declining (km ²)	Moderate Decline (km ²)	Stressed (km ²)	Stable (km ²)	Increasing (km ²)
Grasslands	Croplands	34,88	0	0	0	18,87	16,01
Other Lands	Grasslands	2,01	0	0	0	1,76	0,25
Croplands	Tree-covered areas	31,02	0	0	0	20,64	10,38
Croplands	Artificial surfaces	103,01	0,06	0	10,41	73,73	18,81

Land Productivity degradation

SO1-2.T5: National estimates of land productivity degradation in the baseline period

	Area (km ²)	Percent of total land area (%)
Land area with degraded land productivity	11 500,46	7,34%
Land area with non-degraded land productivity	144122,47	92 .02
Land area with no land productivity data	994,51	0,63%

SO1-2.T6: National estimates of land productivity degradation in the reporting period

	Area (km ²)	Percent of total land area (%)
Land area with improved land productivity	21 668	13 .9
Land area with stable land productivity	127 784	82 .1
Land area with degraded land productivity	5 987	3 .8
Land area with no land productivity data	277	0 .2

General comments

Durant la période de rapportage, les superficies de terres dont la productivité s'est améliorée a atteint 21668 ha (soit 13,9 % des terres). Ses améliorations sont dues à l'augmentation des superficies des terres arborées et des parcours, mais également aux effets bénéfiques de l'amélioration des précipitations.

Les superficies ayant subies des dégradations de productivités s'élèvent à 5987 ha (soit 3,8%)

Le bilan est dans l'ensemble positif

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

SO1-3 Trends in carbon stocks above and below ground

Soil organic carbon stocks

SO1-3.T1: National estimates of the soil organic carbon stock in topsoil (0-30 cm) within each land cover class (in tonnes per hectare).

Year	Soil organic carbon stock in topsoil (t/ha)						
	Tree-covered areas	Grasslands	Croplands	Wetlands	Artificial surfaces	Other Lands	Water bodies
2000	85,16	24,51	44,03	78,27	41,99	16,56	
2001	87,77	20,90	43,41	88,72	36,42	15,96	
2002	87,16	22,19	43,73	79,48	39,82	15,89	
2003	86,08	21,62	43,32	87,87	37,83	16,45	
2004	86,13	21,35	43,29	88,60	37,49	16,48	
2005	86,35	20,59	43,19	92,95	36,19	16,55	
2006							

If you opted not to use default Tier 1 data, what did you use to calculate the estimates above?

- ☐ Modified Tier 1 methods and data
- ☐ Tier 2 (additional use of country-specific data)
- ☐ Tier 3 (more complex methods involving ground measurements and modelling)

SO1-3.T2: National estimates of the change in soil organic carbon stock in soil due to land conversion to a new land cover class in the baseline period

Land Conversion		Soil organic carbon (SOC) stock change in the baseline period					
	Tree-covered areas	Grasslands	Croplands	Wetlands	Artificial surfaces	Other Lands	Total
Tree-covered areas	0,00	0,00	-0,06		-0,23	-0,10	-0,38
Grasslands	0,00	0,00	-0,10		-0,25	-0,48	-0,83
Croplands	0,10	0,16	0,00	0,16	-0,36	-0,55	-0,48
Wetlands				0,02			0,02
Artificial surfaces					-0,02		-0,02
Other Lands	0,39	0,40	0,29	0,43	0,00	0,00	1,50
Total	0,49	0,56	0,13	0,61	-0,86	-1,13	-0,20

SO1-3.T3: National estimates of the change in soil organic carbon stock in soil due to land conversion to a new land cover class in the reporting period

Land Conversion		Soil organic carbon (SOC) stock change in the reporting period					
	Tree-covered areas	Grasslands	Croplands	Wetlands	Artificial surfaces	Other Lands	Total
Tree-covered areas	0,00	0,01	-0,01		-0,10	-0,03	-0,12
Grasslands	0,00	0,00	-0,03		-0,11	-0,07	-0,21
Croplands	0,01	0,02	0,00		-0,12	-0,11	-0,20
Wetlands				0,02			0,02
Artificial surfaces					-0,03		-0,03
Other Lands	0,08	0,03	0,07		0,00	0,00	0,18
Total	0,10	0,07	0,03	0,02	-0,37	-0,20	-0,34

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

Soil organic carbon stock degradation

SO1-3.T4: National estimates of soil organic carbon stock degradation in the baseline period

	Area (km ²)	Percent of total land area (%)
Land area with degraded soil organic carbon (SOC)	2 524,84	1,62%
Land area with non-degraded SOC	152106,86	98 .3
Land area with no SOC data	84,82	0,05%

SO1-3.T5: National estimates of SOC stock degradation in the reporting period

%	Area (km ²)	Percent of total land area (%)
Land area with improved SOC	816,67	0,52%
Land area with stable SOC	153 729,01	98,72
Land area with degraded SOC	1 089,52	0,70%
Land area with no SOC data	83,63	0,05%

General comments

Durant la période de rapportage, le bilan de SOC est presque neutre (98,7% des surfaces ont stables)

Seulement 0,7% des surfaces sont dégradées, contre une amélioration observée sur 0,5%

Les améliorations sont dues à l'augmentation des surfaces arborées, alors que les diminutions revienne à l'extension des surfaces artificialisées

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

SO1-4 Proportion of degraded land over the total land area

Proportion of degraded land over the total land area (Sustainable Development Goal Indicator 15.3.1)

SO1-4.T1: National estimates of the total area of degraded land (in km²), and the proportion of degraded land relative to the total land area

	Total area of degraded land (km ²)	Proportion of degraded land over the total land area (%)
Baseline Period	731,17	0,47%
Reporting Period	175,98	0,11%
Change in degraded extent	- 555,19	

Method

Did you use the SO1-1, SO1-2 and SO1-3 indicators (i.e. land cover, land productivity dynamics and soil organic carbon stock) to compute the proportion of degraded land?

Which indicators did you use?

- ☒ Land Cover
- ☒ Land Productivity Dynamics
- ☒ SOC Stock

Did you apply the one-out, all-out principle to compute the proportion of degraded land?

- ☒ Yes
- ☐ No

Level of Confidence

Indicate your country's level of confidence in the assessment of the proportion of degraded land:

- ☐ High (based on comprehensive evidence)
- ☐ Medium (based on partial evidence)
- ☒ Low (based on limited evidence)

Describe why the assessment has been given the level of confidence selected above:

L'utilisation des données nationales qui ne sont pas couramment disponibles est intéressante pour plus de précision. En plus la spécificité des zones arides et semi arides qui constituent la majorité des paysages tunisiens nécessitent une investigation de terrain et un traitement spécifique notamment en terme de productivité des terres et de précision des données cartographiques. les données nationales actualisées pourront confirmer et préciser les données satellitaires notamment dans les zones arides et semi arides.

False positives/ False negatives

SO1-4.T3: Justify why any area identified as degraded or non-degraded in the SO1-1, SO1-2 or SO1-3 indicator data should or should not be included in the overall Sustainable Development Goal indicator 15.3.1 calculation.

Location Name	Type	Recode Options	Area (km ²)	Process driving false +/- outcome	Basis for Judgement	Edit Polygon
---------------	------	----------------	-------------------------	-----------------------------------	---------------------	--------------

Perform qualitative assessments of areas identified as degraded or improved

SO1-4.T4: Degradation hotspots

Hotspots	Location	Area (km ²)	Assessment Process	Direct drivers of land degradation hotspots	Action(s) taken to redress degradation in terms of Land Degradation Neutrality response hierarchy	Remediating action(s) (both forward-looking and current)	Edit Polygon
Total no. of hotspots	0						

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

Hotspots	Location	Area (km ²)	Assessment Process	Direct drivers of land degradation hotspots	Action(s) taken to redress degradation in terms of Land Degradation Neutrality response hierarchy	Remediating action(s) (both forward-looking and current)	Edit Polygon
Total hotspot area	0						

What is/are the indirect driver(s) of land degradation at the national level?

1. Institutions and governance
2. Economic
3. Science, knowledge and technology
4. Demographic
5. Cultural

SO1-4.T5: Improvement brightspots

Brightspots	Location Polygon	Area (km ²)	Assessment Process	What action(s) led to the brightspot in terms of the Land Degradation Neutrality hierarchy?	Implementing action(s) (both forward-looking and current)	Edit
Total no. of brightspots		0				
Total brightspot area		0				

What are the enabling and instrumental responses at the national level driving the occurrence of brightspots?

1. Integrated landscape planning
2. Social and cultural instruments
3. Responses to the adverse effects of globalisation, demographic change, migration
4. Economic and financial instruments
5. Climate change adaptation planning
6. Anthropogenic assets
7. Protected areas
8. Institutional and policy reform
9. Legal and regulatory instruments
10. Rights-based instruments and customary norms

General comments

La proportion des superficies dégradées Durant la période de référence (0,47%) ou durant la période de rapportage (0,11%) demeurent faibles.

Ceci est un bon indicateur de stabilité Eci peut s'expliquer par les mesures de protection des paysages naturels, , des actions d'aménagement et de conservation des eaux et des sols et des aménagements forestiers et surtout par l'extension des plantations arboricoles, même dans les zones les plus marginales

SO1 Voluntary Targets

SO1-VT.T1: Voluntary Land Degradation Neutrality targets and other targets relevant to strategic objective 1

Target	Year	Location(s)	Total Target Area (km ²)	Overarching type of Land Degradation Neutrality (LDN) intervention	Targeted action(s)	Status of target achievement	Is this an LDN target? If so, under which process was it defined/adopted?	Which other important goals are also being addressed by this target?	Edit Polygon
Restauration des terres dégradées	2030	différentes régions du pays	22 000	☐ Avoid ☐ Reduce ☒ Reverse	• Restore/improve wetlands • Restore/improve croplands ◦ Improve water use for irrigation ◦ Halt/reduce conversion of cropland to other land cover types ◦ Increase land productivity in agricultural areas ◦ Rehabilitate bare or degraded land for crop production • Restore/improve grasslands • Restore/improve protected areas ◦ Restore protected areas ◦ Improve management of protected areas • Restore/improve tree-covered areas ◦ Restore/improve grasslands ◦ Restore tree-covered areas ◦ Improve tree cover management e.g. fire management • Increase tree-covered area extent ◦ Increase tree covered land (net gain) e.g. plantations • Restore productivity and soil organic carbon stock in croplands and grasslands • Increase soil fertility and carbon stock ◦ Reduce soil erosion ◦ Reduce sand encroachment ◦ Improve watershed/landscape management ◦ Increase carbon stock and reduce soil/land degradation	Ongoing	☒ Yes ☐ No Participation in the LDN Target Setting Programme	• Convention on Biological Diversity – National Biodiversity Strategies and Action Plans & National Targets • United Nations Framework Convention on Climate Change – Nationally Determined Contributions	
Total			Sum of all targeted areas 22 000						

SO1.IA.T1: Areas of implemented action related to the targets (projects and initiatives on the ground).

SO-1: To improve the condition of affected ecosystems, combat desertification/land degradation, promote sustainable land management and contribute to land degradation neutrality.

Relevant Target	Implemented Action	Location (placename)	Action start date	Extent of action	Total Area Implemented So Far (km²)	Edit Polygon
					0	
					Sum of all areas relevant to actions under the same target Restauration des terres dégradées: 0.00	

SO1-VT.T2 . Areas affected by wind and water erosion and salinization

Zone agro-écologique	Erosion hydrique (ha)			Erosion éolienne (ha)			Salinisation des sols (ha)		
	Fort	Moyen	Faible	Fort	Moyen	Faible	Fort	Moyen	Faible
Mogods- kroumirie	151037	92117	77145	7751	104634	208120		5037	315347
Nord Est cap bon	287588	107128	325409	1302	5379	27842	27718	134066	2174963
Dorsale et Tell	1486355	140275	710118	131439	: 963166	1242141	17026	59669	1163264
ute Steppe	618535	13229	608195	231397	: 808508	200054	17026	59669	1163264
Basse Steppe	462466	19911	1231970	764878	747870	201599	162687	123064	1428597
C inons atlasiques	374551	13848	271539	181411	460961	17567	31132	43030	585777
Jeffara et El Ouara	543875	13848	928190	1158107	294091	19868			
Da r et Matmata	994081	10340	862563	1050226	739720	77038			
Chotts				1039495	280741		249465	293409	780111
l'Erg Oriental	2417554			2721141					
Total pays	7336042	410696	5015129	7287147	2633396	1994229	505054	717944	7611323
% de la superficie du pays	45,42	2,54	31,05	45,12	16,30	12,35	3,13	4,45	47,13

General comments

La définition des cibles est un travail qui requiert une large concertation dans laquelle tous les acteurs centraux, infrarégionaux et locaux doivent être impliqués afin de déterminer une méthodologie commune adaptée aux conditions nationales. Néanmoins, il nous a été possible de proposer dans le cadre du PANLCD une CNV préliminaire basée sur la mesure des trois indicateurs clés de la NDT. La Cible Nationale Volontaire (CNV) de la Tunisie vise à neutraliser d'ici 2030 la dégradation des terres sur une surface totale de 2.2 millions d'hectares répartis sur l'ensemble du territoire national. Nous tenons à préciser que cette cible n'est que préliminaire. Elle mérite d'être davantage précisée dans un cadre de concertation et d'échanges plus ouverts aux expériences et contributions de tous les partenaires clés (scientifiques, métiers, planificateurs, ...). Toutefois un travail réalisé en collaboration avec le MM/UNCCD en 2021 en utilisant des données satellitaires, qui ont été exploitées par l'application trends .earth, ont permis de déterminer une cible volontaire de neutralité plus affinée en matière de dégradation des terres de la Tunisie de l'ordre de 2 millions d'ha (dont 1.600.000 ha de terres jugées dégradées (soit 10% du territoire national) et 388.000ha de terres en stabilité précaire parce qu'elles ont subies des changements d'affectation vers des situations instables.). Le projet actuel de renforcement des capacités relatif au reportage envisage de préciser davantage cette cible en utilisant au mieux que possible des données nationales.

SO2-1 Trends in population living below the relative poverty line and/or income inequality in affected areas

Relevant metric

Choose the metric that is relevant to your country:

Proportion of population below the international poverty line

☒ Income inequality (Gini Index)

Income inequality (Gini Index)

SO2-1.T2: National estimates of income inequality (Gini index)

Year	Income inequality (Gini Index)
2000	40,8
2005	37,7
2010	35,8
2015	32,8
2021	33,7

Qualitative assessment

SO2-1.T3: Interpretation of the indicator

Indicator metric	Change in the indicator	Comments
Income inequality (Gini Index)	Decrease	

General comments

L'indice d'inégalité entre les individus a baissé à 36,5 en 2015, contre 40,4 en 2000. Il convient de noter que l'indice de Gini a diminué de manière significative dans de nombreuses régions entre les années 2010 et 2015, tandis que l'indice de Gini au niveau national a connu le même taux de déclin, ce qui indique une augmentation de la disparité entre les régions. Par conséquent, nous devons nous concentrer sur la lutte contre les différences régionales. Celle-ci s'appuie sur la lutte contre l'extrême pauvreté, qui était quasi absente en 2015 dans la Grand Tunis (capital) et les régions côtières, mais sévit encore dans les régions intérieures du pays. Pour l'indice de Gini et sur la base de la distribution des dépenses totales, cet indice reflète, au niveau national, une légère atténuation des disparités. Il s'établit à 35,3 en 2021 contre 36,5 en 2015. Cependant, cette baisse est entièrement imputable à une réduction importante de l'indice de Gini pour la région du Grand Tunis, principalement due à une baisse de certaines dépenses des ménages les plus aisés durant la crise sanitaire (transports, voyages, loisirs, achats de biens durables...) diminuant les disparités des profils de consommation au-dessus du seuil de pauvreté. Dans toutes les autres régions du pays, les inégalités auraient légèrement augmenté. Il est à signaler qu'en Tunisie, l'approche retenue pour la mesure de la pauvreté consiste à aborder ce phénomène en termes de conditions de vie à travers l'exploitation des données issues de l'Enquête nationale sur le budget, la consommation et le niveau de vie des ménages. Le taux de pauvreté (pourcentage des individus affichant des dépenses de consommation inférieures au seuil de pauvreté) s'établit à 16,6 % en 2021 contre 13,8% en 2019, 15,2% en 2015, 20,5% en 2010, 23,1 en 2005 et 25,1 en 2000. Le taux de pauvreté qualifiée de «sévère ou extrême », s'établit à 2,9% en 2021 contre 2,9% en 2015, 6% enregistrée en 2010, 7,4% en 2005. et 7,7 en 2000. le taux de pauvreté a bien baissé de presque 9 points

SO2-2 Trends in access to safe drinking water in affected areas

Proportion of population using safely managed drinking water services

SO2-2.T1: National estimates of the proportion of population using safely managed drinking water services

Year	Urban (%)	Rural (%)	Total (%)
1994	95,3	25,1	70,1
2004	97,9	52	83,3
2014	99,6	63,7	88,9
2015	99,7	64,7	89,2
2016	99,7	67,2	90
2017	99,8	67,7	90,2
2019	99,8	68,2	90,4

Qualitative assessment

SO2-2.T2: Interpretation of the indicator

Change in the indicator	Comments
Increase	le taux a surtout amélioré dans le milieu rural

General comments

Le taux de desserte en eau potable est passé de de 70% en 1994à 89% en 2015pour atteindre 90% en 2019

En milieu rural ce taux a connu une nette amélioration passant de 25% en 1994 à 65% en 2015 pour se situer 68% en 2019

L'infrastructure rurale a connu en Tunisie différents programmes nationaux et différents projets intégrés ayant contribué à son amélioration

SO2-3 Trends in the proportion of population exposed to land degradation disaggregated by sex

Proportion of the population exposed to land degradation disaggregated by sex

SO2-3.T1: National estimates of the proportion of population exposed to land degradation disaggregated by sex.

Time period	Population exposed (count)	Percentage of total population exposed (%)	Female population exposed (count)	Percentage of total female population exposed (%)	Male population exposed (count)	Percentage of total male population exposed (%)
Baseline period	2 535 797,00	23,52%	1270434	23 .4	1265363	23 .6
Reporting period	968 915,00	8,58%	485426	22 .1	483489	22 .4

Qualitative assessment

SO2-3.T2: Interpretation of the indicator

Change in the indicator	Comments
Decrease	Une nette baisse des populations exposées passant de 25535000 à 968000 Cette baisse a concerné aussi bien la population mâle que femelle

General comments

Les efforts de développement rural, ainsi que la démarche de développement durable adoptée qui est participative, impliquant l'ensemble des acteurs ont aboutit à la baisse de la population exposé à la dégradation des terres.

SO2 Voluntary Targets

SO2-VT.T1

Target	Year	Level of application	Status of target achievement	Comments
desserte en eau potable 100%	2030	National	Ongoing	

SO2-VT.T2 % de branchement au réseau d'électricité selon le milieu

Milieu	1994	2004	2014	2015	2016	2017	2019
Rural	25,1	52,0	63,7	64,7	67,2	67,7	68,2
Urbain	95,3	97,9	99,6	99,7	99,7	99,8	99,8

General comments

Concernant l'eau potable, la cible nationale à atteindre en 2030 est de 100%. En 2019 le taux de desserte en milieu urbain est de 100% et ce taux est de 94,5 en milieu rural. le taux national est de 98,2%

Pour le branchement au réseau d'électricité, le taux est bien amélioré en milieu rural passant de 25% en 1994 à 68% en 2019

SO3-1 Trends in the proportion of land under drought over the total land area

Drought hazard indicator

SO3-1.T1: National estimates of the land area in each drought intensity class as defined by the Standardized Precipitation Index (SPI) or other nationally relevant drought indices

	Drought intensity classes				
	Mild drought (km ²)	Moderate drought (km ²)	Severe drought (km ²)	Extreme drought (km ²)	Non-drought (km ²)
2001	41 808,43	72 444,65	27 023,94	15 340,43	0,00
2002	105 843,28	1 013,08	0,00	0,00	49 761,09
2003	10 204,04	1 449,52	0,00	0,00	144 963,88
2004	50 566,73	0,00	0,00	0,00	106 050,72
2005	107 602,93	7 152,30	0,00	0,00	41 862,22
2006	16 840,41	0,00	0,00	0,00	139 777,03
2007	28 356,76	0,00	0,00	0,00	128 260,68
2008	69 051,51	47 331,83	16 835,74	0,00	23 398,37
2009	29 624,26	3 969,59	1 764,96	0,00	121 258,64
2010	51 205,69	10 250,53	19 028,31	6 853,28	69 279,64
2011	29 259,28	5 742,81	384,37	0,00	121 230,99
2012	94 289,49	0,00	0,00	0,00	62 327,95
2013	68 680,80	29 272,33	6 431,11	0,00	52 233,21
2014	101 586,28	0,00	0,00	0,00	55 031,17
2015	47 227,03	0,00	0,00	0,00	109 390,42
2016	67 482,02	21 605,85	3 972,59	495,00	63 061,99
2017	41 278,15	20 422,88	16 489,28	981,22	77 445,92
2018	34 574,10	0,00	0,00	0,00	122 043,35
2019	43 450,44	0,00	0,00	0,00	113 167,00

SO3-1.T2: Summary table for land area under drought without class break down

	Total area under drought (km ²)	Proportion of land under drought (%)
2001	155 150	99 .6
2002	106 266	68 .2
2003	11 205	7 .2
2004	51 212	32 .9
2005	113 892	73 .1
2006	16 067	10 .3
2007	28 116	18 .1
2008	131 886	84 .7
2009	36 064	23 .2
2010	87 430	56 .1
2011	34 598	22 .2
2012	93 450	60 .0
2013	103 676	66 .6
2014	100 568	64 .6
2015	46 771	30 .0
2016	92 957	59 .7
2017	78 055	50 .1
2018	33 748	21 .7
2019	42 458	27 .3
2020		-
2021		-

SO3-2 Trends in the proportion of the population exposed to drought

Drought exposure indicator

Exposure is defined in terms of the number of people who are exposed to drought as calculated from the SO3-1 indicator data.

SO3-2.T1: National estimates of the percentage of the total population within each drought intensity class as well as the total population count and the proportion of the national population exposed to drought regardless of intensity.

Reporting year	Total population	Mild drought		Moderate drought		Severe drought		Extreme drought		Exposed population	
		Population count	%	Population count	%	Population count	%	Population count	%	Population count	%
2001	9330296	5262690	56	3374759	36	692534	07	313	00	0	00
2002	9432266	7544025	80	132934	01	0	00	0	00	1755307	19
2003	9447169	0	00	2644	00	0	00	0	00	9444525	1,00
2004	9598544	3863149	40	0	00	0	00	0	00	5735395	60
2005	9686025	3410541	35	2587	00	0	00	0	00	6272897	65
2006	9805575	1002411	10	0	00	0	00	0	00	8803164	90
2007	9876927	402242	04	0	00	0	00	0	00	9474685	96
2008	9986003	4497111	45	4302861	43	1181712	12	0	00	4319	00
2009	10085648	616308	06	1098	00	1297	00	0	00	9466945	94
2010	10154619	4016788	40	11144	00	2131	00	2536	00	6122020	60
2011	10302025	1327772	13	497396	05	221490	02	0	00	8255367	80
2012	10432512	7598594	73	0	00	0	00	0	00	2833918	27
2013	10557964	2627292	25	460946	04	188716	02	0	00	7281010	69
2014	10655201	5497125	52	0	00	0	00	0	00	5158076	48
2015	10783482	5341477	50	0	00	0	00	0	00	5442005	50
2016	10901520	3175524	29	488978	04	11547	00	153	00	7225318	66
2017	11023690	2542246	23	4766370	43	2306108	21	221840	02	1187126	11
2018	11160447	1421600	13	0	00	0	00	0	00	9738847	87
2019	11292422	625024	06	0	00	0	00	0	00	10667398	94
2020			-		-		-		-	-	-
2021			-		-		-		-	-	-

SO-3: To mitigate, adapt to, and manage the effects of drought in order to enhance resilience of vulnerable populations and ecosystems.

SO3-2.T2: National estimates of the percentage of the female population within each drought intensity class

	Non-exposed		Mild drought		Moderate drought		Severe drought		Extreme drought		Exposed female population	
Reporting year	Population count	%	Population count	%	Population count	%	Population count	%	Population count	%	Population count	%
2001	0	0.0	2635448	56.3	1704939	36.4	341475	7.3	174	0.0	4 682 036	100.0
2002	868650	18.3	3792698	80.1	75507	1.6	0	0.0	0	0.0	3 868 205	81.7
2003	4742390	100.0	0	0.0	1374	0.0	0	0.0	0	0.0	1 374	0.0
2004	2873217	59.6	1950898	40.4	0	0.0	0	0.0	0	0.0	1 950 898	40.4
2005	3144341	64.6	1725076	35.4	1375	0.0	0	0.0	0	0.0	1 726 451	35.4
2006	4441259	90.0	491378	10.0	0	0.0	0	0.0	0	0.0	491 378	10.0
2007	4769812	96.0	198787	4.0	0	0.0	0	0.0	0	0.0	198 787	4.0
2008	1829	0.0	2256999	44.9	2178828	43.4	587866	11.7	0	0.0	5 023 693	100.0
2009	4757374	93.7	321683	6.3	582	0.0	183	0.0	0	0.0	322 448	6.3
2010	3066066	60.0	2037661	39.8	5836	0.1	3594	0.1	835	0.0	2 047 926	40.0
2011	4165216	80.3	670153	12.9	244739	4.7	109841	2.1	0	0.0	1 024 733	19.7
2012	1426978	27.1	3837404	72.9	0	0.0	0	0.0	0	0.0	3 837 404	72.9
2013	3652901	68.6	1340994	25.2	235617	4.4	97772	1.8	0	0.0	1 674 383	31.4
2014	2604511	48.5	2770676	51.5	0	0.0	0	0.0	0	0.0	2 770 676	51.5
2015	2751927	50.6	2687270	49.4	0	0.0	0	0.0	0	0.0	2 687 270	49.4
2016	3649771	66.4	1577634	28.7	263793	4.8	5947	0.1	2278	0.0	1 849 652	33.6
2017	619645	11.1	1278488	23.0	2383183	42.9	1163399	20.9	115037	2.1	4 940 107	88.9
2018	4921401	87.4	707062	12.6	0	0.0	0	0.0	0	0.0	707 062	12.6
2019	5380084	94.5	316101	5.5	0	0.0	0	0.0	0	0.0	316 101	5.5
2020		-		-		-		-		-	-	-
2021		-		-		-		-		-	-	-

SO3-2.T3: National estimates of the percentage of the male population within each drought intensity class.

	Non-exposed		Mild drought		Moderate drought		Severe drought		Extreme drought		Exposed male population	
Reportin g year	Populatio n count	%	Populatio n count	%	Populatio n count	%	Populatio n count	%	Populatio n count	%	Populatio n count	%
2000	0	0.0	2734097	58.8	1048863	22.6	809854	17.4	55586	1.2	4 648 400	100.0
2001	0	0.0	2632409	56.3	1697072	36.3	345327	7.4	139	0.0	4 674 947	100.0
2002	862584	18.2	3791605	80.2	72518	1.5	0	0.0	0	0.0	3 864 123	81.8
2003	4731659	100.0	0	0.0	1268	0.0	0	0.0	0	0.0	1 268	0.0
2004	2868582	59.7	1936964	40.3	0	0.0	0	0.0	0	0.0	1 936 964	40.3
2005	3149710	65.0	1697177	35.0	1210	0.0	0	0.0	0	0.0	1 698 387	35.0
2006	4428966	90.3	477174	9.7	0	0.0	0	0.0	0	0.0	477 174	9.7
2007	4745383	96.1	193373	3.9	0	0.0	0	0.0	0	0.0	193 373	3.9
2008	1579	0.0	2219167	44.5	2185908	43.8	584918	11.7	0	0.0	4 989 993	100.0
2009	4738161	94.0	303706	6.0	516	0.0	145	0.0	0	0.0	304 367	6.0
2010	3061423	60.3	2003869	39.5	5274	0.1	3355	0.1	728	0.0	2 013 226	39.7
2011	4131284	80.2	659180	12.8	247430	4.8	111214	2.2	0	0.0	1 017 824	19.8
2012	1408421	27.0	3814415	73.0	0	0.0	0	0.0	0	0.0	3 814 415	73.0
2013	3653277	69.1	1315707	24.9	224427	4.2	90944	1.7	0	0.0	1 631 078	30.9
2014	2559441	48.0	2774593	52.0	0	0.0	0	0.0	0	0.0	2 774 593	52.0
2015	2710344	50.2	2687871	49.8	0	0.0	0	0.0	0	0.0	2 687 871	49.8
2016	3642167	66.7	1559162	28.6	249517	4.6	5454	0.1	2126	0.0	1 816 259	33.3
2017	588981	10.7	1269975	23.0	2401435	43.5	1149428	20.8	109378	2.0	4 930 216	89.3
2018	4884321	87.4	703625	12.6	0	0.0	0	0.0	0	0.0	703 625	12.6
2019	5348578	94.6	308098	5.4	0	0.0	0	0.0	0	0.0	308 098	5.4
2020		-		-		-		-		-	-	-
2021		-		-		-		-		-	-	-

Qualitative assessment

Interpretation of the indicator

La population a été exposée à des sécheresses récurrentes (conséquentes de la nature du climat méditerranéen) Durant les années 2001 (43,7%), 2008 (55,1%) et 2017 (65,8%), soit environ 1 fois tous les 9 ans

Ces mêmes phénomènes ont été observés avec la même intensité pour les populations mâles et femelles

General comments

La sécheresse bien qu'elle constitue un évènement récurrent et caractéristique de la Tunisie (climat méditerranéen), est de nature à engendrer des impacts négatifs au niveau économique et social.

L'examen des impacts de la sécheresse montre que les impacts majeurs de ce phénomène sont liés à l'agriculture pluviale et principalement aux trois sous-secteurs de la céréaliculture, de l'oléiculture et de l'élevage.

Les récoltes et par conséquent les recettes provenant de l'agriculture sont proportionnels aux quantités de pluies reçues. Ceci a pour conséquence l'augmentation de la pauvreté, du chômage et de l'exode

SO3-3 Trends in the degree of drought vulnerability

Drought Vulnerability Index

SO3-3.T1: National estimates of the Drought Vulnerability Index

Year	Total country-level DVI value (tier 1)	Male DVI value (tiers 2 and 3 only)	Female DVI value (tiers 2 and 3 only)
2015			
2016			
2017			
2018	0.49		
2019			
2020			
2021			

Method

Which tier level did you use to compute the DVI?

- ☐ Tier 1 Vulnerability Assessment ⓘ
- ☐ Tier 2 Vulnerability Assessment ⓘ
- ☐ Tier 3 Vulnerability Assessment ⓘ

Qualitative assessment

SO3-3.T2: Interpretation of the indicator

Change in the indicator	Comments
-------------------------	----------

General comments

En Tunisie, la vulnérabilité intrinsèque a été étudiée essentiellement pour les spéculations des céréalicultures, l'oléiculture, des forêts et l'élevage.

L'analyse de vulnérabilité a permis de discerner les régions du pays à haute vulnérabilité intrinsèque pour chacune des spéculations examinées

Cette analyse a permis également d'identifier les déterminants (économiques, sociaux, environnementaux ou de gouvernance) de la vulnérabilité aussi bien en termes de sensibilité ou de capacité d'adaptation. L'identification de ces déterminants est utile pour la définition des mesures d'intervention pour une meilleure adaptation

Il est donc nécessaire de procéder périodiquement à l'actualisation des cartes de vulnérabilité et les mettre à disposition des décideurs pour une meilleure planification de la gestion de la sécheresse. L'évaluation spatialisée de la vulnérabilité requiert un nombre important de données dont la disponibilité et la fiabilité sont capitales pour la pertinence de l'analyse. Il faudra œuvrer à mettre à disposition de données désagrégées (par délégation voire même par secteur) et générés se rapportant aux spéculations étudiées et aux indicateurs économiques, sociaux, environnementaux et de gouvernance considérée. L'intégration des données désagrégées et générés pertinentes dans les systèmes nationaux de collecte des données figure parmi les axes prioritaires du Plan National de Sécheresse.

SO-3: To mitigate, adapt to, and manage the effects of drought in order to enhance resilience of vulnerable populations and ecosystems.

SO3 Voluntary Targets

SO3-VT.T1

Target	Year	Level of application	Status of target achievement	Comments
--------	------	----------------------	------------------------------	----------

General comments

SO-4: To generate global environmental benefits through effective implementation of the United Nations Convention to Combat Desertification

SO4-1 Trends in carbon stocks above and below ground

Soil organic carbon stocks

Trends in carbon stock above and below ground is a multi-purpose indicator used to measure progress towards both strategic objectives 1 and 4. Quantitative data and a qualitative assessment of trends in this indicator are reported under strategic objective 1, progress indicator SO1-3.

SO4-2 Trends in abundance and distribution of selected species

SO4-2.T1: National estimates of the Red List Index of species survival

Year	Red List Index	Lower Bound	Upper Bound	Comment
2000	0 .97135	0 .9524	0 .97616	
2001	0 .97105	0 .952	0 .97596	
2002	0 .97095	0 .95193	0 .97567	
2003	0 .97045	0 .95128	0 .97553	
2004	0 .97061	0 .94867	0 .97504	
2005	0 .97033	0 .94666	0 .97482	
2006	0 .9712	0 .94416	0 .9747	
2007	0 .97129	0 .93994	0 .97466	
2008	0 .9714	0 .93682	0 .975	
2009	0 .97138	0 .93205	0 .97604	
2010	0 .97166	0 .93202	0 .97732	
2011	0 .97196	0 .93161	0 .97835	
2012	0 .97215	0 .92723	0 .9796	
2013	0 .97202	0 .92661	0 .98179	
2014	0 .97199	0 .92339	0 .98393	
2015	0 .97205	0 .91865	0 .98554	
2016	0 .97197	0 .91938	0 .98774	
2017	0 .97196	0 .91319	0 .99044	
2018	0 .9717	0 .91427	0 .98989	
2019	0 .97147	0 .91152	0 .99126	
2020	0 .97105	0 .90696	0 .99391	

SO4-2.T2: Indicator of biodiversity in Tunisia

La flore terrestre	La flore terrestre compte environ 2200 espèces, comprenant les espèces introduites soit pour les programmes de recherche ou pour ceux de reboisement ou encore pour une commercialisation, en tant qu'espèces ornementales. Environ 10% de ces espèces sont rares à très rares. 25 espèces, 5 sous espèces et 2 variétés sont en danger d'extinction ou de raréfaction grave. Les forêts et parcours hébergent la majeure partie de la biodiversité terrestre. Ces formations couvrent environ 5,5 millions d'ha.
La faune	L'avifaune constitue une composante importante de la diversité de la faune sauvage en Tunisie. Cette grande diversité résulte de la diversité des écosystèmes, ainsi que de la position géographique de la Tunisie. L'avifaune est constituée d'oiseaux nicheurs sédentaires, de nicheurs migrateurs, de visiteurs de passage, et d'espèces hivernantes. Particulièrement, pour les oiseaux migrateurs, la préservation de la diversité est un challenge transfrontalier
Biodiversité marine	Le littoral tunisien (Iles comprises) atteindrait les 1600 km de long, abritant des écosystèmes variés, aussi bien littoraux (avec des nombreuses biocénoses des étages Supra, Medio, Infra et Circa-littoral tel que celles des sables fins partiellement humectées par l'eau de mer, Herbiers de posidonie. Coralligène, etc.), que profonds et/ou du large, et ses différentes biocénoses (eaux du large avec ses espèces pélagiques, coraux blancs profonds, hauts fonds et bancs etc.). Certains écosystèmes sont très particuliers, soit par leur richesse spécifique et/ou par l'abondance relative des espèces, soit encore par les espèces rares qu'elles hébergent, en l'occurrence
Flore marine et aquatique	Plus de 600 espèces végétales marines et aquatiques ont été recensées le long du littoral tunisien.
Faune marine et aquatique	Plus de 3400 espèces animales marines et aquatiques sont identifiées à ce jour en Tunisie, inégalement réparties le long de la côte et selon la profondeur
Biodiversité microbienne	Les microorganismes, et particulièrement ceux à intérêt agronomique, sont très étudiés par les différentes structures de recherche. Plusieurs projets visent la collecte de cette diversité, sa caractérisation et sa valorisation
Aires protégées terrestres et aquatiques	La Tunisie s'est dotée de 17 parcs nationaux, 27 réserves naturelles, 4 réserves de faune, 41 sites Ramsar, afin de protéger la diversité de certains écosystèmes. Des réintroductions de certaines espèces ont été réalisées dans ces parcs nationaux. Dans la cadre de la stratégie nationale sur les aires marines et côtières protégées, relative à l'instauration de 7 AMCP, la promulgation des décrets de création de 2 AMCP est en cours (AMCP Kuriat et AMCP Kneiss).

Qualitative assessment

SO4-2.T2: Interpretation of the indicator

Change in the indicator	Drivers: Direct (Choose one or more items)	Drivers: Indirect (Choose one or more items)	Which levers are being used to reverse negative trends and enable transformative change?	Responses that led to positive RLI trends	Comments
-------------------------	--	--	--	---	----------

SO-4: To generate global environmental benefits through effective implementation of the United Nations Convention to Combat Desertification.

Change in the indicator	Drivers: Direct (Choose one or more items)	Drivers: Indirect (Choose one or more items)	Which levers are being used to reverse negative trends and enable transformative change?	Responses that led to positive RLI trends	Comments
Positive				1. Species Management 2. Conservation Designation & Planning 3. Land / Water Management 4. Law Enforcement & Prosecution 5. Awareness Raising 6. Legal & Policy Frameworks 7. Education & Training 8. Research & Monitoring 9. Institutional Development 10. Livelihood, Economic & Moral Incentives	augmentation des espaces protégées

General comments

Depuis 2009/2010 le nombre des aires protégées (parcs nationaux et réserves naturelles) a augmenté de 24 à 44 aires protégées actuellement. une étude récente a révélé que pour les oiseaux nicheurs: 5 espèces éteintes sur 190 soit un ILR de l'ordre de 0.9473. pour les espèces végétales notamment les Monocotylédones, Ptéridophytes et Gymnospermes: 5 sont éteints sur 565 soit un ILR de l'ordre de 0.9929

L'effort déployé par la société civile en matière de préservation de la biodiversité est assez important et impacte positivement la préservation des ressources génétiques

La Banque Nationale de Gènes est également active à ce niveau et mérite d'être appuyé et renforcée pour jouer pleinement son rôle

SO4-3 Proportion of important sites for terrestrial and freshwater biodiversity that are covered by protected areas, by ecosystem type

SO4-3.T1: National estimates of the average proportion of Terrestrial KBAs covered by protected areas (%)

Year	Protected Areas Coverage(%)	Lower Bound	Upper Bound	Comments
2000	12.99	12 .99	14 .36	
2001	14.28	14 .27	15 .64	
2002	14.28	14 .27	15 .64	
2003	14.28	14 .27	15 .64	
2004	14.28	14 .27	15 .64	
2005	14.28	14 .27	15 .64	
2006	14.28	14 .27	15 .64	
2007	22.82	21 .46	22 .83	
2008	22.82	21 .46	22 .83	
2009	22.82	21 .46	22 .83	
2010	25.29	23 .92	25 .29	
2011	25.29	23 .92	25 .29	
2012	36.91	35 .55	36 .91	
2013	39.5	39 .5	39 .5	
2014	39.5	39 .5	39 .5	
2015	39.5	39 .5	39 .5	
2016	39.5	39 .5	39 .5	
2017	39.5	39 .5	39 .5	
2018	39.5	39 .5	39 .5	
2019	39.5	39 .5	39 .5	
2020	39.5	39 .5	39 .5	

Qualitative assessment

SO4-3.T2: Interpretation of the indicator

Qualitative Assessment	Comment
Increasing	augmentation du nombre d'aires protégées a partir de 2009

SO-4: To generate global environmental benefits through effective implementation of the United Nations Convention to Combat Desertification.

SO4 Voluntary Targets

SO4-VT.T1

Target	Year	Level of application	Status of target achievement	Comments
--------	------	----------------------	------------------------------	----------

Complementary information

SO5-1 Bilateral and multilateral public resources

Tier 1: Please provide information on the international public resources provided and received for the implementation of the Convention, including information on trends.

Financement GEF

Titre	Agences	Subvention du FEM (\$)	Cofinancement	Statut
Gestion adaptative et restauration de la forêt de pins d'Alep dégradée dans le gouvernorat de Kasserine (Tunisie) pour renforcer la résilience au changement climatique, conserver la biodiversité, améliorer la productivité et la sécurité alimentaire	FAO	2 639 726	29 300 000	Concept proposé
Premier rapport biennal tunisien sur la transparence (BTR1) et un deuxième rapport biennal sur la transparence (BTR2)/Cinquième communication nationale (NC5) combinés (BTR1_NC5/BTR2)	PNUD	1 233 000		Projet approuvé
Vers une ville durable par l'efficacité énergétique à Kairouan	PNUD	846 906	3 223 000	Projet approuvé
Accroître l'adoption de la mobilité électrique en Tunisie	ONUDI	1 784 862	11 000 000	Projet approuvé
Renforcer le cadre de transparence des contributions déterminées au niveau national (CDN) de la Tunisie	PDNU	1 485 000	200 000	Projet approuvé
Préparation de la Quatrième Communication Nationale pour la mise en œuvre de la Convention Cadre des Nations Unies sur les Changements Climatiques et du Troisième Rapport Biennal Actualisé de la République Tunisienne.	PDNU	852 000	385 000	Projet approuvé
Projet de gestion durable du paysage oasien	Banque mondiale	3 652 970	50 000 000	Projet approuvé
Faire passer le marché tunisien de l'éclairage aux technologies à haut rendement	PNUE	2 399 541	15 738 000	Projet approuvé
Améliorer la gestion du mercure en Tunisie	ONUDI	600 000	2 350 000	Complété
Premier rapport biennal actualisé de la Tunisie	PDNU	406 818	184 000	Complété
Projet Environnemental du Lac de Bizerte Lagon et Marine de Pollution	Banque européenne	2 000 000	110 723 000	Projet approuvé
Appui à l'alignement du programme d'action national de la Tunisie sur le processus d'examen de la mise en œuvre et des rapports de la stratégie décennale de la CNULD	PNUE	136 986	150 000	Projet approuvé
Appui de la NAMA au Plan Solaire Tunisien	PDNU	3 552 968	65 382 640	Complété
Activités habilitantes pour examiner et mettre à jour le plan national de mise en œuvre de la Convention de Stockholm sur les polluants organiques persistants (POP)	PNUDI	220 000	230 000	Complété
Projet sur les écosystèmes et les moyens de subsistance des oasis	Banque mondiale	5 760 730	59 048 000	Complété
Répondre aux vulnérabilités et aux risques liés au changement climatique dans les zones côtières vulnérables de Tunisie	PDNU	5 500 000	73 930 000	Complété
Planification nationale de la biodiversité pour soutenir la mise en œuvre du Plan stratégique de la CDB 2011-2020 en Tunisie	PDNU	220 000	100 400	Complété
Projet pilote d'augmentation des investissements dans l'efficacité énergétique et la cogénération et dans la biomasse	Banque mondiale	2 410 000	121 400 000	Annulé
MENARID : Écotourisme et conservation de la biodiversité du désert	Banque mondiale	4 272 300	4 788 000	Complété
MED : Projet de traitement des eaux usées du nord de Tunis en Tunisie	Banque mondiale	8 030 000	60 600 000	Complété
MENARID : Deuxième projet de gestion des ressources naturelles	Banque mondiale	9 726 000	57 900 000	Complété
Démontrer et promouvoir les meilleures techniques et pratiques de gestion des déchets médicaux et des PCB	Banque mondiale	5 500 000	11 200 000	Complété
MENARID : Appui à la gestion durable des terres dans le gouvernorat de Siliana	FIDA	5 000 000	27 355 000	Complété
Renforcement des capacités pour la mise en œuvre du cadre national de biosécurité	PNUE	848 900	919 260	Projet approuvé
Évaluation des besoins en renforcement des capacités pour la biodiversité et participation à la mise en place d'un centre d'échange (CHM) - ADD ON	PNUE	186 900		Complété
Développement d'un programme d'efficacité énergétique pour le secteur industriel en Tunisie	Banque mondiale	8 500 000	23 300 000	Complété
Auto-évaluation de la capacité nationale de la Tunisie à gérer l'environnement mondial	PDNU	200 000		Complété
Élaboration d'un plan national pour la mise en œuvre de la	PNUE	431 270	930 000	Complété

Convention de Stockholm sur les POP	ONUDI			
Protection des ressources marines et côtières du Golfe de Gabès	Banque mondiale	6 310 000	3 500 000	Complété

Projet de gestion des zones protégées		5,330,000	4550000	complété
Private Sector Led Development of On-Grid Wind Power in Tunisia	PNUD	2,000,000	2,000,000	Completed
Barrier Removal to Encourage and Secure Market Transformation and Labeling of Refrigerators	PNUD	710,000	1,236,000	Completed
Biodiversity Strategy, Action Plan and National Report	World Bank	89,000		Completed
Experimental Validation of Building Codes and Removal of Barriers to Their Adoption	UNDP	4,360,000	6,326,800	Completed
Emissions Inventory of Greenhouse Gases : National Strategy and Action Plans for Emissions Reduction and Fulfilment of National Communications under the UNFCCC	UNDP	565,400	375,000	Completed
Solar Water heating	World Bank	4,000,000		Completed

Financement banque mondiale

Titre du projet	Montant de l'engagement (millions USD)	Date d'approbation	Date de mise à jour	Dernière étape atteinte
Additional Financing to Tunisia Emergency Food Security Response Project	11.16	August, 2023	August, 2023	Bank Approved
Integrated Landscapes Management in Lagging Regions Project	100.00	March, 2017	January, 2024	Bank Approved
Support to Economic Recovery and Job Creation in the Agri-Food Sector and Rural North West	2.00	June, 2021	January, 2024	Bank Approved
Support to Economic Recovery and Job Creation in the Agri-Food Sector and Rural South	2.00	May, 2021	January, 2024	Bank Approved
Support to Economic Recovery and Job Creation in the Agri-Food Sector and Rural Space	1.00	Octob 2020	January, 2024	Bank Approved
TUNISIA FOREST INVESTMENT PLAN PREPARATION PROJECT	0.00	Feb., 2016	January, 2018	Bank Approved
Tunisia - Northern Tunis Wastewater Project Additional Financing	18.00	August, 2016	October, 2018	Bank Approved
Tunisia Business Environment and Entrepreneurship DPF	500.00	June, 2017	January, 2018	Bank Approved
Tunisia Emergency Food Security Response Project	130.00	June, 2022	January, 2024	Bank Approved
Tunisia Integrated Disaster Resilience Program	100.00	March, 2021	Feb. 2024	Bank Approved
Tunisia Irrigated Agriculture Intensification Project	140.00	May, 2018	January, 2024	Bank Approved

Financement FAO

Projet	Coût (\$)	Période
Appui à la réalisation de l'inventaire forestier, pastoral et oléicole (IFPON) en Tunisie UTF/TUN/041/TUN.	6.381.960 USD	01-2019 au 12-2023 En cours
Autonomisation des femmes en zones rurales - Rural Women Economic Empowerment (RWEE) UNJP/TUN/045/UNJ;	5.000000 USD (composante FAO : 1.500.000 USD	04-22 au 03-27
Promotion d'unités de production à petite échelle basées sur une utilisation optimale des eaux pluviales dans les zones rurales sèche de Tunisie (SPUDAT)* Entité No 703924	.5000.000 USD; En recherche de financement	Durée 36 mois
Plan National d'Adaptation pour le secteur agriculture et sécurité alimentaire (NAP). GCP /TUN/043/GCR	1.000.000 USD ; FVC	01-2022 au 12-2024
Utilisation de la télédétection pour l'amélioration de la productivité de l'eau (WaPOR-Phase 2) GCP/INT/729/NET	350.000 USD env. (composante Tunisie) ; Gouvernement hollandais	; 01-2021 au 12-2025 En cours
. Mise à jour et amélioration des fonctionnalités de la Carte Agricole TCP/TUN/3703	255.000 USD CT FAO	10-2016 au 12-2021
Mise en œuvre du Programme 2030 pour l'efficacité et la productivité de l'eau GCP/RNE/009/SWE	500 000 USD (composante Tunisie)	12-2016 au 12-2022

Financement FIDA

Projet	Coût	Période
Economic, Social and Solidarity Project	51,27 millions d'USD Financement du FIDA 23,8 millions d'USD	2019- 27

Siliana Territorial Development Value Chain Promotion Project	Coût total 34,29 millions d'USD Financement du FIDA 24,11 millions d'USD National Government 7,63 millions USD	2016 - 2025
Projet de développement agropastoral et des filières associées dans le Gouvernorat de Médenine	Coût total 36,85 millions d'USD Financement du FIDA 19,5 millions d'USD Cofinanceurs (International) European Union 3,5 millions d'USD Cofinanceurs (Échelle nationale) Domestic Financing Institutions 2,9 millions d'USD National Government 10,15 millions d'USD	2014-23 clôturé
Agropastoral Development and Local Initiatives Promotion Programme for the South-East - Phase II	Coût total 51,96 millions d'USD Financement du FIDA 11,35 millions d'USD Cofinanceurs (International) Spanish Fund 16,1 millions d'USD Cofinanceurs (Échelle nationale) National Government 17,2 millions d'USD Beneficiaries 7,3 millions d'USD	2012-20 clôturé

Financement AFD

Projet	Coût	Période
Inégalités économiques, sociales et régionales en tunisie	100 000 euros	2019-22
Programme d'adaptation au changement climatique des territoires ruraux	51 500 000 EUR	2016-24

Financement UE

Projet	Coût	Période
Integrated Depollution Programme (Lake Bizerte)	Contribution de l'Union Européenne : 15.4 Millions €. Budget total du projet (EUR) : 80.7 Millions €. Fond Propre : 4.8 Millions € : Instrument Européen de Voisinage et de Partenariat (IEVP)	2014-24
Agricultural and rural development around small water reservoirs - Upscale phase (DARAL)	Contribution de l'Union Européenne : 15.6 Millions €. Budget total du projet (EUR) : 48.6 Millions € Fond Propre : 10 Millions €.	2023-30
Initiative Pilote de Développement local Intégré	Contribution de l'Union Européenne : 39.5 Millions €. Budget total du projet (EUR) : 39.5 Millions €.	2018-25

Financement BAD

Projet	Coût	Période
<u>PROGRAMME D'APPROVISIONNEMENT EN EAU POTABLE EN MILIEU RURAL - PHASE II</u>	Total cost: 97257271 UAC 1186538 \$	2016- en cours
<u>PROJET DE DEVELOPPEMENT AGRICOLE INTEGRE DU NORD DE GAFSA</u>	Total cost: 19739452.32 UAC 240821 \$	2013- en cours
<u>PROJET D'AMELIORATION DE LA QUALITE DES EAUX EPUREES</u>	Total cost: 32070981.2 UAC 391265 \$	202 – en cours
<u>PROJET DE VALORISATION DES PI A TRAVERS LE DEVELOPPEMENT DES CHAINES DE VALEUR AGRICOLES</u>	Total cost: 48355326 UAC 589934 \$	2017 -en cours
<u>PROGRAMME D'APPUI AU DEVELOPPEMENT REGIONAL INCLUSIF PADRI II</u>	Total cost: 100063180 UAC 1220770 \$	2017- en cours
<u>PROGRAMME D'APPROVISIONNEMENT EN EAU POTABLE EN MILIEU RURAL - PHASE II</u>	Total cost: 97257271 UAC 1186538 \$	2016 – en cours
<u>PROGRAMME D'APPUI AU DEVELOPPEMENT REGIONAL INCLUSIF (PADRI)</u>	Total cost: 145461600 UAC 1774631 \$	2016 – en cours
<u>DON MIC POUR LA PREPARATION DU PDAI DE ZAGHOAUN</u>	Total cost: 412800 UAC 5036 \$	2014 – en cours
<u>ELABORATION DE LA VISION ET DE LA STRATEGIE</u>	Total cost: 1676541 UAC	2016 – en cours

EAU 2050 DE LA TUNISIE	20453 \$	
------------------------	----------	--

Financement USAID

Projet	Coût	Période
LOCAL SOLUTIONS TO ENVIRONMENTAL CRISES	\$5 million • United States Institute of Peace (USIP)	2023-2025
Partnership for Decarbonized and Climate-Resilient Energy Systems	\$2.5 million	2020-2024
MA3AN ("TOGETHER" IN ARABIC	\$59.5 million	2018-2025

Documentation box

	Explanation
Year	
Recipient / Provider	
Title of project, programme, activity or other	
Total Amount USD	
Sector	
Capacity Building	
Technology Transfer	
Gender Equality	

SO-5: To mobilize substantial and additional financial and non-financial resources to support the implementation of the Convention by building effective partnerships at global and national level

	Explanation
Channel	
Type of flow	
Financial Instrument	
Type of support	
Amount mobilised through public interventions	
Additional Information	

General comments

Plusieurs organismes nationaux (Ministère de l'Agriculture, des Ressources hydrauliques et de la Pêche, Ministère de l'Environnement, Ministère de l'Équipement, Ministère du Développement etc) et différents organismes internationaux (FAO, PNUD, FEM, BM, BAD, AFD, GIZ, PNUE, USAID, FIDA etc.) soutiennent l'effort de lutte contre la dégradation des terres et leurs restaurations

D'importants fonds ont été mobilisés ces dernières années

L'impact de ces interventions commence à se faire sentir au niveau des différents écosystèmes

SO5-2 Domestic public resources

Tier 1: Please provide information on the domestic public expenditures, including subsidies, and revenues, including taxes, directly and indirectly related to the implementation of the Convention, including information on trends.

Année	Forêt	CES	Total
2004	58,12	56,42	114,54
2005	54,85	52,58	107,43
2006	52,67	55,15	107,82
2007	78,75	44,39	123,14
2008	83,83	47,69	131,52
2009	64,22	48,05	112,27
2010	62,22	51,24	113,46
2011	88,18	75,48	163,66
2012	91,13	88,38	179,51
2013	84,98	71,08	156,06
2014	77,18	71,52	148,7
2015	83,84	74,6	158,44
2016	90	85,1	175,1
2017	78	72	150
2018	73,01	65,7	138,71
2019	82	75,81	157,81
2020	150,4		150,4
2021	152,3		152,3

Trends in domestic public expenditures and national level financing for activities relevant to the implementation of the Convention

☐ Up ↑

☐

Trends in domestic public revenues from activities related to the implementation of the Convention

☐ Up ↑

☐ Tier 2:

Table 2

Domestic

public

resources

	Year	Amounts	Additional Information
Government revenues			
Environmental taxes for the conservation of land resources and taxes related to combat DLDD			
Total revenues / total per year			

Documentation box

	Explanation
Government expenditures	
Subsidies	
Government revenues	
Domestic resources directly or indirectly related to combat DLDD	

Has your country set a target for increasing and mobilizing domestic resources for the implementation of the Convention?

☐ Yes

☐

General comments

Les ressources financières nationales ou locales restent trop limitées

Cependant l'état subventionne jusqu'à 50% l'effort de restauration des écosystèmes naturels par les travaux de CES ou de plantations forestières

Certaines études ont proposées l'imposition d'une taxe pour soutenir l'effort de reboisement

SO5-3 International and domestic private resources

Tier 1: Please provide information on the international and domestic private resources mobilized by the private sector of your country for the implementation of the Convention, including information on trends.

Trends in international private resources

Up ↑

Trends in domestic private resources

Up ↑

Tier 2: Table 3 International and domestic private resources

Year	Title of project, programme, activity or other	Total Amount USD	Financial Instrument	Type of institution	Recipient	Additional Information
	Total	0				

Please provide methodological information relevant to data presented in table 3

Has your country taken measures to encourage the private sector as well as non-governmental organizations, foundations and academia to provide international and domestic resources for the implementation of the Convention?

[General comments](#)

SO5-4 Technology transfer

Tier 1: Please provide information relevant to the resources provided, received for the transfer of technology for the implementation of the Convention, including information on trends.

Trends in international bilateral and multilateral public resources provided

Stable ↔

Trends in international bilateral and multilateral public resources received

Stable ↔

Tier 2: Table 4 Resources provided and received for technology transfer measures or activities

Provided	Received	Year	Title of project, programme, activity or other	Amount	Recipient Provider	Description and objectives	Sector	Type of technology	Activities undertaken by	Status of measure or activity	Timeframe of measure or activity	Use, impact and estimated results	Additional Information
Total provided:				0	Total received:				0				

Please provide methodological information relevant to data presented in table 4

Include information on underlying assumptions, definitions and methodologies used to identify and report on technology transfer support provided and/or received and/or required. Please include links to relevant documentation.

Please provide information on the types of new or current technologies required by your country to address desertification, land degradation and drought (DLDD), and the challenges encountered in acquiring or developing such technologies.

General comments

SO5-5 Future support for activities related to the implementation of the Convention

SO5-5.1: Planned provision and mobilization of domestic public and private resources

Please provide information relevant to the planned provision and mobilization of domestic resources for the implementation of the Convention, including information relevant to indicator SO5-2, as well as information on projected levels of public financial resources, target sectors and planned domestic policies.

Les plans de développement économique appuient fortement les efforts de mobilisation des fonds pour la nature et l'environnement

SO5-5.2: Planned provision and mobilization of international public and private resources

Please provide information relevant to the planned provision and mobilization of international resources for the implementation of the Convention, including information on projected levels of public financial resources and support to capacity building and transfer of technology, target regions or countries, and planned programmes, policies and priorities.

Différentes requêtes et concept notes sont régulièrement soumises aux bailleurs de Fonds (FVC, FEM etc.) en vue de mobiliser des fonds pour la lutte contre la désertification et la restauration des écosystèmes

SO5-5.3: Resources needed

Please provide information relevant to the financial resources needed for the implementation of the Convention, including on the projects and regions which needs most support and on which your country has focused to the greatest extent.

General comments

L'effort de mobilisation des ressources est assez important et mérite d'être poursuivi

Un portefeuille des projets est préparé en vue de recherche des ressources financières pour leur exécution

Financial and Non-Financial Sources

Increasing the mobilization of resources:

Would you like to share an experience on how your country has increased the mobilization of resources within the reporting period?

Yes

Using Land Degradation Neutrality as a framework to increase investment:

From your perspective, would you consider that you have taken advantage of the LDN concept to enhance the coherence, effectiveness and multiple benefits of investments?

Yes

Improving existing and/or innovative financial processes and institutions

From your perspective, do you consider that your country has improved the use of existing and/or innovative financial processes and institutions?

Yes

Policy and Planning

Action Programmes:

Has your country developed or helped develop, implement, revise or regularly monitor your national action programme?

Yes

Policies and enabling environment:

During the reporting period, has your country established or helped establish policies and enabling environments to promote and/or implement solutions to combat desertification/land degradation and mitigate the effects of drought?

Yes

Synergies:

From your perspective, has your country leveraged synergies and integrated DLDD into national plans related to other MEAs, particularly the other Rio Conventions and other international commitments?

Yes

Mainstreaming desertification, land degradation and drought:

From your perspective, did your country take specific actions to mainstream, DLDD in economic, environmental and social policies, with a view to increasing the impact and effectiveness of the implementation of the Convention?

Yes

Drought-related policies:

Has your country established or is your country establishing national policies, measures and governance for drought preparedness and management?

Yes

Has your country supported other countries in establishing policies, measures and governance for drought preparedness and management, in accordance with the mandate of the Convention?

Yes

Action on the Ground

Sustainable land management practices:

Has your country implemented or is your country implementing sustainable land management (SLM) practices to address DLDD?

Yes

Has your country supported other countries in the implementation of SLM practices?

No

Restoration and Rehabilitation:

Has your country implemented or is your country implementing restoration and rehabilitation practices in order to assist with the recovery of ecosystem functions and services?

Yes

Drought risk management and early warning systems:

Is your country developing a drought risk management plan, monitoring or early warning systems and safety net programmes to address DLDD?

Yes

Has your country supported other countries in developing drought risk management, monitoring and early warning systems and safety net programmes to address DLDD?

Yes

Alternative livelihoods:

Does your country promote alternative livelihoods practice in the context of DLDD?

Yes

Do you consider your country to be taking special measures to engage women and youth in promoting alternative livelihoods?

Yes

Establishing knowledge sharing systems:

Has your country established systems for sharing information and knowledge and facilitating networking on best practices and approaches to drought management?

Yes

Do you consider that your country has implemented specific actions that promote women's access to knowledge and technology?

Yes



Other files for Reporting

Tunisia - SO5-1 recipient	Download	40.5 KB
---------------------------	--------------------------	---------

Tunisia – SO1-1.M1



Land cover in the initial year of the baseline period

Land cover (2001)



Tunisia – SO1-1.M2



Land cover in the baseline year



Tunisia – SO1-1.M3

Land cover in the first et latest reporting year



Land cover (2016)



Tunisia – SO1-1.M3



Land cover in the latest reporting year

Land cover (2019)




Tunisia – SO1-1.M4

Land cover change in the baseline period Couverture terrestre (transitions, 2001 à 2015)




Tunisia – SO1-1.M5

Land cover change in the reporting period



Land cover degradation in the baseline period


Dégradation de la couverture terrestre (2001 à 2015)



Tunisia – SO1-1.M7

Land cover degradation in the reporting period


Dégradation de la couverture terrestre (2016 à 2019)



Tunisia – SO1-2.M1

Land productivity dynamics in the baseline period

Dégradation de performance de la productivité (2001 à 2015)



Dégradation de performance de la productivité (2001 à 2015)


- Pas de données
- Dégradation
- Pas de dégradation

0 70 140 km



Map produced from:

Dégradation de l'état de productivité (2001 - 2012 vs 2013 - 2015)



Dégradation de l'état de productivité (2001 - 2012 vs 2013 - 2015)

- Pas de données
- Dégradation
- Stable
- Amélioration


0 70 140 km



Map produced from:


Tunisia – SO1-2.M2

Land productivity dynamics in the reporting period




Tunisia – SO1-2.M3

Land productivity degradation in the baseline period




Tunisia – SO1-2.M4

Land productivity degradation in the reporting period



Tunisia – SO1-3.M1


Soil organic carbon stock in the initial year of the baseline period



Tunisia – SO1-3.M2

Soil organic carbon stock in the baseline year


Carbone organique du sol 2016 (tonnes / ha)



Tunisia – SO1-3.M3


Soil organic carbon stock in the latest reporting year

Carbone organique du sol 2019 (tonnes / ha)




Tunisia – SO1-3.M4

Change in soil organic carbon stock in the baseline period




Tunisia – SO1-3.M5

Change in soil organic carbon stock in the reporting period



Tunisia – SO1-3.M6


Soil organic carbon degradation in the baseline period



Tunisia – SO1-3.M7


Soil organic carbon degradation in the reporting period

Dégradation du carbone organique du sol (2001-19)




Tunisia – SO1-4.M1

Proportion of land that is degraded over total land area (SDG Indicator 15.3.1) in the baseline period




Tunisia – SO1-4.M2

Proportion of land that is degraded over total land area (SDG Indicator 15.3.1) in the reporting period



Tunisia – SO1-4.M3

Progress towards Land Degradation Neutrality (LDN) in the reporting period



Disclaimer

The designations employed and the presentation of material on this map do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations Convention to Combat Desertification (UNCCD) concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. All maps represent the terrestrial area of the country; offshore islands, overseas departments and territories may not be displayed due to cartographic limitations.


Source Data Credits

- United Nations Clear Map, United Nations Geospatial.
- Derived based on the methodology in the Good Practice Guidance Version 2 for Sustainable Development Goal (SDG) indicator 15.3.1 - Proportion of land that is degraded over total land area.
URL: <https://www.unccd.int/publications/good-practice-guidance-sdg-indicator-1531-proportion-land-degraded-over-total-land>

Tunisia – SO2-3.M1


Total Population exposed to land degradation (baseline)

Population totale exposée à la dégradation




Tunisia – SO2-3.M2

Female Population exposed to land degradation (baseline)



Tunisia – SO2-3.M3

Male Population exposed to land degradation (baseline)



Tunisia – SO2-3.M4

Total Population exposed to land degradation (reporting)

Population totale exposée à la dégradation


Légende



0 70 140 km




Map produced from: 




Tunisia – SO2-3.M5

Female Population exposed to land degradation (reporting)




Tunisia – SO2-3.M6

Male Population exposed to land degradation (reporting)




Tunisia – SO3-1.M1

Drought hazard in first epoch of baseline period




Tunisia – SO3-1.M2

Drought hazard in second epoch of baseline period




Tunisia – SO3-1.M3

Drought hazard in third epoch of baseline period




Tunisia – SO3-1.M4

Drought hazard in fourth epoch of baseline period



Tunisia – SO3-1.M5


Drought hazard in the reporting period



Tunisia – SO3-2.M1

Drought exposure in first epoch of baseline period


Population totale exposée à la dégradation



Tunisia – SO3-2.M2

Drought exposure in second epoch of baseline period

Population totale exposée à la dégradation



Tunisia – SO3-2.M3

Drought exposure in third epoch of baseline period

Population totale exposée à la dégradation


Légende



0 70 140 km



Map produced from:



Tunisia – SO3-2.M4

Drought exposure in fourth epoch of baseline period

Population totale exposée à la dégradation


Légende



0 70 140 km



Map produced from: 



Tunisia – SO3-2.M5

Drought exposure in the reporting period

Population totale exposée à la dégradation

Légende




0 70 140 km



Map produced from:



Female drought exposure in the reporting period



Tunisia – SO3-2.M7

Male drought exposure in the reporting period

Population mâle exposée à la dégradation


Légende



0 70 140 km




Map produced from:




Tunisia - SO1 Voluntary Targets M1

Soil degradation by water erosion



Tunisia - SO1 Voluntary Targets M2

Soil degradation by wind erosion



Tunisia - SO1 Voluntary Targets M3

Soil degradation by salinization

