

**fraserhealth**Better health.
Best in health care.**FAX**☐ Urgent☐ Confidential**Date: Fax:****PHN:**

Thank you for your referral to JPOCSC MDC services. Unfortunately, the attached referral has been **declined** as it is incomplete, and the patient has not been booked. Please complete the missing information and return it to our clinic if treatment is still required.

*** ***The incomplete referral will not be retained******

-MISSING REFERRAL FORM 2 PAGES.

Please save the link below to ensure the most up to date form is utilized

<http://medicalstaff.fraserhealth.ca/Clinical-Resources/>

FORMS>JPOCSC>MDC

Thank You,
Medical Day Care Booking Desk

If there is any problem with this transmission, please contact the sender. This message and attachment are intended only for the use of the addressee and may contain confidential and privileged information. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of the message is prohibited. If you have received this message in error, please notify us at the above phone number and destroy this communication.

Fraser Health Authority
Medicine Program

MEDICAL DAYCARE
Outpatient Services

Tel: (604) 582-4553
Fax: (604) 582-3742
www.fraserhealth.ca



fraserhealth

INC FAXED 13TH APRIL /25

**Regional Pre-Printed Orders for
PARENTERAL IRON**
Inpatient and Outpatient – Adult



PHN:

DOB:

Tel:

Form ID: DRDO107487B

Rev: June 01, 2022

Page: 1 of 1

DRUG & FOOD ALLERGIES

Naprosyn; AMOXICILLIN TRIHYDRATE

- ☒ **Mandatory** ☐ **Optional: Prescriber check (✓) to initiate, cross out and initial any orders not indicated.**

COMPLETE THE FOLLOWING BOXES WITH VALUES FROM WITHIN PAST 2 MONTHS:

Bloodwork Date	Hgb (g/L)	Ferritin (mcg/L)	Iron Saturation (%)
21/03/2026	117	4	0.04

SELECT ONE IRON FORMULATION (see reverse for prescribing information):

iron sucrose

- ☒ intolerance or poor response to oral iron *AND* one of:
- ☒ ferritin less than 50 mcg/L *OR*
 - ☐ iron saturation less than 20% *OR*
 - ☐ Hgb less than 115 g/L and iron saturation less than 22% in patients with chronic kidney disease including those who are dialysis dependent

OR

- ☐ Hgb less than 110 g/L and insufficient time for oral iron trial (e.g. prior to surgery, transfusion-sparing strategy for acute blood loss)
- ☒ iron sucrose 300 mg elemental IV every 7 days x 3 doses
- ☐ Other instructions: _____

ferric derisomaltose (formerly known as iron isomaltoside)

BC Renal Patients☐ Indications outlined by BC Renal AND patients who are registered with BC Renal

OR

Non-BC Renal Patients (ALL of the following restriction criteria must be satisfied):

- ☐ intolerance or poor response to oral iron *OR* gastrointestinal malabsorption syndrome *AND*
- ☐ Hgb less than 110 g/L *AND*
- ☐ ferritin less than 30 mcg/L *OR* ferritin less than 200 mcg/L plus iron saturation less than 20%

☐ ferric derisomaltose (iron isomaltoside) ☐ 500 mg elemental *OR* ☐ 1000 mg elemental IV x 1 dose

Complete only if another dose is required:

☐ repeat ferric derisomaltose (iron isomaltoside) ☐ 500 mg elemental *OR* ☐ 1000 mg elemental IV in 1 week

FOR HYPERSENSITIVITY AND/OR ANAPHYLAXIS (Orders remain active for 24 hours after all doses of iron given):

- Stop infusion
- Notify physician: _____ (name) Contact Number: _____
- epinephrine 0.5 mg IM to anterolateral thigh Q5MIN PRN x 3 doses for anaphylaxis.
- hydrocortisone 100 mg IV PRN x 1 dose for anaphylaxis or urticaria
- diphenhydramine 25 mg PO/IV PRN x 1 dose for urticaria
- ☒ sodium chloride 0.9% 500 mL IV bolus PRN x 1 dose for hypotensive episode (SBP less than 90 mmHg or decrease greater than 30 percent from baseline)

OTHER MEDICATIONS (Order remains active for 24 hours after all doses of iron given):

- ☒ acetaminophen 650 mg PO Q4H PRN for pain or headache
- ☒ dimenhydrinate 25 to 50 mg PO/IV PRN x 1 dose for nausea or vomiting

Date (dd/mm/yyyy)	Time	Prescriber Signature	Printed Name	College ID#
12/04/2026	06:42 PM			