Expansion versus Mitigation: Production-Oriented Policy and Agricultural Greenhouse-Gas Emissions in Ireland, 1990–2024

Mehdi Gholamnia[1] [AUTHOR INPUT REQUIRED: names and affiliations of any co-authors]

[1] *INPACT Project, University of Galway, Ireland*

Corresponding author: Mehdi Gholamnia, [AUTHOR INPUT REQUIRED: institutional e-mail address and ORCID iD]

Manuscript status: Working paper prepared from the study's interactive results platform. All results come from the analysis run of 21 October 2026 (random seed 20261019).

Intended submission: *Climate Policy*

Word count: [AUTHOR INPUT REQUIRED: confirm against the target journal's limit after final editing]

Abstract

Agriculture produced 37.9% of Ireland's greenhouse-gas (GHG) emissions in 2024. Emissions from IPCC/CRF sector 3 that year (19.63 Mt CO_2e) were within 0.7% of their 1990 level (19.76 Mt CO_2e), after three decades of agri-environment schemes and nitrates regulation and, since 2021, legally binding carbon budgets. This paper asks whether the flat emission path reflects *failed mitigation* or *mitigation offset by policies that expanded output*. We construct a new annual production-pressure index (P) and score it on the same implementation × coverage × bindingness scale used for a mitigation index (M). This places the two policy sets on one scale for the first time. We then combine three designs whose identifying assumptions fail in different ways: (i) trend, structural-break and exact Logarithmic Mean Divisia Index (LMDI) decomposition analysis; (ii) an autoregressive distributed-lag (ARDL) policy-mix model with restricted moving-block bootstrap inference, dynamic counterfactuals and explicit power analysis; and (iii) a within-Ireland regional difference-in-differences (DiD) design based on pre-2015 dairy exposure. Emissions follow four regimes, with breaks in 2000, 2012 and 2020 (bootstrap UDmax $p = 0.013$), but no break falls within a year of Food Harvest 2020 (2010) or milk-quota abolition (2015). After quota abolition (2014–2021), growth in scale and yield added 2,988 kt CO_2e, whereas declining emission intensity removed only 963 kt. This gives an intensity offset of 0.32 (0.21–0.33 across emission-factor assumptions). In the ARDL model, a sustained 0.1-unit rise in production pressure raises long-run emissions by 7.2% ($\theta_P = 0.69$, bootstrap $p = 0.032$). Production pressure above its 2000 level raised 2024 emissions by 11.2% (90% CI 6.7–15.7%) and added 12.5 Mt CO_2e over 2000–2024. The mitigation index shows no emission-reducing effect ($\theta_M = +0.47$, $p = 0.985$). This positive coefficient is best read as reverse timing, because schemes expanded in the same years as output, and not as a causal effect. The positive pressure effect holds in all 14 estimable robustness variants and in all eight leave-one-policy-out runs. The regional design does not support a quota-abolition effect, because regions were already diverging before 2015, and interrupted time-series estimates place the turning point in 2010 rather than 2015. Meeting the 2030 sectoral ceiling (15.5 Mt CO_2e, 25% below 2018) would require roughly 23% fewer livestock units than in 2024 if the recent intensity trend continues, and 5–16% fewer even if intensity fell by 1–3% a year. Expansion left a measurable emissions footprint. The largely voluntary, intensity-oriented mitigation portfolio had too small a detectable effect for anything to be offset.

Keywords: agricultural emissions; policy coherence; policy mix; production pressure; milk quota abolition; LMDI decomposition; ARDL; block bootstrap; difference-in-differences; Ireland

JEL classification: Q15, Q18, Q54, Q58, C22

Highlights

- A new production-pressure index (P) is scored on the same implementation × coverage × bindingness scale as a mitigation index (M), so expansion and mitigation policy can be compared directly.
- Irish CRF3 emissions were flat over 1990–2024 (−0.65%) but passed through four distinct regimes, with a sustained upturn from 2012.
- After milk-quota abolition, falling emission intensity cancelled only about one third of the emission growth caused by scale and yield (intensity offset = 0.32).
- Production pressure raised 2024 emissions by 11.2% (6.7–15.7%) and added 12.5 Mt CO_2e over 2000–2024. No emission-reducing effect of the mitigation portfolio can be detected.
- On recent intensity trends, the 2030 sectoral ceiling implies about 23% fewer livestock units than in 2024.

Contents

1. Introduction **5**
1.1 Background and motivation 5
1.2 Policy context: two policy sets pulling in opposite directions 5
1.3 Related literature 6
1.4 Research gap, research questions and contributions 7
1.5 Structure of the paper 8
2. Dataset **8**
2.1 Data sources 8
2.2 Variables 8
2.3 Time period and sample sizes 10
2.4 Outcome: CRF sector 3 emissions 11
2.5 Activity variables 12
2.6 Prices and macroeconomic controls 13
2.7 Regional panel 14
2.8 Policy codebooks 14
2.9 Pre-processing and harmonisation 16
2.10 Descriptive statistics 17
3. Methodology **18**
3.1 Conceptual framework 18
3.2 Research questions and pre-specified hypotheses 18
3.3 Research design and analytical pipeline 19
3.4 Policy indices 20
3.5 Trends and structural breaks (RQ1) 20
3.6 Exact LMDI decomposition (RQ2) 21
3.7 ARDL policy-mix model (RQ3) 22
3.8 Restricted recursive moving-block bootstrap 23
3.9 Dynamic counterfactuals and the offset ratio (RQ3) 23
3.10 Power and minimum detectable effect 23
3.11 Robustness, instrument sub-indices and interrupted time series 23
3.12 Regional difference-in-differences (RQ4b) 24
3.13 Decomposition–regression link 24
3.14 Implications of the 2030 ceiling 25
3.15 Supplementary metric: warming-equivalent methane (GWP*) 25
3.16 Reproducibility and verification 25
4. Results **25**
4.1 Hypothesis scorecard 25
4.2 The policy indices 26
4.3 RQ1: Trends and structural breaks 27

4.4 RQ2: What moved emissions? LMDI decomposition 28
4.5 RQ3: The policy-mix model 30
4.6 RQ3: Counterfactuals and the offset ratio 31
4.7 Robustness, statistical power and timing 32
4.8 RQ4b: Regional difference-in-differences 35
4.9 Mechanism: linking the decomposition to policy 36
4.10 The 2030 sectoral ceiling 37
4.11 Supplementary metric: GWP* 38
5. Discussion 39
5.1 Expansion with little to offset 39
5.2 Timing: 2010, not 2015 39
5.3 Why mitigation did not register 39
5.4 Relation to stakeholder-identified barriers 39
5.5 Policy implications 40
5.6 Limitations 40
6. Conclusion 41
6.1 Future research 41
Declarations 41
Data and Code Availability 41
References 42
Appendix A. Acronyms and Symbols 45
Appendix B. Full Robustness Grid 46
Appendix C. ARDL Lag-Selection Grid 47
Appendix D. Independent Workflow Verification 47
Appendix E. Unit-Root Tests 48

1. Introduction

1.1 Background and motivation

Agriculture is the largest source of greenhouse-gas emissions in Ireland, accounting for 37.9% of the national total in 2024 (Environmental Protection Agency [EPA], 2026). This share is exceptionally high among developed economies. It reflects a grass-based ruminant production system oriented towards export markets for dairy and beef. Since the early 1990s the sector has been subject to a growing body of policy described, wholly or partly, as environmental or climate mitigation. This includes the Rural Environment Protection Scheme (REPS, from 1994), the Nitrates Action Programme (from 2006), successive agri-environment schemes (AEOS, GLAS and ACRES), breeding and efficiency programmes (BDGP, BEEP-S and SCEP), advisory tools such as the Carbon Navigator and, from 2022, direct limits on chemical nitrogen. The Climate Action and Low Carbon Development (Amendment) Act 2021 and the 2022 sectoral emissions ceiling subsequently committed agriculture to a 25% reduction in emissions, relative to 2018, by 2030.

Despite this policy activity, emissions reported under sector 3 of the Common Reporting Format (CRF3) were 19.63 Mt CO_2e in 2024, against 19.76 Mt CO_2e in 1990, a change of −0.65% (Figure 1). The 2024 level was only 5.3% below the 2018 baseline, so most of the required 25% reduction must still be achieved within six years. The flat endpoints conceal a path that was far from flat. Emissions fell through the 2000s to a low of 17.78 Mt CO_2e in 2011 and then rose sharply to 21.27 Mt CO_2e in 2021. Some force pushed them back up.

Two explanations compete. **Explanation A** holds that *mitigation was weak*: instruments were voluntary, under-resourced or slow to take effect. This account is consistent with stakeholder reports of capacity and coordination constraints (Augustenborg et al., 2026) and with Ireland's record as a climate-policy laggard (Torney & O'Gorman, 2019). **Explanation B** holds that *mitigation was offset by expansion*. From 2007 the nitrates derogation permitted higher stocking rates. Milk quotas were raised from 2008 and abolished in 2015. National strategies (Food Harvest 2020 and Food Wise 2025) set quantified growth targets. Under Explanation B, mitigation instruments may have worked yet been cancelled by policies that increased output.

The distinction matters for policy design. If mitigation instruments are ineffective, the remedy is better instruments. If they are effective but cancelled by expansion policy, additional instruments will not close the emissions gap while expansion incentives remain in place. The central research question of this paper is therefore:

> **Does the flat emission path reflect failed mitigation, or mitigation offset by policies that expanded output?**

1.2 Policy context: two policy sets pulling in opposite directions

Table 1 summarises Irish agricultural policy by period from 1990 to 2024. Expansion instruments acted on *how much* was produced, and several of them relaxed binding legal limits. Mitigation instruments acted mainly on *how* it was produced, and most took the form of voluntary contractual schemes. The principal binding mitigation instrument, the Nitrates Action Programme, was designed to protect water quality rather than to reduce greenhouse-gas emissions.

Table 1. Policy context by period, 1990–2024.

Period	Production pressure (expansion)	Mitigation
1990–2004	Coupled suckler-cow, special-beef and ewe premia	REPS agri-environment scheme (from 1994)
2005–2009	CAP decoupling (2005) ends coupled premia; nitrates derogation from 2007; quota increments from 2006 and +2% in 2008	Nitrates Action Programme (S.I. 378/2006); Farm Waste Management Scheme
2010–2014	Food Harvest 2020 (+50% milk volume target); quota increases of 1% a year	REPS run-off; AEOS; Carbon Navigator; Sustainable Dairy Assurance Scheme (2014)
2015–2021	EU milk-quota abolition (31 March 2015); Food Wise 2025; TAMS II dairy equipment grants	GLAS; Beef Data and Genomics Programme; BEEP-S
2021–2024	Food Vision 2030 (mixed goals); derogation renewed and tightened from 2024	Fifth NAP chemical-N limits and protected urea (S.I. 113/2022); ACRES; SCEP. Climate Act 2021 and the 2022 ceiling are event markers

Note. CAP = Common Agricultural Policy; NAP = Nitrates Action Programme; S.I. = Statutory Instrument. Acronyms are defined in full in Table A1.

Five dates are treated as policy events throughout the analysis: decoupling (2005), the first nitrates derogation (2007), Food Harvest 2020 (2010), quota abolition (2015) and the sectoral emissions ceiling (2022).

1.3 Related literature

1.3.1 Evaluating climate policy in agriculture

Cross-country ex post evaluations have estimated the emission effects of climate legislation (Eskander & Fankhauser, 2020) and identified the policy combinations associated with large reductions (Stechemesser et al., 2024). These studies define the treatment as instruments labelled as climate policy, so sectoral policies that raise output enter only as background variation. This matters considerably for agriculture. The main drivers of herd size and nitrogen use in the European Union (milk quotas, coupled payments, derogations and national growth strategies) are not climate instruments at all.

1.3.2 Policy coherence, policy mixes and layering

The policy-coherence literature distinguishes sector–environment interactions that reinforce each other, are neutral or counteract each other (Nilsson et al., 2012). The policy-mix framework stresses that instruments operate jointly and that outcomes are determined by the mix rather than by individual instruments (Rogge & Reichardt, 2016). Scholarship on policy design describes *layering*, in which new goals are added on top of existing instruments without removing contradictory ones (Howlett & Rayner, 2013). Together these frameworks predict that Irish mitigation effort could be neutralised by concurrent expansion policy. They have mostly been applied qualitatively, however, and do not yield an estimate of how large such an offset might be.

1.3.3 Decomposition and the rebound analogy

Index-decomposition analysis, and the LMDI family in particular, splits changes in emissions exactly into activity, structure and intensity effects (Ang, 2015; Ang & Liu, 2001). In energy economics, the share of an efficiency gain that is cancelled by induced demand is known as the *rebound effect* (Greening et al., 2000). The agricultural analogue is the extent to which lower emissions per litre of milk or per animal are cancelled by more litres and more animals. We formalise this concept as the *intensity offset* (Section 3.1).

1.3.4 Evidence for Ireland

Läpple et al. (2022) find that EU milk-quota abolition increased dairy expansion and per-farm emissions despite lower emission intensity. Donnellan et al. (2013) show that the Food Harvest 2020 targets were incompatible with emission-reduction commitments. Balaine et al. (2022) conclude that Ireland's efficiency-based strategy did not offset intensification pressure. Henn et al. (2023) caution that shifts in herd composition alter implied emission factors, so aggregate claims about intensity require care. Augustenborg et al. (2026) identify five stakeholder-perceived barriers to environmental policy implementation in Ireland: policy incoherence, competing political priorities, capacity, financial constraints and planning constraints.

1.4 Research gap, research questions and contributions

The *direction* of each mechanism is therefore established, but the *size* of the offset between expansion and mitigation policy has not been measured. Cross-country evaluations treat non-climate sectoral policy as background, and the policy-coherence literature remains largely qualitative. To our knowledge, no study has placed expansion and mitigation policy on a common scale and quantified how much one offsets the other. Doing so requires (i) a common scale for both policy sets, (ii) an attribution strategy that works with a single national series of about 30 annual observations, and (iii) a link between the accounting decomposition and the policy variables.

The study addresses four research questions, formalised as pre-specified hypotheses in Section 3.2:

- **RQ1.** Do breaks in the emission path coincide with policy changes?
- **RQ2.** Did gains in emission intensity keep pace with growth in scale?
- **RQ3.** Did production pressure offset mitigation?
- **RQ4.** Do effects differ by instrument type and by regional exposure to quota abolition?

The paper makes three contributions:

1. **Measurement.** We construct an annual production-pressure index P, scored on the same implementation × coverage × bindingness (I × C × B) scale that the INPACT approach applies to mitigation (M). The two policy sets become commensurable, and policy incoherence becomes a measurable quantity, the net signal $S = M - P$.
2. **Attribution with a short series.** We combine three designs whose assumptions fail in different ways: structural breaks with exact decomposition, an ARDL policy-mix model with block-bootstrap inference, and a within-Ireland regional DiD. Explicit power analysis allows null results to be interpreted.
3. **Linking decomposition to policy.** We regress the annual LMDI activity and intensity effects on changes in P and M. This tests directly whether expansion operates through scale and mitigation through intensity.

The analysis is confined to Ireland. Quota abolition and CAP reform applied to every EU member state, so no untreated foreign comparator exists. Within-Ireland variation in exposure provides the comparison instead.

1.5 Structure of the paper

The remainder of the paper is organised as follows. Section 2 describes the dataset, including its sources, variables, time coverage, sample sizes and pre-processing. Section 3 sets out the conceptual framework, the pre-specified hypotheses and the estimation methods. Section 4 reports the results in the same order as the sections of the study's interactive results platform. Section 5 discusses the findings, their policy implications and the study's limitations, and Section 6 concludes.

2. Dataset

2.1 Data sources

The analysis draws on 58 raw files from four public agencies, together with the authors' policy codebooks (Table 2). Of these files, 53 are loaded into the analysis; the remaining five duplicate information already loaded and are retained only for provenance. Every series is annual and is read unchanged from the publishing agency. Every loaded file is fingerprinted with the SHA-256 hash algorithm so that the inputs can be verified on each run. A catalogue of 50 source datasets and parameters, with download and documentation links, accompanies the study's online platform.

Table 2. Data sources.

Agency	Product	Form	Content used	Years
Environmental Protection Agency (EPA)	Provisional GHG inventory workbook, 1990–2025	Excel workbook	CRF3 total, five emission categories, three gases	1990–2024
UNFCCC	Ireland Common Reporting Tables (CRT), 2025 submission	34 workbooks, one per inventory year	Dairy/non-dairy CH_4 split, N excretion rates, mineral N 1990–1999	1990–2023
Eurostat	env_air_gge, aei_fm_usefert, livestock-unit (LSU) coefficients	CSV extracts	Species-level CH_4 detail, mineral N 2000–2024, LSU coefficients	1990–2024
Central Statistics Office (CSO)	AAA01/07/09, AKA01, AHA01–05, CPA01, NA002	PxStat CSV	Livestock (national and regional), milk, agricultural prices, CPI, GNI*	1991–2024
Authors	Policy codebooks (pressure_codebook.csv, mitigation_codebook_PROVISIONAL.csv)	CSV	20 instruments scored I × C × B	1990–2024

Note. UNFCCC = United Nations Framework Convention on Climate Change. The mitigation codebook is provisional (see Section 5.6).

2.2 Variables

Table 3 summarises every variable in the annual panel, including its unit, data type, source and coverage. The variables fall into six groups: emissions (the outcome, its categories and gases, and the livestock components used in the decomposition), livestock, milk, nitrogen, prices and macroeconomic controls, and policy indices. Emission variables are continuous annual flows in kilotonnes of CO_2-equivalent (kt CO_2e). Livestock variables are June head counts. Price variables are chain-linked index numbers, and the policy variables are composite indices constructed by the authors (Section 3.4).

Table 3. Dataset summary: variables, units, data types, sources and coverage.

Group	Variable	Unit	Data type	Source	Coverage (*n*)	Role
Emissions	CRF3 agricultural emissions (outcome)	kt CO_2e	Continuous (annual flow)	EPA provisional GHG inventory 1990–2025	1990–2024 (35)	Outcome
	Enteric fermentation (3.A)	kt CO_2e	Continuous (annual flow)	EPA inventory	1990–2024 (35)	Category
	Manure management (3.B)	kt CO_2e	Continuous (annual flow)	EPA inventory	1990–2024 (35)	Category
	Agricultural soils (3.D)	kt CO_2e	Continuous (annual flow)	EPA inventory	1990–2024 (35)	Category
	Liming (3.G)	kt CO_2e	Continuous (annual flow)	EPA inventory	1990–2024 (35)	Category
	Urea application (3.H)	kt CO_2e	Continuous (annual flow)	EPA inventory	1990–2024 (35)	Category
	CRF3 methane (CH_4)	kt CO_2e	Continuous (annual flow)	EPA inventory (gas sheet)	1990–2024 (35)	Gas
	CRF3 nitrous oxide (N_2O)	kt CO_2e	Continuous (annual flow)	EPA inventory (gas sheet)	1990–2024 (35)	Gas
	CRF3 carbon dioxide (CO_2)	kt CO_2e	Continuous (annual flow)	EPA inventory (gas sheet)	1990–2024 (35)	Gas
	Dairy cattle CH_4 (enteric + manure)	kt CO_2e	Continuous (annual flow)	Ireland CRT 2025, Table 3 (3.A.1.a, 3.B.1.a)	1990–2023 (34)	LMDI component
	Non-dairy cattle CH_4 (enteric + manure)	kt CO_2e	Continuous (annual flow)	Ireland CRT 2025, Table 3 (3.A.1.b, 3.B.1.b)	1990–2023 (34)	LMDI component
	Sheep enteric CH_4	kt CO_2e	Continuous (annual flow)	Eurostat env_air_gge (CRF 3.A.2)	1990–2024 (35)	LMDI component
Livestock	Dairy cows (June)	thousand head	Count (June census)	CSO AAA01 / AAA07 / AAA09	1991–2024 (34)	Activity
	Non-dairy cattle (June)	thousand head	Count (June census)	CSO AAA01 / AAA07 / AAA09	1991–2024 (34)	Activity
	Total cattle (June)	thousand head	Count (June census)	CSO	1991–2024 (34)	Activity
	Total sheep (June)	thousand head	Count (June census)	CSO	1991–2024 (34)	Activity
	Livestock units (LU)	thousand LU	Continuous (weighted count)	CSO + Eurostat LSU coefficients	1991–2024 (34)	Activity; 2030 scenario
	LU per non-dairy animal	LU per head	Continuous (ratio)	Derived	1991–2024 (34)	Diagnostic
Milk	Milk intake by processors	million litres	Continuous (annual flow)	CSO AKA01	1992–2024 (33)	Productivity
	Milk yield per cow	litres per cow	Continuous (ratio)	Derived (AKA01 ÷ dairy cows)	1992–2024 (33)	LMDI productivity factor
	Milk fat content	%	Continuous (percentage)	CSO AKA01	1992–2024 (33)	Context
	Milk protein content	%	Continuous (percentage)	CSO AKA01	1992–2024 (33)	Context
Nitrogen	Mineral N fertiliser use	kt N	Continuous (annual flow)	CRT 2025 Table 3.D (1990–99); Eurostat aei_fm_usefert (2000–24)	1990–2024 (35)	LMDI soils activity
	Manure N excreted	kt N	Continuous (annual flow)	CRT 2025 Table 3.B(b) rates × CSO head counts	1991–2023 (33)	LMDI soils activity
	N excretion per dairy cow	kg N/head/yr	Continuous (rate)	CRT 2025 Table 3.B(b)	1990–2023 (34)	Input to manure N
	N excretion per non-dairy animal	kg N/head/yr	Continuous (rate)	CRT 2025 Table 3.B(b)	1990–2023 (34)	Input to manure N
	N excretion per sheep	kg N/head/yr	Continuous (rate)	CRT 2025 Table 3.B(b)	1990–2023 (34)	Input to manure N
Prices & economy	Real milk price index	index, 2020 = 100	Index (chain-linked, real)	CSO AHA01–05 (chain-linked) ÷ CPI	1995–2024 (30)	ARDL control

Group	Variable	Unit	Data type	Source	Coverage (*n*)	Role
	Real fertiliser price index	index, 2020 = 100	Index (chain-linked, real)	CSO AHA01–05 ÷ CPI	1995–2024 (30)	ARDL control
	Real feed price index	index, 2020 = 100	Index (chain-linked, real)	CSO AHA01–05 ÷ CPI	1995–2024 (30)	Robustness
	Milk-to-feed price ratio	ratio	Continuous (ratio)	Derived	1995–2024 (30)	Robustness control
	Consumer price index	index, 2020 = 100	Index (nominal)	CSO CPA01	1990–2024 (35)	Deflator
	Modified GNI (GNI*)	€ million, constant prices	Continuous (monetary)	CSO NA002	1995–2024 (30)	Robustness control
Policy indices	Mitigation index M[b]	index	Composite index	Author coding (INPACT scoring rule)	1990–2024 (35)	Policy
	Production-pressure index P	index	Composite index	Authors' codebook	1990–2024 (35)	Policy
	Net policy signal S = M − P	index	Composite index	Derived	1990–2024 (35)	Policy
	M sub-index: mandatory[b]	index	Composite index	Derived	1990–2024 (35)	Sub-index
	M sub-index: incentive[b]	index	Composite index	Derived	1990–2024 (35)	Sub-index
	M sub-index: voluntary[b]	index	Composite index	Derived	1990–2024 (35)	Sub-index

Note. Coverage gives the first and last year with data and, in parentheses, the number of annual observations in the national panel (1990–2024, 35 years). [b] Based on the provisional mitigation coding. The panel also contains auxiliary series used only for derivations or checks (e.g. nominal prices and agricultural fuel emissions), which are not listed. Regional variables (dairy cows, livestock units and imputed livestock emissions for five constant-boundary units, 1991–2024) are described in Section 2.7.

2.3 Time period and sample sizes

The annual national panel covers 35 years, 1990–2024. Not every variable is available for every year, and every estimator uses the largest common sample for its variables (Section 2.9). Livestock series begin in 1991, milk series in 1992 and agricultural price indices in 1995. The CRT-based dairy split and N-excretion rates end in 2023, because the 2024 CRT submission had not been published at the time of analysis. Table 4 reports the resulting sample for each analysis.

Table 4. Analysis samples by method.

Analysis	Unit of observation	Period	Observations	Binding constraint
Trend tests and structural breaks	Nation-year	1990–2024	35	Full CRF3 series
Exact LMDI decomposition	Annual change	1992–2023	31 annual changes	Milk intake (from 1992); CRT dairy split (to 2023)
ARDL policy-mix model	Nation-year	1997–2024	28	Prices from 1995 plus up to two lags
Interrupted time series	Nation-year	1995–2024	30	Price controls
Decomposition–regression link	Annual change	1997–2023	27	LMDI end year and price lags
Regional DiD (livestock outcomes)	Region-year	1991–2024	170 (5 × 34)	CSO regional livestock series
Regional DiD (imputed emissions)	Region-year	1991–2023	165 (5 × 33)	National implied emission factors (to 2023)
Regional event study	Region-year	2005–2024	5 × 20	Post-classification-break years

2.4 Outcome: CRF sector 3 emissions

The outcome is IPCC/CRF sector 3 (agriculture), measured in kt CO_2e using the 100-year global warming potentials of the IPCC Fifth Assessment Report (AR5; $CH_4 = 28$, $N_2O = 265$; Myhre et al., 2013), which is the metric used in Ireland's national inventory:

$$E_t^{\mathrm{CRF3}} = E_t^{\mathrm{Agriculture}} - E_t^{1.A.4.c.ii} - E_t^{1.A.4.c.iii} = \sum_{c \in \{3A,3B,3D,3G,3H\}} E_{c,t}$$

$$= E_t^{CO_2} + 28\,E_t^{CH_4} + 265\,E_t^{N_2O} \qquad (1)$$

The EPA "Agriculture" row follows the Climate Action Plan definition, which also includes agricultural and forestry fuel combustion (1.A.4.c.ii) and fishing (1.A.4.c.iii); these are subtracted. On every run the result is checked against both the sum of the five reported categories (enteric fermentation 3.A, manure management 3.B, agricultural soils 3.D, liming 3.G and urea application 3.H) and the sum of the three gases, with a discrepancy below 0.0001%. The remaining sector-3 categories are not occurring or not applicable in Ireland. Figure 1 shows the outcome and its composition by category.




Figure 1. Irish agricultural (CRF sector 3) greenhouse-gas emissions by category, 1990–2024, and the linear path to the 2030 sectoral ceiling.

Note. Stacked areas show the five inventory categories in Mt CO_2e (AR5 GWP100); the black line is the CRF3 total. The dashed red line joins 2024 emissions to the 2030 target of 15.5 Mt CO_2e (75% of the 2018 level). Dotted vertical lines mark the five policy events. Data: EPA (2026).

Three inventory vintages are combined. The EPA provisional inventory (2026) provides CRF3, as it is the only source that includes 2024; Eurostat `env_air_gge` provides species-level detail; and the CRT 2025 submission provides the dairy/non-dairy split and fertiliser data for the 1990s. The vintages agree to within 0.01% for 1990–2020 and 0.21% for 2021–2023. The LMDI "other" term absorbs any difference between vintages, so the decomposition remains exact.

2.5 Activity variables

Livestock. The CSO June livestock tables AAA01 (1991–2004), AAA07 (2005–2014) and AAA09 (2015 onwards) cover disjoint years and are stacked without back-filling, so 1990 remains missing. Dairy cows fall by 8.7% at the AAA01→AAA07 switch, whereas total cattle fall by only 0.3%. The CRT shows the same step, which identifies it as a classification change rather than a real fall in the herd. Every model in which the herd enters therefore includes an indicator for 2005. Livestock units (LU) are computed as

$$\mathrm{LU}_t = 1.0 \cdot D_t + \sum_k \lambda_k N_{k,t} + 0.1 \cdot Sh_t, \qquad \lambda_k \in \{0.4, 0.7, 0.8, 1.0\} \qquad (2)$$

where D denotes dairy cows, N_k the CSO non-dairy cattle categories weighted by the Eurostat LSU coefficients λ_k, and Sh sheep. The implied LU per non-dairy animal falls from 0.673 to 0.638 as the herd becomes younger.

Milk. Domestic milk intake by processors (CSO AKA01) begins in 1992. Yield per cow is computed as $\mathrm{yield}_t = \mathrm{milk}_t$ (million litres) $\times 10^3 / D_t$ (thousand head).

Nitrogen. Mineral N fertiliser use is taken from CRT 2025 Table 3.D for 1990–1999 and from Eurostat `aei_fm_usefert` for 2000–2024. Although CRT Table 3.D is headed "t N/year", its values are in kg N: dividing by 1,000 reproduces the Eurostat figures for 2000–2005 exactly. Manure N excreted is

$$N_t^{\text{manure}} = \frac{\text{nex}_t^D D_t + \text{nex}_t^O O_t + \text{nex}_t^{Sh} Sh_t}{10^3} \qquad (3)$$

where O denotes non-dairy cattle and the N-excretion rates (kg N per head per year) are taken from CRT Table 3.B(b). The dairy rate rises from 97.9 (1991) to 108.4 (2023), the non-dairy cattle rate falls from 54.8 to 48.1, and the sheep rate is approximately 7.5. Figure 2 plots the outcome alongside its main activity drivers.




Figure 2. CRF3 emissions and their main activity drivers, 1990–2024.

Note. Each panel has its own vertical scale. The dashed red line in the dairy-cow panel marks the 2004–2005 CSO classification break. Dotted vertical lines mark Food Harvest 2020 (2010) and quota abolition (2015). Data: EPA (2026), CSO, CRT 2025 and Eurostat.

2.6 Prices and macroeconomic controls

Five CSO agricultural price-index vintages (with bases 2000, 2005, 2010, 2015 and 2020) are chain-linked by the overlap method:

$$\tilde{I}_t^{old} = I_t^{old} \cdot \exp\left(\frac{1}{|\mathcal{O}|}\sum_{s\in\mathcal{O}} \ln\frac{I_s^{new}}{I_s^{old}}\right), \qquad p_t^{real} = \frac{\tilde{I}_t}{CPI_t} \times 100 \qquad (4)$$

where $\mathcal{O}$ is the set of overlapping years and real prices are expressed with 2020 = 100. The newest vintage is retained in overlapping years, and the geometric mean treats ratios symmetrically (Eurostat, 2016). The largest overlap deviation across the 20 links is 2.88%. Price series begin in 1995. Modified gross national income (GNI*, CSO NA002) enters one robustness variant. No weather variable is used.

2.7 Regional panel

If quota abolition drove expansion, its effect should be strongest where dairying was already dominant. The 2014/2016 revision of the NUTS3 regions moved County Louth from the Border region to the Mid-East and unified County Tipperary. We therefore construct five constant-boundary units: the West, the Midland and the South-West, whose boundaries are unchanged; **Border + Dublin/Mid-East**, which absorbs Louth's move; and **Mid-West + South-East**, which absorbs the unification of Tipperary. These units sum to the State totals within 0.014% (dairy cows), 0.004% (cattle) and 0.003% (sheep). The regional panel covers 1991–2024. Imputed regional livestock emissions, calculated as head counts multiplied by national implied emission factors per head, are available to 2023.

Exposure to quota abolition is measured as each region's dairy share of all cows in 2010–2014 (Table 5; Figure 3a). Exposure ranges from 16% to 74%, which provides a wide contrast for a continuous-intensity design (Card, 1992).

Table 5. Exposure to quota abolition: dairy share of all cows, 2010–2014.

Region	Dairy share of cows (%)
West	16.3
Midland	35.3
Border + Dublin/Mid-East	38.3
Mid-West + South-East	58.4
South-West	73.7




Figure 3. Regional exposure to quota abolition and the regional dairy herd, 1991–2024.

Note. (a) Dairy share of all cows in 2010–2014 for the five constant-boundary units. (b) Dairy-cow numbers indexed to 2014 = 100. The dashed red line marks the 2004–2005 classification break; the dotted line marks quota abolition. Data: CSO AAA01/07/09.

2.8 Policy codebooks

Twenty instruments are coded: eight production-pressure instruments (P01–P08; Table 6) and twelve mitigation instruments (M01–M12; Table 7). Two framework laws (E01 and E02) are recorded as event markers but are not entered in either index, to avoid double counting. Figure 4 shows the resulting annual score of each instrument.

Table 6. Production-pressure codebook (P).

ID	Instrument	Type	Years	Coverage key (share *s*)	Eligible *e*	Bindingness *B*	Implementation *I*
P01	Coupled livestock premia (suckler cow, special beef, ewe premia)	Incentive	1990–2004	beef_sheep (0.482)	1.00	0.50	1
P02	Milk quota increases (Agenda 2000 increments; Health Check "soft landing")	Conditional	2006–2014	dairy (0.185)	1.00	0.75	0.25 (2006–07); 0.75 (2008); 1 (2009–14)
P03	Nitrates derogation (stocking above 170 kg organic N/ha)	Conditional	2007–2024	dairy (0.194)	0.30[a]	0.75	1 (2007–23); 0.75 (2024)
P04	Food Harvest 2020 (+50% milk volume target)	Strategy	2010–2014	cattle_sheep (0.701)	1.00	0.25	1
P05	EU milk quota abolition	Mandatory removal	2015–2024	dairy (0.216)	1.00	1.00	1
P06	Food Wise 2025 (+65% primary output value)	Strategy	2015–2020	cattle_sheep (0.698)	1.00	0.25	1
P07	Food Vision 2030	Strategy	2021–2024	cattle_sheep (0.702)	1.00	0.25	0.5 (mixed goals)
P08	TAMS II Dairy Equipment Scheme	Incentive	2015–2022	dairy (0.216)	0.15[a]	0.50	1

Note. [a] Provisional eligibility shares, to be replaced with statistics from the Department of Agriculture, Food and the Marine (DAFM). Coverage keys are defined below Table 7.

Table 7. Mitigation codebook (M; provisional coding).

ID	Instrument	Type	Years	Coverage key (share *s*)	Eligible *e*	*B*	Implementation *I*
M01	Rural Environment Protection Scheme (REPS 1–4)	Incentive	1994–2014	n_soils_manure (0.342)	0.40	0.50	0.25 (1994); 0.5 (1995); 1 (1996–2009); 0.5 (2010–13); 0.25 (2014)
M02	Nitrates Action Programme (GAP Regulations)	Mandatory	2006–2024	n_soils_manure (0.354)	1.00	1.00	0.5 (2006); 1 (2007–24)
M03	Farm Waste Management Scheme	Incentive	2006–2009	manure (0.125)	0.40	0.50	1
M04	Agri-Environment Options Scheme (AEOS)	Incentive	2010–2014	n_soils_manure (0.343)	0.10	0.50	1
M05	Carbon Navigator and advisory programmes	Voluntary	2013–2024	cattle_sheep (0.706)	0.20	0.25	1
M06	Sustainable Dairy Assurance Scheme (Origin Green)	Voluntary	2014–2024	dairy (0.207)	0.90	0.25	1
M07	Green Low-Carbon Agri-Environment Scheme (GLAS)	Incentive	2015–2023	n_soils_manure (0.348)	0.35	0.50	0.5 (2015); 1 (2016–22); 0.5 (2023)
M08	Beef Data and Genomics Programme (BDGP)	Incentive	2015–2020	beef_sheep (0.482)	0.50	0.50	1
M09	Beef Environmental Efficiency Programme – Sucklers (BEEP-S)	Incentive	2020–2022	beef_sheep (0.439)	0.30	0.50	1
M10	Chemical N reduction measures (fifth NAP limits; protected urea; LESS)	Mandatory	2022–2024	fertiliser (0.083)	1.00	1.00	0.5 (2022); 1 (2023–24)
M11	Agri-Climate Rural Environment Scheme (ACRES)	Incentive	2023–2024	n_soils_manure (0.323)	0.35	0.50	1
M12	Suckler Carbon Efficiency Programme (SCEP)	Incentive	2023–2024	beef_sheep (0.420)	0.30	0.50	1

Note. Event markers not entered in the indices: E01, the Climate Action and Low Carbon Development (Amendment) Act 2021 (Act No. 32 of 2021); E02, the agriculture sectoral emissions ceiling of July 2022 (−25% by 2030 against 2018). Coverage keys denote the share of CRF3 in the targeted activity: *dairy* = dairy CH_4; *beef_sheep* = non-dairy cattle and sheep CH_4; *cattle_sheep* = all cattle and sheep CH_4; *n_soils_manure* = agricultural soils and manure management; *manure* = manure management; *fertiliser* = direct N_2O from mineral N plus urea CO_2.




Figure 4. Annual policy scores (x = I × C × B) by instrument, 1990–2024.

Note. (a) The eight production-pressure instruments, whose sum is the index P. (b) The twelve mitigation instruments, whose sum is the index M. Darker cells indicate higher scores. Mitigation scores are based on provisional coding. Instrument names are abbreviated; see Table 6, Table 7 and Table A1.

2.9 Pre-processing and harmonisation

The raw files were processed into the analysis panels in the following steps. Each step is re-checked by an independent verification script (Section 3.16; Table D1).

1. **Loading and provenance.** Each raw file is read unchanged and its SHA-256 hash is recorded. The only provisional input loaded is the placeholder second-coder file used for the inter-coder reliability statistic.
2. **Emissions boundary.** CRF3 is derived from the EPA "Agriculture" row by subtracting agricultural fuel and fishing (Equation 1) and reconciled with the category and gas totals.
3. **Inventory vintages.** EPA, Eurostat and CRT series are combined as described in Section 2.4. Differences between vintages are left in the LMDI "other" term rather than adjusted.
4. **Livestock stacking.** The three CSO livestock tables are stacked on their disjoint years. The 2004–2005 classification break is retained in the data and modelled with an indicator, not smoothed.
5. **Constant-boundary regions.** NUTS3 regions are aggregated to the five constant-boundary units described in Section 2.7.
6. **Unit corrections.** CRT Table 3.D fertiliser values are converted from kg N to tonnes N (division by 1,000).
7. **Price chain-linking and deflation.** The five CSO price vintages are linked by the overlap method and deflated by the CPI (Equation 4).

8. **Derived variables.** Livestock units, milk yield, manure N and the policy indices M, P and S are computed from the harmonised series (Equations 2, 3, 5 and 6).
9. **Missing data.** Missing years are **never** interpolated, back-cast or set to zero. Inventory notation keys (NO, NE and NA) are converted to missing values. Each estimator uses the largest common sample and reports it. Because the 2024 CRT had not been published, the CRT-based dairy split and N-excretion rates end in 2023 and are not imputed. The LMDI decomposition and the regional emission series therefore end in 2023, whereas CRF3 runs to 2024.

2.10 Descriptive statistics

Table 8 reports selected series at key years together with their peaks and troughs.

Table 8. Selected series, 1990–2024.

Variable	Unit	1990 / first	2000	2010	2015	2018	2024 / last	Peak (year)	Trough (year)
CRF3 emissions	kt CO_2e	19,760	20,321	18,166	19,346	20,728	19,631	21,657 (1998)	17,780 (2011)
Enteric fermentation	kt CO_2e	12,480	12,685	11,205	12,226	12,917	12,696	–	–
Agricultural soils	kt CO_2e	4,393	4,715	4,154	4,155	4,693	3,903	–	–
Manure management	kt CO_2e	2,435	2,463	2,281	2,500	2,567	2,406	–	–
Dairy cows	thousand head	1,331 (1991)	1,178	1,071	1,296	1,481	1,624	1,647 (2023)	1,055 (2005)
Non-dairy cattle	thousand head	5,581 (1991)	5,860	5,536	5,668	5,868	5,559	6,406 (1998)	5,376 (2011)
Sheep	thousand head	8,888 (1991)	7,555	4,745	5,139	5,109	5,176	8,898 (1992)	4,745 (2010)
Livestock units	thousand LU	5,975 (1991)	5,924	5,221	5,452	5,757	5,686	6,378 (1998)	5,106 (2011)
Milk intake	million L	5,106 (1992)	5,012	5,173	6,395	7,585	8,428	8,825 (2022)	4,785 (2009)
Milk yield	L per cow	3,996 (1992)	4,256	4,831	4,935	5,122	5,190	5,459 (2021)	3,996 (1992)
Mineral N fertiliser	kt N	379	408	338	331	408	310	443 (1999)	281 (2023)
Mitigation index M	index	0.000	0.068	0.405	0.586	0.617	0.638	0.683 (2020)	0.000 (1990)
Pressure index P	index	0.241	0.241	0.358	0.450	0.450	0.336	0.450 (2015–20)	0.000 (2005)
Net signal S	index	−0.241	−0.172	0.047	0.136	0.167	0.302	0.369 (2007)	−0.241 (1990)

Note. CRF3 and its categories are expressed in AR5 GWP100. “First” values are reported where a series starts after 1990 (year in parentheses).

Composition. In 2024 enteric fermentation accounted for 64.7% of CRF3 (63.2% in 1990), agricultural soils for 19.9% (22.2%), manure management for 12.3% (12.3%), liming for 2.3% and urea for 0.9% (Figure 1). By gas, methane accounted for 74.1% (72.3% in 1990), nitrous oxide for 22.7% (25.4%) and CO_2 for 3.2%. Dairy-cattle methane rose from 19.6% of CRF3 in 1995 to 23.3% in 2015 and 29.2% in 2023. Nitrous oxide from soils tracks fertiliser use, which peaked in 1999 (Figure 2).

3. Methodology

3.1 Conceptual framework

The framework rests on an accounting identity: emissions equal activity multiplied by intensity (Figure 5). Production-pressure policy (the derogation, quota increases and abolition, growth strategies and TAMS capital grants) is expected to *raise* activity, that is, herd size, nitrogen use and milk volume. Mitigation policy (nitrates rules, agri-environment schemes, genetics programmes and advisory tools) is expected to *lower* intensity, that is, emissions per litre, per head and per kg N. Total emissions fall only if intensity falls faster than activity grows. Expansion policies act on *how much* is produced, whereas Irish mitigation policy has mostly acted on *how* it is produced.




Figure 5. Conceptual framework: production pressure acts on activity, mitigation acts on intensity.

Note. CRF3 emissions are the product of activity and emission intensity. The framework predicts that P raises activity and M lowers intensity; the decomposition–regression link (Section 3.13) tests both predictions.

Intensity offset. Over any period with positive scale growth, we define the intensity offset (IO) as

$$IO = \frac{-\Delta E^{\text{intensity}}}{\Delta E^{\text{activity}} + \Delta E^{\text{productivity}}} \qquad (5)$$

IO is the share of scale-driven emission growth that is cancelled by lower emissions per unit. A value of IO = 1 means that efficiency gains exactly cancelled growth, and IO < 1 means that efficiency gains did not keep pace with expansion. The latter is the agricultural analogue of a rebound effect above 100% in energy economics (Greening et al., 2000). IO is defined only when $\Delta E^{\text{activity}} + \Delta E^{\text{productivity}} > 0$.

Policy incoherence as a measurable quantity. With M and P on one scale, the net policy signal is $S_t = M_t - P_t$. If P and M rise in the same period, S understates mitigation effort. This makes the sector–environment incoherence described by Nilsson et al. (2012) and the layering described by Howlett and Rayner (2013) measurable.

3.2 Research questions and pre-specified hypotheses

The hypotheses and decision rules were fixed in the analysis code before estimation (Table 9). With about 28 usable annual observations, every test uses a significance level of α = 0.10. The rules are applied mechanically: a hypothesis is "supported" only if its pre-registered condition holds.

Table 9. Research questions, hypotheses, tests and decision rules.

RQ	Question	Hypothesis	Primary test	Supported if
RQ1	Do breaks in the emission path coincide with policy changes?	H1: an endogenous break lies within ±1 year of 2010 (Food Harvest 2020) or 2015 (quota abolition)	Bai–Perron structural breaks with bootstrap UDmax	UDmax $p < 0.10$ and a break date within ±1 year
RQ2	Did intensity gains keep pace with scale growth?	H2: intensity offset IO < 1 after 2015 (efficiency did not keep pace)	Exact LMDI decomposition; decomposition–regression link	IO < 1 across the range of dairy emission factors
RQ3	Did production pressure offset mitigation?	H3a: $\theta_M < 0$ (mitigation lowers emissions); H3b: $\theta_P > 0$ (pressure raises emissions); H3c: offset ratio ≥ 0.5	ARDL long-run multipliers, restricted block bootstrap, dynamic counterfactuals	One-sided bootstrap $p < 0.10$; for H3c, the 90% interval of the pressure effect excludes zero
RQ4	Do effects differ by instrument type and by regional exposure?	H4a: mandatory instruments have the largest negative effect; H4b: more dairy-exposed regions expanded more after 2015	Sub-index ARDL; within-Ireland regional DiD	$p < 0.10$ with the predicted sign; placebo not significant

Dimensions of policy success. Following Marsh and McConnell (2010), we distinguish three dimensions of policy success. *Programme* success asks whether instruments changed outcomes and is tested by RQ1–RQ4. *Process* success asks whether instruments were implemented as designed and is captured by the implementation score I. *Political* success asks whether instruments survived competing priorities and is discussed in relation to the five stakeholder-identified barriers of Augustenborg et al. (2026).

3.3 Research design and analytical pipeline

No single method can identify a causal policy effect from one national series of about 28 usable observations. The study therefore combines three designs whose identifying assumptions fail in different ways, so that inference rests on their agreement rather than on any single estimate (Lawlor et al., 2016; Munafò & Davey Smith, 2018):

- **Design A (descriptive):** trends, structural breaks and decomposition, using Mann–Kendall and Theil–Sen trend tests, Bai–Perron breaks with a bootstrap UDmax test, and exact LMDI-I decomposition. This design answers RQ1 and RQ2.
- **Design B (policy-mix time series):** an ARDL(1,0,2) model estimated over 1997–2024 (n = 28), with restricted bootstrap p-values, dynamic counterfactuals and power and minimum-detectable-effect (MDE) analysis. This design answers RQ3 and RQ4a.
- **Design C (within-Ireland comparison):** a regional DiD across five constant-boundary regions, with exposure defined as the pre-2015 dairy share and inference by randomisation. This design answers RQ4b.

The pipeline runs in six stages: (1) loading and hashing the raw files; (2) harmonisation (CRF3 boundary, livestock stacking, regions and price chain-linking); (3) construction of the annual panel (1990–2024) and the regional panel (5 regions × 1991–2024); (4) construction of the policy indices M, P and S; (5) estimation (structural breaks, LMDI, ARDL with bootstrap, counterfactuals, power

analysis, DiD and 2030 scenarios); and (6) export and verification (34 result sheets, 7 figures and 30 independent checks).

3.4 Policy indices

Each policy *p* receives an annual score

$$x_{pt} = I_{pt}\, C_p\, B_p, \qquad C_p = s_{a(p),\, t_p^0 - 1}\, e_p \qquad (6)$$

where:

- **I** is implementation, scored on a five-point grid {0, 0.25, 0.5, 0.75, 1};
- **C** is coverage, $s \times e$, where s is the share of CRF3 in the targeted activity $a(p)$ in the year *before* the policy starts ($t^0_p - 1$) and e is the eligible fraction;
- **B** is bindingness: 0.25 for information, voluntary schemes or strategy targets; 0.5 for incentive payments; 0.75 for the conditional relaxation of a legal limit; and 1.0 for a mandatory rule or the removal of a legal cap.

The product is non-compensatory: a policy counts only if it is in force, covers emissions and carries a signal (OECD et al., 2008). The indices are

$$M_t = \sum_{p \in \mathcal{M}} x_{pt}\,, \qquad P_t = \sum_{q \in \mathcal{P}} x_{qt}\,, \qquad S_t = M_t - P_t \qquad (7)$$

Why coverage is fixed before adoption. If coverage were measured in each year, a policy that expanded dairying would raise the dairy share and thereby its own weight. Fixing exposure weights before treatment is standard practice in shift-share designs (Goldsmith-Pinkham et al., 2020).

Inter-coder reliability. A linearly weighted Cohen's kappa is computed on the five-point grid (Cohen, 1968):

$$\kappa_w = 1 - \frac{\sum_{ij} w_{ij}\, O_{ij}}{\sum_{ij} w_{ij}\, E_{ij}}, \qquad w_{ij} = \frac{|i - j|}{k - 1} \qquad (8)$$

where O_{ij} is the observed share of policy-years that coder 1 placed in category i and coder 2 in category j, and E_{ij} is the share expected under independent scoring. Kappa is computed separately for implementation and bindingness. **The second coding is currently a provisional placeholder pending independent blind coding.** The reported values (implementation $\kappa_w = 0.60$ over 75 policy-years; bindingness $\kappa_w = 1.00$ over 8 policies) are therefore illustrative only. [AUTHOR INPUT REQUIRED: independent blind second coding of the P codebook, to replace the placeholder kappa values.]

3.5 Trends and structural breaks (RQ1)

Monotonic trend. With $y_t = \ln E_t$, we compute the Mann–Kendall statistic with the Hamed–Rao variance correction for autocorrelation, together with the Theil–Sen slope:

$$S = \sum_{i<j} \operatorname{sgn}(y_j - y_i), \qquad Z = \frac{S - \operatorname{sgn}(S)}{\sqrt{\operatorname{Var}^*(S)}}, \qquad \operatorname{Var}^*(S) = \operatorname{Var}(S) \cdot \frac{n}{n_s^*} \qquad (9)$$

$$\hat{\beta}_{\text{Sen}} = \text{median}_{i<j} \frac{y_j - y_i}{j - i}, \qquad \%\ \text{per year} = 100\,(e^{\hat{\beta}} - 1) \qquad (10)$$

The factor n/n^*_s inflates the variance under positive autocorrelation, which would otherwise overstate significance (Hamed & Rao, 1998; Yue et al., 2002).

Structural breaks. A Bai–Perron segmented-trend model,

$$\ln E_t = \alpha_j + \delta_j t + u_t, \qquad T_{j-1} < t \le T_j, \quad j = 1, \dots, m+1 \qquad (11)$$

is estimated by global minimisation of the sum of squared residuals (SSR). Closed-form segment SSRs are combined by dynamic programming for m = 1, …, 4 breaks with a minimum segment length of h = 5 years (trimming $\varepsilon \approx 0.15$ of n = 35; Bai & Perron, 2003). The number of breaks is selected by

$$\text{BIC}(m) = n \ln \frac{SSR_m}{n} + [2(m+1) + m] \ln n \qquad (12)$$

The presence of any break is tested with

$$\text{UDmax} = \max_{1 \le m \le 4} F(m), \qquad F(m) = \frac{(SSR_0 - SSR_m)/2m}{SSR_m/(n - 2(m+1))} \qquad (13)$$

Asymptotic critical values are unreliable at n = 35 (Diebold & Chen, 1996). The p-value is therefore obtained from a parametric bootstrap. The null model (a single trend with AR(1) errors) is fitted, 999 series are simulated under the null, UDmax is recomputed for each, and p = (1 + #{UDmax* ≥ UDmax})/(B + 1). Ninety-percent intervals for the break dates are obtained from a residual bootstrap of the selected model (499 draws). Known-date Chow tests at 2010 and 2015 complement the search.

3.6 Exact LMDI decomposition (RQ2)

Emission components are written as exact products of factors:

$$E^{dairy} = D \times \frac{\text{milk}}{D} \times \frac{E^{dairy}}{\text{milk}}, \qquad E^{other} = O \times \frac{E^{other}}{O}, \qquad E^{sheep} = Sh \times \frac{E^{sheep}}{Sh},$$
$$E^{soils} = N^{fert} \cdot \frac{E^{soils}}{N^{fert} + N^{man}} + N^{man} \cdot \frac{E^{soils}}{N^{fert} + N^{man}}, \qquad E^{other\ cat.} = E^{CRF3} - \sum_i E_i \qquad (14)$$

where, for dairy, the three factors are herd size, yield and emissions per litre. The additive LMDI-I form gives

$$\Delta E^k = \sum_i L\left(E_i^T, E_i^0\right) \ln \frac{x_{ik}^T}{x_{ik}^0}, \qquad L(a,b) = \frac{a-b}{\ln a - \ln b}, \quad L(a,a) = a \qquad (15)$$

and because $\ln \prod_k x_k = \Sigma_k \ln x_k$,

$$\sum_k \Delta E^k = \sum_i L\,(E_i^T, E_i^0) \ln \frac{E_i^T}{E_i^0} = \sum_i \left(E_i^T - E_i^0\right) = E^T - E^0 \qquad (16)$$

so the decomposition has no residual (Ang, 2015; Ang & Liu, 2001). The verified residual is 1.9×10^{-11} kt. Factors are grouped into *activity* (herd sizes and N inputs), *productivity* (milk per cow), *intensity* (emissions per litre, per head and per kg N) and *other* (other categories and differences

between inventory vintages). Effects are chained year by year from 1992, the first year with milk data, to 2023, the last year of the CRT dairy split. They are summed within five policy phases: P1, coupled support (1992–2004); P2, decoupling and derogation (2004–2009); P3, Food Harvest and quota increases (2009–2014); P4, post-quota expansion (2014–2021); and P5, sectoral ceiling (2021–2023). Soil N_2O is allocated to mineral and manure N in proportion to inputs, using a single implied N_2O intensity per kt N. Sensitivity to the dairy/non-dairy emission-factor ratio is checked at 1.8, 2.2 and 2.6, a range that brackets the CRT ratio of 2.2–2.85.

The decomposition is an accounting identity. It shows *what* moved emissions, not *which policy* caused the movement. Changes in inventory methodology also appear as changes in intensity even when farm practice is unchanged.

3.7 ARDL policy-mix model (RQ3)

The policy-mix model is

$$\ln E_t = \alpha + \tau t + \sum_{i=1}^{p} \phi_i \ln E_{t-i} + \sum_{j=0}^{q_M} \beta_j M_{t-j} + \sum_{j=0}^{q_P} \gamma_j P_{t-j} + \lambda' X_t + \varepsilon_t \qquad (17)$$

where X_t contains the log real milk price and the log real fertiliser price, the main output- and input-market drivers. The linear trend prevents the two rising indices from absorbing smooth drift, and the lagged dependent variable captures the slow adjustment of herds and soil-N pools. The ARDL framework is valid whether the regressors are I(0), I(1) or cointegrated (Pesaran et al., 2001).

Lag selection. All 18 candidate specifications, with $p \in \{0, 1\}$ and $q_M, q_P \in \{0, 1, 2\}$, are estimated on the *same* sample (1997–2024, $n = 28$), because prices start in 1995 and up to two lags are allowed. The small-sample criterion AICc = AIC + $2k(k + 1)/(n - k - 1)$ selects **ARDL(1, 0, 2)**:

$$\ln E_t = \alpha + \tau t + \phi \ln E_{t-1} + \beta_0 M_t + \gamma_0 P_t + \gamma_1 P_{t-1} + \gamma_2 P_{t-2} + \lambda' X_t + \varepsilon_t \qquad (18)$$

Long-run multipliers. The long-run effects of the two indices are

$$\theta_M = \frac{\sum_j \beta_j}{1 - \sum_i \phi_i}, \qquad \theta_P = \frac{\sum_j \gamma_j}{1 - \sum_i \phi_i} \qquad (19)$$

with delta-method variances $\mathrm{Var}(\hat{\theta}) \approx \nabla\theta' \, \hat{V}_{\mathrm{HAC}} \, \nabla\theta$, where $\partial\theta_P/\partial\gamma_j = 1/(1 - \varphi)$ and $\partial\theta_P/\partial\varphi = \Sigma_j\gamma_j/(1 - \varphi)^2$. $\hat{V}_{\mathrm{HAC}}$ is the Newey–West covariance matrix with two lags and a small-sample correction (rule of thumb $0.75T^{1/3} \approx 2.3$; Newey & West, 1987; Stock & Watson, 2020). A sustained change of 0.1 in an index changes long-run emissions by $100(e^{0.1\theta} - 1)$ percent.

Bounds test and diagnostics. The Pesaran–Shin–Smith bounds test (case V, unrestricted intercept and trend, $k = 4$) is applied to

$$\Delta y_t = c + \tau t + \pi_y y_{t-1} + \pi_M M_{t-1} + \pi_P P_{t-1} + \pi_X' X_{t-1} + \sum \psi \, \Delta(\cdot) + u_t, \qquad H_0: \pi_y = \pi_M = \pi_P = \pi_X = 0 \qquad (20)$$

An F statistic above the I(1) bound indicates a level relationship. Residual diagnostics comprise the Breusch–Godfrey test (two lags), the Jarque–Bera test, the Breusch–Pagan test, the RESET test and

the CUSUM test. Augmented Dickey–Fuller (ADF) and KPSS unit-root tests characterise the order of integration of each variable.

3.8 Restricted recursive moving-block bootstrap

With 28 observations, textbook HAC *t*-tests reject too often. In Monte Carlo simulation, a nominal 10% HAC test rejects 15% of the time for θ_M and 32% of the time for θ_P when the true effect is zero (cf. Kiefer & Vogelsang, 2005). The decisive *p*-values are therefore obtained from a bootstrap that imposes the null hypothesis (Davidson & MacKinnon, 2000; Li & Maddala, 1996):

1. Re-estimate the model without the tested index *v* (the null model, H_0: $\theta_v = 0$).
2. Centre the residuals of the null model and cut them into overlapping blocks of length 3, which preserves serial dependence ($\approx T^{1/3}$; Hall et al., 1995).
3. Draw blocks with replacement to form a new residual series ε*.
4. Generate pseudo-emissions recursively from the null model: $y^*_t = \hat{\alpha} + \hat{\tau}t + \hat{\varphi}y^*_{t-1} + \Sigma_{w\neq v}\, \hat{b}'_w w_t + \hat{\lambda}'X_t + \varepsilon^*_t$.
5. Re-estimate the full ARDL (including *v*) on *y** and record θ^*_v.
6. Repeat $B = 999$ times and compute the one-sided *p*-value $p^*_v = (1 + \#\{\theta^*_v \text{ beyond } \hat{\theta}_v\})/(B + 1)$, testing $\theta_M < 0$ for H3a and $\theta_P > 0$ for H3b.

The choice $B = 999$ makes $\alpha(B + 1)$ an integer. Robustness variants use $B = 299$ and the sub-indices $B = 499$. A single random-number generator seeded at 20261019 makes every draw reproducible.

3.9 Dynamic counterfactuals and the offset ratio (RQ3)

To express the coefficients in tonnes, each index is frozen at its level in the year $t_0 = 2000$ and the fitted dynamics are propagated forward:

$$\Delta_{v,t} = \sum_i \phi_i \, \Delta_{v,t-i} + \sum_j b_{v,j} \, \left(v_{t-j} - v_{t_0}\right), \qquad E_t^{cf} = E_t \, e^{-\Delta_{v,t}}, \qquad OR_T = \frac{\Delta_{P,T}}{-\Delta_{M,T}} \qquad (21)$$

where $\Delta_{v,t}$ is the log-point effect of index *v* in year *t* and $b_{v,j}$ are its lag coefficients. The **offset ratio** (OR) is defined only when the mitigation effect is negative, by analogy with the rebound effect. Ninety-percent intervals are obtained from an *unrestricted* block bootstrap (999 draws).

3.10 Power and minimum detectable effect

To interpret null results, we (i) set a true long-run effect |θ| on the grid {0, 0.1, 0.2, 0.3, 0.5, 0.75, 1, 1.5}; (ii) simulate 500 emission series from the fitted model with that θ, using the observed paths of M, P and X and block-resampled residuals; (iii) re-estimate the full model on each series and record the *t*-statistic; (iv) take the 90th percentile at θ = 0 as the size-adjusted critical value; and (v) compute power(θ) as the share of *t*-statistics above that value. The MDE is the smallest |θ| with 80% power, found by linear interpolation (Bloom, 1995; Gelman & Carlin, 2014).

3.11 Robustness, instrument sub-indices and interrupted time series

Robustness grid. We estimate fourteen pre-specified variants and eight leave-one-policy-out runs (Table B1). The rule, fixed in advance, is that a sign is **robust** if it holds in at least 80% of the estimable variants.

Sub-indices by instrument type (RQ4a). Each mitigation sub-index $s \in$ {mandatory, incentive, voluntary} is estimated in turn, with the remainder of M and the pressure index held as controls (bootstrap $B = 499$):

$$\ln E_t = \cdots + \beta^s M_t^s + \beta^{rest}(M_t - M_t^s) + \sum_j \gamma_j P_{t-j} + \cdots \qquad (22)$$

Interrupted time series at pre-specified dates. The segmented regression

$$y_t = \beta_0 + \beta_1 t + \sum_{e \in \{2010,2015,2022\}} [\lambda_e \mathbf{1}(t \geq e) + \delta_e (t - e + 1)\, \mathbf{1}(t \geq e)] + \lambda' X_t + u_t \qquad (23)$$

estimates a level change λ_e and a slope change δ_e at each event e (Bernal et al., 2017). The outcomes are ln CRF3 and ln dairy cows, the latter with a post-2005 indicator. The sample is 1995–2024 with HAC standard errors. The 2022 event has only three post-event years and is treated as descriptive.

3.12 Regional difference-in-differences (RQ4b)

If quota abolition drove expansion, regions in which dairying was already dominant should have expanded more after 2015. We estimate a continuous-exposure DiD model:

$$y_{rt} = \alpha_r + \gamma_t + \beta \left(\text{Exp}_r - \overline{\text{Exp}}\right) \mathbf{1}[t \geq 2015] + \mu_r \mathbf{1}[t \geq 2005] + \kappa_r t + u_{rt} \qquad (24)$$

where α_r are region effects; γ_t are year effects that absorb all national influences (policy, prices and weather); μ_r absorb the CSO classification break; and $\kappa_r t$ are region-specific trends, which are included in a second specification. Exposure is the region's dairy share of all cows in 2010–2014, and β is scaled per 10 percentage points. The outcomes are log dairy cows, log livestock units and log imputed livestock emissions.

Inference with five clusters. Conventional cluster-robust standard errors are unreliable with five clusters (Cameron et al., 2008). **Randomisation inference** therefore reassigns the five exposure values across regions in all 5! = 120 permutations (Fisher, 1935; Young, 2019):

$$p_{RI} = \frac{1}{120} \sum_{\pi \in S_5} \mathbf{1}\left(|\hat{\beta}_\pi| \geq |\hat{\beta}|\right) \qquad (25)$$

The **wild cluster bootstrap** imposes $\beta = 0$ and flips residuals by region using Webb's six-point weights, $y^*_{rt} = \hat{y}^{(0)}_{rt} + \hat{u}^{(0)}_{rt}\, w_r$ with $w_r \in \{\pm\sqrt{1.5}, \pm 1, \pm\sqrt{0.5}\}$ (Webb, 2023; $B = 999$).

Placebo test and event study. A placebo test dates "abolition" to 2010 using pre-2015 data only; a significant placebo signals differential pre-trends (Rambachan & Roth, 2023). The event-study specification is

$$y_{rt} = \alpha_r + \gamma_t + \sum_{k \neq 2014} \beta_k \frac{\text{Exp}_r - \overline{\text{Exp}}}{0.10} \mathbf{1}[t = k] + u_{rt}, \qquad 2005 \leq t \leq 2024 \qquad (26)$$

3.13 Decomposition–regression link

To connect the accounting decomposition with policy, the annual LMDI effects are regressed on changes in the indices:

$$\Delta E_t^k = c + \sum_{j=0}^{1} \pi_j^k \, \Delta P_{t-j} + \sum_{j=0}^{1} \rho_j^k \, \Delta M_{t-j} + \psi' \Delta X_t + \omega \, d_{2005} + \nu_t \qquad (27)$$

for $k \in$ {activity, dairy-herd activity, intensity}. The framework predicts $\Sigma\pi > 0$ for activity and $\Sigma\rho < 0$ for intensity. Estimation uses Newey–West standard errors over 1997–2023 ($n = 27$), and results are reported per 0.1 index units.

3.14 Implications of the 2030 ceiling

The livestock numbers compatible with the 2030 sectoral ceiling are computed as

$$E_{2030}^* = 0.75 \, E_{2018}, \qquad I_{2030} = \frac{E_{2024}}{LU_{2024}} \, e^{6g}, \qquad LU_{2030}^* = \frac{E_{2030}^*}{I_{2030}} \qquad (28)$$

where g is the annual log change in emissions per livestock unit. Scenarios use the 2012–2024 Theil–Sen trend or annual reductions of 1%, 2% and 3%. Because the statutory ceiling also covers agricultural fuel, applying it to CRF3 is an approximation.

3.15 Supplementary metric: warming-equivalent methane (GWP*)

As a supplementary perspective, methane is also expressed in CO_2-warming-equivalents using GWP* (Smith et al., 2021):

$$E_t^* = 4.53 \, E_t^{CH_4} - 4.25 \, E_{t-20}^{CH_4} \qquad (29)$$

The outcome throughout the main analysis remains GWP100.

3.16 Reproducibility and verification

A single notebook (`ireland_agri_ghg_analysis.ipynb`) runs the complete analysis, from the raw files to every table and figure, with a fixed random seed (20261019); a full run takes about five minutes. An independent script re-derives every stage. All 30 verification checks pass (Table D1). They include re-hashing the 53 loaded files, exact CRF3 identities, the chain-link fit, an exact LMDI residual, an independent ordinary least squares (OLS) reproduction of θ_M and θ_P, and the 2030 target arithmetic.

4. Results

The results are presented in the same order as the sections of the study's interactive results platform. Section 4.1 summarises the verdicts on the pre-specified hypotheses. Sections 4.2–4.11 then report, in turn, the policy indices, the trend and break analysis (RQ1), the decomposition (RQ2), the policy-mix model and its counterfactuals (RQ3), robustness, power and timing (including RQ4a), the regional design (RQ4b), the mechanism link, the 2030 ceiling and the GWP* supplement.

4.1 Hypothesis scorecard

Table 10 reports the verdict on each pre-specified hypothesis under the decision rules of Table 9.

Table 10. Verdicts on the pre-specified hypotheses.

Hypothesis	Statement	Verdict	Evidence
H1	Breaks at 2010 or 2015	Not supported	Three breaks (2000, 2012, 2020); none within ±1 year of a policy date
H2	Intensity offset < 1 after 2015	Supported	IO = 0.32 (0.21–0.33 across emission-factor ratios)
H3a	Mitigation lowers emissions ($\theta_M < 0$)	Not supported	$\theta_M = +0.47$, bootstrap $p = 0.985$
H3b	Pressure raises emissions ($\theta_P > 0$)	Supported	$\theta_P = +0.69$, bootstrap $p = 0.032$
H3c	Offset ratio ≥ 0.5	Undefined	The mitigation effect is not negative, so the offset ratio cannot be computed
H4a	Mandatory instruments have the strongest effect	Not supported	All M sub-indices positive, $p > 0.8$
H4b	Exposed regions expanded more after 2015	Not supported	Significant placebo: divergence began before 2015

The headline result is that expansion left a measurable footprint, whereas mitigation left too little effect to be offset. A sustained 0.1-unit rise in production pressure raised long-run emissions by about 7%, adding 12.5 Mt CO_2e over 2000–2024. The largely voluntary, intensity-oriented mitigation portfolio shows no detectable effect on total emissions.

4.2 The policy indices

Figure 6 plots the annual mitigation index M, the production-pressure index P and the net signal S. The mitigation index rose from 0.07 in 2000 to 0.64 in 2024. The pressure index rose from 0.24 to 0.34, and the net signal moved from −0.17 to +0.30. P was high until 2004, while coupled headage premia were in force, collapsed to zero with decoupling in 2005, and was then rebuilt through the derogation, the quota increases and Food Harvest 2020. The largest one-year rise in P (+0.175) occurred in 2010, when Food Harvest 2020 was added to the quota increments. P peaked at 0.45 in 2015–2020. M rose in two steps: with the Nitrates Action Programme in 2006–2007 (from 0.07 to 0.45), and with GLAS and the beef schemes in 2015–2016 (from 0.47 to 0.62). M reached its maximum of 0.68 in 2020.




Figure 6. Mitigation index M, production-pressure index P and net signal S, 1990–2024.

Note. Each index is the sum of the instrument scores x = I × C × B shown in Figure 4. S above zero indicates that mitigation outweighs pressure on the common scale. Dotted vertical lines mark the five policy events. M is based on provisional coding.

Because both indices rose between 2005 and 2020, the net signal grew far less than mitigation effort. S was 0.05 in 2010 and only 0.17 in 2016, even though M had risen to 0.62 by then. This pattern is policy incoherence made measurable. By instrument type, the mandatory sub-index dominates M by 2024 (0.44 of 0.64), followed by the incentive sub-index (0.12, down from a 2020 peak of 0.25) and the voluntary sub-index (0.08).

4.3 RQ1: Trends and structural breaks

Over the full period there is no monotonic trend. The Theil–Sen slope is −0.06% per year (Mann–Kendall $z = -0.60$, $p = 0.55$; Hamed–Rao-corrected $z = -0.34$, $p = 0.73$). Sub-period trends, by contrast, are strongly significant and opposite in sign (Table 11).

Table 11. Mann–Kendall trend tests on ln CRF3.

Test	*S*	*z*	*p*	Sen slope (% per year)
Mann–Kendall (original), 1990–2024	−43	−0.60	0.551	−0.06
Mann–Kendall (Hamed–Rao), 1990–2024	−43	−0.34	0.731	−0.06
Hamed–Rao, 1990–1998	36	3.65	< 0.001	+1.22
Hamed–Rao, 1998–2011	−87	−4.71	< 0.001	−1.43
Hamed–Rao, 2011–2018	28	3.34	< 0.001	+2.25
Hamed–Rao, 2018–2024	−7	−0.90	0.368	−0.82

A single trend is firmly rejected (UDmax = 112.4, bootstrap $p = 0.013$), and the BIC selects three breaks (Table 12). Figure 7 shows the fitted segmented trend, and Table 13 reports the growth rate of each regime.

Table 12. Bai–Perron break selection.

m	SSR	BIC	*F*(*m* vs 0)	Break years
0	0.0970	−199.0	–	None
1	0.0393	−220.0	22.8	2006
2	0.0149	−243.2	39.9	2000, 2013
3	**0.0037**	**−281.0**	**112.4**	**2000, 2012, 2020**
4	0.0033	−274.2	87.6	2000, 2005, 2012, 2020

Note. The selected model is shown in bold.




Figure 7. Observed CRF3 emissions and the Bai–Perron segmented trend with three breaks, 1990–2024.

Note. Orange segments show the selected model, labelled with each regime's trend growth rate. Dashed lines mark the first year of each new regime, and shaded bands show the 90% bootstrap intervals for the break dates. Dotted grey lines mark Food Harvest 2020 (2010) and quota abolition (2015).

Table 13. Emission regimes.

Regime	Trend (% per year)	90% interval of the break date
1990–1999	+1.06	–
2000–2011	−1.25	2000–2000
2012–2019	+2.00	2010–2012
2020–2024	−1.86	2019–2020

Emissions rose by 1.1% a year to 1999, fell by 1.25% a year in 2000–2011, rose by 2.0% a year in 2012–2019 and fell by 1.9% a year from 2020. **None of the break dates lies within a year of 2010 or 2015, so H1 is not supported.** The 2012 upturn begins two years after Food Harvest 2020 and three years before quota abolition. This timing is consistent with expansion in anticipation of abolition during the quota increases of 2009–2014. Known-date Chow tests reject stability at both 2010 (F = 16.8, $p < 0.001$) and 2015 (F = 20.0, $p < 0.001$). With three breaks in the series, however, these tests cannot attribute the change to either date.

4.4 RQ2: What moved emissions? LMDI decomposition

Table 14 and Figure 8 report the cumulative LMDI factor effects within each policy phase.

Table 14. LMDI factor effects by policy phase (kt CO_2e, cumulative within phase).

Phase (years)	Activity	Productivity	Intensity	Other	Net change	Intensity offset
P1 Coupled support (1992–2004)	−633	+406	−105	−34	−367	–
P2 Decoupling and derogation (2004–2009)	−1,204	−45	−380	−22	−1,651	–
P3 Food Harvest and quota increases (2009–2014)	+511	+184	+175	+93	+964	−0.25
P4 Post-quota expansion (2014–2021)	+2,147	+840	−963	+319	+2,344	**0.32**
P5 Sectoral ceiling (2021–2023)	−549	−357	−297	−132	−1,334	–

Note. IO is defined only when activity + productivity > 0. P2 includes the 2004–2005 classification break (dairy activity −340 kt, partly offset by +191 kt productivity). P5 ends in 2023.




Figure 8. LMDI decomposition of the change in CRF3 emissions by policy phase, 1992–2023.

Note. Bars show cumulative factor effects within each phase; diamonds show the net change in CRF3 (labelled). P1 = coupled support; P2 = decoupling and derogation; P3 = Food Harvest and quota increases; P4 = post-quota expansion; P5 = sectoral ceiling.

After quota abolition, growth in scale and yield (+2,988 kt) outpaced intensity gains (−963 kt), giving **IO = 0.32**. Only about a third of the growth was cancelled. Growth of the dairy herd alone added 1.32 Mt CO_2e in 2014–2021. The result is robust to the dairy/non-dairy emission-factor ratio (Table 15): IO remains between 0.21 and 0.33, and the dairy-herd effect between 1.06 and 1.35 Mt CO_2e. **H2 is supported.**

Table 15. Sensitivity of phase P4 to the dairy/non-dairy emission-factor ratio.

EF ratio	P4 dairy-herd effect (kt CO_2e)	P4 intensity offset
1.8	1,064	0.21
2.2	1,216	0.28
2.6	1,350	0.33

Two further patterns stand out. First, in 2009–2014 (P3) intensity *rose* (+175 kt) rather than fell, so the intensity offset was negative. Second, in the phases in which emissions fell (1992–2009 and 2021–2023), they fell mainly because herds and fertiliser use contracted (activity effects of −633, −1,204 and −549 kt), not because intensity improved. The year-by-year decomposition in Figure 9 confirms that activity effects dominate most annual changes.




Figure 9. Chained annual LMDI effects on CRF3 emissions, 1993–2023.

Note. Stacked bars show the year-on-year contribution of each factor; dots show the annual change in CRF3. Dotted lines separate the policy phases P1–P5.

4.5 RQ3: The policy-mix model

Model selection and fit. The AICc selects ARDL(1, 0, 2) (AICc = −135.5). The next-best candidate is ARDL(1, 0, 0), with AICc = −134.8 (Table C1). The model is estimated over 1997–2024 (n = 28), and its short-run coefficients are reported in Table 16.

Table 16. ARDL(1,0,2) short-run coefficients (dependent variable: ln CRF3).

Term	Coefficient	HAC SE	HAC p
Constant (α)	2.4898	0.5037	< 0.001
Trend (τ)	−0.0036	0.0014	0.008
ln $E(t-1)$ (φ)	0.7441	0.0544	< 0.001
$M(t)$ (β_0)	0.1190	0.0431	0.006
$P(t)$ (γ_0)	0.0178	0.0426	0.676
$P(t-1)$ (γ_1)	0.0211	0.0737	0.775
$P(t-2)$ (γ_2)	0.1389	0.0583	0.017
ln real milk price	0.0394	0.0217	0.070
ln real fertiliser price	−0.0364	0.0086	< 0.001

Note. n = 28 (1997–2024). HAC = Newey–West standard errors with two lags.

With $\hat{\varphi} = 0.744$ and $\Sigma\hat{\gamma}_j = 0.178$, the long-run pressure multiplier is $\hat{\theta}_P = 0.178 / (1 - 0.744) =$ **0.695**, and the mitigation multiplier is $\hat{\theta}_M = 0.119 / (1 - 0.744) =$ **0.465** (Table 17; Figure 10).

Table 17. Long-run multipliers.

Index	θ	SE (delta, HAC)	HAC p (one-sided)	Bootstrap p (one-sided)	90% bootstrap interval	% per +0.1	SD of index	% per 1 SD
P	0.695	0.153	< 0.001	**0.032**	0.43 to 0.99	+7.2	0.127	+9.2
M	0.465	0.175	0.996	**0.985**	0.16 to 0.77	+4.8	0.236	+11.6

Note. One-sided tests are $\theta_P > 0$ and $\theta_M < 0$. Bootstrap p-values come from the restricted bootstrap (B = 999); intervals come from the unrestricted bootstrap (999 draws). The interval for θ_P excludes zero; the interval for θ_M lies entirely above zero.




Figure 10. Long-run multipliers of the ARDL(1,0,2) policy-mix model.

Note. (a) Point estimates with 90% unrestricted-bootstrap intervals. (b) Joint distribution of the 999 bootstrap draws of (θ_M, θ_P); the diamond marks the point estimate. Draws lie almost entirely in the quadrant where both indices are associated with higher emissions.

Diagnostics. Every residual diagnostic passes at the 10% level (Table 18). The bounds statistic, F = 5.23, exceeds the I(1) bound at the 10% (4.06) and 5% (4.57) levels, indicating a level relationship; at the 1% level the result is inconclusive (I(0) bound 4.40, I(1) bound 5.72). The unit-root tests show mixed orders of integration (Table E1). P is stationary in levels (ADF p = 0.001), M appears to be I(1) (ADF p = 0.26 in levels and < 0.001 in differences), and ln CRF3 is borderline in levels (ADF p = 0.10; KPSS p = 0.02). This mix justifies the ARDL bounds framework. The hypothesis that the two indices have equal and opposite per-unit effects ($\Sigma\beta + \Sigma\gamma = 0$) is rejected ($F$ = 28.1, p < 0.001). In a model with the net signal S alone, $\theta_S = -0.37$ (p = 0.11).

Table 18. Residual diagnostics for the ARDL(1,0,2) model.

Diagnostic	Statistic	*p*-value	Result at 10%
Breusch–Godfrey (2 lags)	2.40	0.121	Pass
Jarque–Bera normality	0.16	0.922	Pass
Breusch–Pagan heteroskedasticity	0.47	0.863	Pass
RESET (squares)	–	0.915	Pass
CUSUM (OLS residuals)	0.33	1.000	Pass

Interpretation. Production pressure raised long-run emissions by 7.2% per sustained 0.1-unit rise (bootstrap p = 0.032), so **H3b is supported**. The mitigation coefficient has the opposite sign to that hypothesised (+0.47) and is never negative in the bootstrap, so **H3a is not supported**. A positive association of this size is not plausible as a causal effect of mitigation policy. It reflects the expansion of schemes in the same years as output, that is, reverse timing. All of these estimates are conditional associations rather than causal effects.

4.6 RQ3: Counterfactuals and the offset ratio

Holding P at its 2000 level and simulating the fitted ARDL forward shows that **production pressure raised 2024 emissions by 11.2% (90% CI 6.7–15.7%) and added 12.5 Mt CO_2e cumulatively over 2000–2024** (Figure 11; Table 19). This dynamic effect is larger than the static long-run value implied by the 2000–2024 change in P (+0.095, equivalent to +6.8%). The difference arises because P stood well above its 2024 level during 2010–2020, and the lagged adjustment still carries part of that higher pressure into 2024.




Figure 11. Observed CRF3 emissions and model-based counterfactual paths, 2000–2024.

Note. (a) Counterfactual paths simulate the fitted ARDL with one index held at its 2000 value. The shaded gap between the observed (black) and the P-frozen (orange) paths is the emission footprint of production-oriented policy. (b) Distribution of the effect of the post-2000 change in P on 2024 emissions across 999 unrestricted bootstrap draws; the solid line is the point estimate and the dotted lines bound the 90% interval.

Table 19. Counterfactual effects of the post-2000 change in each index.

Quantity	Estimate	90% interval
Pressure effect on 2024 emissions (%)	+11.2	6.7 to 15.7
Mitigation effect on 2024 emissions (%)	+29.1	9.6 to 51.2
Cumulative pressure effect, 2000–2024 (kt CO_2e)	+12,538	–
Bootstrap draws with a negative mitigation effect	1 of 999	–
Offset ratio, 2024	Undefined	–

Note. The offset ratio is defined only when the mitigation effect is negative.

Freezing M at its 2000 level yields a counterfactual *below* observed emissions: the rise in M is associated with 29.1% *higher* 2024 emissions (90% CI 9.6–51.2%). Only 1 of 999 bootstrap draws gives a negative mitigation effect. With no negative mitigation effect, there is nothing for pressure to offset. The offset ratio is undefined, and **H3c is not supported**. In short, expansion left a measurable emissions footprint, whereas the mitigation portfolio left too small an effect to be offset.

4.7 Robustness, statistical power and timing

4.7.1 Robustness

θ_P is positive in **all 14** estimable core specifications and significant at the 10% level in **13** (Figure 12; Table B1). The single exception adds GNI* and shock-year indicators ($\theta_P = 0.49$, $p = 0.13$), because GNI* is collinear with quota abolition. All **8 of 8** leave-one-policy-out runs remain significant, with θ_P ranging from 0.49 (omitting Food Harvest 2020) to 1.12 (omitting quota abolition, the most influential single instrument). θ_M is positive in 13 of 14 specifications and is **never** significantly negative. The only negative estimate, from the static first-difference model ($\theta_M = -0.03$), is far from significant ($p = 0.30$).




Figure 12. Robustness of the long-run multipliers across 14 specifications and 8 leave-one-policy-out runs.

Note. Filled circles indicate a one-sided bootstrap $p < 0.10$ ($B = 299$); hollow circles are not significant. Dotted lines mark the baseline estimates. Leave-out rows drop one pressure instrument (P01–P08; see Table 6) from P at a time; one-sided p-values for θ_M are not computed for these runs.

4.7.2 Statistical power

Nominal 10% HAC tests have a true size of 0.15 for M and 0.32 for P, which confirms the need for bootstrap inference. With size-adjusted critical values, the minimum detectable effect at 80% power is $|\theta| \approx 0.40$ for both indices, equivalent to about 4% per 0.1 index units (Table 20; Figure 13). Mitigation effects larger than $|\theta| \approx 0.40$ would very likely have been detected; smaller effects cannot be ruled out.

Table 20. Size-adjusted power by true effect size.

True $\lvert\theta\rvert$	0	0.1	0.2	0.3	0.5	0.75	1.0	1.5
Power, θ_M	0.10	0.23	0.44	0.66	0.94	1.00	1.00	1.00
Power, θ_P	0.10	0.26	0.49	0.70	0.91	0.98	0.99	1.00

Note. Based on 500 simulated series per effect size, with size-adjusted critical values.




Figure 13. Size-adjusted power curves for the long-run multipliers.

Note. The dashed horizontal line marks 80% power; the dotted vertical line marks the minimum detectable effect ($|\theta| \approx 0.40$).

4.7.3 Mitigation by instrument type (RQ4a)

No mitigation sub-index shows a detectable emission-reducing effect (Table 21), so **H4a is not supported**. Only the incentive sub-index turns negative at a three-year lag ($\theta = -1.13$). This is an isolated estimate that was not tested formally.

Table 21. Mitigation sub-index estimates.

Instrument type	Active years	θ	Bootstrap *p* (θ < 0)	θ at 3-year lag
Mandatory	19	+0.20	0.966	+0.09
Incentive	28	+0.59	0.904	−1.13
Voluntary	12	+0.95	0.826	+0.09

Note. Each sub-index is estimated with the remainder of M and the pressure index as controls ($B = 499$).

4.7.4 Timing: interrupted time series

The turning point came in 2010, not 2015 (Table 22; Figure 14). Controlling for prices, the emission trend steepened by 2.2 percentage points a year after 2010 ($p < 0.001$), and the dairy-herd trend by 4.2 points. Neither trend changed significantly at 2015 (emissions −0.2, $p = 0.38$), although both show a level shift in that year. Expansion began under the quota increases and Food Harvest 2020 and continued at the same pace after abolition.

Table 22. Segmented regression at pre-specified dates (with price controls).

Outcome	Event	Level change (%)	*p* (level)	Slope change (pp per year)	*p* (slope)
CRF3 emissions	2010	−2.92	< 0.001	**+2.25**	< 0.001
CRF3 emissions	2015	+3.24	< 0.001	−0.20	0.384
CRF3 emissions	2022†	+8.45	0.003	−6.40	< 0.001
Dairy cows	2010	−2.53	0.002	**+4.17**	< 0.001
Dairy cows	2015	+5.96	0.018	+0.32	0.297
Dairy cows	2022†	−4.69	0.195	−1.60	0.224

Note. † Descriptive only (three post-event years). Sample 1995–2024 with HAC standard errors.




Figure 14. Change in trend at the pre-specified policy dates.

Note. Bars show the estimated slope change δ_e (percentage points per year) for ln CRF3 and ln dairy cows; labels give the *p*-value. † The 2022 event is descriptive only.

4.8 RQ4b: Regional difference-in-differences

Table 23 reports the continuous-exposure DiD estimates, and Figure 15 shows the corresponding event-study coefficients.

Table 23. Continuous-exposure DiD: post-2015 effect per +10 pp of pre-2015 dairy exposure.

Outcome	Specification	% per +10 pp	*p* (RI)	*p* (WCB)	Placebo 2010 (%)	Placebo *p* (RI)	*n*
log dairy cows	Two-way FE	−0.50	0.842	0.866	+2.91	0.067	170
log dairy cows	TWFE + region trends	−0.69	0.567	0.663	+2.77	0.042	170
log livestock units	Two-way FE	+1.17	0.142	0.215	+1.32	0.008	170
log livestock units	TWFE + region trends	+0.72	0.133	0.039	+1.24	0.050	170
log imputed livestock emissions	Two-way FE	+2.11	0.108	0.171	+1.63	0.017	165
log imputed livestock emissions	TWFE + region trends	+1.28	0.075	0.058	+1.51	0.008	165

Note. RI = randomisation inference over all 120 permutations; WCB = wild cluster bootstrap with Webb weights (B = 999); TWFE = two-way fixed effects.




Figure 15. Event-study coefficients for regional dairy exposure, 2005–2024 (2014 = 0).

Note. Coefficients are percentage differences per 10 percentage points of pre-2015 dairy exposure, relative to 2014. The shaded band is a 90% interval for imputed livestock emissions based on cluster-robust errors with five clusters and is indicative only. Imputed emissions end in 2023.

In the main specification, imputed livestock emissions rose by 2.1% more per 10 pp of exposure after 2015 (p_{RI} = 0.11; p_{WCB} = 0.17). However, the event-study gap opens steadily from 2005, and the placebo dated to 2010 (+1.6%, p_{RI} = 0.017) is almost as large as the main estimate and is significant. More exposed regions were already diverging before abolition, so the parallel-trends assumption fails and **H4b is not supported**. The region-trend specification for emissions is nominally significant (+1.3%, p_{RI} = 0.075, p_{WCB} = 0.058), but its placebo is also significant (p_{RI} = 0.008), so it cannot be interpreted as an abolition effect either. The dairy herd itself grew no faster in percentage terms in more exposed regions (−0.5% per 10 pp; p = 0.84). Post-quota growth was national and came partly from regions with little dairying.

4.9 Mechanism: linking the decomposition to policy

Table 24 and Figure 16 report the regressions of the annual LMDI effects on changes in P and M.

Table 24. LMDI effects regressed on changes in P and M (sum of lag 0 and lag 1, per +0.1 index units).

LMDI outcome	Policy	kt CO_2e per +0.1	SE (per 0.1)	p (two-sided)
Activity effect	ΔP	−218.4	147.3	0.154
Activity effect	ΔM	+53.8	191.9	0.782
Dairy-herd activity effect	ΔP	−21.9	42.3	0.611
Dairy-herd activity effect	ΔM	+84.9	64.9	0.206
Intensity effect	ΔP	**+111.2**	47.5	**0.030**
Intensity effect	ΔM	+61.6	43.9	0.176

Note. Newey–West standard errors; 1997–2023, n = 27.




Figure 16. Association between annual LMDI effects and changes in the policy indices.

Note. Bars show the sum of the contemporaneous and one-year-lagged coefficients, scaled to a +0.1 change in each index, with 90% confidence intervals (Newey–West). The framework predicts positive pressure bars for activity and negative mitigation bars for intensity.

The hypothesised division of labour is **not confirmed**. ΔP is not associated with the activity effect (−218 kt per 0.1; $p = 0.15$). It is, however, associated with the intensity effect (+111 kt per 0.1; $p = 0.03$): years of rising pressure were years in which emissions per head and per litre rose, which is consistent with intensification. ΔM is associated with neither effect.

4.10 The 2030 sectoral ceiling

The 2030 target is 0.75 × 20,728 kt (2018) = **15,546 kt CO₂e** (15.5 Mt CO₂e). CRF3 emissions were 19,631 kt CO₂e in 2024, 5.3% below 2018. Emissions per livestock unit rose by 0.37% a year over 2012–2024. Table 25 and Figure 17 report the livestock numbers compatible with the ceiling under alternative intensity paths.

Table 25. Livestock units compatible with the 2030 ceiling.

Scenario for emissions per LU, 2024–2030	Required LU in 2030 (thousand)	Change vs 2024
2012–2024 trend continues (+0.37% per year)	4,403	**−22.6%**
Intensity falls 1% a year	4,782	−15.9%
Intensity falls 2% a year	5,083	−10.6%
Intensity falls 3% a year	5,405	−4.9%

Note. Livestock units in 2024 = 5,686 thousand. The statutory ceiling also covers agricultural fuel, so applying it to CRF3 is an approximation.




Figure 17. Required change in livestock units, 2024–2030, under alternative intensity scenarios.

Note. Each bar shows the change in livestock units needed for CRF3 emissions to meet the 2030 ceiling of 15.5 Mt CO_2e under the stated annual change in emissions per livestock unit.

If the recent intensity trend continues, livestock units must fall by about 23% by 2030. Even if intensity falls by 1%, 2% or 3% a year, they must still fall by 16%, 11% or 5%, respectively. An annual fall of 3% would be almost three times the fastest five-year rate of intensity decline observed since 1992 (about 1.1% a year).

4.11 Supplementary metric: GWP*

In 2024, CRF3 methane amounted to 14.6 Mt CO_2e under GWP100 but +5.5 Mt CO_2-we under GWP*, up from +1.7 Mt CO_2-we in 2015 (Figure 18). GWP* reflects the change in methane's warming contribution rather than its level, and negative values indicate that methane emissions were lower than 20 years earlier. The metric changes the level of the methane series but not the conclusions about which policies moved emissions.




Figure 18. CRF3 methane under GWP100 and GWP*, 2010–2024.

Note. GWP* converts methane into CO_2-warming-equivalents (CO_2-we) as $E^* = 4.53\ E(t) - 4.25\ E(t-20)$ (Smith et al., 2021). The main analysis uses GWP100 throughout.

5. Discussion

5.1 Expansion with little to offset

Three independent lines of evidence point in the same direction. First, growth in scale and yield after 2014 outpaced intensity gains by more than three to one (IO = 0.32). Second, the policy-mix model attributes an 11.2% rise in 2024 emissions to production pressure, a result that survives every pre-specified robustness variant in sign and nearly all of them in significance. Third, the same model finds no emission-reducing effect of mitigation. A rival account would need to explain all three findings. The evidence therefore favours a refined version of Explanation B. Production-oriented policy measurably raised emissions, but the mitigation portfolio did not produce a detectable reduction that expansion then cancelled; expansion had little mitigation to offset. Read in this way, Explanation A, that mitigation was weak, also holds as a statement about the *portfolio's* effect on total emissions.

5.2 Timing: 2010, not 2015

Three results agree that the trend changed in 2010–2012: the Bai–Perron break in 2012 (90% interval 2010–2012), the interrupted time-series slope change in 2010 rather than 2015, and the regional pre-trends from 2005 onwards. Expansion began under the quota increases and Food Harvest 2020, and abolition continued it rather than starting it. Analyses that treat 2015 as the single turning point therefore understate the importance of the "soft-landing" years, in which the sector positioned itself for a quota-free regime. This qualification complements the farm-level evidence of Läpple et al. (2022) rather than contradicting it.

5.3 Why mitigation did not register

Most mitigation instruments were voluntary or incentive-based schemes that acted on intensity, and the main binding instrument, the Nitrates Action Programme, was designed for water quality. A portfolio that acts only on intensity can lower emissions per litre while total emissions rise, and this is precisely what the decomposition shows for 2014–2021. The positive association between M and emissions is best interpreted as reverse timing: schemes such as GLAS grew in the same years as the herd. The power analysis bounds what the data can reveal. Long-run mitigation effects with $|\theta|$ above about 0.40 (roughly 4% per 0.1 index units) would very likely have been detected, but smaller beneficial effects cannot be excluded. The mechanism regression adds a further caution. Rising pressure coincided with rising *intensity*, consistent with intensification at the margin (higher stocking rates and more nitrogen per hectare), which would work directly against an intensity-based mitigation strategy.

5.4 Relation to stakeholder-identified barriers

Of the five barriers identified by Augustenborg et al. (2026), **policy incoherence** receives quantitative support. P and M rose together over 2005–2020, the net signal grew far more slowly than mitigation effort, and P has a detectable effect on emissions. **Competing political priorities** are consistent with the regime change around Food Harvest 2020, a growth strategy adopted alongside mitigation commitments. **Capacity, financial and planning constraints** cannot be separated with these data. In the terms of Marsh and McConnell (2010), the mitigation portfolio shows some *process* success, in

that instruments were implemented and their coverage grew, but no detectable *programme* success on total emissions. Its *political* success was limited by the parallel growth agenda.

5.5 Policy implications

The findings carry four implications. They are offered as interpretations of the evidence, not as estimated policy effects.

1. **Coherence before additionality.** Because pressure has a detectable effect and the mitigation portfolio does not, adding further intensity-oriented instruments is unlikely, on its own, to close the gap while expansion incentives remain. Assessing growth instruments (derogations, capital grants for capacity and volume targets) for their emission consequences would address the measured source of the problem.
2. **Targets on totals, not only on intensity.** An intensity offset of 0.32 means that efficiency gains cancelled only about a third of scale growth. Policy framed around emissions per litre can succeed on its own terms while total emissions rise.
3. **The arithmetic of the 2030 ceiling.** On recent trends, compliance implies roughly 16–23% fewer livestock units by 2030 unless intensity falls far faster than has ever been observed. This implication should be stated explicitly in sectoral planning.
4. **Measuring the net signal.** The common I × C × B scale allows governments to track whether new instruments raise mitigation intensity faster than concurrent sectoral policy raises pressure. The index is transferable to other land-based sectors that face growth and decarbonisation mandates at the same time.

5.6 Limitations

- **Provisional policy coding.** The mitigation index M uses the authors' provisional coding under the INPACT scoring rule and is to be replaced by the INPACT export. The eligibility shares for the nitrates derogation (0.30) and TAMS II (0.15) are provisional pending DAFM statistics. The second coding of P is a placeholder, so the reported kappa values do not yet measure reliability. [AUTHOR INPUT REQUIRED: INPACT export for M; DAFM eligibility statistics for P03 and P08; independent second coding of P.]
- **Short national series.** With $n = 28$ in the ARDL, inference rests on the bootstrap and power is limited (MDE ≈ 0.40). The results are conditional associations, not causal estimates. The positive M coefficient illustrates the limits of a time-series design when instruments are adopted alongside output growth.
- **No untreated comparator.** Quota abolition and CAP reform applied across the EU. The regional design therefore relies on within-Ireland exposure, and its parallel-trends assumption fails.
- **Five clusters.** Regional inference uses randomisation inference and the wild cluster bootstrap. These methods are appropriate but cannot create information that five units do not contain, and the event-study bands are indicative only.
- **Inventory data.** The LMDI decomposition and the regional emissions end in 2023, because the 2024 CRT split is not yet available. Changes in inventory methodology appear as changes in intensity, and regional emissions are imputed from national implied emission factors.
- **Omitted drivers.** The model includes no weather control, and macroeconomic shocks enter only in one robustness variant, in which GNI* is collinear with quota abolition.

- **Approximation of the ceiling.** The statutory ceiling includes agricultural fuel, so applying it to CRF3 only approximates the true constraint.

6. Conclusion

Three decades of farm climate policy left Irish agricultural emissions almost exactly where they began. This paper places expansion and mitigation policy on a common scale and attributes the flat emission path using three designs whose assumptions fail in different ways. Production-oriented policy measurably raised emissions. A sustained 0.1-unit rise in pressure raised long-run emissions by about 7%, and pressure added 11.2% to 2024 emissions and 12.5 Mt CO_2e over 2000–2024. The largely voluntary, intensity-oriented mitigation portfolio shows no detectable effect on total emissions, so expansion had little mitigation to offset. The turning point came in 2010–2012, under the quota increases and Food Harvest 2020, rather than at abolition in 2015. After abolition, efficiency gains cancelled only a third of scale growth. On current trends, the 2030 ceiling implies 16–23% fewer livestock units unless emission intensity falls far faster than it ever has.

6.1 Future research

Several extensions would strengthen the evidence base. On the data side, the provisional mitigation coding should be replaced with the INPACT export for M; the P codebook should receive independent, blind second coding; DAFM statistics should be used for the derogation and TAMS II eligibility shares; and the CRT 2026 submission should be used to extend the LMDI decomposition and the regional emissions to 2024. On the design side, a county-level panel built from the Census of Agriculture and DAFM derogation statistics would support a continuous-treatment design (Callaway et al., 2024). The common-scale approach could also be transferred to other jurisdictions in which land-based sectors face growth and decarbonisation mandates at the same time.

Declarations

Funding. [AUTHOR INPUT REQUIRED: funding source(s) and grant number(s), e.g. for the INPACT project.]

Conflicts of interest. [AUTHOR INPUT REQUIRED: conflict-of-interest statement.]

Author contributions (CRediT). [AUTHOR INPUT REQUIRED: contributor roles.]

Acknowledgements. [AUTHOR INPUT REQUIRED: optional acknowledgements.]

Data and Code Availability

All numbers in this paper come from a full re-run of `ireland_agri_ghg_analysis.ipynb` (seed 20261019, run on 21 October 2026). Data come from the EPA, Ireland's CRT 2025 submission to the UNFCCC, the CSO and Eurostat. The annual panel (1990–2024), the result tables and an interactive results platform (covering the research problem, research questions, a dataset explorer, the methods with live calculators, the results and the conclusions) are available from the authors. The platform reads every number from the exported `results.json` file and recomputes nothing except simple arithmetic for its interactive calculators. All figures in this paper were regenerated directly from the

same `results.json` file. [AUTHOR INPUT REQUIRED: public repository URL or DOI for the data, code and platform, if they are to be deposited.]

References

Ang, B. W. (2015). LMDI decomposition approach: A guide for implementation. *Energy Policy*, *86*, 233–238.

Ang, B. W., & Liu, F. L. (2001). A new energy decomposition method: Perfect in decomposition and consistent in aggregation. *Energy*, *26*(6), 537–548.

Augustenborg, C. A., Lentz, P., & Pender, A. (2026). Barriers to environmental policy implementation: Stakeholder perceptions in the context of Ireland. *Journal of Environmental Policy & Planning*, *28*(3), 531–553.

Bai, J., & Perron, P. (2003). Computation and analysis of multiple structural change models. *Journal of Applied Econometrics*, *18*(1), 1–22.

Balaine, L., Läpple, D., Buckley, C., & Dillon, E. (2022). Reconciling socio-economic and environmental sustainability in agri-food development. *EuroChoices*, *21*(2), 52–57.

Bernal, J. L., Cummins, S., & Gasparrini, A. (2017). Interrupted time series regression for the evaluation of public health interventions: A tutorial. *International Journal of Epidemiology*, *46*(1), 348–355.

Bloom, H. S. (1995). Minimum detectable effects: A simple way to report the statistical power of experimental designs. *Evaluation Review*, *19*(5), 547–556.

Callaway, B., Goodman-Bacon, A., & Sant'Anna, P. H. C. (2024). *Difference-in-differences with a continuous treatment* (NBER Working Paper No. 32117). National Bureau of Economic Research.

Cameron, A. C., Gelbach, J. B., & Miller, D. L. (2008). Bootstrap-based improvements for inference with clustered errors. *Review of Economics and Statistics*, *90*(3), 414–427.

Card, D. (1992). Using regional variation in wages to measure the effects of the federal minimum wage. *ILR Review*, *46*(1), 22–37.

Cohen, J. (1968). Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, *70*(4), 213–220.

Davidson, R., & MacKinnon, J. G. (2000). Bootstrap tests: How many bootstraps? *Econometric Reviews*, *19*(1), 55–68.

Diebold, F. X., & Chen, C. (1996). Testing structural stability with endogenous breakpoint: A size comparison of analytic and bootstrap procedures. *Journal of Econometrics*, *70*(1), 221–241.

Donnellan, T., Hanrahan, K., Breen, J. P., & Gillespie, P. (2013). *Climate change and agricultural policy coherence: Agricultural growth and GHG emissions in Ireland* [Conference paper]. Agricultural Economics Society Annual Conference, Warwick, United Kingdom.

Environmental Protection Agency. (2026). *Ireland's provisional greenhouse gas emissions 1990–2025*. Environmental Protection Agency.

Eskander, S. M. S. U., & Fankhauser, S. (2020). Reduction in greenhouse gas emissions from national climate legislation. *Nature Climate Change*, *10*, 750–756.

Eurostat. (2016). *Handbook on prices and volume measures in national accounts*. Publications Office of the European Union.

Fisher, R. A. (1935). *The design of experiments*. Oliver & Boyd.

Gelman, A., & Carlin, J. (2014). Beyond power calculations: Assessing Type S (sign) and Type M (magnitude) errors. *Perspectives on Psychological Science*, *9*(6), 641–651.

Goldsmith-Pinkham, P., Sorkin, I., & Swift, H. (2020). Bartik instruments: What, when, why, and how. *American Economic Review*, *110*(8), 2586–2624.

Greening, L. A., Greene, D. L., & Difiglio, C. (2000). Energy efficiency and consumption—The rebound effect—A survey. *Energy Policy*, *28*(6–7), 389–401.

Hall, P., Horowitz, J. L., & Jing, B.-Y. (1995). On blocking rules for the bootstrap with dependent data. *Biometrika*, *82*(3), 561–574.

Hamed, K. H., & Rao, A. R. (1998). A modified Mann–Kendall trend test for autocorrelated data. *Journal of Hydrology*, *204*(1–4), 182–196.

Henn, D., et al. (2023). [AUTHOR INPUT REQUIRED: complete reference for this study of herd composition and implied emission factors, including all authors, title, journal, volume, pages and DOI.]

Howlett, M., & Rayner, J. (2013). Patching vs packaging in policy formulation: Assessing policy portfolio design. *Politics and Governance*, *1*(2), 170–182.

Kiefer, N. M., & Vogelsang, T. J. (2005). A new asymptotic theory for heteroskedasticity-autocorrelation robust tests. *Econometric Theory*, *21*(6), 1130–1164.

Läpple, D., Carter, C. A., & Buckley, C. (2022). EU milk quota abolition, dairy expansion, and greenhouse gas emissions. *Agricultural Economics*, *53*(1), 125–142.

Lawlor, D. A., Tilling, K., & Davey Smith, G. (2016). Triangulation in aetiological epidemiology. *International Journal of Epidemiology*, *45*(6), 1866–1886.

Li, H., & Maddala, G. S. (1996). Bootstrapping time series models. *Econometric Reviews*, *15*(2), 115–158.

Marsh, D., & McConnell, A. (2010). Towards a framework for establishing policy success. *Public Administration*, *88*(2), 564–583.

Munafò, M. R., & Davey Smith, G. (2018). Robust research needs many lines of evidence. *Nature*, *553*, 399–401.

Myhre, G., Shindell, D., Bréon, F.-M., Collins, W., Fuglestvedt, J., Huang, J., Koch, D., Lamarque, J.-F., Lee, D., Mendoza, B., Nakajima, T., Robock, A., Stephens, G., Takemura, T., & Zhang, H. (2013). Anthropogenic and natural radiative forcing. In T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, & P. M. Midgley (Eds.), *Climate change 2013: The physical science basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (pp. 659–740). Cambridge University Press.

Newey, W. K., & West, K. D. (1987). A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica*, *55*(3), 703–708.

Nilsson, M., Zamparutti, T., Petersen, J. E., Nykvist, B., Rudberg, P., & McGuinn, J. (2012). Understanding policy coherence: Analytical framework and examples of sector–environment policy interactions in the EU. *Environmental Policy and Governance*, *22*(6), 395–423.

OECD, European Commission, & Joint Research Centre. (2008). *Handbook on constructing composite indicators: Methodology and user guide*. OECD Publishing.

Pesaran, M. H., Shin, Y., & Smith, R. J. (2001). Bounds testing approaches to the analysis of level relationships. *Journal of Applied Econometrics*, *16*(3), 289–326.

Rambachan, A., & Roth, J. (2023). A more credible approach to parallel trends. *Review of Economic Studies*, *90*(5), 2555–2591.

Rogge, K. S., & Reichardt, K. (2016). Policy mixes for sustainability transitions: An extended concept and framework for analysis. *Research Policy*, *45*(8), 1620–1635.

Smith, M. A., Cain, M., & Allen, M. R. (2021). Further improvement of warming-equivalent emissions calculation. *npj Climate and Atmospheric Science*, *4*, Article 19.

Stechemesser, A., Koch, N., Mark, E., Dilger, E., Klösel, P., Menicacci, L., Nachtigall, D., Pretis, F., Ritter, N., Schwarz, M., Vossen, H., & Wenzel, A. (2024). Climate policies that achieved major emission reductions: Global evidence from two decades. *Science*, *385*(6711), 884–892.

Stock, J. H., & Watson, M. W. (2020). *Introduction to econometrics* (4th ed.). Pearson.

Torney, D., & O'Gorman, R. (2019). A laggard in good times and bad? The limited impact of EU membership on Ireland's climate change and environmental policy. *Irish Political Studies*, *34*(4), 575–594.

Webb, M. D. (2023). Reworking wild bootstrap-based inference for clustered errors. *Canadian Journal of Economics*, *56*(3), 839–858.

Young, A. (2019). Channeling Fisher: Randomization tests and the statistical insignificance of seemingly significant experimental results. *Quarterly Journal of Economics*, *134*(2), 557–598.

Yue, S., Pilon, P., Phinney, B., & Cavadias, G. (2002). The influence of autocorrelation on the ability to detect trend in hydrological series. *Hydrological Processes*, *16*(9), 1807–1829.

[AUTHOR INPUT REQUIRED: add DOIs to the references above, as required by APA 7th edition; DOIs have not been inserted to avoid introducing unverified identifiers.]

Appendix A. Acronyms and Symbols

Table A1. Acronyms and symbols.

Acronym	Meaning	Note
ACRES	Agri-Climate Rural Environment Scheme	Agri-environment scheme from 2023 (M11)
ADF	Augmented Dickey–Fuller	Unit-root test (null: non-stationary)
AEOS	Agri-Environment Options Scheme	Agri-environment scheme 2010–2014 (M04)
AIC / AICc	(Corrected) Akaike Information Criterion	Lag selection; AICc corrects for small samples
AR(1)	First-order autoregressive process	Error structure under the UDmax null
AR5	IPCC Fifth Assessment Report	Source of GWP100 values
ARDL	Autoregressive distributed lag	Policy-mix time-series model
BDGP	Beef Data and Genomics Programme	M08
BEEP-S	Beef Environmental Efficiency Programme – Sucklers	M09
BIC	Bayesian Information Criterion	Selects the number of breaks
CAP	Common Agricultural Policy	EU farm policy; 2005 decoupling
CH_4 / N_2O / CO_2e	Methane / nitrous oxide / CO_2 equivalent	–
CI	Confidence interval	90% unless stated
CPI	Consumer price index	Deflator
CRF / CRF3	Common Reporting Format / sector 3 (agriculture)	Outcome boundary
CRT	Common Reporting Tables	UNFCCC inventory submission format
CSO	Central Statistics Office (Ireland)	Livestock, milk, prices, CPI, GNI*
CUSUM	Cumulative sum of recursive residuals	Parameter stability test
DAFM	Department of Agriculture, Food and the Marine	Future source of eligibility shares
DiD	Difference-in-differences	Regional design
EF	Emission factor	e.g. kg CH_4 per dairy cow per year
EPA	Environmental Protection Agency (Ireland)	Inventory compiler
GHG	Greenhouse gas	–
GISCO	Geographic Information System of the Commission	Regional boundaries
GLAS	Green Low-Carbon Agri-Environment Scheme	M07
GNI*	Modified gross national income	Robustness control
GWP / GWP100 / GWP*	Global warming potential (100-year) / warming-equivalent metric	–
HAC	Heteroskedasticity and autocorrelation consistent	Newey–West covariance
I × C × B	Implementation × coverage × bindingness	Policy score
IO	Intensity offset	Share of scale growth cancelled by intensity
IPCC	Intergovernmental Panel on Climate Change	–
ITS	Interrupted time series	Segmented regression
KPSS	Kwiatkowski–Phillips–Schmidt–Shin	Stationarity test
LESS	Low Emission Slurry Spreading	Part of M10
LMDI	Logarithmic Mean Divisia Index	Exact decomposition
LU / LSU	Livestock unit / Eurostat LSU coefficients	–
M / P / S	Mitigation index / production-pressure index / net signal	–
MDE	Minimum detectable effect	80% power
NAP	Nitrates Action Programme	M02, M10
NO / NE / NA	Not occurring / not estimated / not applicable	Treated as missing
NUTS	Nomenclature of Territorial Units for Statistics	–
OLS	Ordinary least squares	–
OR	Offset ratio	Defined only if the mitigation effect < 0
REPS	Rural Environment Protection Scheme	M01
RESET	Regression Equation Specification Error Test	Functional form
RI	Randomisation inference	Five-region DiD
SCEP	Suckler Carbon Efficiency Programme	M12

Acronym	Meaning	Note
SDAS	Sustainable Dairy Assurance Scheme	M06
SE / SD	Standard error / standard deviation	–
SHA-256	Secure Hash Algorithm, 256-bit	File provenance
S.I.	Statutory Instrument	Irish secondary legislation
SSR	Sum of squared residuals	–
TAMS II	Targeted Agricultural Modernisation Scheme II	P08
TWFE	Two-way fixed effects	–
UDmax	Unweighted double maximum	Test for any break
UNFCCC	United Nations Framework Convention on Climate Change	–
WCB	Wild cluster bootstrap	Webb weights

Appendix B. Full Robustness Grid

Bootstrap p-values in Table B1 use $B = 299$, so the baseline p-value differs slightly from the $B = 999$ value reported in the main text.

Table B1. Robustness grid for the long-run multipliers.

Variant	n	θ_M	p ($\theta_M < 0$)	θ_P	p ($\theta_P > 0$)
Baseline	28	0.465	0.987	0.695	0.040
No deterministic trend	28	0.096	0.850	0.546	0.037
Fixed lags ARDL(1,1,1)	28	0.409	0.927	0.643	0.043
Equal bindingness ($B = 1$)	28	0.228	0.963	0.181	0.023
Drop Nitrates Action Programme from M	28	0.411	0.897	0.430	0.007
NAP weighted by climate relevance 0.5	28	0.536	0.973	0.524	0.023
Food Vision 2030 coded as zero pressure	28	0.474	0.997	0.641	0.037
Extended controls (GNI*, 2018 and 2022 indicators)	28	0.424	0.947	0.487	0.133
Milk-to-feed price ratio as control	28	0.561	0.973	0.861	0.043
Static model ($p = 0$)	28	0.175	0.933	0.305	0.003
Pre-ceiling sample (to 2021)	25	0.435	0.970	0.657	0.070
CH_4-only outcome	28	0.708	0.970	0.962	0.073
N_2O-only outcome	28	0.205	0.870	0.484	0.017
First differences (static)	28	−0.027	0.298	0.058	0.080
Leave out P01 Coupled livestock premia	28	0.289	–	0.882	0.033
Leave out P02 Milk quota increases	28	0.265	–	0.521	0.057
Leave out P03 Nitrates derogation	28	0.461	–	0.701	0.040
Leave out P04 Food Harvest 2020	28	0.175	–	0.494	0.067
Leave out P05 EU milk quota abolition	28	0.943	–	1.123	0.027
Leave out P06 Food Wise 2025	28	0.824	–	0.982	0.050
Leave out P07 Food Vision 2030	28	0.474	–	0.641	0.047
Leave out P08 TAMS II	28	0.498	–	0.716	0.050

Appendix C. ARDL Lag-Selection Grid

Table C1. ARDL lag-selection grid (common sample 1997–2024, $n = 28$).

p	q_M	q_P	Parameters k	AICc
1	**0**	**2**	**9**	**−135.53** (selected)
1	0	0	7	−134.80
1	1	2	10	−133.19
1	0	1	8	−132.91
1	1	0	8	−130.85
1	2	2	11	−129.26
1	1	1	9	−128.50
1	2	0	9	−126.45
1	2	1	10	−123.59
0	0	2	8	−88.46
0	1	2	9	−85.66
0	0	0	6	−85.38
0	0	1	7	−84.98
0	1	0	7	−81.78
0	1	1	8	−81.14
0	2	2	10	−80.94
0	2	0	8	−78.09
0	2	1	9	−76.97

Appendix D. Independent Workflow Verification

Table D1. Independent workflow verification (30 of 30 checks pass).

Stage	Check	Result
1 Load	SHA-256 of every loaded file matches the provenance sheet	53 files re-hashed; no mismatch
1 Load	Only documented provisional inputs are loaded	Only pressure_codebook_coder2_PROVISIONAL
2 Livestock	CSO tables cover disjoint years	1991–2004 / 2005–2014 / 2015–2026
2 Livestock	Panel dairy cows equal CSO State totals	Maximum difference 0
2 Livestock	Five constant-boundary units sum to the State	Dairy 0.014%, cattle 0.004%, sheep 0.003%
2 Livestock	1990 livestock left missing	NaN (never imputed)
2 Livestock	LU = 1.0·dairy + Eurostat LSU + 0.1·sheep	LSU per non-dairy head 0.632–0.682
3 Prices	Chain-link overlaps fit	Maximum deviation 2.88% across 20 links
3 Prices	Linked indices and CPI equal 100 in 2020	Exact
3 Prices	Real price = nominal / CPI × 100	Exact
4 Emissions	CRF3 = Agriculture − 1.A.4.c.ii − 1.A.4.c.iii	19,760.0 (1990); 19,631.2 (2024) kt CO_2e
4 Emissions	CRF3 = sum of 5 categories (≤ 0.0001%)	Gap 0
4 Emissions	CRF3 = CO_2 + CH_4 + N_2O (≤ 0.0001%)	Gap 2×10^{-14} %
5 CRT	34 workbooks, 1990–2023, no gaps	Complete
5 CRT	Panel split equals CRT Table 3 rows	1990–2023
5 CRT	2024 split left missing	NaN (never imputed)
5 CRT	CRT cattle CH_4 vs Eurostat	1990–2020 ≤ 0.004%; 2021–23 ≤ 0.21%
5 CRT	Table 3.D unit is kg N	kg / 1,000 = Eurostat t N exactly, 2000–05
5 CRT	Panel mineral N 1990–1999 = CRT	379,311 t (1990); 442,916 t (1999)
5 CRT	Manure N = CRT rates × CSO head counts; 2024 missing	2023: 108.4 / 48.1 / 7.52 kg N per head
6 Panel	35 unique years, 1990–2024	Pass
6 Panel	No weather variable	Pass
7 Indices	M and P recomputed independently (I × C × B)	P_{2024} 0.3362; M_{2024} 0.6383

Stage	Check	Result
8 LMDI	Annual effects sum exactly to ΔCRF3	Residual 1.9×10^{-11} kt
9 ARDL	θ_M, θ_P reproduced by an independent OLS	θ_M 0.4651, θ_P 0.6946, $n = 28$
9 ARDL	key_results.json = results.xlsx	Pass
10 Ceiling	2030 target = 0.75 × $CRF3_{2018}$	15,546.2 kt CO_2e
11 Outputs	34 sheets; 7 figures in PNG and PDF	Pass
11 Outputs	Provisional inputs listed in the JSON	Coder-2 placeholder scores (kappa only)

Appendix E. Unit-Root Tests

Table E1. Unit-root tests.

Variable	Form	ADF statistic	ADF *p*	KPSS statistic	KPSS *p*
ln CRF3	Level	−3.13	0.100	0.185	0.022
ln CRF3	First difference	−3.22	0.019	0.168	> 0.10
M	Level	−2.64	0.262	0.087	> 0.10
M	First difference	−4.19	0.001	0.086	> 0.10
P	Level	−4.61	0.001	0.106	> 0.10
P	First difference	−4.90	< 0.001	0.098	> 0.10
ln real milk price	Level	−3.12	0.101	0.218	0.010
ln real milk price	First difference	−6.62	< 0.001	0.346	> 0.10
ln real fertiliser price	Level	−2.96	0.143	0.064	> 0.10
ln real fertiliser price	First difference	−5.89	< 0.001	0.500	0.042