RAPPORT DE TP : mi-guidé Django python

RÉALISÉ PAR :

- ABDENBI MEHDI

ENCADRÉ PAR :

M . SARA AHSAIN

ANNÉE UNIVERSITAIRE :

2025 – 2026

1. Préparation de l'environnement et Commandes :

```
(monenv) PS C:\django> python -m django startproject myproject
C:\django\monenv\Scripts\python.exe: No module named django
(monenv) PS C:\django> .\monenv\Scripts\activate
(monenv) PS C:\django> python -m django startproject myproject
C:\django\monenv\Scripts\python.exe: No module named django
(monenv) PS C:\django> pip install django
Collecting django
  Using cached django-6.0.3-py3-none-any.whl.metadata (3.9 kB)
Collecting asgiref>=3.9.1 (from django)
  Using cached asgiref-3.11.1-py3-none-any.whl.metadata (9.3 kB)
Collecting sqlparse>=0.5.0 (from django)
  Using cached sqlparse-0.5.5-py3-none-any.whl.metadata (4.7 kB)
Collecting tzdata (from django)
  Using cached tzdata-2025.3-py2.py3-none-any.whl.metadata (1.4 kB)
Using cached django-6.0.3-py3-none-any.whl (8.4 MB)
Using cached asgiref-3.11.1-py3-none-any.whl (24 kB)
Using cached sqlparse-0.5.5-py3-none-any.whl (46 kB)
Using cached tzdata-2025.3-py2.py3-none-any.whl (348 kB)
Installing collected packages: tzdata, sqlparse, asgiref, django
Successfully installed asgiref-3.11.1 django-6.0.3 sqlparse-0.5.5 tzdata-2025.3

[notice] A new release of pip is available: 25.3 -> 26.0.1
[notice] To update, run: python.exe -m pip install --upgrade pip
(monenv) PS C:\django> python -m django startproject myproject
(monenv) PS C:\django> cd .\myproject\
(monenv) PS C:\django\myproject> code .
(monenv) PS C:\django\myproject>
```

```
PS C:\django\myproject> & C:\django\monenv\Scripts\Activate.ps1
(monenv) PS C:\django\myproject> python manage.py startapp myapp
(monenv) PS C:\django\myproject> python manage.py runserver
Watching for file changes with StatReloader
Performing system checks...

System check identified no issues (0 silenced).
```

```
(monenv) PS C:\django\myproject> python manage.py makemigrations
Migrations for 'myapp':
  myapp\migrations\0001_initial.py
    + Create model Feature
(monenv) PS C:\django\myproject> python manage.py migrate
Operations to perform:
  Apply all migrations: admin, auth, contenttypes, myapp, sessions
Running migrations:
  Applying contenttypes.0001_initial... OK
  Applying auth.0001_initial... OK
  Applying admin.0001_initial... OK
  Applying admin.0002_logentry_remove_auto_add... OK
  Applying admin.0003_logentry_add_action_flag_choices... OK
  Applying contenttypes.0002_remove_content_type_name... OK
  Applying auth.0002_alter_permission_name_max_length... OK
  Applying auth.0003_alter_user_email_max_length... OK
  Applying auth.0004_alter_user_username_opts... OK
  Applying auth.0005_alter_user_last_login_null... OK
  Applying auth.0006_require_contenttypes_0002... OK
  Applying auth.0007_alter_validators_add_error_messages... OK
  Applying auth.0008_alter_user_username_max_length... OK
  Applying auth.0009_alter_user_last_name_max_length... OK
  Applying auth.0010_alter_group_name_max_length... OK
  Applying auth.0011_update_proxy_permissions... OK
  Applying auth.0012_alter_user_first_name_max_length... OK
  Applying myapp.0001_initial... OK
  Applying sessions.0001_initial... OK
```

```
(monenv) PS C:\django\myproject> python manage.py createsuperuser
Username (leave blank to use 'hp'): mehdi
Email address: mehdiabdenbi@gmail.com
Password:
Password (again):
Error: Your passwords didn't match.
Password:
Password (again):
Superuser created successfully.
(monenv) PS C:\django\myproject> python manage.py runserver
Watching for file changes with StatReloader
Performing system checks...
```

2.Les Modèles (models.py)

Le fichier `models.py` sert à définir la structure de notre base de données. Ici, nous avons créé une classe qui représente notre table avec ses différents attributs (comme le titre et la description). Django se chargera de traduire cela en base de données grâce aux migrations.

```
myapp > models.py > Feature > __str__
1  from django.db import models
2
3  class Feature(models.Model):
4      titre = models.CharField(max_length=100)
5      description = models.TextField()
6
7      def __str__(self):
8          return self.titre
```

3.L'Administration (admin.py)

Le fichier `admin.py` permet d'enregistrer nos modèles pour qu'ils soient accessibles et modifiables directement depuis l'interface d'administration sécurisée générée par Django

```
myapp > admin.py
1  from django.contrib import admin
2  from .models import Feature
3
4  admin.site.register(Feature)
```

4. Les Vues (views.py):

Le fichier views.py contient la logique métier de l'application. Chaque fonction (vue) reçoit une requête HTTP (comme une soumission de formulaire), effectue un traitement (comme compter les mots ou authentifier un utilisateur), et retourne un template HTML en réponse.

5. Le Routage (urls.py):

Le fichier `urls.py` est le routeur de l'application. Il permet de faire correspondre une adresse URL tapée par l'utilisateur dans son navigateur avec une fonction spécifique définie dans le fichier `views.py`

6. Les Templates (.html) :

Les fichiers HTML dans le dossier `templates` gèrent l'interface utilisateur

7.résultats dans le navigateur :



127.0.0.1:8000/login/
Connexion
Username:
Password:
Se connecter
Pas encore de compte ? Inscrivez-vous ici.

127.0.0.1:8000
Compteur de mots
Tapez votre texte ici...
Compter les mots

8. Lien vers le dépôt GitHub:

https://github.com/mehdizono/m361-python-/tree/main/TP%20django