

Pizza Sales SQL Queries

A. API's

1. Total Revenue

```
SELECT round(SUM(total_price),2) AS total_revenue  
FROM pizza_sales;
```

total_revenue
817860.05

2. Average Order Value

```
SELECT round(SUM(total_price)/COUNT(DISTINCT(order_id)),2) AS Avg_Order_Value  
FROM pizza_sales;
```

Avg_Order_Value
38.31

3. Total Pizza Sold

```
SELECT SUM(quantity) AS Total_pizza_sold  
FROM pizza_sales;
```

Total_pizza_sold
49574

4. Total Orders

```
SELECT count(DISTINCT(order_id)) as Total_Orders  
FROM pizza_sales;
```

Total_Orders
21350

5. Average Pizza per Orders

```
SELECT ROUND(SUM(quantity)/ COUNT(DISTINCT(order_id)),2) AS Avg_pizza_orders
FROM pizza_sales;
```

Avg_pizza_orders
2.32

6. Daily Trend for Total Orders

```
SELECT DAYNAME(order_date) AS Day_Name ,
COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY DAYNAME(order_date)
ORDER BY FIELD(Day_Name, 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday',
'Saturday');
```

Day_Name	Total_Orders
Sunday	2624
Monday	2794
Tuesday	2973
Wednesday	3024
Thursday	3239
Friday	3538
Saturday	3158

7. Hourly Trend for Total Orders

```
SELECT HOUR(order_time) AS Order_hour,
COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY HOUR(order_time);
```

Order_hour	Total_Orders
9	1
10	8
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

8. Shift Wise Trend for Total Orders and Total Revenue

```
SELECT
    CASE
        WHEN HOUR(order_time) BETWEEN 9 AND 11 then 'Morning'
        WHEN HOUR(order_time) BETWEEN 12 and 15 THEN 'Lunch'
        WHEN HOUR(order_time) BETWEEN 16 and 18 THEN 'Afternoon'
        WHEN HOUR(order_time) BETWEEN 19 and 23 THEN 'Dinner'
        ELSE 'Others'
    END AS Shift_name,
    COUNT(DISTINCT order_id) AS Total_Order,
    ROUND(SUM(total_price),2) AS Total_Revenue
FROM pizza_sales
GROUP BY Shift_name
ORDER BY field(Shift_name, 'Morning','Lunch','Afternoon','Dinner','Others');
```

Shift_name	Total_Order	Total_Revenue
Morning	1240	45322.45
Lunch	7915	330137.3
Afternoon	6655	245589.7
Dinner	5540	196810.6

9. Percentage of Sales by Pizza Category

```
SELECT pizza_category,
    ROUND(SUM(total_price) / (SELECT SUM(total_price) FROM pizza_sales) * 100,2) AS
    Sales_Percentage
FROM pizza_sales
GROUP BY pizza_category;
```

pizza_category	Sales_Percentage
Classic	26.91
Veggie	23.68
Supreme	25.46
Chicken	23.96

10. Percentage of Sales by Pizza Size

```
SELECT pizza_size,  
ROUND(SUM(total_price),2) AS Total_Sales,  
ROUND(SUM(total_price) / (SELECT SUM(total_price) FROM pizza_sales) * 100,2) AS  
Sales_Percentage  
FROM pizza_sales  
GROUP BY pizza_size;
```

pizza_size	Total_Sales	Sales_Percentage
M	249382.25	30.49
L	375318.7	45.89
S	178076.5	21.77
XL	14076	1.72
XXL	1006.6	0.12

11. Total Pizza Sold by Pizza Category

```
select pizza_category,  
SUM(quantity) AS Total_Pizza_Sold  
FROM pizza_sales  
GROUP BY pizza_category;
```

pizza_category	Total_Pizza_Sold
Classic	14888
Veggie	11649
Supreme	11987
Chicken	11050

11. Top 5 Best Sales Pizza(name) by Total Pizza Sold

```
SELECT pizza_name,  
SUM(quantity) AS Total_pizza_sold  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY 2 DESC  
LIMIT 5;
```

pizza_name	Total_pizza_sold
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

12. Top 5 Worst Sales Pizza(name) by Total Pizza Sold

```
SELECT pizza_name,  
SUM(quantity) AS Total_pizza_sold  
FROM pizza_sales  
GROUP BY pizza_name  
ORDER BY 2 ASC  
LIMIT 5;
```

pizza_name	Total_pizza_sold
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961