Submitted By	Submitted To
Name: Muhammd Mehedi Hasan	Name: Zaima Sartaj Taheri
Reg: 23201143	Lecturer Department of Computer Science and Engineering, University of Asia Pacific
Section: C	
Subject: CSE 108	

Problem C:

Code:

```c
#include <stdio.h>
int main(){

int n, k;
int i, j;
int time = 0;
int count = 0;

scanf("%d", &n);
scanf("%d", &k);
int need = 240 - k;

for(i = 1 ; i <= n; i++){
    time += (i * 5);
    if(need >= time){
        count++;

    }
}
printf("%d",count);
return 0;

}
```

RunID	Status	Memory	Time	Language	Length	Submit Time
55480542	Wrong answer on test 1			GNU GCC C11 5.1.0	179	2:27:56
55479477	**Accepted**	0	62	GNU GCC C11 5.1.0	268	1:57:50

Cancel Confirm

#55479477 | mehedi1022's solution for [CodeForces-750A] [Problem C] ✕

Status	Time	Length	Lang	Submitted	Open	Share text ❓	RemoteRunId
Accepted	62ms	268	GNU GCC C11 5.1.0	2024-10-28 16:32:50	☑	☐	288458367

```c
#include <stdio.h>
int main(){

int n, k;
int i, j;
int time = 0;
int count = 0;

scanf("%d", &n);
scanf("%d", &k);
int need = 240 - k;

for(i = 1 ; i <= n; i++){
    time += (i * 5);
    if(need >= time){
        count++;

    }
}
printf("%d",count);
return 0;
}
```

Leave a comment