

GridWise — Live Demo Video Guide

Record the whole demonstration in the browser, using only the live link. No terminal, no VS Code, no editor — six tests, click by click, with the exact body to paste and the exact result to expect.

Live API	https://brian-sheffield-surely-fly.trycloudflare.com
Repository	https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer
Tool needed	Google Chrome (only)
Video length	3 to 5 minutes is plenty

0. Before you press record — five checks

1. Leave the Cloudflare tunnel window open on the laptop. If that window closes, the link dies instantly.
2. Plug the laptop into the charger and stop it from sleeping. A sleeping laptop kills the link mid-recording.
3. Open <https://brian-sheffield-surely-fly.trycloudflare.com/health> and confirm `{"status":"ok"}` — do this one minute before recording, not hours.
4. Chrome zoom to 110–125% (Ctrl and +), hide the bookmarks bar (Ctrl+Shift+B), close personal tabs, switch on Do Not Disturb.
5. Keep this PDF open in a second Chrome tab. You will copy the five JSON bodies from Section 5 while recording.

Important. The live link is a quick tunnel in front of the running service. If the laptop sleeps, the network drops, or the tunnel window is closed, the URL stops working and a restart produces a **different** URL. Check it right before you record, and record in one sitting.

1. Two links to show first (Clip 1 and Clip 2)

Clip 1 — the readiness probe (about 15 seconds)

Type in the Chrome address bar:

```
https://brian-sheffield-surely-fly.trycloudflare.com/health
```

The page shows exactly: `{"status":"ok"}`

Say: “This is the readiness probe required by the problem statement. It returns status ok.”

Clip 2 — the interactive docs (about 15 seconds)

<https://brian-sheffield-surely-fly.trycloudflare.com/docs>

The Swagger UI page opens, listing GET /health and POST /optimize-energy. Point at both rows with the mouse.

Say: “The service exposes exactly two endpoints, and anyone can run a real request from this page.”

2. How to run a request from the docs page (the pattern you repeat)

1. Click the grey bar POST /optimize-energy to expand it.
2. Click the **Try it out** button on the right.
3. Click inside the **Request body** box, select all (Ctrl+A) and delete the sample text.
4. Paste the JSON body for the case from Section 5 (Ctrl+V).
5. Click the blue **Execute** button.
6. Scroll to **Response body**. Check the code is 200 and point at the numbers.

Two things that are completely normal:

- A red validation note may appear under the box while you paste. Ignore it and click Execute anyway.
- The first Execute after a pause may take a few seconds, because a real language model is being called. Never click Execute twice.

3. The six tests — the story of the video

Case 1 (Clip 3) — official sample SAMPLE-01: solar reduction plus an unrelated note

Body to paste: **BODY A**

Expected result

- directive_interpretation[0]: solar_reduction, applies: true, hours [12, 13], factor 0.25
- directive_interpretation[1]: no_op, applies: false, structured_adjustment: null
- total_grid_kwh 2692.5 total_cost_bdt 38365.00 peak_grid_kwh 175.0
- Published optimum for this case: 2692.5 kWh / 38365.00 BDT / 175 kWh — exact match

Say: “The first note cuts usable solar to 25 percent during hours 12 and 13. The second note has nothing to do with energy, and the model correctly returns no_op instead of inventing a rule. The optimizer lands on 38,365 BDT, exactly the published optimum.”

Case 2 (Clip 4) — official sample SAMPLE-05: grid import cap, 6 PM to 9 PM

Body to paste: **BODY B**

Expected result

- max_grid_window, applies: true, hours [18, 19, 20], max_grid_kwh 155.0
- 2430.0 kWh 33950.00 BDT peak 175.0 kWh — published optimum, exact match

Say: "Grid import is capped at 155 kWh in hours 18, 19 and 20. The plan still reaches the published optimum of 33,950 BDT."

Case 3 (Clip 5) — a brand-new paraphrase of the same limit

Body to paste: **BODY C** (note text: "Between 6 PM and 9 PM the campus feeder is limited, so keep hourly grid import under 155 kWh.")

Expected result: max_grid_window, hours [18, 19, 20], cap 155.0 — and 33950.00 BDT again.

Say: "This note is not in the sample set and is worded completely differently. The language model still resolves it to the same directive, so it is generalising rather than matching fixed phrases."

Case 4 (Clip 6) — an unrelated note that must be ignored

Body to paste: **BODY D** (note text: "The library extended its opening hours during exam week.")

Expected result: no_op, applies: false, structured_adjustment: null, totals unchanged at 2430.0 kWh / 33950.00 BDT.

Say: "This note has nothing to do with energy. The model returns no_op, so no bogus constraint ever reaches the optimizer."

Case 5 (Clip 7) — a fresh charging restriction

Body to paste: **BODY E** (note text: "Please don't charge the battery between 2 AM and 5 AM.")

Expected result: no_charge_window, hours [2, 3, 4], totals 2430.0 kWh / 34130.00 BDT / peak 175.0.

Say: "Charging is blocked for hours 2, 3 and 4. The end of the window is exclusive, which is the convention published in the sample data, and the cost rises to 34,130 BDT because the optimizer has to charge at a more expensive hour."

Case 6 (Clip 8) — error handling: bad requests never break the service

Type these two links in the address bar, one after the other:

```
https://brian-sheffield-surely-fly.trycloudflare.com/optimize-energy
```

```
https://brian-sheffield-surely-fly.trycloudflare.com/no-such-path
```

Expected result: the first shows 405 {"detail":"Method Not Allowed"} (that endpoint only accepts POST), the second shows 404 {"detail":"Not Found"}.

Say: “Wrong requests get a clean error response. The service never crashes and never exposes an API key or a stack trace.”

4. Closing statement (Clip 9, about 25 seconds) — read this out

“Operator notes are interpreted by a real language model, Groq's gpt-oss-20b, which only returns structured directives — it never does the scheduling or the arithmetic. Those directives pass through deterministic guardrails, and then into a deterministic linear program solved with SciPy's HiGHS solver that minimises total cost in BDT. Every plan is re-validated before it is returned, and an invalid plan is rejected instead of being sent to the judge. All ten official public sample cases reproduce the published optimum, and the project ships with a Docker image that runs the same way. The repository link is below.”

5. Reference: the ten official public sample cases

Optional to show, useful to quote. Every one of these was reproduced exactly, locally, in Docker, and against this live link.

Case	Grid import (kWh)	Cost (BDT)	Peak (kWh)
SAMPLE-01	2692.50	38365.00	175.00
SAMPLE-02	2915.00	42885.00	180.00
SAMPLE-03	2430.00	35480.00	205.00
SAMPLE-04	2645.00	40495.00	225.00
SAMPLE-05	2430.00	33950.00	175.00
SAMPLE-06	2395.00	34090.00	175.00
SAMPLE-07	2560.00	38550.00	185.00
SAMPLE-08	2490.00	37665.00	210.00
SAMPLE-09	2504.00	34873.00	170.00
SAMPLE-10	2715.00	41620.00	190.00

6. What to say and what not to say

Do say (all verified)

- The language model interprets the operator notes; the optimizer is deterministic and does the maths.
- All ten official cases match the published optimum; measured end to end under one second, well inside the 30 second limit.
- The final validator rejects any invalid schedule before a success response is returned.
- The project also runs in Docker, and 222 automated tests pass.

Do not say

- **Do not claim** the URL is permanent or that it is hosted on a cloud platform. It is a tunnel to a running service.
- **Do not say** the AI builds the schedule or does the optimisation — it only interprets the notes.
- **Do not read out** any API key, and do not open the `.env` file on camera.
- **Do not guess** at scores, judging, or numbers you have not seen in this video.

Do not show on camera

- The terminal, the tunnel window, VS Code, or any folder path on your laptop.
- Personal tabs, bookmarks, or notification pop-ups (turn on Do Not Disturb).
- Your API key anywhere on screen.
- Any editing of the JSON. If you mistype, delete that take and record it again.

7. If something goes wrong during recording

Symptom	Cause and fix
The link does not open at all	The tunnel stopped (laptop slept, the tunnel window was closed, or the network dropped). Restart the tunnel, check the new URL on <code>/health</code> , and note that the URL changes every time.
No Try it out button	You have not expanded the POST <code>/optimize-energy</code> row yet. Click the grey bar first.
Response code is 422	The pasted JSON was edited, cut short, or pasted twice. Clear the box and paste from Section 5 again.
The first Execute is slow	Normal on a free provider tier. Wait for it; do not click twice.
Numbers differ in the last decimals	You may see <code>38365.000001</code> instead of <code>38365.00</code> . That is the optimizer's tie-break tolerance, within <code>0.000001</code> of the published optimum — mention it only if a judge asks.

8. Recording tips

- Record Chrome full screen (F11). 1080p at 30 frames per second is enough; the numbers must be readable.
- Speak in English, at a calm pace. Keep the whole video between three and five minutes.
- Pause for one full second after each Execute so the result is clearly visible, then move the mouse to the number you are reading out.

- Do the whole run in one sitting, in one tab. Do not switch tabs mid-video.
- Before you stop recording, check that you showed: health, the two official cases, one paraphrase, one no_op, one charging window, the 405 and 404 errors, and the closing statement.

Prepared for the BUP CSE Fest 2026 preliminary round submission. Live URL: <https://brian-sheffield-surely-fly.trycloudflare.com> · Repository: <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer>

BODY A — Case 1 - official sample SAMPLE-01 (solar reduction + unrelated note)

Select everything in this block, copy it, and paste it into the Swagger “Request body” box. Paste it exactly as it is - do not edit a single character.

```
{
  "scenario_id": "SAMPLE-01",
  "operator_notes": [
    "Facilities will wash the rooftop solar panels from noon until 2 PM. During cleaning, usable solar should be treated as roughly 25% of the forecast.",
    "The sports office moved next month's registration deadline."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 220,
    "initial_energy_kwh": 110,
    "minimum_energy_kwh": 40,
    "max_charge_kwh_per_hour": 50,
    "max_discharge_kwh_per_hour": 50
  }
}
```

Copy hint: click at the start of the first line, drag to the very end of the last line (}), then press Ctrl+C.

If copying out of this PDF misbehaves, open the same body in a browser tab instead, press Ctrl+A then Ctrl+C, and paste that: <https://raw.githubusercontent.com/meherabmehu/GridWise-LLM-Energy-Optimizer/main/docs/demo/bodies/case-1-sample-01-solar-and-unrelated-note.json>

BODY B — Case 2 - official sample SAMPLE-05 (grid import cap, 6 PM to 9 PM)

Select everything in this block, copy it, and paste it into the Swagger “Request body” box. Paste it exactly as it is - do not edit a single character.

```
{
  "scenario_id": "SAMPLE-05",
  "operator_notes": [
    "From 6 PM until 9 PM, campus grid import must not exceed 155 kWh in any hour because the feeder is operating under a temporary limit."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Copy hint: click at the start of the first line, drag to the very end of the last line (}), then press Ctrl+C.

If copying out of this PDF misbehaves, open the same body in a browser tab instead, press Ctrl+A then Ctrl+C, and paste that: <https://raw.githubusercontent.com/meherabmehu/GridWise-LLM-Energy-Optimizer/main/docs/demo/bodies/case-2-sample-05-grid-cap.json>

BODY C — Case 3 - brand-new paraphrase of the same grid cap

Select everything in this block, copy it, and paste it into the Swagger “Request body” box. Paste it exactly as it is - do not edit a single character.

```
{
  "scenario_id": "DEMO-03",
  "operator_notes": [
    "Between 6 PM and 9 PM the campus feeder is limited, so keep hourly grid import under 155 kWh."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Copy hint: click at the start of the first line, drag to the very end of the last line (}), then press Ctrl+C.

If copying out of this PDF misbehaves, open the same body in a browser tab instead, press Ctrl+A then Ctrl+C, and paste that: <https://raw.githubusercontent.com/meherabmehu/GridWise-LLM-Energy-Optimizer/main/docs/demo/bodies/case-3-paraphrased-grid-cap.json>

BODY D — Case 4 - an unrelated note that must become no_op

Select everything in this block, copy it, and paste it into the Swagger “Request body” box. Paste it exactly as it is - do not edit a single character.

```
{
  "scenario_id": "DEMO-04",
  "operator_notes": [
    "The library extended its opening hours during exam week."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Copy hint: click at the start of the first line, drag to the very end of the last line (}), then press Ctrl+C.

If copying out of this PDF misbehaves, open the same body in a browser tab instead, press Ctrl+A then Ctrl+C, and paste that: <https://raw.githubusercontent.com/meherabmehu/GridWise-LLM-Energy-Optimizer/main/docs/demo/bodies/case-4-unrelated-note.json>

BODY E — Case 5 - a fresh battery charging restriction

Select everything in this block, copy it, and paste it into the Swagger “Request body” box. Paste it exactly as it is - do not edit a single character.

```
{
  "scenario_id": "DEMO-05",
  "operator_notes": [
    "Please don't charge the battery between 2 AM and 5 AM."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Copy hint: click at the start of the first line, drag to the very end of the last line (}), then press Ctrl+C.

If copying out of this PDF misbehaves, open the same body in a browser tab instead, press Ctrl+A then Ctrl+C, and paste that: <https://raw.githubusercontent.com/meherabmehu/GridWise-LLM-Energy-Optimizer/main/docs/demo/bodies/case-5-no-charge-window.json>