

GridWise — Cases to Paste During the Video

Everything you copy and paste during the recording. Three cases are marked SHOW IN VIDEO and take ninety seconds together; the two marked EXTRA are the ones you mention out loud. Each body is on its own page, ready to select and copy.

Live URL <https://brian-sheffield-surely-fly.trycloudflare.com/docs>

How to paste Expand POST /optimize-energy → Try it out → clear the box → paste → Execute

1. The cases, with what each one proves

CASE 1 SHOW IN VIDEO Official sample SAMPLE-01 — solar reduction, plus a note to ignore

The model reads two notes at once and returns no-op for the unrelated one.

Expected: solar_reduction (hours [12, 13], factor 0.25) then no_op (applies false)

Totals: 2692.50 kWh / 38365.00 BDT / peak 175.00 kWh

official optimum for this case: 2692.50 / 38365.00 / 175

CASE 2 SHOW IN VIDEO Official sample SAMPLE-05 — grid import capped from 6 PM to 9 PM

A window directive: the start hour counts, the end hour does not.

Expected: max_grid_window (hours [18, 19, 20], max_grid_kwh 155.0)

Totals: 2430.00 kWh / 33950.00 BDT / peak 175.00 kWh

official optimum for this case: 2430.00 / 33950.00 / 175

CASE 3 SHOW IN VIDEO Language test — a distractor sentence, then a casually worded grid limit

The model keeps the real instruction, ignores the canteen sentence, and extracts the window and the limit from casual wording. A keyword matcher fails here.

Expected: max_grid_window (hours [18, 19, 20, 21], max_grid_kwh 150.0)

Totals: 2430.00 kWh / 33950.00 BDT / peak 175.00 kWh

CASE 4 EXTRA Unrelated note — must produce no_op

No invented rule when a note has nothing to do with energy.

Expected: no_op (applies false, structured_adjustment null)

Totals: 2430.00 kWh / 33950.00 BDT / peak 175.00 kWh

CASE 5 EXTRA Language test — negation: night charging is fine, no top-up 4 AM to 7 AM

The model handles negation: it allows overnight charging and blocks only the stated window, instead of blocking charging entirely.

Expected: no_charge_window (hours [4, 5, 6])

Totals: 2430.00 kWh / 34010.00 BDT / peak 175.00 kWh

2. Error-handling checks (no body needed)

What to do	Expected
Open https://brian-sheffield-surely-fly.trycloudflare.com/no-such-path	404 {"detail":"Not Found"}
Open https://brian-sheffield-surely-fly.trycloudflare.com/optimize-energy	405 {"detail":"Method Not Allowed"}
/docs -> POST /optimize-energy -> Try it out -> paste the word boom -> Execute	400 {"error":{"type":"malformed_json","message":"request body is not valid JSON"}}

Afterwards. If a result differs in the last decimals — 38365.000001 instead of 38365.00 — that is the solver tie-break tolerance and is fine. Do not mention it unless a judge asks.

3. Copy-ready request bodies

Pages below: CASE 1, CASE 2, CASE 3 (video), then CASE 4 and CASE 5 (extra).

CASE 1 — Official sample SAMPLE-01 - solar reduction, plus a note to ignore

Select the whole block, copy it, and paste it into the Swagger Request body box. Paste it exactly — do not change one character.

```
{
  "scenario_id": "SAMPLE-01",
  "operator_notes": [
    "Facilities will wash the rooftop solar panels from noon until 2 PM. During cleaning, usable solar should be treated as roughly 25% of the forecast.",
    "The sports office moved next month's registration deadline."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 220,
    "initial_energy_kwh": 110,
    "minimum_energy_kwh": 40,
    "max_charge_kwh_per_hour": 50,
    "max_discharge_kwh_per_hour": 50
  }
}
```

Also available at <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer/blob/main/docs/test-cases/request-bodies/sample-01.json>

CASE 2 — Official sample SAMPLE-05 - grid import capped from 6 PM to 9 PM

Select the whole block, copy it, and paste it into the Swagger Request body box. Paste it exactly — do not change one character.

```
{
  "scenario_id": "SAMPLE-05",
  "operator_notes": [
    "From 6 PM until 9 PM, campus grid import must not exceed 155 kWh in any hour because the feeder is operating under a temporary limit."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Also available at <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer/blob/main/docs/test-cases/request-bodies/sample-05.json>

CASE 3 — Language test - a distractor sentence, then a casually worded grid limit

Select the whole block, copy it, and paste it into the Swagger Request body box. Paste it exactly — do not change one character.

```
{
  "scenario_id": "LLM-TEST-1",
  "operator_notes": [
    "Rumour has it the canteen is closing for renovation next month. Meanwhile the substation crew asked us to be gentle on the grid between 6 and 10 PM - keep any single hour under 150 kwh",
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Also available at <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer/blob/main/docs/test-cases/request-bodies/l1.json>

CASE 4 — Unrelated note - must produce no_op

Select the whole block, copy it, and paste it into the Swagger Request body box. Paste it exactly — do not change one character.

```
{
  "scenario_id": "PARAPHRASE-P6",
  "operator_notes": [
    "The library extended its opening hours during exam week."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Also available at <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer/blob/main/docs/test-cases/request-bodies/p6.json>

CASE 5 — Language test - negation: night charging is fine, no top-up 4 AM to 7 AM

Select the whole block, copy it, and paste it into the Swagger Request body box. Paste it exactly — do not change one character.

```
{
  "scenario_id": "LLM-TEST-2",
  "operator_notes": [
    "Charging through the night is fine. Just don't top the battery up between 4 and 7 in the morning while the inverter is being serviced."
  ],
  "hours": [
    {"hour": 0, "demand_kwh": 90, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 1, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 2, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 3, "demand_kwh": 80, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 4, "demand_kwh": 85, "solar_kwh": 0, "tariff_bdt_per_kwh": 5},
    {"hour": 5, "demand_kwh": 95, "solar_kwh": 0, "tariff_bdt_per_kwh": 6},
    {"hour": 6, "demand_kwh": 110, "solar_kwh": 5, "tariff_bdt_per_kwh": 8},
    {"hour": 7, "demand_kwh": 130, "solar_kwh": 20, "tariff_bdt_per_kwh": 10},
    {"hour": 8, "demand_kwh": 150, "solar_kwh": 50, "tariff_bdt_per_kwh": 12},
    {"hour": 9, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 10, "demand_kwh": 175, "solar_kwh": 130, "tariff_bdt_per_kwh": 16},
    {"hour": 11, "demand_kwh": 180, "solar_kwh": 160, "tariff_bdt_per_kwh": 16},
    {"hour": 12, "demand_kwh": 185, "solar_kwh": 180, "tariff_bdt_per_kwh": 15},
    {"hour": 13, "demand_kwh": 180, "solar_kwh": 170, "tariff_bdt_per_kwh": 14},
    {"hour": 14, "demand_kwh": 170, "solar_kwh": 140, "tariff_bdt_per_kwh": 13},
    {"hour": 15, "demand_kwh": 165, "solar_kwh": 90, "tariff_bdt_per_kwh": 14},
    {"hour": 16, "demand_kwh": 170, "solar_kwh": 45, "tariff_bdt_per_kwh": 18},
    {"hour": 17, "demand_kwh": 185, "solar_kwh": 10, "tariff_bdt_per_kwh": 22},
    {"hour": 18, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 28},
    {"hour": 19, "demand_kwh": 215, "solar_kwh": 0, "tariff_bdt_per_kwh": 30},
    {"hour": 20, "demand_kwh": 205, "solar_kwh": 0, "tariff_bdt_per_kwh": 26},
    {"hour": 21, "demand_kwh": 175, "solar_kwh": 0, "tariff_bdt_per_kwh": 18},
    {"hour": 22, "demand_kwh": 135, "solar_kwh": 0, "tariff_bdt_per_kwh": 10},
    {"hour": 23, "demand_kwh": 105, "solar_kwh": 0, "tariff_bdt_per_kwh": 7}
  ],
  "battery": {
    "capacity_kwh": 240,
    "initial_energy_kwh": 120,
    "minimum_energy_kwh": 30,
    "max_charge_kwh_per_hour": 60,
    "max_discharge_kwh_per_hour": 60
  }
}
```

Also available at <https://github.com/meherabmehu/GridWise-LLM-Energy-Optimizer/blob/main/docs/test-cases/request-bodies/l2.json>