Day_02

Text and Formatting

Fronted-Web development

Get Practice and examples

mehereesh/Github.com

You Get Every Notes and examples and challenges here.

How to start?

Step1: Install visual studio code.

Step2: Download extensions (live server, Prettier).

Step3: Create the folder, Create a file with name (index.html)

Step 4: Enter Code, Tap **Go live (**Live server) live preview appeared in web.

Ln 79, Col 11   Spaces: 4   UTF-8   CRLF   HTML   🖲 Go Live   🔔

Heading tags:

Header tags are used to define headings in an HTML document. There are six levels of headings, ranging from <h1> (most important) to <h6> (least important).

<h1>: Main heading, usually the title of the page

<h2>: Subheading, used to break up content into sections

<h3>: Sub-subheading, used to further break up content

<h4>, <h5>, <h6>: Used for even smaller headings

Example:

<h1>Main Heading</h1>

<h2>Subheading</h2>

<h3>Sub-subheading</h3>

Paragraph Tag:

<p> The paragraph tag is used to define a paragraph of text.

Syntax:

<p> Content </p>

Example:

<p>This is a paragraph of text.</p>

Strong and Emphasis Tags:

 The strong tag is used to indicate strong importance .

 emphasis, while the emphasis tag is used to indicate mild emphasis.

Example:

<p>This text is very important

somewhat emphasized.</p>

Line Break Tag:

 The line break tag is used to insert a line break in a paragraph of text.

Example:

<p>This is a paragraph of text.
 This is a new line.</p>

Horizontal Rule Tag:

<hr> The horizontal rule tag is used to insert a horizontal line to separate content.

Example:

<p>This is a paragraph of text.</p>

<hr>

<p>This is a new section of content.</p>

Practice Time!

```html
<!DOCTYPE html>

<html>

<head>

        <title>Text Formatting</title>

</head>

<body>

        <h1>Main Heading</h1>

        <p>This is a paragraph of text.</p>

        <h2>Subheading</h2>

        <p>This text is <strong>very important</strong> and <em>somewhat emphasized</em>.</p>

        <p>This is a paragraph of text.<br>This is a new line.</p>

        <hr>

        <h3>Sub-subheading</h3>

        <p>This is a new section of content.</p>

</body>

</html>
```

Open this HTML document in a web browser to see the formatted text in action!

Final Web Output: