Nonparametric Bandits Leveraging Informational Externalities to Learn the Demand Curve

Ian Weaver and Vineet Kumar

Yale School of Management

Marketing Dynamics Conference Northeastern University September 2023

• Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)

- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets

- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets
- What is the role of domain knowledge?

- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets
- What is the role of domain knowledge?
 - Variable (Feature) selection, Hyperparameter selection, Functional form

- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets
- What is the role of domain knowledge?
 - Variable (Feature) selection, Hyperparameter selection, Functional form
- Is there any role for theory (or more broadly human domain knowledge) in ML models?

- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets
- What is the role of domain knowledge?
 - Variable (Feature) selection, Hyperparameter selection, Functional form
- Is there any role for theory (or more broadly human domain knowledge) in ML models?
 - How can we incorporate (simple) economic theory?



- Machine learning models (supervised) can be cast as learning flexible functions: y = f(x)
 - Regression, SVMs, Deep Neural Nets
- What is the role of domain knowledge?
 - Variable (Feature) selection, Hyperparameter selection, Functional form
- Is there any role for theory (or more broadly human domain knowledge) in ML models?
 - How can we incorporate (simple) economic theory?
 - What is the benefit?



The Problem - Learning Unknown Demand Curves

In 2016, the Atlanta Falcons dramatically slashed concessions prices to improve brand equity. When asked how they projected the volume of sales to change, the CEO of ownership, Steve Cannon replied, "It could be a 10% bump, it could be a 30% bump, who knows." The next season sales volume for food rose 50%.

But... Companies are reluctant to experiment with price

Column: Why Businesses Don't Experiment

A debate

ensued among the group: Are we willing to sacrifice some customers "just" to learn how the new pricing approaches work?

They hedged. They asked me what I thought the best approach was. I told them that I was willing to share my intuition but that intuition is a remarkably bad thing to rely on. Only an experiment gives you the evidence you need. In the end, it wasn't enough to convince them, and they called off the project.

Issues

- Potential short term losses for uncertain long term gains
- May confuse or alter consumers' expectations

But... Companies are reluctant to experiment with price

Column: Why Businesses Don't Experiment

A debate

ensued among the group: Are we willing to sacrifice some customers "just" to learn how the new pricing approaches work?

They hedged. They asked me what I thought the best approach was. I told them that I was willing to share my intuition but that intuition is a remarkably bad thing to rely on. Only an experiment gives you the evidence you need. In the end, it wasn't enough to convince them, and they called off the project.

Issues

- Potential short term losses for uncertain long term gains
- May confuse or alter consumers' expectations

Can incorporating theory improve learning with an unknown demand curve?



Goal

Maximizing earning while learning

• Maximize long run profits while minimizing costs of experimentation

Goal

Maximizing earning while learning

Maximize long run profits while minimizing costs of experimentation

Goal

Maximizing earning while learning

Maximize long run profits while minimizing costs of experimentation

Desired Features

Be able to test many prices

Goal

Maximizing earning while learning

• Maximize long run profits while minimizing costs of experimentation

Desired Features

- Be able to test many prices
- No parametric form for demand curve assumed

Goal


Maximizing earning while learning

Maximize long run profits while minimizing costs of experimentation

Desired Features


- Be able to test many prices
- No parametric form for demand curve assumed
- Adaptively set price based on incoming experimentation data

• Each arm represents a choice




Link to Animation

- Each arm represents a choice
 - Has unknown distribution of rewards




Link to Animation

- Each arm represents a choice
 - Has unknown distribution of rewards
- Goal is to maximize rewards by choosing a sequence of arms from a set of choices (prices)



Link to Animation

- Each arm represents a choice
 - Has unknown distribution of rewards
- Goal is to maximize rewards by choosing a sequence of arms from a set of choices (prices)
 - Learning while earning




Link to Animation

- Each arm represents a choice
 - Has unknown distribution of rewards
- Goal is to maximize rewards by choosing a sequence of arms from a set of choices (prices)
 - Learning while earning
- Key is to balance exploration (finding best arm) and exploitation (gaining from best arm)



Link to Animation

- Each arm represents a choice
 - Has unknown distribution of rewards
- Goal is to maximize rewards by choosing a sequence of arms from a set of choices (prices)
 - Learning while earning
- Key is to balance exploration (finding best arm) and exploitation (gaining from best arm)
- Belongs to class of reinforcement learning problems



Link to Animation

Multi-Armed Bandits in Marketing

Use Case	Objective (maximize)	Examples of Arms	Arm A	Arm B	Arm C
Advertisements	Conversions	Ads	Emotional	Informative	Funny
Recommendation Systems	Purchases	Movies	E.T.	Indiana Jones	Rain Man
Pricing	Profits	Prices	\$1	\$5	\$20



Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing	Conversions Profits	Ads Prices	Emotional \$1	Informative \$5	Funny \$20

Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing		Ads Prices	Emotional \$1	Informative \$5	Funny \$20

In pricing, we know something about relation between arms from theory

• Continuity: Demands at closer prices will be closer together

Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing		Ads Prices	Emotional \$1	Informative \$5	Funny \$20

In pricing, we know something about relation between arms from theory

- Continuity: Demands at closer prices will be closer together
- Monotonicity: Demand is higher at lower prices

Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing	Conversions Profits	Ads Prices	Emotional \$1	Informative \$5	Funny \$20

In pricing, we know something about relation between arms from theory

- Continuity: Demands at closer prices will be closer together
- Monotonicity: Demand is higher at lower prices

Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing		Ads Prices	Emotional \$1	Informative \$5	Funny \$20

In pricing, we know something about relation between arms from theory

- Continuity: Demands at closer prices will be closer together
- Monotonicity: Demand is higher at lower prices

Informational Externality

Observing outcome for arm A helps us partially learn about outcomes for other arms

Use Case	Objective	Arms	Arm A	Arm B	Arm C
Advertisements Pricing		Ads Prices	Emotional \$1	Informative \$5	Funny \$20

In pricing, we know something about relation between arms from theory

- Continuity: Demands at closer prices will be closer together
- Monotonicity: Demand is higher at lower prices

Informational Externality

Observing outcome for arm A helps us partially learn about outcomes for other arms

Goal

Leverage informational externalities within MAB framework to improve learning

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - ullet Downward sloping demand curves \bullet key contribution

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - Downward sloping demand curves ← key contribution

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - Downward sloping demand curves ← key contribution

Features

Nonparametric

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - Downward sloping demand curves ← key contribution

Features

- Nonparametric
- Provides a measure of uncertainty (variance) for every possible price level

Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - Downward sloping demand curves ← key contribution

Features

- Nonparametric
- Provides a measure of uncertainty (variance) for every possible price level
- Provides an automatic approach with no human judgement required



Contribution

Develop new principled approach that incorporates informational externalities derived from theory with nonparametric bandits

- In pricing, economic theory includes
 - Correlation between demands at arms
 - Downward sloping demand curves ← key contribution

Features

- Nonparametric
- Provides a measure of uncertainty (variance) for every possible price level
- Provides an automatic approach with no human judgement required
- Runs in real time



Baseline: Start with standard multi-armed Bandit methods (UCB and TS)

 ■ Information Externality 1: Continuity ⇒ correlation between rewards of nearby arms

- Information Externality 1: Continuity ⇒ correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests

- Information Externality 1: Continuity

 correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests
 - We model this informational externality by adding Gaussian processes to standard bandit methods

- Information Externality 1: Continuity

 correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests
 - We model this informational externality by adding Gaussian processes to standard bandit methods
- Information Externality 2: Demand curves are monotonic (weakly decreasing)

- Information Externality 1: Continuity

 correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests
 - We model this informational externality by adding Gaussian processes to standard bandit methods
- Information Externality 2: Demand curves are monotonic (weakly decreasing)
 - Removes erroneous non-monotonic demand curves from the GP model



- Information Externality 1: Continuity

 correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests
 - We model this informational externality by adding Gaussian processes to standard bandit methods
- Information Externality 2: Demand curves are monotonic (weakly decreasing)
 - Removes erroneous non-monotonic demand curves from the GP model
 - Increases learning by reducing the possible space of demand curves



- Information Externality 1: Continuity

 correlation between rewards of nearby arms
 - Can allow for learning from nearby arms increasing certainty given the limited number of tests
 - We model this informational externality by adding Gaussian processes to standard bandit methods
- Information Externality 2: Demand curves are monotonic (weakly decreasing)
 - Removes erroneous non-monotonic demand curves from the GP model
 - Increases learning by reducing the possible space of demand curves
 - We propose new sampling method to obtain monotonic draws from the GP

• To model correlation between arms, can use **Gaussian process** bandits (Srinivas et al. 2009)

- To model correlation between arms, can use **Gaussian process** bandits (Srinivas et al. 2009)
- To adapt to pricing, the only difference is that the GP is modelled at the demand level (rather than reward level)

- To model correlation between arms, can use **Gaussian process** bandits (Srinivas et al. 2009)
- To adapt to pricing, the only difference is that the GP is modelled at the demand level (rather than reward level)
 - y variable: purchase probability


- To model correlation between arms, can use **Gaussian process** bandits (Srinivas et al. 2009)
- To adapt to pricing, the only difference is that the GP is modelled at the demand level (rather than reward level)
 - y variable: purchase probability
 - x variable: price

- To model correlation between arms, can use Gaussian process bandits (Srinivas et al. 2009)
- To adapt to pricing, the only difference is that the GP is modelled at the demand level (rather than reward level)
 - y variable: purchase probability
 - x variable: price
- Information from posterior GP scaled by price accordingly (GP-UCB / GP-TS)

Building Blocks

- Decision Rule for Picking Arm to Experiment: UCB, TS
- Gaussian Process can be used to flexibly model any nonparametric demand curve
 - Monotonicity restricts the set of functions


Overview of MABs and Informational Externalities



Overview of GPs

Intuitively, a Gaussian process is a probability distribution over possible functions


• GPs have a simple closed form specified completely by mean and kernel $f \sim GP(\mu(p), k(p, p'))$



Overview of GPs

Intuitively, a Gaussian process is a probability distribution over possible functions


- GPs have a simple closed form specified completely by mean and kernel $f \sim GP(\mu(p), k(p, p'))$
- Nonparametric method (accommodates almost any possible demand curve)



Overview of GPs

Intuitively, a Gaussian process is a probability distribution over possible functions

- GPs have a simple closed form specified completely by mean and kernel $f \sim GP(\mu(p), k(p, p'))$
- Nonparametric method (accommodates almost any possible demand curve)
- Can sample an entire demand curve at once from GP



GP-UCB

Uses deterministic scoring rule to pick an arm by balancing exploitation (mean of GP) with exploration (variance of GP) for each arm

GP-UCB

Uses deterministic scoring rule to pick an arm by balancing exploitation (mean of GP) with exploration (variance of GP) for each arm To include monotonicity:

Need to model GP such that the means are monotonically decreasing

GP-TS

Uses random draw from posterior, picking the arm with the highest reward To include monotonicity

GP-UCB

Uses deterministic scoring rule to pick an arm by balancing exploitation (mean of GP) with exploration (variance of GP) for each arm To include monotonicity:

- Need to model GP such that the means are monotonically decreasing
- Available methods (Riihimaki & Vehtari (2010))

GP-TS

Uses random draw from posterior, picking the arm with the highest reward To include monotonicity

GP-UCB

Uses deterministic scoring rule to pick an arm by balancing exploitation (mean of GP) with exploration (variance of GP) for each arm To include monotonicity:

- Need to model GP such that the means are monotonically decreasing
- Available methods (Riihimaki & Vehtari (2010))

GP-TS

Uses random draw from posterior, picking the arm with the highest reward To include monotonicity

 Need way to obtain a random monotonically decreasing draw from the posterior GP



GP-UCB

Uses deterministic scoring rule to pick an arm by balancing exploitation (mean of GP) with exploration (variance of GP) for each arm To include monotonicity:

- Need to model GP such that the means are monotonically decreasing
- Available methods (Riihimaki & Vehtari (2010))


GP-TS

Uses random draw from posterior, picking the arm with the highest reward To include monotonicity

- Need way to obtain a random monotonically decreasing draw from the posterior GP
- Not entirely clear how to do so



Monotonic Sampling



How do we obtain a random monotonic draw from the GP in a principled way?




Proposed Approach

Any function can be estimated by linearly interpolating between knot points

Converges to true curve as number of knots approaches infinity

$$D(\cdot) pprox \sum_{j=0}^N D(\mu_j) h_j(\cdot)$$



Similarly, any function can be estimated by its intercept and first derivatives at knots

$$D(
ho)pprox \sum_{j=0}^N D'(\mu_j)\int_0^
ho h_j(t)dt$$



Proposed Approach



¹We use the *TruncatedNormal* package in R

Proposed Approach

- Demand function can be estimated in terms of its intercept and derivatives at various knots (prices)
- Possible because the sum and derivative of a GP is also a GP

Why would we want to do this?

 Transforms problem from one of obtaining a monotonic draw to one of obtaining negative draws



¹We use the *TruncatedNormal* package in R

Proposed Approach

- Demand function can be estimated in terms of its intercept and derivatives at various knots (prices)
- Possible because the sum and derivative of a GP is also a GP

Why would we want to do this?

- Transforms problem from one of obtaining a monotonic draw to one of obtaining negative draws
- Monotonically decreasing = all negative derivatives



¹We use the *TruncatedNormal* package in R

Proposed Approach

- Demand function can be estimated in terms of its intercept and derivatives at various knots (prices)
- Possible because the sum and derivative of a GP is also a GP

Why would we want to do this?

- Transforms problem from one of obtaining a monotonic draw to one of obtaining negative draws
- Monotonically decreasing = all negative derivatives
- Easier sampling problem (that of sampling from a Truncated Normal¹)



¹We use the *TruncatedNormal* package in R



Underlying WTP distribution is chosen



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried
 - 5 arms: $\{0.1, 0.3, 0.5, 0.7, 0.9\}$



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried
 - 5 arms: $\{0.1, 0.3, 0.5, 0.7, 0.9\}$
 - 10 arms: $\{0.1, 0.2, ..., 1\}$



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried
 - 5 arms: $\{0.1, 0.3, 0.5, 0.7, 0.9\}$
 - 10 arms: $\{0.1, 0.2, ..., 1\}$
 - 100 arms: {0.01, 0.02, ..., 1}



²Follows setup from Misra et al. (2019)



- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried
 - $\bullet \ \, 5 \ \, \text{arms:} \ \, \{0.1, 0.3, 0.5, 0.7, 0.9\}$
 - 10 arms: $\{0.1, 0.2, ..., 1\}$
 - 100 arms: $\{0.01, 0.02, ..., 1\}$
- Algorithm is updated with purchase decision every 10 customers²



²Follows setup from Misra et al. (2019)




- Underlying WTP distribution is chosen
- Prices are normalized between 0 and 1
- 3 different price sets are tried
 - 5 arms: $\{0.1, 0.3, 0.5, 0.7, 0.9\}$
 - 10 arms: $\{0.1, 0.2, ..., 1\}$
 - \bullet 100 arms: $\{0.01, 0.02, ..., 1\}$
- Algorithm is updated with purchase decision every 10 customers²
- Results are averaged across 1000 separate runs




²Follows setup from Misra et al. (2019)

Distributions


Beta(2,9), Beta(9,2), and Beta(2,2) Distributions




Rewards - 10 Arms



Rewards - 5 Arms



Rewards - 100 Arms



Performance Uplift from Informational Externalities

			UCB			\mathbf{TS}	
		5 Arms	10 Arms	$100~\mathrm{Arms}$	5 Arms	10 Arms	$100~\mathrm{Arms}$
Uplift from	Beta(2,9)	1.8%	39.9%	461.9%	-6.5%	-1.6%	260.6%
1st Externality	Beta(2,2)	1.1%	4.9%	35.2%	0.3%	3.2%	31.3%
(GP compared	Beta(9,2)	0.1%	1.4%	12.6%	-0.5%	0.1%	8.8%
to base algos)	Pooled	0.9%	11.1%	54.7%	-2.1%	0.6%	48.4%
Uplift from	Beta(2,9)	18.1%	27.4%	29.5%	12.3%	18.4%	16.1%
2nd Externality	Beta(2,2)	0.5%	0.4%	0.3%	0.9%	0.6%	0.8%
(GP-M compared	Beta(9,2)	0.0%	0.0%	-0.2%	-0.1%	0.1%	0.0%
to GP algos)	Pooled	5.3%	7.6%	7.8%	4.0%	5.7%	5.0%
Uplift from	Beta(2,9)	20.3%	78.3%	627.5%	5.0%	16.4%	318.7%
both Externalities	Beta(2,2)	1.5%	5.3%	35.6%	1.2%	3.8%	32.3%
(GP-M compared	Beta(9,2)	0.2%	1.4%	12.4%	-0.6%	0.1%	8.8%
to base algos)	Pooled	$\boldsymbol{6.2\%}$	$\boldsymbol{19.6\%}$	66.7%	1.8%	$\boldsymbol{6.3\%}$	$\boldsymbol{55.9\%}$

1st Externality

- Uplift increases with number of arms
- Magnitude of uplifts largest for right-skewed

2nd Externality


- Consistent uplifts regardless of number of arms
- Large uplift for right-skewed, small for symmetric and left-skewed



Explanation - 1st Externality

The first externality becomes more important as the number of arms increases


 Without considering correlation, an algorithm has to test each arm individually



Explanation - 1st Externality

The first externality becomes more important as the number of arms increases


- Without considering correlation, an algorithm has to test each arm individually
- As the number of arms increases, learning is spread too thin



Explanation - 1st Externality


The first externality becomes more important as the number of arms increases

- Without considering correlation, an algorithm has to test each arm individually
- As the number of arms increases, learning is spread too thin
- Learning across arms ameliorates this problem allowing algorithm to narrow in on best arms more quickly



Explanation - 2nd Externality


• Generally, bandit algorithms tend to over-explore higher prices



- For Beta(2,9), including monotonicity helps remove the choice of many low performing high prices (orange box)
- For Beta(2,2), the effect is largely mitigated because other algorithms are already learning quickly to move on from these low performing high prices (orange box)


Explanation - 2nd Externality

- Generally, bandit algorithms tend to over-explore higher prices
- When the optimal price is low, including monotonicity allows many 'exploitations' from erroneous upward sloping curves to be eliminated




- For Beta(2,9), including monotonicity helps remove the choice of many low performing high prices (orange box)
- For Beta(2,2), the effect is largely mitigated because other algorithms are already learning quickly to move on from these low performing high prices (orange box)

Comparison of Learning Across Simulations



Comparison of Learning Across Simulations



• Role of Theory (Human Domain Knowledge) in Machine Learning models

- Role of Theory (Human Domain Knowledge) in Machine Learning models
- Incorporate "Demand Curves are continuous and downward sloping" into Reinforcement Learning (MAB) model

- Role of Theory (Human Domain Knowledge) in Machine Learning models
- Incorporate "Demand Curves are continuous and downward sloping" into Reinforcement Learning (MAB) model
 - Want to retain flexibility of ML models (Nonparametric, incredible flexible forms)

- Role of Theory (Human Domain Knowledge) in Machine Learning models
- Incorporate "Demand Curves are continuous and downward sloping" into Reinforcement Learning (MAB) model
 - Want to retain flexibility of ML models (Nonparametric, incredible flexible forms)
- Theory \implies Informational externalities across arms

- Role of Theory (Human Domain Knowledge) in Machine Learning models
- Incorporate "Demand Curves are continuous and downward sloping" into Reinforcement Learning (MAB) model
 - Want to retain flexibility of ML models (Nonparametric, incredible flexible forms)
- Theory \implies Informational externalities across arms
- Incorporating Theory into ML models requires careful modeling but has significant benefits in improving ML

- Role of Theory (Human Domain Knowledge) in Machine Learning models
- Incorporate "Demand Curves are continuous and downward sloping" into Reinforcement Learning (MAB) model
 - Want to retain flexibility of ML models (Nonparametric, incredible flexible forms)
- Theory \implies Informational externalities across arms
- Incorporating Theory into ML models requires careful modeling but has significant benefits in improving ML
- ullet Learns much more *efficiently* \Longrightarrow Experimentation (\Downarrow) \Longrightarrow Practical value




Thank You!


vineet.kumar@yale.edu

ADDITIONAL

Field Data - Replication



Fixed Variance - Altering the Mean of Underlying Distribution



The difference in performance shrinks as the mean gets higher

