

# Discussion of paper “Scalable Nonparametric Price Elasticity Estimation” by *Wang and Huang*

Discussion by Vineet Kumar (Yale School of Management)

March 2023  
UTD FORMS

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable



- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\implies$  Computationally light and scalable

- Motivation: Obtain **price elasticities** from aggregate data.
- Our typical approach to demand models is parametric (e.g. logit)
- Want to do this using a nonparametric approach
  - Why?
- Use ML method, specifically bagged (bootstrap averaged) nearest neighbors
- Desiderata:
  - Minimal assumptions – nonparametric
  - No demand model required even
  - Closed form for function, conditional on function values at nearest neighbors
  - $\Rightarrow$  Computationally light and scalable

# How it works – with exogenous prices

- Consider simple case without endogeneity

- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$

- Elasticities: If you know function  $f$ , then we can easily obtain elasticities


  - Change price to  $p + \Delta$ , determine how sales change.

- How do you get  $f$  nonparametrically?

  - Use a ML method to obtain functional approximation

  - Universal function approximators for different classes of functions

Endogenous prices are a challenge



# How it works – with exogenous prices

- Consider simple case without endogeneity

- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$


- Elasticities: If you know function  $f$ , then we can easily obtain elasticities

- Change price to  $p + \Delta$ , determine how sales change.

- How do you get  $f$  nonparametrically?

- Use a ML method to obtain functional approximation
- Universal function approximators for different classes of functions


Endogenous prices are a challenge



# How it works – with exogenous prices

- Consider simple case without endogeneity
- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$
- Elasticities: If you know function  $f$ , then we can easily obtain elasticities
  - Change price to  $p + \Delta$ , determine how sales change.
- How do you get  $f$  nonparametrically?
  - Use a ML method to obtain functional approximation
  - Universal function approximators for different classes of functions


Endogenous prices are a challenge



# How it works – with exogenous prices

- Consider simple case without endogeneity
- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$
- Elasticities: If you know function  $f$ , then we can easily obtain elasticities
  - Change price to  $p + \Delta$ , determine how sales change.
- How do you get  $f$  nonparametrically?
  - Use a ML method to obtain functional approximation
  - Universal function approximators for different classes of functions


Endogenous prices are a challenge



# How it works – with exogenous prices

- Consider simple case without endogeneity
- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$
- Elasticities: If you know function  $f$ , then we can easily obtain elasticities
  - Change price to  $p + \Delta$ , determine how sales change.
- How do you get  $f$  nonparametrically?
  - Use a ML method to obtain functional approximation
  - Universal function approximators for different classes of functions

Endogenous prices are a challenge






# How it works – with exogenous prices

- Consider simple case without endogeneity
- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$
- Elasticities: If you know function  $f$ , then we can easily obtain elasticities
  - Change price to  $p + \Delta$ , determine how sales change.
- How do you get  $f$  nonparametrically?
  - Use a ML method to obtain functional approximation
  - Universal function approximators for different classes of functions


Endogenous prices are a challenge



# How it works – with exogenous prices

- Consider simple case without endogeneity
- Model:  $s_{jt} = f_j(p_{jt}, x_{jt}) + \varepsilon_{jt}$
- Elasticities: If you know function  $f$ , then we can easily obtain elasticities
  - Change price to  $p + \Delta$ , determine how sales change.
- How do you get  $f$  nonparametrically?
  - Use a ML method to obtain functional approximation
  - Universal function approximators for different classes of functions

Endogenous prices are a challenge



## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data

## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data

## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data

## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data

## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data

## How it works – Dealing with endogeneity

- Control function approach is used to deal with endogeneity
- $\mathbf{p} = \mathbf{g}(\mathbf{z}) + \mathbf{u}$
- where  $\mathbf{z}$ 's are instruments
- Want to obtain price derivatives:  $\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - \partial_p \mathbf{E}[\varepsilon_{jt} | p, x]$
- Newey, Powell and Vella (1999) provide a way to write the selection bias to get:  
$$\partial_p \mathbf{E}[\varepsilon_{jt} | p, x] = (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$
- All quantities can be easily obtained from data



# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
    - Ensemble methods like Bagging can reduce variance (think of Random Forest)
    - ...But still biased.
    - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
    - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
    - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
    - corrects first order bias.



# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# What is the Role of ML here?

- One view of ML is that it is functional approximation
- If we have  $\partial_p f_j(p, x)$  we can get elasticities
- Want to approximate

$$\partial_p f_j(p, x) = \partial_p \mathbf{E}[s_j | p, x] - (\partial_z g(z)' \partial_z g(z))^{-1} \partial_z g(z)' \partial_z \mathbf{E}[s_j | p, x]$$

- Want a method that has “fast” asymptotic convergence (rate  $\sqrt{m/T}$ )
- Why the complexity:
  - Let's start with k-Nearest Neighbor (Bias-Variance Tradeoff)
  - Ensemble methods like Bagging can reduce variance (think of Random Forest)
  - ...But still biased.
  - use a jackknife to correct the bias (Biau, Cerou, and Guyader, 2010)
  - corrects first order bias.

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets



# Things to Like

- Paper is well written and motivated, which is not common in methodological papers
- Method is new and applicable to pretty much any demand setting.
- One of the biggest issues is endogeneity, which is accommodated here.
- Structural models can often take days, weeks or even months to estimate
- Anything that helps with obtaining realistic estimates of **economic quantities** like elasticity very useful
- Critical to have when **real-time** or timely decisions are required
- Scalable to lots of products, markets

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result(rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..

# Things to Like

- Nonparametric implies the model misspecification is not likely a huge issue
- Prove closed form for bagged nearest neighbors estimator
  - In parametric models, sometimes assumptions drive the result (rather than the data).
- Bagged Nearest Neighbor has attractive computational properties
- Not easy to obtain a method that has all the desirable properties
- Authors show monte carlos to show approximation quality
- Practical value in realistic applications...fast..



# Thoughts – Model and Counterfactuals

- Let's start with profit-maximizing firm:  $\pi(p) = f(x, p)(p - c)$
- In equilibrium, after solving FOC, Lerner index  $\frac{p - c}{p} = -\frac{1}{\varepsilon(p)}$
- So, can use this to recover marginal costs if we know  $\varepsilon(p)$ .

# Thoughts – Model and Counterfactuals

- Let's start with profit-maximizing firm:  $\pi(p) = f(x, p)(p - c)$
- In equilibrium, after solving FOC, Lerner index  $\frac{p - c}{p} = -\frac{1}{\varepsilon(p)}$
- So, can use this to recover marginal costs if we know  $\varepsilon(p)$ .

# Thoughts – Model and Counterfactuals

- Let's start with profit-maximizing firm:  $\pi(p) = f(x, p)(p - c)$
- In equilibrium, after solving FOC, Lerner index  $\frac{p - c}{p} = -\frac{1}{\varepsilon(p)}$
- So, can use this to recover marginal costs if we know  $\varepsilon(p)$ .

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?



# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- Typically we start with a utility model  $u_{ijt} = \beta X_{jt} + \alpha p_{jt} + \xi_{jt} + \omega_{ijt}$
- We recover parameters  $\theta = (\alpha, \beta)$ .
- We might expect the sales to  $j$  to be impacted by all the unobservables  $\xi_{kt}$ . So we should have  $f(x, p, \xi)$ .
- What is the impact of extant price variation?
- Local versus Global: when are we likely to have local be a good approximation to global as in Comani (2022)?
  - What classes of demand and hence profit functions?
- Here the method cannot recover preference parameters
- However, the claim is we can still do counterfactuals. How?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\epsilon(p)$  is different from counterfactual  $\bar{\epsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\epsilon(p)$  is different from counterfactual  $\bar{\epsilon}(p)$
- What about something like Petrin (2002), minivan?



# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\epsilon(p)$  is different from counterfactual  $\bar{\epsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – Model and Counterfactuals

- **Key Restriction:** Demand  $f(x, p)$  that is recovered through ML should not change in the counterfactual
  - Demand invariance
- What class of counterfactuals would work here?
  - An excise tax would be covered but a sales tax would not. Why?
- Excise tax  $\implies$  cost increases  $c \rightarrow c + \delta$  but does not impact demand directly in any way.
- $\implies$  elasticities are not affected.
- However, what happens when we have a sales tax increase?
  - The elasticity recovered from the data  $\varepsilon(p)$  is different from counterfactual  $\tilde{\varepsilon}(p)$
- What about something like Petrin (2002), minivan?

# Thoughts – ML

- ① How are the hyperparameters (tuning parameters) of the ML algorithm set? No theoretical guidelines for this.
- ② What about the  $g$  function (recall  $p = g(z) + u$ ). This needs to be parametrically specified?
- ③ Can we use any other ML method in place of Bagged nearest neighbors?
  - Random Forest, Deep nets etc.
- ④ Boils down to what you need from a computational perspective as well as a

# Thoughts – ML

- ① How are the hyperparameters (tuning parameters) of the ML algorithm set? No theoretical guidelines for this.
- ② What about the  $g$  function (recall  $p = g(z) + u$ ). This needs to be parametrically specified?
- ③ Can we use any other ML method in place of Bagged nearest neighbors?
  - Random Forest, Deep nets etc.
- ④ Boils down to what you need from a computational perspective as well as a

# Thoughts – ML

- ① How are the hyperparameters (tuning parameters) of the ML algorithm set? No theoretical guidelines for this.
- ② What about the  $g$  function (recall  $p = g(z) + u$ ). This needs to be parametrically specified?
- ③ Can we use any other ML method in place of Bagged nearest neighbors?
  - Random Forest, Deep nets etc.
- ④ Boils down to what you need from a computational perspective as well as a

# Thoughts – ML

- ① How are the hyperparameters (tuning parameters) of the ML algorithm set? No theoretical guidelines for this.
- ② What about the  $g$  function (recall  $p = g(z) + u$ ). This needs to be parametrically specified?
- ③ Can we use any other ML method in place of Bagged nearest neighbors?
  - Random Forest, Deep nets etc.
- ④ Boils down to what you need from a computational perspective as well as a



# Thoughts – ML

- ① How are the hyperparameters (tuning parameters) of the ML algorithm set? No theoretical guidelines for this.
- ② What about the  $g$  function (recall  $p = g(z) + u$ ). This needs to be parametrically specified?
- ③ Can we use any other ML method in place of Bagged nearest neighbors?
  - Random Forest, Deep nets etc.
- ④ Boils down to what you need from a computational perspective as well as a

# Conclusion

- ① Very interesting and practically valuable contribution to estimate elasticities in the presence of price endogeneity
- ② Authors show that method can satisfy a number of desirable properties both in theory and in practice
- ③ Need to have invariance of demand curve in the counterfactual

# Conclusion

- ① Very interesting and practically valuable contribution to estimate elasticities in the presence of price endogeneity
- ② Authors show that method can satisfy a number of desirable properties both in theory and in practice
- ③ Need to have invariance of demand curve in the counterfactual

# Conclusion

- ① Very interesting and practically valuable contribution to estimate elasticities in the presence of price endogeneity
- ② Authors show that method can satisfy a number of desirable properties both in theory and in practice
- ③ Need to have invariance of demand curve in the counterfactual