






Frequency-index review diagnostic: provisional event 157
Mean FI=-0.044; causality passes=True; blue: other provisional arrivals
IV.CSOB. · Response-corrected Z
FI=0.02; SNR=6.08 dB
independent P pick
IV.CSOB. · 0.2–6 Hz display
IV.COLB. · Response-corrected Z
FI=-0.62; SNR=5.49 dB
independent P pick
IV.COLB. · 0.2–6 Hz display
IV.CFB1. · Response-corrected Z
FI=-1.26; SNR=-0.80 dB
alternative-profile predicted P
IV.CFB1. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window



Frequency-index review diagnostic: provisional event 158
Mean FI=-0.024; causality passes=True; blue: other provisional arrivals
IV.CNIS. · Response-corrected Z
FI=-0.92; SNR=3.32 dB
alternative-profile predicted P
IV.CNIS. · 0.2–6 Hz display
IV.CFB3. · Response-corrected Z
FI=-0.42; SNR=1.02 dB
alternative-profile predicted P
IV.CFB3. · 0.2–6 Hz display
IV.CFB1. · Response-corrected Z
FI=-1.21; SNR=-0.68 dB
alternative-profile predicted P
IV.CFB1. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window



Frequency-index review diagnostic: provisional event 165
Mean FI=-0.219; causality passes=True; blue: other provisional arrivals
IV.CSTH. · Response-corrected Z
FI=0.78; SNR=3.98 dB
independent P pick
IV.CSTH. · 0.2–6 Hz display
IV.CSOB. · Response-corrected Z
FI=0.67; SNR=2.13 dB
independent P pick
IV.CSOB. · 0.2–6 Hz display
IV.CFB1. · Response-corrected Z
FI=-1.77; SNR=-3.12 dB
alternative-profile predicted P
IV.CFB1. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window



Frequency-index review diagnostic: provisional event 201
Mean FI=-0.137; causality passes=True; blue: other provisional arrivals
IV.CFB3. · Response-corrected Z
FI=-0.73; SNR=7.09 dB
alternative-profile predicted P
IV.CFB3. · 0.2–6 Hz display
IV.CCAP. · Response-corrected Z
FI=0.12; SNR=6.50 dB
alternative-profile predicted P
IV.CCAP. · 0.2–6 Hz display
2I.CLAC. · Response-corrected Z
FI=-1.81; SNR=0.42 dB
alternative-profile predicted P
2I.CLAC. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window


Frequency-index review diagnostic: provisional event 561
Mean FI=-0.077; causality passes=True; blue: other provisional arrivals
IV.CQUE. · Response-corrected Z
FI=1.87; SNR=9.36 dB
independent P pick
IV.CQUE. · 0.2–6 Hz display
IV.CAAM. · Response-corrected Z
FI=0.72; SNR=4.38 dB
alternative-profile predicted P
IV.CAAM. · 0.2–6 Hz display
IV.CUMA. · Response-corrected Z
FI=-1.70; SNR=0.61 dB
alternative-profile predicted P
IV.CUMA. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window


Frequency-index review diagnostic: provisional event 569
Mean FI=-0.039; causality passes=False; blue: other provisional arrivals
IV.CRUS. · Response-corrected Z
FI=0.73; SNR=7.92 dB
alternative-profile predicted P
IV.CRUS. · 0.2–6 Hz display
IV.CUMA. · Response-corrected Z
FI=-1.56; SNR=1.93 dB
alternative-profile predicted P
IV.CUMA. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window


Frequency-index review diagnostic: provisional event 570
Mean FI=-0.029; causality passes=True; blue: other provisional arrivals
2I.CREM. · Response-corrected Z
FI=0.88; SNR=9.04 dB
independent P pick
2I.CREM. · 0.2–6 Hz display
IV.CSFT. · Response-corrected Z
FI=0.83; SNR=3.46 dB
alternative-profile predicted P
IV.CSFT. · 0.2–6 Hz display
IV.CUMA. · Response-corrected Z
FI=-1.66; SNR=0.12 dB
alternative-profile predicted P
IV.CUMA. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window


Frequency-index review diagnostic: provisional event 631
Mean FI=-0.141; causality passes=True; blue: other provisional arrivals
IV.CUMA. · Response-corrected Z
FI=-0.65; SNR=7.05 dB
alternative-profile predicted P
IV.CUMA. · 0.2–6 Hz display
IV.CBAG. · Response-corrected Z
FI=-0.40; SNR=6.20 dB
alternative-profile predicted P
IV.CBAG. · 0.2–6 Hz display
IV.CMIS. · Response-corrected Z
FI=-1.14; SNR=-1.00 dB
alternative-profile predicted P
IV.CMIS. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window


Frequency-index review diagnostic: provisional event 632
Mean FI=-0.506; causality passes=True; blue: other provisional arrivals
IV.CMTS. · Response-corrected Z
FI=0.95; SNR=4.88 dB
alternative-profile predicted P
IV.CMTS. · 0.2–6 Hz display
IV.CBAG. · Response-corrected Z
FI=-0.54; SNR=4.57 dB
alternative-profile predicted P
IV.CBAG. · 0.2–6 Hz display
IV.CMIS. · Response-corrected Z
FI=-1.63; SNR=-10.62 dB
alternative-profile predicted P
IV.CMIS. · 0.2–6 Hz display
Velocity (µm/s)
Seconds from own picked/predicted P; gray: FI window