

4. What are the deep learning frameworks you have worked with?    Trescortiow		Split section   New text   New question   New question from library / other surve
PersorTlow   PyTorch   Revas   Other   Split section   New text   New question   New question from library / other surve   Question 5	Question 4	Edit   Add to library   Delet
Split section   New text   New question   New question from library / other surve  Question 5	4. What are the deep learning framev	vorks you have worked with?
Gens   Other	Tensorflow	
Split section   New text   New question   New question from library / other surve  Question 5	_ :	
Split section   New text   New question   New question from library / other surve  Question 5  Edit   Add to library   Delete  5. What challenges are associated with reproducing deep learning bugs in your day-to-day activities?  New text   Delete   Delete		
Question 5  Set   Add to library   Delete    New text   New question   New text   New question   New question from library   Delete    New text   New question   New questi	Other	
New text   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Delet   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New text   New question   New question from library   Other surve Question   New question		Split section   New text   New question   New question from library / other surve
New text.   New question from library   Other surve  Question 6  What are the edit operations that could be used to reproduce this bug?  New text.   New question   New question from library   Other surve  Question 6  What are the edit operations that could be used to reproduce this bug?  New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7  Split section   New text.   New question   New question from library   Other surve  Question 7	Question 5	Edit   Add to library   Delet
New text.    Delete	5. What challenges are associated with	· ·
Edit   Delete  Sug #1  Iven the issue description, and the code snippet. Please reproduce the bug, and select the most appropriate edit operations and critiformation needed to reproduce this bug.  or help the reproduction process, we have provided the sample edit operations here.  riginal Issue Report: https://stackoverflow.com/questions/59278771/super-low-accuracy-for-neural-network-model  secription:  followed a tutorial on neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to a round 95, 33% (4,27%) but   got - Accuracy; 34,00% (13,15%) on a few attempts. The model code seems exactly the same. I ownloaded the data from here as instructed. What could go wrong? Thanks on the code same of the same		
ection 3  Edit   Delete  Sug #1  Iven the issue description, and the code snippet. Please reproduce the bug, and select the most appropriate edit operations and critiformation needed to reproduce this bug.  of help the reproduction process, we have provided the sample edit operations here.  riginal Issue Report: https://stackoverflow.com/questions/59278771/super-low-accuracy-for-neural-network-model  escription:  followed a tutorial on neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to a round 95.33 (4.278) but 1 got -Accuracy; 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I ownloaded the data from here as instructed. What could go wrong? Thanks  ode Snippet: You can use this Colab notebook as the base notebook to start the reproduction rocess: https://colab.research.google.com/drive/1CH0EKq3Wc2ctcw1kWw2xe307i-FAD5f?usp=sharing  Edit   Delete   New text   New question   New question from library / other surve  Question 6  Edit   Add to library   Delete  6. What are the edit operations that could be used to reproduce this bug?    Input Data Generation		
iven the issue description, and the code snippet. Please reproduce the bug, and select the most appropriate edit operations and critiformation needed to reproduce this bug.  ob help the reproduction process, we have provided the sample edit operations here.  riginal Issue Report: https://stackoverflow.com/questions/59278771/super-low-accuracy-for-neural-network-model  secription:  followed a tutorial on neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to a round 95.33% (4.27%) but 1 got -Accuracy: 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I ownloaded the data from here as instructed. What could go wrong? Thanks  ode Snippet: You can use this Colab notebook as the base notebook to start the reproduction rocess: https://colab.research.google.com/drive/1cH0EKq3Wc2ctcw1kWvAzxe3O7i-FA05f7usp=sharing  Edit   Delete    New text   New question   New question from library / other surve  Question 6		
iven the issue description, and the code snippet. Please reproduce the bug, and select the most appropriate edit operations and critiformation needed to reproduce this bug.  In the production process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations with code (given below). The accuracy was supposed to earound 95.33% (4.27%) but I got "Accuracy 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I ownloaded the data from here as instructed, what could go wrong? Thanks  In the same. I ownloaded the data from here as instructed, what could go wrong? Thanks  In the same. I ownloaded the same. I ownl		
iven the issue description, and the code snippet. Please reproduce the bug, and select the most appropriate edit operations and critiformation needed to reproduce this bug.  In the part of the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction process, we have provided the sample edit operations here.  In the reproduction neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to early so that the production are a round 95,33% (4,27%) but 1 got -Accuracy; 34,00% (13,15%) on a few attempts. The model code seems exactly the same. I would be a few attempts. The model code seems exactly the same. I would be same on the production of the same of the same. I would be same of the same of the same. I would be seem sexactly the same. I would be same of the same. I would be same of the same. I would seem sexactly the same. I would be same of the same	ection 3	Edit   Delete
escription: followed a tutorial on neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to a round 95,33% (4.27%) but I got -Accuracy: 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I evaluated the data from here as instructed. What could go wrong? Thanks  by ode Snippet: You can use this Colab notebook as the base notebook to start the reproduction rocess: https://colab.research.google.com/drive/1CH0EKq3Wc2ctcw1kWvAzxe3071-FA05f?usp=sharing  Edit   Delete   New text   New question   New question from library / other surve  Question 6 Edit   Add to library   Delet  6. What are the edit operations that could be used to reproduce this bug?    Input Data Generation	help the reproduction process, we have	e provided the sample edit operations here.
followed a tutorial on neural network model evaluation using cross-validation with code (given below). The accuracy was supposed to earound 95.33% (4.27%) but I got -Accuracy: 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I evaluate the data from here as instructed. What could go wrong? Thanks ode Snippet: You can use this Colab notebook as the base notebook to start the reproduction occess: https://colab.research.google.com/drive/1CH0EKq3Wc2ctcw1kWvAzxe3O7i-FA05f?usp=sharing  Edit   Delete    New text   New question   New question from library / other surve  Question 6  Edit   Add to library   Delete 6. What are the edit operations that could be used to reproduce this bug?    Input Data Generation	riginal Issue Report: https://stackoverflo	ow.com/questions/59278771/super-low-accuracy-for-neural-network-model
New text   New question   New question from library / other surve	followed a tutorial on neural network mo e around 95.33% (4.27%) but I got ~Accur	racy: 34.00% (13.15%) on a few attempts. The model code seems exactly the same. I
New text   New question   New question from library / other surverse.  Question 6	rocess: https://colab.research.google.co	ebook as the base notebook to start the reproduction om/drive/1CH0EKq3Wc2ctcw1kWvAzxe3O7i-FA05f?usp=sharing
Question 6  6. What are the edit operations that could be used to reproduce this bug?    Input Data Generation	Edit   Delete ]	New text I New question I New question from library / other curve
6. What are the edit operations that could be used to reproduce this bug?    Input Data Generation		
Input Data Generation	_	
Hyperparameter Initialization   Import Addition and Dependency Resolution   Logging   Obsolete Parameter Removal   Compiler Error Resolution   Dataset Procurement   Downloading Models and Tokenizers   Version Migration      Split section   New text   New question   New question from library / other surve	6. What are the edit operations that co	ould be used to reproduce this bug?
Hyperparameter Initialization   Import Addition and Dependency Resolution   Logging   Obsolete Parameter Removal   Compiler Error Resolution   Dataset Procurement   Downloading Models and Tokenizers   Version Migration      Split section   New text   New question   New question from library / other surve		
Hyperparameter Initialization   Import Addition and Dependency Resolution   Logging   Obsolete Parameter Removal   Compiler Error Resolution   Dataset Procurement   Downloading Models and Tokenizers   Version Migration      Split section   New text   New question   New question from library / other surve	Input Data Generation	Neural Network Construction
□ Logging □ Obsolete Parameter Removal □ Compiler Error Resolution □ Dataset Procurement □ Downloading Models and Tokenizers □ Version Migration □ Split section ■ New text ■ New question ■ New question from library / other surve    Question 7		
Downloading Models and Tokenizers Version Migration  Split section New text New question New question from library / other surve  Question 7  Edit Add to library Delet  7. Why do you think these edit operations could prove useful in reproducing the bug?  Split section New text New question New question New question from library / other surve		
Split section   New text   New question   New question from library / other surve  Question 7	Compiler Error Resolution	☐ Dataset Procurement
Question 7  Edit   Add to library   Deleteration 2  7. Why do you think these edit operations could prove useful in reproducing the bug?  Split section   New text   New question   New question from library / other survey	Downloading Models and Tokeniz	zers Version Migration
Question 7  Edit   Add to library   Deleteration 2  7. Why do you think these edit operations could prove useful in reproducing the bug?  Split section   New text   New question   New question from library / other survey		Split section   New text   New question   New question from library / other surve
7. Why do you think these edit operations could prove useful in reproducing the bug?  Split section   New text   New question   New question from library / other surve	Question 7	
Split section   New text   New question   New question from library / other surve	-	
Split section   New text   New question   New question from library / other surve	7. Willy do you tillik these edit operati	ions could prove useral in reproducing the bug:
Split section   New text   New question   New question from library / other surve		
Split section   New text   New question   New question from library / other surve		
Split section   New text   New question   New question from library / other surve		
		li .
		Split section   New text   New question   New question from library / other survey

( II)ntr	
☐ Data ☐ Hyperparameters	
Model	
Code Snippet	
Logs	
	Split section   New text   New question   New question from library / other surve
Question 9	Edit   Add to library   Delete
	d critical information could be useful in reproducing the bug?
	10
	Split section   New text   New question   New question from library / other surve
Question 10	Edit   Add to library   Delet
10. Did you implement any addit	tional operations or actions beyond those suggested by us? Please let us know your thoughts.
	New te
	page break
Section 4	Edit   Delete
Bug #2	
liven the issue description, and the	e code snippet. Please reproduce the bug, select the most appropriate edit operations and critical his bug.
siven the issue description, and the office the issue description and the office the issue description.	
iven the issue description, and the nformation needed to reproduce the help the reproduction process, w	is bug.
Siven the issue description, and the information needed to reproduce the help the reproduction process, woriginal Issue Report: https://stacko	ve have provided the sample edit operations here.
Given the issue description, and the information needed to reproduce the following the reproduction process, woriginal Issue Report: https://stackooescription:	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 a
biven the issue description, and the information needed to reproduce the biven help the reproduction process, we briginal Issue Report: https://stackedescription:  have constructed an ANN in keras we nodes respectively, as shown below	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 a w in the code.
iven the issue description, and the information needed to reproduce the following the reproduction process, woriginal Issue Report: https://stackovescription:  have constructed an ANN in keras worder respectively, as shown below the dataset has 4 columns: 3 columns.	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 a w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)
biven the issue description, and the information needed to reproduce the biven help the reproduction process, we briginal Issue Report: https://stackedescription:  have constructed an ANN in keras we nodes respectively, as shown below the dataset has 4 columns: 3 columns of after 150 epochs if get: loss: 0.69	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 are with values in the range [60, 70] and the target variable is binary (0/1 output)
biven the issue description, and the information needed to reproduce the formation needed to reproduce the foothelp the reproduction process, we briginal Issue Report: https://stackedescription:  have constructed an ANN in keras we nodes respectively, as shown below the dataset has 4 columns: 3 columns of after 150 epochs if get: loss: 0.69 by question is: how could i modify in	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 aw in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  132 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  The work of the value in the code is binary (0/1 output)
iven the issue description, and the information needed to reproduce the orbital hardward of the production process, we briginal Issue Report: https://stackerescription:  have constructed an ANN in keras we nodes respectively, as shown below the dataset has 4 columns: 3 columns or after 150 epochs i get: loss: 0.69 by question is: how could i modify not good Snippet: You can use this Cola	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 are with values in the range [60, 70] and the target variable is binary (0/1 output)
diven the issue description, and the information needed to reproduce the original Issue Report: https://stackover.  Priginal Issue Report: https://stackov	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 aw in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  1032 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  The production of the code is a content of the code is a content of the code.  The production of the code is a content of the code is a code in the code in the code is a code in the code is a code in the code in the code is a code in the code in the code is a code in the code in the code in the code in the code is a code in the code in the code in the code is a code in the cod
diven the issue description, and the information needed to reproduce the original Issue Report: https://stackover.  Priginal Issue Report: https://stackov	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 aw in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  In acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  In NN in order to achieve higher accuracy?  In ab notebook as the base notebook to start the reproduction or order to achieve higher accuracy?  In a notebook as the base notebook to start the reproduction or order to achieve higher accuracy?
biven the issue description, and the information needed to reproduce the information is sue Report: https://stackedescription:  The description:  The description is the description of the description is th	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 at w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  132 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  The production of the passe notebook to start the reproduction or page. Com/drive/108y5vYDP7ODPcvi1cGNraMOP8iXxILhM?usp=sharing  New question   New question from library / other surve
biven the issue description, and the information needed to reproduce the formation of the last of the dataset has 4 columns: 3 columns of after 150 epochs if get: loss: 0.69 by question is: how could it modify not code Snippet: You can use this Columns of the formation of the f	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 aw in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  In order to achieve higher accuracy?
biven the issue description, and the information needed to reproduce the information is sue Report: https://stackedoescription:  have constructed an ANN in keras we need to respectively, as shown below in nodes respectively, as shown below in the dataset has 4 columns: 3 columns of after 150 epochs if get: loss: 0.69 My question is: how could in modify in code Snippet: You can use this Colaborocess: https://colaborocess.https://	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 a w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  1032 - acc; 0.5000 - val_loss; 0.6970 - val_acc; 0.1429  Ins with values to achieve higher accuracy?  In order to achieve higher accur
biven the issue description, and the information needed to reproduce the information is sue Report: https://stackedoescription:  have constructed an ANN in keras we include respectively, as shown below in nodes respectively, as shown below in nodes respectively, as shown below in after 150 epochs i get: loss: 0.69 My question is: how could i modify in code Snippet: You can use this Colaborocess: https://colaborocess.https://cola	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 a w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  Insurance: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  Insurance: 0.5000 - val
biven the issue description, and the information needed to reproduce the information is sue Report: https://stacker.  Input Data Generation    Input Data Generation   Hyperparameter Initialization in the information is looked in the information is such as the information i	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 at w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  132 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  Ins NN in order to achieve higher accuracy?  Ins notebook as the base notebook to start the reproduction agle.com/drive/108y5vYDP70DPcvi1cGNraMOP8iXxlLhM?usp=sharing  New question   New question from library / other surve  Edit   Add to library   Delet is that could be used to reproduce this bug?    Neural Network Construction   Import Addition and Dependency Resolution   Obsolete Parameter Removal
inven the issue description, and the information needed to reproduce the information is successful to a shown in the information informati	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 at w in the code.  Ins with values in the range [60, 70] and the target variable is binary (0/1 output)  132 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  In NN in order to achieve higher accuracy?  It be notebook as the base notebook to start the reproduction objec.com/drive/108y5vYDP70DPcvi1cGNraMOP8iXxlLhM?usp=sharing  New question   New question from library / other surve  Edit   Add to library   Delet is that could be used to reproduce this bug?    Neural Network Construction   Import Addition and Dependency Resolution   Obsolete Parameter Removal   Dataset Procurement
inven the issue description, and the information needed to reproduce the information is sue Report: https://stacker.  Input Data Generation    Input Data Generation   Hyperparameter Initialization of the information of the informati	the have provided the sample edit operations here.  overflow.com/questions/39525358/neural-network-accuracy-optimization  which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 at w in the code.  Inswith values in the range [60, 70] and the target variable is binary (0/1 output)  232 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  The Normal Normal State of the production objective/108y5vYDP7ODPcvi1cGNraMOP8iXxlLhM?usp=sharing  New question   New question from library / other surveys that could be used to reproduce this bug?    New question   New question from library   Deletting that could be used to reproduce this bug?    New question   New question from library   Deletting that could be used to reproduce this bug?    New question   New question from library   Deletting that could be used to reproduce this bug?    New question   New question from library   Deletting that could be used to reproduce this bug?    Neural Network Construction   Dataset Procurement   Dataset Procurement   Dataset Procurement   Dataset Procurement   Deletting that could be used to reproduce the produce this part of the produce the produce the produce the produce the part of the produce the produce the part of the produce the produce the part of the produce the part of the produce the part of the
biven the issue description, and the information needed to reproduce the information issue Report: https://stacker.  Description:  have constructed an ANN in keras we need to respectively, as shown below in the dataset has 4 columns: 3 columns of after 150 epochs i get: loss: 0.69 day question is: how could i modify in the code Snippet: You can use this Colair occess: https://colab.research.goo.  Edit   Delete    Question 11  11. What are the edit operations      Input Data Generation     Hyperparameter Initialization     Logging     Compiler Error Resolution	which has 1 input layer(3 inputs), one output layer (1 output) and two hidden layers with with 12 are with values in the range [60, 70] and the target variable is binary (0/1 output)  232 - acc: 0.5000 - val_loss: 0.6970 - val_acc: 0.1429  my NN in order to achieve higher accuracy?  ab notebook as the base notebook to start the reproduction objec.com/drive/108y5vYDP70DPcvi1cGNraMOP8iXxlLhM?usp=sharing  New question   New question from library / other survey.  Edit   Add to library   Delete state to be used to reproduce this bug?    Neural Network Construction   Import Addition and Dependency Resolution   Obsolete Parameter Removal   Dataset Procurement

Split section   New text   New question   New question from library / other surveys  Question 13			
13. What are the critical information components that could help the reproducibility of this bug?    Data			library / other surveys
Hyperparameters   Model   Code Snippet   Logs	Ques	uestion 13 Edit I A	dd to library   Delete
Question 14  Edit   Add to library   Delete  14. How do you think the selected critical information could be useful in reproducing the bug?  Split section   New text   New question   New question from library / other surveys  Question 15  Edit   Add to library   Delete  15. Did you implement any additional operations or actions beyond those suggested by us? Please let us know your thoughts.  New text  New text  New text  New text   New question   New question from library / other surveys  Question 16  Edit   Add to library   Delete  16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	13. \	☐ Data ☐ Hyperparameters ☐ Model ☐ Code Snippet	
Split section   New text   New question   New question from library / other surveys  Question 15		Split section   New text   New question   New question from	library / other surveys
Split section   New text   New question   New question from library / other surveys  Question 15	Ques	uestion 14 Edit I A	add to library   Delete
New text  New question   New question from library / other surveys  Redit   Add to library   Delete  New text  New text  New text   New question   New question from library / other surveys  Redit   Add to library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete  New text   New question   New question from library   Delete			
New text   New question   New question from library / other surveys  Question 16		Split section   New text   New question   New question from	
New text  New text  New text  New text  New text  New text New question New question from library / other surveys  Question 16  Edit   Add to library   Delete  16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	-	uestion 15 Edit   A	add to library   Delete
New text  New text   New question   New question from library / other surveys  Question 16	_	uestion 15  Edit I A  5. Did you implement any additional operations or actions beyond those suggested by us? Please let us know	add to library   Delete
New text New question New question from library / other surveys  Question 16  Edit Add to library Delete  16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	_	uestion 15  Edit I A  5. Did you implement any additional operations or actions beyond those suggested by us? Please let us know	add to library   Delete
New text I New question I New question from library / other surveys  Question 16  Edit I Add to library I Delete  16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	-	uestion 15  Edit I A  5. Did you implement any additional operations or actions beyond those suggested by us? Please let us know	add to library   Delete
Question 16  Edit I Add to library I Delete  16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	15. [	buestion 15  Edit   A  Did you implement any additional operations or actions beyond those suggested by us? Please let us know  Page break	Add to library   Delete your thoughts.
16. Please use this secure link, and enter the Unique ID generated in the following textbox.  If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	15. I	Lion 5  Edit   A  Edit   A	New text  Edit   Delete
If you want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.  Unique ID	15. I	Lion 5  Edit   A  Did you implement any additional operations or actions beyond those suggested by us? Please let us know  Page break  New text   New question   New question from	New text  Edit   Delete New text
	15. I	Lion 5  Edit   A	New text  Edit   Delete New text
New text   New question   New question from library / other surveys	15. I	Lion 5  The second seco	New text  Edit   Delete  New text  Library / other surveys  Add to library   Delete
	15. I	Lion 5  The second seco	New text  Edit   Delete  New text  Library / other surveys  Add to library   Delete