

	Split section New text New question New question from library / other surveys
Question 4	Edit Add to library Delete
4. What are the deep learning frameworks	you have worked with?
Tensorflow	
PyTorch	
Keras	
Other	
	Split section New text New question New question from library / other surveys
Question 5	Edit Add to library Delete
5. What challenges are associated with rep	roducing deep learning bugs in your day-to-day activities?
	New tex
	page break
Section 3	Edit Delete
tiven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have pro- priginal Issue Report: https://stackoverflow.co	
Information needed to reproduce this bug. To help the reproduction process, we have proportional Issue Report: https://stackoverflow.co.ode-equal	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my
biven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proposed in the code-equal of the code-equal of the code-equal of the code-equal of the code of the cod	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-form of the sample edit operations here. r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true]: [?,2], [?,32,32].
biven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proposed in the code-equal object of the code of the co	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true]
biven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proposed in the production process, we have proposed in the production process, we have proposed in the production of the process of the production of	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing
biven the issue description, and the code snipp of the code in the	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text New question New question from library / other survey
biven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proposed in the production process, we have proposed in the production of the p	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text New question New question from library / other survey Edit Add to library Delete
Given the issue description, and the code snipper information needed to reproduce this bug. To help the reproduction process, we have proposed in the production process, we have proposed in the production of th	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text I New question I New question from library / other survey. Edit I Add to library I Delete be used to reproduce this bug?
inven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have produce-equal objection: was trying to train a simple Keras network for inputs but I couldn't figure out how to fix it. Help train: float32 0.0 1.0 (2444, 64, 64, 1) train: float32 0.0 1.0 (9123, 64, 64, 1) trest: float32 0.0 1.0 (9123, 2) trest: float32 0.0 1.0 (9123, 2) tror: TalueError: Dimensions must be equal, but are literatorGetNext:1, Cast_1)' with input shapes to the solution of th	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text New question New question from library / other survey Edit Add to library Delete be used to reproduce this bug? Neural Network Construction
pisten the issue description, and the code snipper formation needed to reproduce this bug. To help the reproduction process, we have produce-equal process. The process of the production process of the	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text I New question I New question from library / other survey. Edit I Add to library I Delete be used to reproduce this bug?
inven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have produce-equal objection: was trying to train a simple Keras network for inputs but I couldn't figure out how to fix it. Help train: float32 0.0 1.0 (2444, 64, 64, 1) train: float32 0.0 1.0 (9123, 64, 64, 1) trest: float32 0.0 1.0 (9123, 2) trest: float32 0.0 1.0 (9123, 2) tror: TalueError: Dimensions must be equal, but are literatorGetNext:1, Cast_1)' with input shapes to the solution of th	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text New question New question from library / other survey Edit Add to library Delete be used to reproduce this bug? Neural Network Construction Import Addition and Dependency Resolution
private the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have produce-equal process. The secription: The secription: The secription: The secription of train a simple Keras network for inputs but I couldn't figure out how to fix it. He secription: The secription of train a simple Keras network for inputs but I couldn't figure out how to fix it. He secription: The secrip	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text I New question I New question from library / other survey Edit I Add to library I Delete be used to reproduce this bug? Neural Network Construction Import Addition and Dependency Resolution Obsolete Parameter Removal Dataset Procurement
inven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proportional Issue Report: https://stackoverflow.co.ode-equal Description: was trying to train a simple Keras network for inputs but I couldn't figure out how to fix it. Help the process of the process o	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for r classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text I New question I New question from library / other survey Edit I Add to library I Delete be used to reproduce this bug? Neural Network Construction Import Addition and Dependency Resolution Obsolete Parameter Removal Dataset Procurement
inven the issue description, and the code snip information needed to reproduce this bug. To help the reproduction process, we have proportional Issue Report: https://stackoverflow.co.ode-equal Description: was trying to train a simple Keras network for inputs but I couldn't figure out how to fix it. Help the process of the process o	vided the sample edit operations here. om/questions/69137834/keras-valueerror-dimensions-must-be-equal-but-are-2-and-32-for or classification when I faced the following error. I know there is something wrong with my ere is my code (given below) 2 and 32 for '{{node Equal}} = Equal[T=DT_FLOAT, incompatible_shape_error=true] : [?,2], [?,32,32]. k as the base notebook to start the reproduction rive/1eUZNzpmNhadBxC2hW1bZSOgVv8tOXxXG?usp=sharing New text I New question I New question from library / other survey Edit Add to library Delete be used to reproduce this bug? Neural Network Construction Import Addition and Dependency Resolution Obsolete Parameter Removal Dataset Procurement Version Migration

	ew text New question New question from library / other surveys
Question 8	Edit Add to library Delete
8. What are the critical information compone Data Hyperparameters Model Code Snippet Logs	ents that could help the reproducibility of this bug?
	Split section New text New question New question from library / other surveys
Question 9	Edit Add to library Delete
9. How do you think the selected critical info	ormation could be useful in reproducing the bug?
	Split section New text New question New question from library / other surveys
Question 10	Edit Add to library Delete
10. Did you implement any additional operation	ions or actions beyond those suggested by us? Please let us know your thoughts.
	New text
	page break
ection 4	Edit Delete ▲ ▼
Bug #2	
iven the issue description, and the code snippe of ormation needed to reproduce this bug.	et. Please reproduce the bug, select the most appropriate edit operations and critical
o help the reproduction process, we have provide	ded the sample edit operations here.

Description:

I am trying to use a neural network to predict the price of houses. Here is what the top of the dataset looks like:

```
Price Beds SqFt Built Garage FullBaths HalfBaths LotSqFt

    485000 3
    2336
    2004 2
    2.0
    1.0
    2178.0

    430000 4
    2106
    2005 2
    2.0
    1.0
    2178.0

    445000 3
    1410
    1999 1
    2.0
    0.0
    3049.0
```

I am using the ReLU activation function. When I try to evaluate my model on my test data, I get this TypeError: unsupported operand type(s) for +=: 'Dense' and 'str'.

I looked at the types of the columns from my original dataframe, and everything looks fine.

```
print(df.dtypes)
## Output
#Price
           int64
#Beds
           int64
#SqFt
#Built
          int64
#Garage
            int64
#FullBaths float64
#HalfBaths float64
#LotSqFt float64
#dtype: object
```

I'm not sure if I am messing something up in my neural network to cause this error. Any help is appreciated

Code Snippet: You can use this notebook as the base notebook to start the reproduction process: https://colab.research.google.com/drive/127nDAw8gnh9yDpZmHSFDRdDP1Mv7hX6q?usp=sharing

		New question New question from library / other survey
Que	estion 11	Edit Add to library Delete
11.	What are the edit operations that could	be used to reproduce this bug?
	☐ Input Data Generation ☐ Hyperparameter Initialization ☐ Logging ☐ Compiler Error Resolution ☐ Downloading Models and Tokenizers	Neural Network Construction Import Addition and Dependency Resolution Obsolete Parameter Removal Dataset Procurement Version Migration
		Split section New text New question New question from library / other survey
Que	estion 12	Edit Add to library Delete
12.	Why do you think these edit operations of	could prove useful in reproducing the bug?
		//
		Split section ${\hspace{.1em}\mathbb{I}\hspace{.1em}}$ New text ${\hspace{.1em}\mathbb{I}\hspace{.1em}}$ New question ${\hspace{.1em}\mathbb{I}\hspace{.1em}}$ New question from library / other survey
Que	estion 13	Edit Add to library Delete
13.	What are the critical information compo	nents that could help the reproducibility of this bug?
	☐ Data ☐ Hyperparameters ☐ Model ☐ Code Snippet ☐ Logs	
		Split section New text New question New question from library / other survey
Que	estion 14	Edit Add to library Delete
		formation could be useful in reproducing the bug?
		Split section New text New question New question from library / other survey
Oue	estion 15	Edit Add to library Delete
15.	Did you implement any additional operat	tions or actions beyond those suggested by us? Please let us know your thoughts.
		New tex
		page break
ectio	on 5	Edit Dele
-6610		New tex
nique	e ID Generation	
		New text New question New question from library / other survey
Que	estion 16	Edit Add to library Delete
16	Please use this secure link, and enter the	e Unique ID generated in the following texthox

Unique ID	New text New question New question from library / other surveys
	page break

Copyright 1998-2024 ObjectPlanet