

Question 4	Edit   Add to library   Delete
4. What are the deep learning framework	ks you have worked with?
Tensorflow	
PyTorch	
Keras	
Other	
	Split section ■ New text ■ New question ■ New question from library / other survey
Question 5	Edit   Add to library   Delete
5. What challenges are associated with re	eproducing deep learning bugs in your day-to-day activities?
	6
	New te
	new te
	page break
ection 3	Edit   Delete
Sug #1	
	input. Places correduce the bury colect the most appropriate edit operations and critical
iven the issue description, and the code sni	ppet. Please reproduce the bug, select the most appropriate edit operations and critical
iven the issue description, and the code sni formation needed to reproduce this bug.	
iven the issue description, and the code sni formation needed to reproduce this bug. In help the reproduction process, we have pro-	rovided the sample edit operations here.
iven the issue description, and the code sni formation needed to reproduce this bug. In help the reproduction process, we have puriginal Issue Report: https://stackoverflow.	
iven the issue description, and the code sni formation needed to reproduce this bug. b help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32	rovided the sample edit operations here.
iven the issue description, and the code sni information needed to reproduce this bug. to help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32 escription: have a multiclass classification machine leand actual values are stored in pandas datafi	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of- rning application for which I want to calculate the f1 score using tensorflow. The predicte
iven the issue description, and the code sni information needed to reproduce this bug. To help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32 escription: have a multiclass classification machine learnd actual values are stored in pandas datafinke this (Code Snippet provided below):	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of- rning application for which I want to calculate the f1 score using tensorflow. The predicte
iven the issue description, and the code sni information needed to reproduce this bug. to help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32 escription: have a multiclass classification machine leand actual values are stored in pandas datafrike this (Code Snippet provided below): owever I get the following error	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin
iven the issue description, and the code sni information needed to reproduce this bug. to help the reproduction process, we have program of the production process, we have program of the production process, we have program of the production of th	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin
iven the issue description, and the code sni information needed to reproduce this bug. In help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32  escription: In have a multiclass classification machine lear and actual values are stored in pandas datafinke this (Code Snippet provided below): In owever I get the following error I get the following error I get the following with the type casti	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin
iven the issue description, and the code sni iformation needed to reproduce this bug. In the production process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  Thave a multiclass classification machine lead actual values are stored in pandas datafiake this (Code Snippet provided below):  Towever I get the following error  TypeError: Cannot convert 1e-12 to EagerTen there must be something with the type castion on avail.	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin
iven the issue description, and the code sninformation needed to reproduce this bug.  To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  Thave a multiclass classification machine leand actual values are stored in pandas datafike this (Code Snippet provided below):  Towever I get the following error  TypeError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  The converting the numpy arrays to tensor	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicterames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation
iven the issue description, and the code sni information needed to reproduce this bug. To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafrike this (Code Snippet provided below):  owever I get the following error  ypeError: Cannot convert 1e-12 to EagerTen  here must be something with the type casti to no avail.  tried converting the numpy arrays to tensor  tried ensuring the pandas dataframe has no	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicterames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do something  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)
iven the issue description, and the code sninformation needed to reproduce this bug.  To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  Thave a multiclass classification machine leand actual values are stored in pandas datafike this (Code Snippet provided below):  Towever I get the following error  TypeError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  The tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has no tried converting to numpy without the numps.	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  ssor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  stilke so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.
iven the issue description, and the code sni information needed to reproduce this bug. In help the reproduction process, we have puriginal Issue Report: https://stackoverflow. Itype-int32  escription: In have a multiclass classification machine lead actual values are stored in pandas datafrake this (Code Snippet provided below): ItypeError: Cannot convert 1e-12 to EagerTen there must be something with the type castion on avail.  It it is a converting the numpy arrays to tensor tried ensuring the pandas dataframe has no tried converting to numpy without the numpowever I still get the same error. Any tips for	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicterames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?
iven the issue description, and the code sni information needed to reproduce this bug. To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafike this (Code Snippet provided below):  owever I get the following error  ypeError: Cannot convert 1e-12 to EagerTen there must be something with the type castion on avail.  tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has no tried converting to numpy without the num owever I still get the same error. Any tips foode Snippet: You can use this Colab noteboode	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  ssor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  stilke so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.
iven the issue description, and the code sni iformation needed to reproduce this bug. It is to help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafrike this (Code Snippet provided below):  owever I get the following error  //peError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has no tried converting to numpy without the numpowever I still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte  rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  stilke so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  sook as the base notebook to start the reproduction
iven the issue description, and the code sni information needed to reproduce this bug. To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafrike this (Code Snippet provided below):  owever I get the following error ypeError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has not tried converting to numpy without the numpowever I still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/ints:  1. Data, Logs, and Code Snippet can be 2. Import Addition, Input Data Generation.	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte  rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  stilke so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  sook as the base notebook to start the reproduction
iven the issue description, and the code sni information needed to reproduce this bug. In help the reproduction process, we have puriginal Issue Report: https://stackoverflow. type-int32 escription: Inhave a multiclass classification machine lean actual values are stored in pandas datafike this (Code Snippet provided below): Inowever I get the following error ImpeError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail. It it is converting the numpy arrays to tensor tried ensuring the pandas dataframe has no tried converting to numpy without the num owever I still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/ints:  1. Data, Logs, and Code Snippet can be	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte  rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  inte-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  look as the base notebook to start the reproduction  indicated the production of
iven the issue description, and the code sni information needed to reproduce this bug. To help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafike this (Code Snippet provided below):  owever I get the following error  ypeError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has not tried converting to numpy without the num owever I still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/ints:  1. Data, Logs, and Code Snippet can be 2. Import Addition, Input Data Generation actions for reproducing the bug. 3. Focus on the statement: "Both are po	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicte  rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  inte-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  look as the base notebook to start the reproduction  idrive/14yuLcsJ6vg0ECahKeUcQ1BuORi3kkJsZ?usp=sharing  useful information for reproducing the bug.  on, Hyperparameter Initialization, Dataset Procurement, and Logging can be useful edit
iven the issue description, and the code sni iformation needed to reproduce this bug.  be help the reproduction process, we have puriginal Issue Report: https://stackoverflow.type-int32  escription:  have a multiclass classification machine leand actual values are stored in pandas datafiake this (Code Snippet provided below):  owever I get the following error  //peError: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  tried converting the numpy arrays to tensor tried ensuring the pandas dataframe has not tried converting to numpy without the number owever I still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/ ints:  1. Data, Logs, and Code Snippet can be 2. Import Addition, Input Data Generation actions for reproducing the bug. 3. Focus on the statement: "Both are po	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicterames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do somethin  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  1e-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  sook as the base notebook to start the reproduction  drive/14yuLcsJ6vg0ECahKeUcQ1BuORi3kkJsZ?usp=sharing  useful information for reproducing the bug.  on, Hyperparameter Initialization, Dataset Procurement, and Logging can be useful edit pulated with 1's and 0's".
information needed to reproduce this bug. In help the reproduction process, we have provided listed actions for help the reproduction process, we have provided listed actual values are stored in pandas dataficked this (Code Snippet provided below):  In owever I get the following error spectror: Cannot convert 1e-12 to EagerTenthere must be something with the type castion on avail.  It it is converting the numpy arrays to tensor tried ensuring the pandas dataframe has not tried converting to numpy without the number of some still get the same error. Any tips for ode Snippet: You can use this Colab noteborocess: https://colab.research.google.com/lints:  1. Data, Logs, and Code Snippet can be 2. Import Addition, Input Data Generation actions for reproducing the bug.	rovided the sample edit operations here.  com/questions/69549126/tensorflow-typeerror-cannot-convert-1e-12-to-eagertensor-of-  rning application for which I want to calculate the f1 score using tensorflow. The predicter  rames y_pred and y_act respectively. Both are populated with 1's and 0's. So I do something  sor of dtype int32  ng from pandas to tensorflow which is throwing the error. I have tried a series of mitigation  is like so: pred_tf = tf.convert_to_tensor(pred_numpy, numpy.int32)  inte-12 instances with: y_pred = y_pred.replace(1e-12, 0)  py.int32 option.  or converting from pandas to tensors successfully without getting this error?  look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook to start the reproduction  indicated the f1 score using tensor look as the base notebook as the base notebook as the bas

J.,,,,

	Logging  Compiler Free Possilities	Obsolete Parameter Removal  Dataset Procurement
	Compiler Error Resolution  Downloading Models and Tokenizers	
		Split section   New text   New question   New question from library / other surveys
Que	estion 7	Edit   Add to library   Delete
7.	Why do you think these edit operations o	could prove useful in reproducing the bug?
		//
		Split section   New text   New question   New question from library / other surveys
0	-ti 0	
_	stion 8	Edit   Add to library   Delete
8.	What are the critical information compo	nents that could help the reproducibility of this bug?
	Data	
	Hyperparameters	
	Model	
	Code Snippet	
	Logs	
		Split section   New text   New question   New question from library / other surveys
Que	estion 9	Edit   Add to library   Delete
9	How do you think the selected critical in	oformation could be useful in reproducing the bug?
/.	now do you tillik the selected critical in	normation could be useful in reproducing the bug.
		<i>t</i>
Que	estion 10	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
_		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
_		Split section   New text   New question   New question from library / other surveys
_		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
_		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
_		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
_		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete
-		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.
-		Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.
10.	Did you implement any additional opera	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text
_	Did you implement any additional opera	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text
10.	Did you implement any additional opera	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text
10.	Did you implement any additional operation 4	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Page break  Edit   Delete _
10.	Did you implement any additional operation of the state o	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text
10.	Did you implement any additional operation 4  #2 the issue description, and the code snippation needed to reproduce this bug.	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Edit   Delete
10.	Did you implement any additional operation of the state o	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Edit   Delete    Edit   Delete    pet. Please reproduce the bug, select the most appropriate edit operations and critical
10.	#2 the issue description, and the code snippation needed to reproduce this bug. to the reproduction process, we have provided to the reproduction process.	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Edit   Delete
10.	#2 the issue description, and the code snippation needed to reproduce this bug. to the reproduction process, we have protal Issue Report: https://stackoverflow.co.	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Edit   Delete  Pet. Please reproduce the bug, select the most appropriate edit operations and critical vided the sample edit operations here.
10.	#2 the issue description, and the code snippation needed to reproduce this bug. the the transport of the reproduce the solution of the reproduction process, we have proval Issue Report: https://stackoverflow.co.except-i	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Page break  Edit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Felit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Please reproduce the bug, select the most appropriate edit operations and critical wided the sample edit operations here.  Som/questions/54417736/pytorch-runtime-error-invalid-argument-0-sizes-of-tensors-must-
10.	#2 the issue description, and the code snippation needed to reproduce this bug. the reproduction process, we have protal Issue Report: https://stackoverflow.co.except-i ption: a PyTorch model and I'm trying to test it	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Edit   Delete  Pet. Please reproduce the bug, select the most appropriate edit operations and critical vided the sample edit operations here.
10.	#2 the issue description, and the code snippation needed to reproduce this bug. the reproduction process, we have protal Issue Report: https://stackoverflow.co.except-i ption: a PyTorch model and I'm trying to test it	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Page break  Edit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Felit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Please reproduce the bug, select the most appropriate edit operations and critical wided the sample edit operations here.  Som/questions/54417736/pytorch-runtime-error-invalid-argument-0-sizes-of-tensors-must-
10.  ection liven in form liven in help live	#2 the issue description, and the code snippation needed to reproduce this bug. the reproduction process, we have proval Issue Report: https://stackoverflow.co-except-i ption: a PyTorch model and I'm trying to test it : ResUnet((1,320,320), 1) ch.rand(1, 1, 320, 320)	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Page break  Edit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Fedit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Please reproduce the bug, select the most appropriate edit operations and critical wided the sample edit operations here.  Dom/questions/54417736/pytorch-runtime-error-invalid-argument-0-sizes-of-tensors-must-
10.  10.  10.  10.  10.  10.  10.  10.	#2 the issue description, and the code snippation needed to reproduce this bug. the reproduction process, we have proval Issue Report: https://stackoverflow.co-except-i ption: a PyTorch model and I'm trying to test it : ResUnet((1,320,320), 1) ch.rand(1, 1, 320, 320)	Split section   New text   New question   New question from library / other surveys  Edit   Add to library   Delete ations or actions beyond those suggested by us? Please let us know your thoughts.  New text  Page break  Edit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Fedit   Delete actions beyond those suggested by us? Please let us know your thoughts.  Please reproduce the bug, select the most appropriate edit operations and critical wided the sample edit operations here.  Dom/questions/54417736/pytorch-runtime-error-invalid-argument-0-sizes-of-tensors-must-

> 1 modl(x)		
475 result = selfslow_forward(*inpu	ckages/torch/nn/modules/module.py incall(self, *input, **kwargs) it, **kwargs)	
476 else:> 477 result = self.forward(*input, **k' 478 for hook in selfforward_hooks.val		
479 hook_result = hook(self, input, re		
<pre><ipython-input-36-f9eeefa3c0b8> in forward(sel 221</ipython-input-36-f9eeefa3c0b8></pre>	f, x)	
222 #print de2size() > 223 de2 = torch.cat([en6add,de2_],1)		
224 #print de2.size() 225		
	ors must match except in dimension 1. Got 5 and 4 in dimension 2 at /opt/conda/conda-	
bld/pytorch_1535491974311/work/aten/src/TH I figure the problem is caused by the input size (320, 320).	/generic/THTensorMath.cpp:3616 not being a power of 2 but I am not sure how to rectify it for the given input dimenstions	
Code Snippet: You can use this Colab notebook process: https://colab.research.google.com/dr	as the base notebook to start the reproduction ive/1hkA6aDFEN3CG7w4qPVijjn1W3IfwEeqJ#scrollTo=J_guUFDERox4	
Hints:		
Logs, Code Snippet and Model can be use     Input Data Generation, Hyperparameter edit actions for reproducing the bug.	eful information for reproducing the bug. Initialization, Import Addition, Logging, and Obsolete Parameter Removal can be useful	
3. Focus on the statement: "Got 5 and 4 in bld/pytorch_1535491974311/work/aten	dimension 2 at /opt/conda/conda- /src/TH/generic/THTensorMath.cpp:3616. I figure the problem is caused by the input size how to rectify it for the given input dimenstions (320, 320)."	
[ Edit   Delete ]	New question   New question from library / other surveys	
Overation 44		
Question 11	Edit   Add to library   Delete	÷
11. What are the edit operations that could	be used to reproduce this bug?	
☐ Input Data Generation	Neural Network Construction	
Hyperparameter Initialization	☐ Import Addition and Dependency Resolution	
Logging	Obsolete Parameter Removal	
Compiler Error Resolution	Dataset Procurement	
Downloading Models and Tokenizers	Version Migration	
	Split section ${\ensuremath{\mathbb{I}}}$ New text ${\ensuremath{\mathbb{I}}}$ New question from library / other surveys	
Question 12	Edit   Add to library   Delete	<u></u>
12. Why do you think these edit operations	could prove useful in reproducing the bug?	
	1.	
	Split section ■ New text ■ New question ■ New question from library / other surveys	
Question 13	Edit   Add to library   Delete	
13. What are the critical information compo	nents that could help the reproducibility of this bug?	*
Data		
Hyperparameters		
Model		
Code Snippet		
Logs		
	Split section   New text   New question   New question from library / other surveys	
Question 14	Edit   Add to library   Delete	_
14. How do you think the selected critical in	formation and the conful in approximation that have	*
	formation could be useful in reproducing the bug?	
	formation could be useful in reproducing the bug?	
	formation could be useful in reproducing the bug:	
	formation could be useful in reproducing the bug?	

	Split section   New text   New question   New question from library / other surveys
Question 15	Edit   Add to library   Delete
15. Did you	u implement any additional operations or actions beyond those suggested by us? Please let us know your thoughts.
	New text
	page break
ection 5	Edit   Delete
	New text
ique ID Gei	
	New text   New question   New question from library / other surveys
Question 16	6 Edit   Add to library   Delete
16. Please	use this secure link, and enter the Unique ID generated in the following textbox.
If you v	want to withdraw from the survey, email us with this Unique ID at shahmehil@dal.ca, and we will delete your response.
Unique	ID .
	New text   New question   New question from library / other surveys
	page break

Copyright 1998-2024 ObjectPlanet