



İSTANBUL  
**GELİŞİM**  
ÜNİVERSİTESİ

İSTANBUL GELİŞİM MESLEK  
YÜKSEKOKULU BİLGİSAYAR  
TEKNOLOJİLERİ PROGRAMI  
BİLGİSAYAR PROGRAMCILIĞI BÖLÜMÜ  
GÖRSEL PROGRAMLAMA DERSİ

OTO GALERİ

FİNAL PROJE ÖDEVİ

220111617-MEHMET BURAK  
MEYDANCI

Ödev Danışmanı Öğr. Gör. Aysun  
Yılmaz KIZILBOĞA

İSTANBUL – 2023-2024

## ÖDEV TANITIM FORMU

YAZAR ADI SOYADI : Mehmet Burak MEYDANCI

ÖDEVİN DİLİ : Türkçe

ÖDEVİN ADI : Oto Galeri

BÖLÜM : Bilgisayar Programcılığı

PROGRAM : Internet Programcılığı

ÖDEVİN TÜRÜ : Final Proje Ödevi

ÖDEVİN TES. TARİHİ : 29.12.2023

SAYFA SAYISI : 51


ÖDEV DANIŞMANI : Öğr. Gör. Aysun Yılmaz

KIZILBOĞA

## BEYAN

Bu ödevin/projenin hazırlanmasında bilimsel ahlak kurallarına uyulduğu, başkalarının ederlerinden yararlanması durumunda bilimsel normlara uygun olarak atıfta bulunulduğu, kullanılan verilerde herhangi tahrifat yapılmadığını, ödevin/projenin herhangi bir kısmının bu üniversite veya başka bir üniversitedeki başka bir ödev/proje olarak sunulmadığını beyan eder, aksi durumda karşılaşacağım cezai ve/veya hukuki durumu kabul eder; ayrıca üniversitenin ilgili yasa, yönerge ve metinlerini okuduğumu beyan ederim.

29.12.2023  
Mehmet Burak MEYDANCI



## **KABUL VE ONAY SAYFASI**

220111617 numaralı Mehmet Burak Meydancı'nın Oto Galeri adlı çalışması,  
benim tarafımdan Vize/Ders içi/Final ödevi olarak kabul edilmiştir.

Öğretim Görevlisi  
Aysun Yılmaz KIZILBOĞA

## **İçindekiler**

ÖDEV TANITIM FORMU .....	2
BEYAN .....	3
ÖZET.....	6
ÖNSÖZ.....	7
KOD VE TASARIM KISMI .....	8
KAYNAKÇA .....	51

## **ÖZET**

İnsanlar Mercedes-Benz firması ile ilgili daha rahat bilgi sahibi olabilsin, araçları, araç türlerini fiyatlarını, araçların görüşüşlerini görebilsinler diye bir tanıtım sayfası oluşturuldu. Bu tanıtım sayfasının amacı insanların pratik şekilde istedikleri bilgileri alması ve firma ile iletişime geçip satış danışmanlığı alabilmesi, iletişime geçebilmesi ve görüş ve öneri bildirebilmesidir.

## **ÖNSÖZ**

Bu projede kullanabildiğim görsellerin yayıncılarına teşekkür ederim.

## KOD VE TASARIM KISMI



Sayfamıza giriş yaptığımızda karşımıza çıkan sayfa bu şekildedir.

Mercedes benz yazısı hoş geldiniz kısmı ve logoları mevcuttur.

Üst tarafta menü kısmında sırasıyla en sevilener,satin alma danışmanlığı, iletişim, deneyimlerini aktar kısımları mevcuttur.

Bu kısımlara tıklandığında istenen işlem için yeni sayfaya yönlendirir.


Bu kutucuklar o sayfaya yönlendirme işlevi görür.

Hemen altında sedan,suv, estate, kompakt,coupe,cabriolet,mvp gibi basıldığındaysa yazılan modellerin olduğu tanıtım sayfasına yönlendirme işlevi gören kutucuklardan oluşan bir menü daha var.


Bu menülerin üstüne gelince menüler siyah yazılar beyaz oluyor.

Örneğin sedan'ın üstüne faremiz ile ulaşınca yazı beyaz kutu siyah oluyor.


En alt kısımda ise sayfanın tasarımını açısından hoş durması için mercedes'in sade bir fotoğrafı var ve bu fotoğrafın sol köşesinde mercedes'in ünlü sloganı yazmaktadır.




En sevilenler kısmına tıkladığımız zaman karşımıza en çok tercih edilen mercedes modelleri çıkmaktadır ve bunların bilgileri hemen sağ köşesinde yazmaktadır.



Satin alma danışmanlığı kısmına tıkladığımızda ise karşımıza sırasıyla ad soyad e posta, satın almak istediğiniz araçta bulunması gereken özellikler ve bütçeniz isimli formlar karşımıza çıkıyor. Kullanıcı bu kısımları doldurarak satın alma danışmalığı hizmeti almış oluyor.



Örnek olmasından bilgileri giriyoruz.



Bilgiler girildikten sonra ise gönder butonuna tıkladığımızda gönderildi yazısı çalışıyor.  
Gönder butonunun üstüne geldiğimizde butonumuzun rengi yeşil oluyor.

**Satış Danışmanlığı Tablosu (satisdanismanligi)**

<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	1 mehmet	0 hızlı olması 4
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	2 asdsadasda	adsadasdaq@hotmail.com muhtesemi 3
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	10 mehmet	mehmet@hotmail.com hızlı olması 2
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	11 afasfadasd	fdfhdfhfdh@gmail.com yanlaması 1
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	13 emirhan akgü	aaa@gmail.com hızlı olması 3
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	14 aysun	aysun@hotmail.com sedann 23
<input type="checkbox"/>	Düzenle	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>	15 egementülyü	egelemen_tuy@hotmail.com konfor,hiz, tasarı 100
<input type="checkbox"/>	Tümünü işaretle	Seçili:	<input type="button" value="Düzenle"/>	<input type="button" value="Kopala"/>	<input type="button" value="Sil"/>
<input type="checkbox"/>	Tümünü göster	Satır sayısı:	25	Satırları süz:	Bu tabloda ara
<input type="checkbox"/>	Tümünü göster	Satır sayısı:	25	Satırları süz:	Bu tabloda ara
<input type="checkbox"/>	Tümünü göster	Satır sayısı:	25	Satırları süz:	Bu tabloda ara

Girdiğimiz bilgiler veri tabanına bu şekilde düşüyor.


**İletişim Sayfesi**

Ad Soyad: \_\_\_\_\_


E-posta: \_\_\_\_\_

Konu: \_\_\_\_\_

İletişim kısmına tıkladığımızda ise karşımıza sırasıyla ad soyad e posta ve konu isimli formlar karşımıza çıkıyor. Kullanıcı bu kısımları doldurarak satın alma danışmalığı hizmeti almış oluyor.



Örnek olması açısından bilgileri giriyoruz.




Bilgiler girildikten sonra ise gönder butonuna tıkladığımızda gönderildi yazısı çalışıyor.  
Gönder butonunun üstüne geldiğimizde butonumuzun rengi koyu yeşil oluyor.


The screenshot shows the phpMyAdmin interface connected to the 'localhost' database. The 'iletisim' table is selected, displaying 10 rows of data. The columns are 'Id', 'Adsoyad', 'eposta', and 'Konu'. The data includes various names and messages.

	Id	Adsoyad	eposta	Konu
<input type="checkbox"/>	1	emirhan akgü	akgunemirhan@hotmail.com	muhteşem bir deneyimdi
<input type="checkbox"/>	6	mehmet	mehmet@hotmail.com	inanılmaz
<input type="checkbox"/>	7	rana	rana@gmail.com	remziye
<input type="checkbox"/>	8	a	adsadasdaq@hotmail.com	sadasfdsgfsgdfgsdg
<input type="checkbox"/>	9	son deneme	sondeneme@gmail.com	deneme
<input type="checkbox"/>	10	emir yakın	emiryakin@hotmail.com	radyonun ayarlarında sıkıntı yaşıyorum.


Girdiğimiz bilgiler veri tabanına bu şekilde düşüyor.



Sürüş deneyimini aktar kısmına tıkladığımızda ise karşımıza sırasıyla ad soyad e posta, sürüs deneyiminiz ve en yüksek hızınız isimli formlar karşımıza çıkıyor. Kullanıcı bu kısımları doldurarak satın alma danışmaliği hizmeti almış oluyor.



Örnek olması açısından bilgileri giriyoruz.



Bilgiler girildikten sonra ise gönder butonuna tıkladığımızda gönderildi yazısı çalışıyor.  
Gönder butonunun üstüne geldiğimizde butonumuzun rengi yeşil oluyor.

Son Sık kullanılanlar

- Yeni
- information\_schema
- localhost
- Yeni
- deneyim
- iletimis
- satisdanismanligi
- mysql
- performance\_schema
- phpmyadmin
- test

Gözat Yapı SQL Ara Ekle Dışa aktar İçé aktar Yetkiler İşlemler Tetikleyiciler

Gösterilen satır 0 - 4 (toplam 5, Sorgu 0,0003 saniye sürdü.)

SELECT \* FROM `deneyim`

Fazladan seçenekler

<input type="checkbox"/>	Düzenle	Kopyala	Sil	1	
<input type="checkbox"/>	Düzenle	Kopyala	Sil	2 dfdf	akgunemirhan@hotmail.com asdsadsadasda 232
<input type="checkbox"/>	Düzenle	Kopyala	Sil	5 sadsadsadsafdsfdsgfdgfdhgfdhdf	mehmet@hotmail.com asdsadsadasdasdasfcfgdfgdfg 2313
<input type="checkbox"/>	Düzenle	Kopyala	Sil	6 ranasafdsfsfsd	afatdsf@gmail.com sadadsafsdfs 32
<input type="checkbox"/>	Düzenle	Kopyala	Sil	7 Mehmet Burak Meydancı	mehmet.meydanci@ogr.gelisim.edu.tr çok iyi gidiyor 18

Tümünü göster Satır sayısı: 25 Satırları süz: Bu tabloda ara Anahatta göre sırala: Yok

Fazladan seçenekler

Tümünü işaretle Seçili: Düzenle Kopyala Sil Dışa aktar

Tümünü göster Satır sayısı: 25 Satırları süz: Bu tabloda ara Anahatta göre sırala: Yok

Sorgu sonuçları işlemleri

Konsol'dır Panoya kopyala Dışa aktar Çizelge göster Görünüm oluştur

Girdiğimiz bilgiler veri tabanına bu şekilde düşüyor.

MERCEDES-BENZ


En Sevilener Satın Alma Danismanligi Hos Geldiniz! Iletisim Deneyimlerini Aktar

Sedan Suv Estate Kompakt Copue Cabriolet Mpvs


BEST OR NOTHING

https://localhost/Sedansayfa.php


Bir alt menüde sedan kısımına geldiğimizde ise kutu siyah olup yazı beyaz oluyor. Bizi sedan sayfasına yönlendiriyor.




Sedan sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.




Suv sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.




Estate sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.




Kompakt sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.



Coupe sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.



Cabriolet sayfasına tıkladığımızda karşımıza bu sayfa çıkarıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.



Mvps sayfasına tıkladığımızda karşımıza bu sayfa çıkıyor.  
Bu sayfada istenilen modellerin resimleri fiyat, marka ve model bilgileri kullanıcının karşısına  
çıkıyor.  
Göze hitap etmesi açısından arkada da Mercedes araba arkaplanı kullanılmıştır.

File Edit Selection View Go Run Terminal Help

Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More

C:\xampp\htdocs> phpiprojek.php

```
1 <?php
2 echo"
3 <html>
4     <head>
5         <title>Mercedes-BENZ</title>
6     <style>
7         .giris{
8             width: 100%;
9             height: 120px;
10            background-color:rgb(8, 8, 8);
11        }
12        .giris ul {
13            display: flex;
14            align-items: center;
15            margin-left: 550px;
16        }
17        .giris #yazi {
18            display: inline-block;
19            vertical-align: middle;
20            font:tahoma;
21            font-size:40px;
22            text-align: center;
23            color: white;
24
25
```

Ln 79, Col 47 Spaces: 4 UTF-8 CRLF PHP 8.2

12°C Güneşli 14:49 29.12.2023

File Edit Selection View Go Run Terminal Help

Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More

C:\xampp\htdocs> phpiprojek.php

```
26    }
27    .giris #logo,
28    .giris #logo2{
29        display: inline-block;
30        vertical-align: middle;
31
32    }
33    .girisyazi{
34        width: 100%;
35        height: 65px;
36        background-color: rgb(0, 0, 0);
37        margin-top: -50px;
38    }
39    .girisyazi ul li{float: left;list-style-type: none}
40    .girisyazi ul li a{display: block;text-decoration:none;color:white;font-size: 35px;margin-left: 95px;font:tahoma;
41    .arama{
42        width: 100%;
43        height:50px;
44        background-color: rgb(251, 252, 253);
45    }
46    .arama ul li{float:left;list-style-type: none}
47    .arama ul li a{display: block;color:rgb(0, 0, 0);text-decoration:none;font-size: 28px;margin-left: 135px;font:tahoma;
48    .arama ul li a:hover {color: white;background-color: black;}
```

Ln 79, Col 47 Spaces: 4 UTF-8 CRLF PHP 8.2

12°C Güneşli 14:49 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php  ensevilenler.php
C:\xampp\htdocs> phpproj.php
51 .ortasayfa{
52 width: 100%;
53 height:760px;
54 background:url(mercedeslogo2.avif);
55 }
56 .yazi{
57 font-family:Montserrat;
58 color: #777;
59 font-size: 140px;
60 padding:62px;
61 }
62
63
64
65 body { overflow:-moz-scrollbars-vertical; overflow-x:hidden; overflow:-moz-scrollbars-vertical; overflow-y:hidden;
66
67 </style>
68 </head>
69 <body>
70 <div class='giris'><ul>
71 <li id='logo'><a href=''\><img src='mercedess.jpg'\></a></li>
72 <li id='yazi'>MERCEDES-BENZ</li>
73 <li id='logo2'><a href=''\><img src='mercedess.jpg'\></a></li>
74
75 </ul>

```

Ln 75, Col 47 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 14:49 12°C Güneşli 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php  ensevilenler.php
C:\xampp\htdocs> phpproj.php
76 </div>
77 <div class='girisyazi'>
78 <ul>
79 <li id='sev'><a href='ensevilenler.php'\>En Sevilenler</a></li>
80 <li id='sat'><a href='satinalmadanismanligi.php' target='_blank'\>Satin Alma Danismanligi</a></li>
81 <li id='servis'><a href=''\>Hos Geldiniz</a></li>
82 <li id='iletisim'><a href='iletisimproje.php' target='_blank'\>Iletisim</a></li>
83 <li id='deneyim'><a href='deneyim.php' target='_blank'\>Deneyimlerini Aktar</a></li>
84 </ul>
85 </div>
86 <div class='arama'>
87 <ul>
88 <li id='sedan'><a href='Sedansayfa.php'\>Sedan</a></li>
89 <li id='suv'><a href='mercedessuv.php'\>Suv</a></li>
90 <li id='estate'><a href='mercedesestate.php'\>Estate</a></li>
91 <li id='kompakt'><a href='mercedeskompakt.php'\>Kompakt</a></li>
92 <li id='coupe'><a href='mercedescoupe.php'\>Copue</a></li>
93 <li id='cabriolet'><a href='mercedescabriolet.php'\>Cabriolet</a></li>
94 <li id='mpvs'><a href='mercedesmvp.php'\>Mpvs</a></li>
95 </ul>
96 </div>
97 </div>
98 <div class='ortasayfa'>
99 <div class='ortasayfa'><div class='yazi'>BEST</div>OR</div><div>NOTHING</div></div>
100 </div>
```

Ln 79, Col 47 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 14:50 12°C Güneşli 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php  ensevilerler.php
C:\xampp\htdocs> phpproj.php
84     </ul>
85   </div>
86   <div class='arama'>
87     <ul>
88       <li id='sedan'><a href='Sedansayfa.php'>Sedan</a></li>
89       <li id='suv'><a href='mercedessuv.php'>Suv</a></li>
90       <li id='estate'><a href='mercedesestate.php'>Estate</a></li>
91       <li id='kompakt'><a href='mercedeskompakt.php'>Kompakt</a></li>
92       <li id='coupe'><a href='meredescoupe.php'>Coupe</a></li>
93       <li id='cabriolet'><a href='mercedescabriolet.php'>Cabriolet</a></li>
94       <li id='mpvs'><a href='mercedesmvps.php'>Mpvs</a></li>
95     </ul>
96   </div>
97 </div>
98   <div class='ortasayfa'>
99     <div class='ortasayfa'><div class='yazi'>BEST</div>OR</div><div>NOTHING</div></div>
100   </div>
101
102
103 </body>
104
105 </html>
106 ";
107 ?>
```


```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php  ensevilerler.php
C:\xampp\htdocs> phpproj.php
1 <?php
2 $arabalar = [
3   [
4     "Marka" => "Mercedes",
5     "Model" => "Kompakt",
6     "Yıl" => 2020,
7     "Fiyat" => 180000,
8     "Resim" => "mercedesestate3.jpg"
9   ],
10  [
11    "Marka" => "Mercedes",
12    "Model" => "Kompakt",
13    "Yıl" => 2022,
14    "Fiyat" => 190000,
15    "Resim" => "meredeskompakt2.jpg"
16  ],
17  [
18    "Marka" => "Mercedes",
19    "Model" => "Coupe",
20    "Yıl" => 2022,
21    "Fiyat" => 220000,
22    "Resim" => "meredescoupe3.jpg"
23  ],
24  [
25
```

A screenshot of a code editor window titled "ensevilener.php". The file contains PHP code with an associative array and some basic HTML structure. Below it, there is a block of CSS code for styling a car listing container. The editor interface includes tabs for "phpproj.php" and "ensevilener.php", a search bar, and various toolbars.

```
26     "Marka" => "Mercedes",
27     "Model" => "Cabriolet",
28     "Yil" => 2021,
29     "Fiyat" => 210000,
30     "Resim" => "mercedescabriolet.jpg"
31   ];
32 ];
33 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37   <title>En Sevilenler</title>
38   <style>
39     body {
40       background-image: url('mercedesarkaplansedan.jpg');
41       background-size: cover;
42       background-repeat: no-repeat;
43       margin: 0;
44       padding: 0;
45       display: flex;
46       justify-content: space-around;
47     }
48
49     .araba-container {
50       width: 45%;
```

A screenshot of a code editor window titled "ensevilener.php". The file continues the CSS styling from the previous screenshot. It defines styles for ".araba-container", ".araba", ".araba .resim", and ".araba .bilgi". The ".araba-container" rule sets a width of 45%, a background color of rgba(255, 255, 255, 0.8), and padding of 20px. The ".araba" rule uses flexbox with align-items: center and a margin-bottom of 20px. The ".araba .resim" rule sets a flex of 0 0 700px and a margin-right of 20px. The ".araba .bilgi" rule is partially visible at the bottom. The editor interface remains consistent with the first screenshot.

```
48
49     .araba-container {
50       width: 45%;
51       background-color: rgba(255, 255, 255, 0.8);
52       margin: 20px;
53       padding: 20px;
54       border-radius: 10px;
55     }
56
57     .araba {
58       display: flex;
59       align-items: center;
60       margin-bottom: 20px;
61     }
62     .araba .resim {
63       margin-right: 20px;
64       flex: 0 0 700px;
65     }
66
67     .araba .resim img{
68       width: 100%;
69       height: auto
70     }
71
72     .araba .bilgi {
```



A screenshot of a web browser displaying a search results page. The search query "araba bilgi" is visible at the top. The results show several links related to car information, such as "Araba Bilgi", "Araba İstatistikleri", and "Araba Fiyatları". The page includes navigation buttons like back, forward, and search.

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproje.php  ensevileren.php x
C:\xampp\htdocs\ensevileren.php
72     .araba .bilgi {
73         font-family: Arial, sans-serif;
74         border-left: 3px groove black;
75         padding: 10px;
76     }
77
78     .araba .bilgi p {
79         margin: 5px 0;
80         font-size: 16px;
81     }
82
83     .araba .baslik {
84         font-family: Arial, sans-serif;
85         border: 3px groove black;
86         padding: 10px;
87         margin-bottom: 10px;
88     }
89
90     .araba .baslik h2 {
91         margin: 0;
92     }
93     </style>
94 </head>
95 <body>
96     <div class="araba-container">
```

```
File Edit Selection View Go Run Terminal Help ↺ ↻ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpcode.php ×
C:\xampp>htdocs>ensevilenler.php
94 </head>
95 <body>
96     <div class="araba-container">
97         <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98             <div class='araba'>
99                 <div class='resim'>
100                     <img src='<?php echo $araba["Resim"]; ?>'>
101                 </div>
102             <div>
103                 <div class='baslik'>
104                     <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                 </div>
106                 <div class='bilgi'>
107                     <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                     <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                     <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
110                     <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                 </div>
112             </div>
113         </div>
114     <?php endforeach; ?>
115 </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php ensevilenler.php
C:\xampp\htdocs> ensevilenler.php
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </body>
137 </html>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpproj.php ensevilenler.php satinalmadismanligi.php baglantisatinalmadeneyimi.php
C:\xampp\htdocs> satinalmadismanligi.php
1 <?php
2 echo"
3 <html>
4
5 <head>
6 <title>Danışmanlık All!</title>
7 <style>
8     body {
9         font-family: Arial, sans-serif;
10        color:#c8a2c8;
11        margin: 0;
12        padding: 0;
13        display: flex;
14        justify-content: center;
15        align-items: center;
16        height: 800px;
17        background-image: url('mercedesarkaplan.jpg');
18        background-size: cover;
19        background-repeat: no-repeat;
20    }
21
22 .iletisimkutusu {
23     width: 400px;
24     background-color: #133ab9;
25     padding: 20px;
26 }
```

The screenshot shows a browser window with a tab bar at the top containing 'phpiproje.php', 'ensevilenler.php', 'satinalmadanismanligi.php', and 'baglantisatinalmadaneyimi.php'. The main content area displays a CSS file named 'iletisim.css' with the following code:

```
22 .iletisimkutusu {  
23     width: 400px;  
24     background-color: #133ab9;  
25     padding: 20px;  
26     border-radius: 8px;  
27     box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
28 }  
29  
30 .iletisim .formlar {  
31     margin-bottom: 20px;  
32 }  
33  
34 .iletisim etiket {  
35     display: block;  
36     margin-bottom: 5px;  
37 }  
38  
39 .iletisim input[type='text'],  
40 .iletisim input[type='email'] {  
41     width: calc(100% - 12px);  
42     padding: 8px;  
43     border: 1px solid #ccc;  
44     border-radius: 4px;  
45 }  
46
```

The bottom status bar indicates the file is in 'Restricted Mode' and shows the current position as 'Ln 1, Col 1'. It also includes icons for search, refresh, and file operations.

```
File Edit Selection View Go Run Terminal Help ↺ ↻ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpinfo.php enseviler.php satinalmadanismanligi.php baglantisatinalmadeneymi.php
C:\xampp>htdocs> satinalmadanismanligi.php

47 .iletisim button {
48     padding: 10px 20px;
49     background-color: #6a4;
50     color: #fff;
51     border: none;
52     border-radius: 4px;
53     cursor: pointer;
54     transition: background-color 0.3s ease;
55 }
56
57 .iletisim button:hover {
58     background-color: #0cdb05;
59 }
60
61     </style>
62 </head>
63
64 <body>
65     <div class='kutu'>
66         <form action='#' method='POST' class='iletisim'>
67             <div class='formlar'>
68                 <label for='adsoyad'>Ad Soyad:</label>
69                 <input type='text' id='adsoyad' name='adsoyad' required>
70             </div>
71             <div class='formlar'>
```

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> satinalmadanismanligi.php
71     <div class='formlar'>
72         <label for='eposta'>E-posta:</label>
73         <input type='email' id='eposta' name='eposta' required>
74     </div>
75     <div class='formlar'>
76         <label for='deneyim'>Satın almak istediğiniz aracın bulunması gereken özellikler:</label>
77         <input type='text' id='deneyim' name='deneyim' required>
78     </div>
79     <div class='formlar'>
80         <label for='hiz'>Bütçeniz:</label>
81         <input type='number' id='hiz' name='hiz' required>
82     </div>
83     <div class='formlar'>
84         <button type='submit'>Gönder</button>
85     </div>
86 </form>
87 </div>
88 </body>
89 </html>
90 ";
91 ?
92 <?php
93 include("baglantisatinalmadeneyimi.php");
94 ?>
```

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> baglantisatinalmadeneyimi.php
1 <?php
2 $servername = "localhost";
3 $username = "root";
4 $password = "";
5 $database = "localhost";
6
7
8 $conn = new mysqli($servername, $username, $password, $database);
9
10
11 if ($conn->connect_error) {
12     die("Bağlantı hatası: " . $conn->connect_error);
13 }
14
15
16 if ($_SERVER["REQUEST_METHOD"] == "POST") {
17     $adsoyadsatis = $_POST["adsoyad"];
18     $epostasatis = $_POST["eposta"];
19     $ozellik = $_POST["deneyim"];
20     $butcesatis = $_POST["hiz"];
21
22
23     $sql = "INSERT INTO satisdanismanligi (adsoyadsatis, epostasatis, ozelliksatis, butcesatis) VALUES ('$adsoyadsatis', '$epostasatis', '$ozellik', '$butcesatis')";
24
25     if ($conn->query($sql) === TRUE) {
```

```
14
15
16 if ($_SERVER["REQUEST_METHOD"] == "POST") {
17     $adsoyadsatis = $_POST["adsoyad"];
18     $epostasatis = $_POST["eposta"];
19     $ozellilik = $_POST["deneyim"];
20     $butcesatis = $_POST["hiz"];
21
22
23     $sql = "INSERT INTO satisdanismanligi (adsoyadsatis, epostasatis, ozelliksatis, butcesatis) VALUES ('$adsoyadsatis', '$epostasatis', '$ozellilik', '$butcesatis')";
24
25     if ($conn->query($sql) === TRUE) {
26         echo "Gönderildi";
27     } else {
28         echo "Hata: " . $sql . "<br>" . $conn->error;
29     }
30 }
31
32 $conn->close();
33 ?>
34
```


```
1 <?php
2
3 echo "
4 <html>
5
6 <head>
7     <title>Iletisim Sayfasi</title>
8     <style>
9         body {
10             font-family: Arial, sans-serif;
11             color:#e2d;
12             margin: 0;
13             padding: 0;
14             display: flex;
15             justify-content: center;
16             align-items: center;
17             height: 800px;
18             background-image: url('mercedesarkaplan3.jpg');
19             background-size: cover;
20             background-repeat: no-repeat;
21         }
22
23         .iletisimkutusu {
24             width: 400px;
25             background-color: #133ab9;
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> iletisimprojek.php
23 .iletisimkutusu {
24     width: 400px;
25     background-color: #133ab9;
26     padding: 20px;
27     border-radius: 8px;
28     box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
29 }
30
31 .iletisim .formlar {
32     margin-bottom: 20px;
33 }
34
35 .iletisim etiket {
36     display: block;
37     margin-bottom: 5px;
38 }
39
40 .iletisim input[type='text'],
41 .iletisim input[type='email'] {
42     width: calc(100% - 12px);
43     padding: 8px;
44     border: 1px solid #ccc;
45     border-radius: 4px;
46 }
47
```


Restricted Mode TRY/USD %0.59 1456 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> iletisimprojek.php
48 .iletisim button {
49     padding: 10px 20px;
50     background-color: #f2a;
51     color: #fff;
52     border: none;
53     border-radius: 4px;
54     cursor: pointer;
55     transition: background-color 0.3s ease;
56 }
57
58 .iletisim button:hover {
59     background-color: #0cdb05;
60 }
61
62 </style>
63 </head>
64
65 <body>
66     <div class='kutu'>
67         <form action="#" method='POST' class='iletisim'>
68             <div class='formlar'>
69                 <label for='adsoyad'>Ad Soyad:</label>
70                 <input type='text' id='adsoyad' name='adsoyad' required>
71             </div>
72             <div class='formlar'>
```

Restricted Mode TRY/USD %0.59 1457 29.12.2023



```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> iletisimproje.php
66 <div class='kutu'>
67     <form action='#' method='POST' class='iletisim'>
68         <div class='formlar'>
69             <label for='adsoyad'>Ad Soyad:</label>
70             <input type='text' id='adsoyad' name='adsoyad' required>
71         </div>
72         <div class='formlar'>
73             <label for='eposta'>E-posta:</label>
74             <input type='email' id='eposta' name='eposta' required>
75         </div>
76         <div class='formlar'>
77             <label for='konu'>Konu:</label>
78             <input type='text' id='konu' name='konu' required>
79         </div>
80         <div class='formlar'>
81             <button type='submit'>Gönder</button>
82         </div>
83     </form>
84 </div>
85 </body>
86 </html>";?
87 <?php
88 include ("baglanti.php");
89 ?>
90
```



```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> baglanti.php
1 |
2 <?php
3 $servername = "localhost";
4 $username = "root";
5 $password = "";
6 $database = "localhost";
7
8
9 $conn = new mysqli($servername, $username, $password, $database);
10
11
12 if ($conn->connect_error) {
13     die("Baglanti hatasi: " . $conn->connect_error);
14 }
15
16
17 if ($_SERVER["REQUEST_METHOD"] == "POST") {
18     $adsoyad = $_POST["adsoyad"];
19     $eposta = $_POST["eposta"];
20     $konu = $_POST["konu"];
21
22
23     $sql = "INSERT INTO iletisim (adsoyad, eposta, konu) VALUES ('$adsoyad', '$eposta', '$konu')";
24
25     if ($conn->query($sql) === TRUE) {

```



The screenshot shows a browser window with a red background and white text, indicating a critical error. The text reads:

Warning: mysqli::query(): (严重影响) MySQL server has gone away  
#0 /var/www/html/iletisimproje/baglanti.php:25

This is a common MySQL error message indicating that the connection to the database has been lost.

The screenshot shows a web browser window with a code editor interface. The title bar says "Restricted Mode is intended for safe code browsing. Trust this window to enable all features." Below the title bar are tabs for "Manage" and "Learn More". The main area displays a PHP file with syntax highlighting. The file contains HTML and CSS code for a landing page. The sidebar on the left shows a file tree with files like "phpprojek.php", "esernameleler.php", "satinalmadanismanligi.php", "baglantisatinalmadeniyimi.php", "iletisimproje.php", "baglantiphp.php", "deneyim.php", and "baglantitideneymi.php". The status bar at the bottom shows "Ln 1 Col 1 Spaces:4 UTE:8 CRLF PHP B2" and a timestamp "29.12.2023".


```
1 <?php
2 echo"
3 <html>
4
5 <head>
6     <title>Deneyimlerini Aktar!</title>
7     <style>
8         body {
9             font-family: Arial, sans-serif;
10            color:white;
11            margin: 0;
12            padding: 0;
13            display: flex;
14            justify-content: center;
15            align-items: center;
16            height: 800px;
17            background-image: url('mercedesson.jpg');
18            background-size: cover;
19            background-repeat: no-repeat;
20        }
21
22 .iletisimkutusu {
23     width: 400px;
24     background-color: #133ab9;
25     padding: 20px;
```

The screenshot shows a web browser window with the address bar containing 'C:\xampp>htdocs>iletim.css'. The main content area displays the following CSS code:


```
22 .iletisimkutusu {  
23     width: 400px;  
24     background-color: #133ab9;  
25     padding: 20px;  
26     border-radius: 8px;  
27     box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
28 }  
29  
30 .iletisim .formlar {  
31     margin-bottom: 20px;  
32 }  
33  
34 .iletisim etiket {  
35     display: block;  
36     margin-bottom: 5px;  
37 }  
38  
39 .iletisim input[type='text'],  
40 .iletisim input[type='email'] {  
41     width: calc(100% - 12px);  
42     padding: 8px;  
43     border: 1px solid #ccc;  
44     border-radius: 4px;  
45 }  
46
```

```
File Edit Selection View Go Run Terminal Help ↺ ↻ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
phpcode.php ensevener.php satinalmadanismanligi.php baglantisatinalmadanismanligi.php iletisimproje.php baglantiproj.php deneyim.php x baglantideneym.php
C:\xampp>htdocs>deneyim.php

47 .iletisim button {
48     padding: 10px 20px;
49     background-color: #0b1622;
50     color: #fff;
51     border: none;
52     border-radius: 4px;
53     cursor: pointer;
54     transition: background-color 0.3s ease;
55 }
56
57 .iletisim button:hover {
58     background-color: #0cdb05;
59 }
60
61     </style>
62 </head>
63
64 <body>
65     <div class='kutu'>
66         <form action='#' method='POST' class='iletisim'>
67             <div class='formlar'>
68                 <label for='adsoyad'>Ad Soyad:</label>
69                 <input type='text' id='adsoyad' name='adsoyad' required>
70             </div>
71             <div class='formlar'>
```



```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs>deneyim.php
64 <body>
65     <div class='kutu'>
66         <form action='#' method='POST' class='iletisim'>
67             <div class='formlar'>
68                 <label for='adsoyad'>Ad Soyad:</label>
69                 <input type='text' id='adsoyad' name='adsoyad' required>
70             </div>
71             <div class='formlar'>
72                 <label for='eposta'>E-posta:</label>
73                 <input type='email' id='eposta' name='eposta' required>
74             </div>
75             <div class='formlar'>
76                 <label for='deneyim'>Süreç Deneyiminiz:</label>
77                 <input type='text' id='deneyim' name='deneyim' required>
78             </div>
79             <div class='formlar'>
80                 <label for='hiz'>En Yüksek Hızınız:</label>
81                 <input type='number' id='hiz' name='hiz' required>
82             </div>
83             <div class='formlar'>
84                 <button type='submit'>Gönder</button>
85             </div>
86         </form>
87     </div>
88 
```



```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs>deneyim.php
72     <label for='eposta'>E-posta:</label>
73     <input type='email' id='eposta' name='eposta' required>
74 </div>
75 <div class='formlar'>
76     <label for='deneyim'>Süreç Deneyiminiz:</label>
77     <input type='text' id='deneyim' name='deneyim' required>
78 </div>
79 <div class='formlar'>
80     <label for='hiz'>En Yüksek Hızınız:</label>
81     <input type='number' id='hiz' name='hiz' required>
82 </div>
83 <div class='formlar'>
84     <button type='submit'>Gönder</button>
85 </div>
86 </form>
87 </div>
88 </body>
89 </html>
90 ";
91 ?>
92 <?php
93 include ("baglantideneyim.php");
94 ?>
```

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> Sedansayfa.php
1 <?php
2 $arabalar = [
3 [
4     "Marka" => "Mercedes",
5     "Model" => "C-Class Sedan",
6     "Yıl" => 2023,
7     "Fiyat" => 200000,
8     "Resim" => "mercedessedan.jpg"
9 ],
10 [
11     "Marka" => "Mercedes",
12     "Model" => "E Serisi",
13     "Yıl" => 2019,
14     "Fiyat" => 140000,
15     "Resim" => "mercedessedan2.jpg"
16 ],
17 [
18     "Marka" => "Mercedes",
19     "Model" => "A Serisi",
20     "Yıl" => 2019,
21     "Fiyat" => 170000,
22     "Resim" => "mercedessedan3.jpg"
23 ],
24 ,
25 ]
```

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> Sedansayfa.php
25 [
26     "Marka" => "Mercedes",
27     "Model" => "A 180 d",
28     "Yıl" => 2016,
29     "Fiyat" => 110000,
30     "Resim" => "mercedessedan4.jpg"
31 ];
32 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37     <title>Mercedes Sedan</title>
38     <style>
39         body {
40             background-image: url('mercedeskaplasedan.jpg');
41             background-size: cover;
42             background-repeat: no-repeat;
43             margin: 0;
44             padding: 0;
45             display: flex;
46             justify-content: space-around;
47         }
48     </style>
49 
```

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> Sedansayfa.php
50         width: 45%;  
51         background-color: rgba(255, 255, 255, 0.8);  
52         margin: 20px;  
53         padding: 20px;  
54         border-radius: 10px;  
55     }  
56  
57     .araba {  
58         display: flex;  
59         align-items: center;  
60         margin-bottom: 20px;  
61     }  
62     .araba .resim {  
63         margin-right: 20px;  
64         flex: 0 0 700px;  
65     }  
66  
67     .araba .resim img{  
68         width: 100%;  
69         height: auto  
70     }  
71  
72     .araba .bilgi {  
73         font-family: Arial, sans-serif;  
74         border-left: 3px groove black;  
75         padding: 10px;  
76     }  
77  
78     .araba .bilgi p {  
79         margin: 5px 0;  
80         font-size: 16px;  
81     }  
82  
83     .araba .baslik {  
84         font-family: Arial, sans-serif;  
85         border: 3px groove black;  
86         padding: 10px;  
87         margin-bottom: 10px;  
88     }  
89  
90     .araba .baslik h2 {  
91         margin: 0;  
92     }  
93     </style>  
94 </head>  
95 <body>  
96     <div class="araba-container">
```

Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚡

E80 / O-3 konumund... 15:00 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> Sedansayfa.php
72     .araba .bilgi {  
73         font-family: Arial, sans-serif;  
74         border-left: 3px groove black;  
75         padding: 10px;  
76     }  
77  
78     .araba .bilgi p {  
79         margin: 5px 0;  
80         font-size: 16px;  
81     }  
82  
83     .araba .baslik {  
84         font-family: Arial, sans-serif;  
85         border: 3px groove black;  
86         padding: 10px;  
87         margin-bottom: 10px;  
88     }  
89  
90     .araba .baslik h2 {  
91         margin: 0;  
92     }  
93     </style>  
94 </head>  
95 <body>  
96     <div class="araba-container">
```

Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚡


E80 / O-3 konumund... 15:01 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> Sedansayfa.php
93     </style>
94 </head>
95 <body>
96     <div class="araba-container">
97         <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98             <div class='araba'>
99                 <div class='resim'>
100                     <img src='<?php echo $araba["Resim"]; ?>'>
101                 </div>
102                 <div>
103                     <div class='baslik'>
104                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                     </div>
106                     <div class='bilgi'>
107                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
110                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                     </div>
112                 </div>
113             </div>
114         <?php endforeach; ?>
115     </div>
116
117     <div class="araha-container">
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137 </body>
138 </html>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> Sedansayfa.php
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedessuv.php
1 <?php
2 $arabalar = [
3 [
4     "Marka" => "Mercedes",
5     "Model" => "SUV",
6     "Yıl" => 2022,
7     "Fiyat" => 220000,
8     "Resim" => "mercedessuv.jpg"
9 ],
10 [
11     "Marka" => "Mercedes",
12     "Model" => "GLC SUV",
13     "Yıl" => 2017,
14     "Fiyat" => 190000,
15     "Resim" => "mercedessuv2.jpg"
16 ],
17 [
18     "Marka" => "Mercedes",
19     "Model" => "G-CLASS",
20     "Yıl" => 2018,
21     "Fiyat" => 160000,
22     "Resim" => "mercedessuv3.jpg"
23 ],
24 ,
25 ]
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedessuv.php
25 [
26     "Marka" => "Mercedes",
27     "Model" => "EQB",
28     "Yıl" => 2023,
29     "Fiyat" => 220000,
30     "Resim" => "mercedessuv4.jpg"
31 ];
32 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37     <title>Mercedes Suv</title>
38     <style>
39         body {
40             background-image: url('mercedesarkaplansedan.jpg');
41             background-size: cover;
42             background-repeat: no-repeat;
43             margin: 0;
44             padding: 0;
45             display: flex;
46             justify-content: space-around;
47         }
48     </style>
49 
```



A screenshot of a web browser displaying a 404 error page. The URL in the address bar is "http://mercedesu.com.tr". The page content includes the text "MercedesU.com.tr" and "www.mercedesu.com.tr". Below the text is a link to "www.mercedesu.com.tr".

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs>mercedesu.php
48
49     .araba-container {
50         width: 45%;
51         background-color: rgba(255, 255, 255, 0.8);
52         margin: 20px;
53         padding: 20px;
54         border-radius: 10px;
55     }
56
57     .araba {
58         display: flex;
59         align-items: center;
60         margin-bottom: 20px;
61     }
62     .araba .resim {
63         margin-right: 20px;
64         flex: 0 0 700px;
65     }
66
67     .araba .resim img{
68         width: 100%;
69         height: auto
70     }
71
72     .araba .bilgi {
```

A screenshot of a web browser window displaying a CSS file. The browser's address bar shows the path: C:\xampp\htdocs\mercedessuv.php. The code editor on the left contains the following CSS and HTML:

```
.araba .bilgi {
    font-family: Arial, sans-serif;
    border-left: 3px groove black;
    padding: 10px;
}

.araba .bilgi p {
    margin: 5px 0;
    font-size: 16px;
}

.araba .baslik {
    font-family: Arial, sans-serif;
    border: 3px groove black;
    padding: 10px;
    margin-bottom: 10px;
}

.araba .baslik h2 {
    margin: 0;
}

</style>
</head>
<body>
    <div class="araba-container">
```

```
File Edit Selection View Go Run Terminal Help ↵ → ⌂ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedessuv.php
96     <div class="araba-container">
97         <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98             <div class='araba'>
99                 <div class='resim'>
100                     <img src='<?php echo $araba["Resim"]; ?>'>
101                 </div>
102                 <div>
103                     <div class='baslik'>
104                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                     </div>
106                     <div class='bilgi'>
107                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                         <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
110                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                     </div>
112                 </div>
113             </div>
114         <?php endforeach; ?>
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
Ln 68, Col 26  Spaces: 4  UTF-8  CRLF  PHP  8.2  ⌂
D-100 konumunda Y...  15:05  29.12.2023
File Edit Selection View Go Run Terminal Help ↵ → ⌂ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedessuv.php
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
Ln 68, Col 26  Spaces: 4  UTF-8  CRLF  PHP  8.2  ⌂
D-100 konumunda Y...  15:05  29.12.2023
File Edit Selection View Go Run Terminal Help ↵ → ⌂ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedessuv.php
12°C Güneşli  15:05  29.12.2023
```

```
1 <?php
2 $arabalar = [
3     [
4         "Marka" => "Mercedes",
5         "Model" => "Estate",
6         "Yil" => 2014,
7         "Fiyat" => 110000,
8         "Resim" => "mercedesestate.jpg"
9     ],
10    [
11        "Marka" => "Mercedes",
12        "Model" => "C-Class",
13        "Yil" => 2015,
14        "Fiyat" => 160000,
15        "Resim" => "mercedesestate2.jpg"
16    ],
17    [
18        "Marka" => "Mercedes",
19        "Model" => "E Serisi",
20        "Yil" => 2023,
21        "Fiyat" => 230000,
22        "Resim" => "mercedesestate3.jpg"
23    ]
24 ,
25 ]
```

```
26     "Marka" => "Mercedes",
27     "Model" => "Ref 35",
28     "Yil" => 1983,
29     "Fiyat" => 70000,
30     "Resim" => "mercedesestate4.jpg"
31 ]
32 ];
33 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37     <title>Mercedes Estate</title>
38     <style>
39         body {
40             background-image: url('mercedesarkaplansedan.jpg');
41             background-size: cover;
42             background-repeat: no-repeat;
43             margin: 0;
44             padding: 0;
45             display: flex;
46             justify-content: space-around;
47         }
48
49         .araba-container {
50             width: 45%;
```

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedesestate.php
araba-container {
    width: 45%;
    background-color: rgba(255, 255, 255, 0.8);
    margin: 20px;
    padding: 20px;
    border-radius: 10px;
}

.araba {
    display: flex;
    align-items: center;
    margin-bottom: 20px;
}
.araba .resim {
    margin-right: 20px;
    flex: 0 0 700px;
}
.araba .resim img{
    width: 100%;
    height: auto
}
.araba .bilgi {
    font-family: Arial, sans-serif;
    border-left: 3px groove black;
    padding: 10px;
}
.araba .bilgi p {
    margin: 5px 0;
    font-size: 16px;
}
.araba .baslik {
    font-family: Arial, sans-serif;
    border: 3px groove black;
    padding: 10px;
    margin-bottom: 10px;
}
.araba .baslik h2 {
    margin: 0;
}

```

Ln 68, Col 25 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:06 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedesestate.php
araba .bilgi {
    font-family: Arial, sans-serif;
    border-left: 3px groove black;
    padding: 10px;
}
.araba .bilgi p {
    margin: 5px 0;
    font-size: 16px;
}
.araba .baslik {
    font-family: Arial, sans-serif;
    border: 3px groove black;
    padding: 10px;
    margin-bottom: 10px;
}
.araba .baslik h2 {
    margin: 0;
}

```

Ln 68, Col 25 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:06 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedesestate.php
94 </head>
95 <body>
96     <div class="araba-container">
97         <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98             <div class='araba'>
99                 <div class='resim'>
100                     <img src='<?php echo $araba["Resim"]; ?>'>
101                 </div>
102                 <div>
103                     <div class='baslik'>
104                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                     </div>
106                     <div class='bilgi'>
107                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
110                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                     </div>
112                 </div>
113             </div>
114         <?php endforeach; ?>
115     </div>
116     <div class="araba-container">
117         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
118             <div>
```

```
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedeskompakt.php
1 <?php
2 $arabalar = [
3   [
4     "Marka" => "Mercedes",
5     "Model" => "Kompakt",
6     "Yıl" => 2019,
7     "Fiyat" => 190000,
8     "Resim" => "mercedeskompakt.jpg"
9   ],
10  [
11    "Marka" => "Mercedes",
12    "Model" => "Kompakt",
13    "Yıl" => 2016,
14    "Fiyat" => 170000,
15    "Resim" => "mercedeskompakt2.jpg"
16  ],
17  [
18    "Marka" => "Mercedes",
19    "Model" => "L Serisi",
20    "Yıl" => 2023,
21    "Fiyat" => 230000,
22    "Resim" => "mercedeskompakt3.jpg"
23  ],
24  ,
25 ]
Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2
Restricted Mode 0 0 0 0 Ara 12°C Güneşli 15:07 29.12.2023
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedeskompakt.php
26   "Marka" => "Mercedes",
27   "Model" => "EQA",
28   "Yıl" => 2020,
29   "Fiyat" => 190000,
30   "Resim" => "mercedeskompakt4.jpg"
31 ]
32 ?>;
33 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37   <title>Mercedes Kompakt</title>
38   <style>
39     body {
40       background-image: url('mercedesarkaplansedan.jpg');
41       background-size: cover;
42       background-repeat: no-repeat;
43       margin: 0;
44       padding: 0;
45       display: flex;
46       justify-content: space-around;
47     }
48   .araba-container {
49     width: 45%;
50   }
Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2
Restricted Mode 0 0 0 0 Ara 12°C Güneşli 15:07 29.12.2023
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedeskompakt.php
50         width: 45%; background-color: rgba(255, 255, 255, 0.8); margin: 20px; padding: 20px; border-radius: 10px;
51     }
52
53     .araba {
54         display: flex; align-items: center; margin-bottom: 20px;
55     }
56     .araba .resim {
57         margin-right: 20px; flex: 0 0 700px;
58     }
59     .araba .resim img{
60         width: 100%; height: auto
61     }
62
63     .araba .bilgi {
64         font-family: Arial, sans-serif; border-left: 3px groove black;
65     }
66
67     .araba .bilgi h2 {
68         margin: 0; font-size: 1.2em; font-weight: bold;
69     }
70     .araba .bilgi p {
71         margin: 0; font-size: 0.9em; font-weight: normal;
72     }
73
74     .araba .bilgi .baslik {
75         font-size: 1.1em; font-weight: bold; margin-bottom: 5px;
76     }
77     .araba .bilgi .baslik h3 {
78         font-size: 1em; font-weight: bold; margin-bottom: 2px;
79     }
80     .araba .bilgi .baslik p {
81         font-size: 0.9em; margin-bottom: 5px;
82     }
83     .araba .bilgi .bilgi {
84         font-size: 0.9em; margin-bottom: 10px;
85     }
86     .araba .bilgi .bilgi p {
87         margin: 0; font-size: 0.9em; font-weight: normal;
88     }
89     .araba .bilgi .yorum {
90         font-size: 0.9em; margin-bottom: 10px;
91     }
92     .araba .bilgi .yorum p {
93         margin: 0; font-size: 0.9em; font-weight: normal;
94     }
95
96     <div class="araba-container">
97         <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98             <div class='araba'>
99                 <div class='resim'>
100                     <img src='<?php echo $araba["Resim"]; ?>'>
101                 </div>
102                 <div>
103                     <div class='baslik'>
104                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                     </div>
106                     <div class='bilgi'>
107                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
110                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                     </div>
112                 </div>
113             </div>
114         <?php endforeach; ?>
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedeskompakt.php
96         <div class="araba-container">
97             <?php foreach (array_slice($arabalar, 0, ceil(count($arabalar) / 2)) as $araba): ?>
98                 <div class='araba'>
99                     <div class='resim'>
100                         <img src='<?php echo $araba["Resim"]; ?>'>
101                     </div>
102                     <div>
103                         <div class='baslik'>
104                             <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
105                         </div>
106                         <div class='bilgi'>
107                             <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
108                             <p><?php echo "Model: {$araba['Model']}"; ?></p>
109                             <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
110                             <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
111                         </div>
112                     </div>
113                 </div>
114             <?php endforeach; ?>
115         </div>
116
117         <div class="araba-container">
118             <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119                 <div class='araba'>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedeskompekt.php
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
```

Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:09 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescoupe.php
1 <?php
2 $arabalar = [
3     [
4         "Marka" => "Mercedes",
5         "Model" => "Coupe",
6         "Yıl" => 2023,
7         "Fiyat" => 220000,
8         "Resim" => "mercedescoupe.jpg"
9     ],
10    [
11        "Marka" => "Mercedes",
12        "Model" => "E Serisi",
13        "Yıl" => 2021,
14        "Fiyat" => 195000,
15        "Resim" => "mercedescoupe2.jpg"
16    ],
17    [
18        "Marka" => "Mercedes",
19        "Model" => "GT Coupe",
20        "Yıl" => 2023,
21        "Fiyat" => 180000,
22        "Resim" => "mercedescoupe3.jpg"
23    ],
24    [
25    ]
];

```

Ln 138, Col 8 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:09 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescoupe.php
26     "Marka" => "Mercedes",
27     "Model" => "E-Class",
28     "Yıl" => 2009,
29     "Fiyat" => 60000,
30     "Resim" => "mercedescoupe4.jpg"
31   ]
32 ];
33 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37   <title>Mercedes Coupe</title>
38   <style>
39     body {
40       background-image: url('mercedesarkaplansedan.jpg');
41       background-size: cover;
42       background-repeat: no-repeat;
43       margin: 0;
44       padding: 0;
45       display: flex;
46       justify-content: space-around;
47     }
48
49     .araba-container {
50       width: 45%;
```

Ln 138, Col 8 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:09 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescoupe.php
50       width: 45%;
51       background-color: rgba(255, 255, 255, 0.8);
52       margin: 20px;
53       padding: 20px;
54       border-radius: 10px;
55     }

56     .araba {
57       display: flex;
58       align-items: center;
59       margin-bottom: 20px;
60     }
61     .araba .resim {
62       margin-right: 20px;
63       flex: 0 0 700px;
64     }

65     .araba .resim img{
66       width: 100%;
67       height: auto
68     }

69     .araba .bilgi {
70       font-family: Arial, sans-serif;
71       border-left: 3px groove black;
72     }
```

Ln 138, Col 8 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:09 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescoupe.php
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
```

Ln 138, Col 8 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:09 29.12.2023

```
File Edit Selection View Go Run Terminal Help ↵ → ⌘ Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescabriolet.php
1 <?php
2 $arabalar = [
3     [
4         "Marka" => "Mercedes",
5         "Model" => "Cabriolet",
6         "Yıl" => 2021,
7         "Fiyat" => 200000,
8         "Resim" => "mercedescabriolet.jpg"
9     ],
10    [
11        "Marka" => "Mercedes",
12        "Model" => "Cabriolet",
13        "Yıl" => 2014,
14        "Fiyat" => 95000,
15        "Resim" => "mercedescabriolet2.jpg"
16    ],
17    [
18        "Marka" => "Mercedes",
19        "Model" => "C Serisi",
20        "Yıl" => 2018,
21        "Fiyat" => 150000,
22        "Resim" => "mercedescabriolet3.jpg"
23    ]
24 ],
25 ]
```

Ln 68, Col 26 Spaces: 4 UTF-8 CRLF PHP 8.2 ⚙ 12°C Güneşli 15:10 29.12.2023

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescabriolet.php
26     "Marka" => "Mercedes",
27     "Model" => "E-Class",
28     "Yıl" => 2023,
29     "Fiyat" => 220000,
30     "Resim" => "mercedescabriolet4.jpg"
31   ]
32 ];
33 ?
34 <!DOCTYPE html>
35 <html>
36 <head>
37   <title>Mercedes Cabriolet</title>
38   <style>
39     body {
40       background-image: url('mercedesarkaplansedan.jpg');
41       background-size: cover;
42       background-repeat: no-repeat;
43       margin: 0;
44       padding: 0;
45       display: flex;
46       justify-content: space-around;
47     }
48
49   .araba-container {
50     width: 45%;
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp>htdocs> mercedescabriolet.php
115   </div>
116
117   <div class="araba-container">
118     <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119       <div class='araba'>
120         <div class='resim'>
121           <img src='<?php echo $araba["Resim"]; ?>'>
122         </div>
123         <div>
124           <div class='baslik'>
125             <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126           </div>
127           <div class='bilgi'>
128             <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129             <p><?php echo "Model: {$araba['Model']}"; ?></p>
130             <p><?php echo "Yıl: {$araba['Yıl']}"; ?></p>
131             <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132           </div>
133         </div>
134       </div>
135     <?php endforeach; ?>
136   </div>
137 </body>
138 </html>
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedesmvp.php
1 <?php
2 $arabalar = [
3   [
4     "Marka" => "Mercedes",
5     "Model" => "MVPS",
6     "Yıl" => 2016,
7     "Fiyat" => 140000,
8     "Resim" => "mercedesmvp.jpg"
9   ],
10  [
11    "Marka" => "Mercedes",
12    "Model" => "A52",
13    "Yıl" => 2013,
14    "Fiyat" => 110000,
15    "Resim" => "mercedesmvp2.jpg"
16  ],
17  [
18    "Marka" => "Mercedes",
19    "Model" => "MVPS D",
20    "Yıl" => 2017,
21    "Fiyat" => 150000,
22    "Resim" => "mercedesmvp3.jpg"
23  ],
24  ,
25 ]
Ln 73, Col 39 Spaces: 4 UTF-8 CRLF PHP 8.2
12°C Güneşli 15:11 29.12.2023
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
C:\xampp\htdocs> mercedesmvp.php
26   "Marka" => "Mercedes",
27   "Model" => "V250",
28   "Yıl" => 2020,
29   "Fiyat" => 190000,
30   "Resim" => "mercedesmvp4.jpg"
31 ];
32 ?>;
33 ?>
34 <!DOCTYPE html>
35 <html>
36 <head>
37   <title>Mercedes Mvp</title>
38   <style>
39     body {
40       background-image: url('mercedesarkaplansedan.jpg');
41       background-size: cover;
42       background-repeat: no-repeat;
43       margin: 0;
44       padding: 0;
45       display: flex;
46       justify-content: space-around;
47     }
48   .araba-container {
49     width: 45%;
50   }
Ln 73, Col 39 Spaces: 4 UTF-8 CRLF PHP 8.2
12°C Güneşli 15:11 29.12.2023
```

```
File Edit Selection View Go Run Terminal Help Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
madeneyim.php letsimproje.php baglanti.php deneyim.php Sedansayfa.php mercedesssuv.php mercedesestate.php mercedeskomakt.php meredescoupe.php meredescabriolet.php meredesmvp.php
C:\xampp\htdocs> meredesmvp.php
115     </div>
116
117     <div class="araba-container">
118         <?php foreach (array_slice($arabalar, ceil(count($arabalar) / 2)) as $araba): ?>
119             <div class='araba'>
120                 <div class='resim'>
121                     <img src='<?php echo $araba["Resim"]; ?>'>
122                 </div>
123                 <div>
124                     <div class='baslik'>
125                         <h2><?php echo "{$araba['Marka']} {$araba['Model']}"; ?></h2>
126                     </div>
127                     <div class='bilgi'>
128                         <p><?php echo "Marka: {$araba['Marka']}"; ?></p>
129                         <p><?php echo "Model: {$araba['Model']}"; ?></p>
130                         <p><?php echo "Yıl: {$araba['Yil']}"; ?></p>
131                         <p><?php echo "Fiyat: {$araba['Fiyat']} TL"; ?></p>
132                     </div>
133                 </div>
134             </div>
135         <?php endforeach; ?>
136     </div>
137 </body>
138 </html>
```

Ln 73, Col 39 Spaces: 4 UTF-8 CRLF PHP 8.2 12°C Güneşli 15:12 29.12.2023

Şekil 1

## **KAYNAKÇA**

<https://www.mercedes-benz.com.tr>

<https://shiftdelete.net>

<https://alper-bayram.medium.com>