

Name: _____



BOOTSTRAP
www.bootstrapworld.org

Class: _____



Workbook v2.0

A product of the Bootstrap team:

- Emmanuel Schanzer
- Kathi Fisler
- Shriram Krishnamurthi
- Emma Youndtsmith


Visual Design: Colleen Murphy

Bootstrap is licensed under a Creative Commons 3.0 Unported License. Based on a work from www.BootstrapWorld.org. Permissions beyond the scope of this license may be available at schanzer@BootstrapWorld.org.

Bootstrap Units

| | | | |
|-----------|---|-----------|--------------------------|
| 01 | Videogames and Coordinate Planes | 06 | Comparing Functions |
| 02 | Contracts, Strings, and Images | 07 | Conditional Branching |
| 03 | Intro to Definitions | 08 | Collision Detection |
| 04 | Design Recipe | 09 | Prepping for Launch |
| 05 | Game Animation | 10 | Additional Material |


01 Videogames and Coordinate Planes



Lesson 1

Reverse-Engineering: How does NinjaCat work?

Game Parts - NinjaCat!



The coordinates for the PLAYER (NinjaCat) are: (_____ , _____)
x-coordinate y-coordinate

The coordinates for the DANGER (Dog) are: (_____ , _____)

The coordinates for the TARGET (Ruby) are: (_____ , _____)

Our Videogame

Created by (write your names): _____

Background

Our game takes place in: _____
(space? the desert? a mall?)

The Player

The player is a _____.

The player moves only up and down.

The Target

Your player GAINS points when they hit the target.

The Target is a _____.

The Target moves only to the left and right.

The Danger

Your player LOSES points when they hit the danger.

The Danger is a _____.

The Danger moves only to the left and right.


Circle of Evaluation Practice!

Time: 5 minutes

Don't forget to use the computer's symbols for things like multiply and divide!

| Math | Circle of Evaluation | Racket Code |
|-----------------------------|----------------------|-------------|
| 5×10 | | |
| $8 + (5 \times 10)$ | | |
| $(8 + 2) - (5 \times 10)$ | | |
| $\frac{5 \times 10}{8 - 2}$ | | |

02 Contracts, Strings, and Images




Circles Competition

Time: 5 minutes

| Math | Circle of Evaluation | Racket Code |
|--------------------------------|-----------------------------|--------------------|
| Round 1 $(3 * 7) - (1 + 2)$ | | |
| Round 2 $3 - (1 + 2)$ | | |
| Round 3 $3 - (1 + (5 * 6))$ | | |
| Round 4 $(1 + (5 * 6)) - 3$ | | |

03

Intro to Definitions



Fast Functions!

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____) _____)

(EXAMPLE (_____) _____)

(define (_____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____) _____)

(EXAMPLE (_____) _____)

(define (_____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____) _____)

(EXAMPLE (_____) _____)

(define (_____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____) _____)

(EXAMPLE (_____) _____)

(define (_____) _____)

Fast Functions!

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____ _____) _____)

(EXAMPLE (_____ _____) _____)

(define (_____ _____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____ _____) _____)

(EXAMPLE (_____ _____) _____)

(define (_____ _____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____ _____) _____)

(EXAMPLE (_____ _____) _____)

(define (_____ _____) _____)

; _____ : _____ -> _____

| | | |
|------|--------|-------|
| name | domain | range |
|------|--------|-------|

(EXAMPLE (_____ _____) _____)

(EXAMPLE (_____ _____) _____)

(define (_____ _____) _____)

04 Design Recipe

1 Contract

2 Example

3 Definition




Word Problem: rocket-height

Directions: A rocket blasts off, traveling at 7 meters per second. Write a function called 'rocket-height' that takes in the number of seconds that have passed since the rocket took off, and which produces the height of the rocket at that time.


Contract and Purpose Statement

Every contract has three parts ...




Examples

Write some examples of your function in action...



Definition

Write the definition, giving variable names to all your input values...




Word Problem: red-square

Directions: Use the Design Recipe to write a function 'red-square', which takes in a number (the size of the square) and outputs a solid red rectangle whose length and width are the same size.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

| | | |
|----------------------|-----------------|-----------------------------------|
| (EXAMPLE(|) | |
| <i>function name</i> | <i>input(s)</i> | <i>what the function produces</i> |
| (EXAMPLE(|) | |
| <i>function name</i> | <i>input(s)</i> | <i>what the function produces</i> |

Definition

Write the definition, giving variable names to all your input values...


| | | |
|----------------------|------------------|--|
| (define(|) | |
| <i>function name</i> | <i>variables</i> |) |
| | | <i>what the function does with those variables</i> |

Word Problem: yard-area

Directions: Use the Design Recipe to write a function 'yard-area', which takes in the width and length of a yard, and returns the area of the yard. (Don't forget: area = length * width!)

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

(EXAMPLE(function name input(s)) what the function produces)

(EXAMPLE (_____))
function name input(s) what the function produces

Definition

Write the definition, giving variable names to all your input values....

(define(_____ **)**
 ^{function name} ^{variables}
)
 ^{what the function does with those variables}

target



danger




05 Game Animation

Word Problem: update-danger

Directions: Use the Design Recipe to write a function 'update-danger', which takes in the danger's x-coordinate and produces the next x-coordinate, which is 50 pixels to the left.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

(EXAMPLE(_____))
function name input(s) what the function produces

| (EXAMPLE(|) |) |
|---------------|----------|----------------------------|
| function name | input(s) | what the function produces |

Definition

Write the definition, giving variable names to all your input values....


(define(_____ **)**
 ^{function name} ^{variables}
)
 ^{what the function does with those variables}

Word Problem: update-target

Directions: Write a function 'update-target', which takes in the target's x-coordinate and produces the next x-coordinate, which is 50 pixels to the right.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

(EXAMPLE(_____))
function name input(s) what the function produces

| (EXAMPLE(|) |) |
|---------------|----------|----------------------------|
| function name | input(s) | what the function produces |


Definition

Write the definition, giving variable names to all your input values....

```
(define( _____ )  
      _____)  
      _____)
```

function name *variables*

what the function does with those variables



“safe-left?”

06 Comparing Functions



Protecting Sam

Sam is in a 640×480 yard. How far he can go to the left and right before he's out of sight?

1. A piece of Sam is still visible on the left as long as... $(> \underline{x} - 50)$

2. A piece of Sam is still visible on the right as long as... _____

3. Draw the Circle of Evaluation for these two expressions in the circles below:




Word Problem: safe-left?

Directions: Use the Design Recipe to write a function 'safe-left?', which takes in an x-coordinate and checks to see if it is greater than -50

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

(EXAMPLE(_____))
function name input(s) what the function produces

| (EXAMPLE(|) |) |
|---------------|----------|----------------------------|
| function name | input(s) | what the function produces |
| | | |

Definition

Write the definition, giving variable names to all your input values....


(define(_____ **)**
 $\overbrace{\text{function name} \quad \text{variables}}$
)
 $\overbrace{\text{what the function does with those variables}}$

Word Problem: safe-right?

Directions: Use the Design Recipe to write a function 'safe-right?', which takes in an x-coordinate and checks to see if it is less than 690.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

(EXAMPLE(_____))
function name input(s) what the function produces

| (EXAMPLE(|) |) |
|---------------|----------|----------------------------|
| function name | input(s) | what the function produces |

Definition


Write the definition, giving variable names to all your input values....

(define(_____ **)**
 $\overbrace{\text{function name} \quad \text{variables}}$
)
 $\overbrace{\text{what the function does with those variables}}$


and / or

Write the Circles of Evaluation for these statements, and then convert them to Racket

1. Two is less than five, and zero is equal to six.



2. Two is less than four or four is equal to six.




Word Problem: onscreen?

Directions: Use the Design Recipe to write a function 'onscreen?', which takes in the x-coordinate and checks to see if Sam is safe on the left AND safe on the right.


Contract and Purpose Statement

Every contract has three parts ...




Examples

Write some examples of your function in action...




Definition

Write the definition, giving variable names to all your input values...



07 Conditional Branching




Word Problem: cost

Directions: Luigi's Pizza has hired you as a programmer. They offer Pepperoni (\$10.50), Cheese (\$9.00), Chicken (\$11.25) and Broccoli (\$10.25). Write a function called `cost` which takes in the name of a topping and outputs the cost of a pizza with that topping.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

| | | | |
|------------|---------------|---------------|----------------------------|
| (EXAMPLE (| cost | "pepperoni") |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE (| |) |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE (| |) |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE (| |) |) |
| | function name | input(s) | what the function produces |

Definition

Write the definition, giving variable names to all your input values...


| | | |
|----------|---------------|-----------|
| (define(|) |) |
| | function name | variables |
| (cond | | |
| [| |] |
| [| |] |
| [| |] |
| [| |] |
| [| |)) |

Word Problem: update-player

Directions: Write a function called update-player, which takes in the player's y-coordinate and the name of the key pressed, and returns the new y-coordinate.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

| | | | |
|-----------|----------------------|--------------|----------------------------|
| (EXAMPLE(| <u>update-player</u> | 128 "up") |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE(| <u>update-player</u> | 128 "down") |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE(| |) |) |
| | function name | input(s) | what the function produces |
| (EXAMPLE(| |) |) |
| | function name | input(s) | what the function produces |

Definition

Write the definition, giving variable names to all your input values....

```
(define( _____ )  
      _____)  
  
( _____ )  
  
[ _____ ]  
  
[ _____ ]  
  
[ _____ ]) )
```

08 Collision Detection

collision




distance

Word Problem: line-length

Directions: Write a function called 'line-length', which takes in two numbers and returns the difference between them. It should always subtract the smaller number from the bigger one.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

| | | | | | | |
|-----------|---------------|----------|----------------------------|----|-------|---|
| (EXAMPLE(| line-length | 10 5 |) | (- | 10 5) |) |
| | function name | input(s) | what the function produces | | | |
| (EXAMPLE(| line-length | 2 8 |) | (- | 8 2) |) |
| | function name | input(s) | what the function produces | | | |

Definition

Write the definition, giving variable names to all your input values...

(define(_____)
 function name variables
(cond

 [_____]


 [_____]))

The Distance Formula, with Numbers

The distance between the points $(0, 0)$ and $(4, 3)$ is given by:

$$\sqrt{(line - length\ 4\ 0)^2 + (line - length\ 3\ 0)^2}$$

Convert the formula above into a Circle of Evaluation. (We've already gotten you started!)



Convert the Circle of Evaluation into Racket code:

Word Problem: distance


Directions: Write a function distance, which takes FOUR inputs:

- px : The x-coordinate of the player
 - py : The y-coordinate of the player
 - cx : the x-coordinate of another game character
 - cy : the y-coordinate of another game character

It should return the distance between the two, using the Distance formula. (HINT: look at what you did on the previous page!)

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

Definition

Write the definition, giving variable names to all your input values....

Word Problem: collide?


Directions: Write a function `collide?`, which takes FOUR inputs:

- `px`: The x-coordinate of the player
- `py`: The y-coordinate of the player
- `cx`: the x-coordinate of another game character
- `cy`: the y-coordinate of another game character

Are the coordinates of the player within 50 pixels of the coordinates of the other character?


Contract and Purpose Statement

Every contract has three parts ...




Examples

Write some examples of your function in action...



Definition

Write the definition, giving variable names to all your input values...





09 Presentation Preparation



Lesson 9

Catchy Intro:

Name, Age, Grade:

Game Title:

Back Story:

Characters:

Explain a piece of your code:

Presentation Feedback

For each question, circle the answer that fits best.

Was the introduction catchy? No way! A little. Definitely!

Did they talk about their characters? No way! A little. Definitely!

Did they explain the code well? No way! A little. Definitely!

Did they speak slowly enough? No way! A little. Definitely!

Did they speak loudly enough? No way! A little. Definitely!

Were they standing confidently? No way! A little. Definitely!

Did they make eye contact? No way! A little. Definitely!

Presentation Feedback

For each question, circle the answer that fits best.

Was the introduction catchy? No way! A little. Definitely!

Did they talk about their characters? No way! A little. Definitely!

Did they explain the code well? No way! A little. Definitely!

Did they speak slowly enough? No way! A little. Definitely!

Did they speak loudly enough? No way! A little. Definitely!

Were they standing confidently? No way! A little. Definitely!


Did they make eye contact? No way! A little. Definitely!

Word Problem: red-shape

Directions: Write a function called red-shape, which takes in the name of a shape ('circle', 'triangle', 'star', or 'rectangle'), and draws that shape. All shapes should be solid and red, and can be whatever size you choose.

Contract and Purpose Statement

Every contract has three parts ...



Examples

Write some examples of your function in action...

| | | | | | | |
|-----------|---------------|----------|----------------------------|---------------------------|---|--|
| (EXAMPLE(| red-shape | "circle" |) | (circle 50 "solid" "red") |) | |
| | function name | input(s) | what the function produces | | | |
| (EXAMPLE(| | |) | | | |
| | function name | input(s) | what the function produces | | | |
| (EXAMPLE(| | |) | | | |
| | function name | input(s) | what the function produces | | | |
| (EXAMPLE(| | |) | | | |
| | function name | input(s) | what the function produces | | | |

Definition

Write the definition, giving variable names to all your input values...

| | | |
|----------|---------------|---------------------------|
| (define(| |) |
| | function name | variables |
| (cond | | |
| [| | (circle 50 "solid" "red") |
| [| |] |
| [| |] |
| [| |] |
| [| |)) |

Translating into Algebra

| Values: Translate the Racket Code into Algebra | |
|--|---|
| Racket Code | Algebra |
| (define x 10) | $x = 10$ |
| (define y (* x 2)) | $y = x^2$ |
| (define z (+ x y)) | |
| (define age 14) | |
| (define months (* age 12)) | |
| (define days (* months 30)) | |
| (define hours (* days 24)) | |
| (define minutes (* hours 60)) | |
| Functions: Translate the Racket Code into Algebra | |
| (define (double x) (* x 2)) | $\text{double}(x) = x^2$ |
| (define (area length width) (* length width)) | $\text{area}(\text{length}, \text{width}) = \text{length} * \text{width}$ |
| (define (circle-area radius) (* pi (sq radius))) | |
| (define (distance x1 y1 x2 y2) (sqrt (+ (sq (- x1 x2)) (sq (- y1 y2))))) | |

Word Problem

A rocket is flying from Earth to Mars at 80 miles per second. Write a function that describes the **distance** D that the rocket has traveled, as a function of **time** t .

I. Contract+Purpose Statement

Every contract has three parts:

; D : _____ \rightarrow _____
name Domain Range

III. Give Examples

Write an example of your function for some sample inputs

$D()$ =
Use the function here What should the function produce?

III. Definition

Write the formula, giving variable names to all your input values.

$$D(\quad) =$$

Word Problem

A rocket is traveling from Earth to Mars at 80 miles per second. Write a function that describes the time the rocket has been traveling, as a function of distance.

I. Contract+Purpose Statement

Every contract has three parts:

II. Give Examples

Write an example of your function for some sample inputs

= Use the function here What should the function produce?

= Use the function here What should the function produce?

Use the function here = What should the function produce?

III. Definition

III. Definition

Write the Formula, giving variable names to all your input values.

Word Problem

A rocket leaves Earth, headed for Mars at 80 miles per second. **At the exact same time**, an asteroid leaves Mars traveling towards Earth, moving at 70 miles per second. If the distance from the Earth to Mars is 50,000,000 miles, how long will it take for them to meet?

I. Contract+Purpose Statement

Every contract has three parts:

; _____ : _____ -> _____
name Domain Range

II. Give Examples

Write an example of your function for some sample inputs

| | |
|-----------------------|-----------------------------------|
| = | |
| Use the function here | What should the function produce? |
| = | |
| Use the function here | What should the function produce? |
| = | |
| Use the function here | What should the function produce? |
| = | |
| Use the function here | What should the function produce? |

III. Definition

Write the Formula, giving variable names to all your input values.

=

Word Problem

I. Contract+Purpose Statement

Every contract has three parts:

; _____ : _____ -> _____
name Domain Range

II. Give Examples

Write an example of your function for some sample inputs

| | | |
|-----------------------|---|-----------------------------------|
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |

III. Definition

Write the Formula, giving variable names to all your input values.

Word Problem

I. Contract+Purpose Statement

Every contract has three parts:

; _____ : _____ -> _____
name Domain Range

II. Give Examples

Write an example of your function for some sample inputs

| | | |
|-----------------------|---|-----------------------------------|
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |
| Use the function here | = | What should the function produce? |

III. Definition

Write the Formula, giving variable names to all your input values.

_____ = _____

Contracts

Contracts