
Verification and Validation

Objectives

- To introduce software verification and validation and to discuss the distinction between them
- To describe the program inspection process and its role in V & V
- To explain static analysis as a verification technique
- To describe the Cleanroom software development process

Topics covered

- Verification and validation planning
- Software inspections
- Automated static analysis
- Cleanroom software development


Verification vs validation

- **Verification:**
 - "Are we building the product right?"
- The software should conform to its specification.
- **Validation:**
 - "Are we building the right product?"
- The software should do what the user really requires.

The V & V process

- Is a whole life-cycle process - V & V must be applied at each stage in the software process.
- Has two principal objectives
 - The discovery of defects in a system;
 - The assessment of whether or not the system is useful and useable in an operational situation.

The V-model of development



V& V goals

- Verification and validation should *establish confidence that the software is fit for purpose*.
- This does **NOT** mean *completely free of defects*.
- Rather, it must be *good enough for its intended use* and the type of use will determine the degree of confidence that is needed.

V & V confidence


- Depends on system's purpose, user expectations and marketing environment
 - **Software function**
 - How critical is the software to the organisation? The higher the criticality the higher the required level of confidence!
 - **User expectations**
 - Users may have low expectations of certain kinds of software. The more the assumed benefits of SW the more tolerable the user. User tolerance drops starting from 1990s.
 - **Marketing environment**
 - Getting a product to market early may be more important than finding defects in the program.
 - A customer willing to pay a lower price possibly means tolerant to more software faults

Static and dynamic verification

- **Software inspections.** Concerned with analysis of the static system representation to discover problems (*static verification*)
 - May be supplement by tool-based document and code analysis
- **Software testing.** Concerned with exercising and observing product behaviour (*dynamic verification*)
 - The system is executed with test data and its operational behaviour is observed

Static and dynamic V&V

Arrows indicate the stages in the process where the techniques may be used.



Program testing

- Can *reveal the presence of errors* NOT their absence.
- The *only validation technique for most non-functional requirements* as the software has to be executed to see how it behaves.
- Should be *used in conjunction with static verification* to provide full V&V coverage.


Types of testing

- Defect testing
 - Tests designed to discover system defects.
 - A *successful defect test* is one which *reveals the presence of defects* in a system.
 - *Psychologically destructive!*
- Validation testing
 - Intended to *show software meets its requirements*.
 - A *successful test* is one that *shows that a requirement has been properly implemented*.
 - **E.g.**, as part of validation testing, *statistical testing to see performance and reliability of SW meet the requirements*

Testing and debugging

- *Defect testing and debugging are distinct processes.*
- Verification and validation is concerned with establishing the existence of defects in a program.
- *Debugging is concerned with locating and repairing these errors.*
- Debugging involves...
 - a) formulating a hypothesis about program behaviour then
 - b) testing these hypotheses to find the system error.

The debugging process



V & V planning

- *Careful planning is required* to get the most out of testing and inspection processes.
- *Planning* should start *early in the development* process. (V Model Development !!!)
- The plan should identify the *balance between SW inspections (static verification) and testing*.
- *Test planning is about defining standards for the testing process* rather than describing product tests.

The structure of a software test plan

- **The testing process.**
 - Describe the major phases of the testing process.
- **Requirements traceability.**
 - Users are most interested in the system meeting its requirements and testing should be planned so that all requirements are individually tested.
- **Tested items.**
 - Specify what products of the SW process are to be tested.
- **Testing schedule.**
 - Provide an overall testing schedule and resource allocation for this schedule. This is linked to and should match with the more general project development schedule.
- **Test recording procedures.**
 - Run and systematically record test results. It must be possible to audit the testing process to check that it has been carried out correctly.
- **Hardware and software requirements.**
 - Display software tools required and estimated hardware utilisation
- **Constraints.**
 - Guess constraints affecting the testing process such as staff shortages.

Software inspections

- These involve **verification (inspection) team examining the source representation** with the aim of **discovering anomalies and defects**.
- **Inspections do not require execution of a system** so may be used before implementation.
- They may be **applied to any source representation** of the system (**requirements, design, configuration data, test data, etc.**).
- They have been **shown to be an effective technique for discovering program errors**.

Inspection success

- **Many different defects** may be discovered in a single inspection. In testing, one **defect may mask** another so several executions are required.
- **The reuse domain and programming knowledge of inspection team are essential** so reviewers are likely to have seen the types of error that commonly arise.

Inspections and testing

- *Inspections and testing are complementary* and not opposing verification techniques.
- *Both should be used* during the V & V process.
- Inspections can check conformance with a specification (**verification**) but **not** conformance with the customer's real requirements (**validation**); i.e., *inspection is a verification technique, not a validation technique!!!*
- *Inspections cannot check non-functional characteristics such as performance, usability, etc!!!*
- *Checking non-functional characteristics requires testing!*


Program inspections

- Formalised approach to document reviews
- Intended explicitly for defect **detection** (not correction).
- Defects may be
 - logical errors,
 - anomalies in the code that might indicate an erroneous condition (e.g. an uninitialised variable) or
 - non-compliance with standards.

Inspection pre-conditions

- A *precise specification* must be available.
- Team members must be familiar with the *organisation standards* (from the most general such as rules in specifying requirements to the most detailed such as rules in building variable names in coding).
- *Syntactically correct (correctly compiled) code (for run-time errors)* or other system representations must be available.
- An *error checklist* should be prepared.
- Management must accept that *inspection will increase costs early in the software process*.
- Management should not use inspections for staff evaluation (i.e., finding out who makes mistakes).

The inspection process



Inspection procedure

- System overview presented to inspection team.
- Code and associated documents are distributed to inspection team in advance.
- Inspection takes place and discovered errors are noted.
- Modifications are made to repair discovered errors.
- Re-inspection may or may not be required.

Inspection roles

- **Author or owner:**
The programmer or designer responsible for producing the program or document. Responsible for fixing defects discovered during the inspection process.
- **Inspector:**
Finds errors, omissions and inconsistencies in programs and documents. May also identify broader issues that are outside the scope of the inspection team.
- **Reader:**
Presents the code or document in an inspection meeting.
- **Scribe:**
Records the results of the inspection meeting.
- **Chairman or moderator:**
Manages the process and facilitates the inspection and reports process results to the Chief moderator.
- **Chief moderator:**
Responsible for inspection process improvements, checklist updating and standards development, etc.

Inspection checklists

- Checklist of *common errors* should be used to *drive the inspection*.
- *Error checklists are programming language dependent* and reflect the characteristic errors that are likely to arise in the language.
- In general, *the 'weaker' the type checking, the larger the checklist*.
- Examples: Initialisation, Constant naming, loop termination, array bounds, etc.

Inspection checks 1

Data faults	Are all program variables initialised before their values are used? Have all constants been named? Should the upper bound of arrays be equal to the size of the array or Size -1? If character strings are used, is a delimiter explicitly assigned? Is there any possibility of buffer overflow?
Control faults	For each conditional statement, is the condition correct? Is each loop certain to terminate? Are compound statements correctly bracketed? In case statements, are all possible cases accounted for? If a break is required after each case in case statements, has it been included?
Input/output faults	Are all input variables used? Are all output variables assigned a value before they are output? Can unexpected inputs cause corruption?

Inspection checks 2

Interface faults	Do all function and method calls have the correct number of parameters? Do formal and actual parameter types match? Are the parameters in the right order? If components access shared memory, do they have the same model of the shared memory structure?
Storage management faults	If a linked structure is modified, have all links been correctly reassigned? If dynamic storage is used, has space been allocated correctly? Is space explicitly de-allocated after it is no longer required?
Exception management faults	Have all possible error conditions been taken into account?

Inspection rate

- 500 statements/hour during overview.
- 125 source statement/hour during individual preparation.
- 90-125 statements/hour can be inspected.
- Inspection is therefore an expensive process.
- Inspecting 500 lines costs about 40 man/hours effort - about £2800 at UK rates.

Automated static analysis

- Static analysers are software tools for source text processing.
- They parse the program text and try to discover potentially erroneous conditions and bring these to the attention of the V & V team.
- They are very effective as an aid to inspections - they are a supplement to but not a replacement for inspections.

Static analysis checks

Fault class	Static analysis check
Data faults	Variables used before initialisation Variables declared but never used Variables assigned twice but never used between assignments Possible array bound violations Undeclared variables
Control faults	Unreachable code Unconditional branches into loops
Input/output faults	Variables output twice with no intervening assignment
Interface faults	Parameter type mismatches Parameter number mismatches Non-usage of the results of functions Uncalled functions and procedures
Storage management faults	Unassigned pointers Pointer arithmetic

Stages of static analysis

- **Control flow analysis.** Checks for loops with multiple exit or entry points, finds unreachable code, etc.
- **Data use analysis.** Detects uninitialised variables, variables written twice without an intervening assignment, variables which are declared but never used, etc.
- **Interface analysis.** Checks the consistency of routine and procedure declarations and their use

Stages of static analysis

- **Information flow analysis.** Identifies the dependencies of output variables. Does not detect anomalies itself but highlights information for code inspection or review
- **Path analysis.** Identifies paths through the program and sets out the statements executed in that path. Again, potentially useful in the review process
- Both these stages generate vast amounts of information. They must be used with care.

LINT static analysis

```
138% more lint_ex.c
#include <stdio.h>
printarray (Anarray)
int Anarray;
{ printf("%d",Anarray); }
```

```
main ()
{
  int Anarray[5]; int i; char c;
  printarray (Anarray, i, c);
  printarray (Anarray);
}
```

```
139% cc lint_ex.c
```

```
140% lint lint_ex.c
```

```
lint_ex.c(10): warning: c may be used before set
lint_ex.c(10): warning: i may be used before set
printarray: variable # of args. lint_ex.c(4) :: lint_ex.c(10)
printarray, arg. 1 used inconsistently lint_ex.c(4) :: lint_ex.c(10)
printarray, arg. 1 used inconsistently lint_ex.c(4) :: lint_ex.c(11)
printf returns value which is always ignored
```

Use of static analysis

- Particularly valuable when a language such as C is used which has weak typing and hence many errors are undetected by the compiler,
- Less cost-effective for languages like Java that have strong type checking and can therefore detect many errors during compilation.

Verification and formal methods

- Formal methods can be used when a mathematical specification of the system is produced.
- They are the ultimate static verification technique.
- They involve detailed mathematical analysis of the specification and may develop formal arguments that a program conforms to its mathematical specification.

Arguments for formal methods

- Producing a mathematical specification requires a detailed analysis of the requirements and this is likely to uncover errors.
- They can detect implementation errors before testing when the program is analysed alongside the specification.


Arguments against formal methods

- Require specialised notations that cannot be understood by domain experts.
- Very expensive to develop a specification and even more expensive to show that a program meets that specification.
- It may be possible to reach the same level of confidence in a program more cheaply using other V & V techniques.

Cleanroom software development

- The name is derived from the 'Cleanroom' process in semiconductor fabrication. The philosophy is defect avoidance rather than defect removal.
- This software development process is based on:
 - Incremental development;
 - Formal specification;
 - Static verification using correctness arguments;
 - Statistical testing to determine program reliability.

The Cleanroom process



Cleanroom process characteristics

- Formal specification using a state transition model.
- Incremental development where the customer prioritises increments.
- Structured programming - limited control and abstraction constructs are used in the program.
- Static verification using rigorous inspections.
- Statistical testing of the system (covered in Ch. 24).

Formal specification and inspections

- The *state based model* is a system specification and the inspection process checks the program against this model.
- The programming approach is defined so that the correspondence between the model and the system is clear.
- *Mathematical arguments* (not proofs) are used to *increase confidence in the inspection process*.

Cleanroom process teams

- **Specification team.** Responsible for developing and maintaining the system specification.
- **Development team.** Responsible for developing and verifying the software. The software is NOT executed or even compiled during this process.
- **Certification team.** Responsible for developing a set of statistical tests to exercise the software after development. Reliability growth models used to determine when reliability is acceptable.

Cleanroom process evaluation

- The results of using the Cleanroom process have been very impressive with few discovered faults in delivered systems.
- *Independent assessment shows* that Cleanroom process is *no more expensive* than other approaches.
- There were fewer errors than in a 'traditional' development process.
- However, *the process is not widely used*. It is not clear *how this approach can be transferred to an environment with less skilled or less motivated software engineers*.

Key points

- Verification and validation are not the same thing. Verification shows conformance with specification; validation shows that the program meets the customer's needs.
- Test plans should be drawn up to guide the testing process.
- Static verification techniques involve examination and analysis of the program for error detection.

Key points

- Program inspections are very effective in discovering errors.
- Program code in inspections is systematically checked by a small team to locate software faults.
- Static analysis tools can discover program anomalies which may be an indication of faults in the code.
- The Cleanroom development process depends on incremental development, static verification and statistical testing.