

# Estimating the Discrete Fourier Transform using Deep Learning

Jonathan Tuck

Department of Electrical Engineering, Stanford University

## Motivation

- Entire fields hinge upon the **Fourier Transform** and its **efficient computation**
- Faster implementations of the **Discrete Fourier Transform (DFT)** allow for more efficient computation in a wide variety of systems, such as **medical imaging, optics, and radar systems**.
- Neural network architectures may be the solution to **faster DFT computation times**.

## The Discrete Fourier Transform (DFT)


- N-point Discrete Fourier Transform

$$F\{f\}[m] = \sum_{n=0}^{N-1} f[n] e^{2\pi i m n / N}, \quad m = 0, \dots, N-1.$$

- Maps N-vector to N-vector
- Generally used to **map time series signals** to their **frequency domain** representation
- Can be represented as a **dense (complex-valued) matrix multiply**
- Naive computation time:  **$O(N^2)$**
- Fast implementation (Fast Fourier Transform (FFT)):  **$O(N \log(N))$**
- There **does not currently exist** a general **algorithm** that implements the DFT faster than  $O(N \log(N))$

## Approach

- Three fully connected layers, linear activation functions
- Training/Test Data
  - 30000 random signals, bandlimited to 10 Hz (to avoid aliasing)
  - With/without noise
  - 90/10 training/test split




- Cost Function


$$\mathcal{J} = (1/m) \sum_{i=1}^m \|F\{f_i\} - \hat{F}\{f_i\}\|_2^2$$

## Experimental Results

- Training Error =  $8.1 \times 10^{-4}$ , Test Error =  $2.1 \times 10^{-2}$
- Naive DFT computation time =  $4.1\mu\text{s}$ , FFT computation time =  $3.5\mu\text{s}$ , **neural network DFT computation time =  $1.9\mu\text{s}$**
- Neural network **successfully estimates DFT** well (see below for example)
- Empirically, architecture is **2.2x faster than naive computation** and **1.8x faster than FFT** for  $N = 100$ .



$$\|F\{f\} - \hat{F}\{f\}\|_2 / \|F\{f\}\|_2 = 6.0 \times 10^{-4}$$



## Hyperparameter Selection

- 17 nodes per (hidden) layer
- Training epochs = 20000
- Learning rate = 0.001
- Minibatch size = 250
- Drop-out probability = 0.9
- Other regularization was found to not improve performance

## Future Work

- Exploiting structure in signals
  - Sparsity (compressed sensing)
- Other transforms
  - Discrete Cosine transform
  - Radon transform
  - Continuous Wavelet transform

## References

- [AAB<sup>+</sup>15] Martin Abadi, Ashish Agarwal, Paul Barham, Eugene Brevdo, Zhifeng Chen, Craig Citro, Greg S. Corrado, Andy Davis, Jeffrey Dean, Matthieu Devin, Sanjay Ghemawat, Ian Goodfellow, Andrew Harp, Geoffrey Irving, Michael Isard, Yangqing Jia, Rafal Jozefowicz, Lukasz Kaiser, Manjunath Kudlur, Josh Levenberg, Dan Claudiu Mania, Rajat Monga, Sherry Moore, Derek Murray, Chris Olah, Mike Schuster, Jonathon Shlens, Benoit Steiner, Ilya Sutskever, Kunal Talwar, Paul Tucker, Vincent Vanhoucke, Vijay Vasudevan, Fernanda Viégas, Oriol Vinyals, Pete Warden, Martin Wattenberg, Martin Wicke, Yuan Yu, and Xiaoqiang Zheng. TensorFlow: Large-scale machine learning on heterogeneous systems, 2015. Software available from tensorflow.org.
- [ANR74] N. Ahmed, T. Natarajan, and K. R. Rao. Discrete cosine transform. *IEEE Transactions on Computers*, C-23(1):90-93, Jan 1974.
- [Bra78] R.N. Bracewell. *The Fourier Transform and its Applications*. McGraw-Hill, Tokyo, second edition, 1978.
- [CT65] J. Cooley and J. Tukey. An algorithm for the machine calculation of complex fourier series. *Mathematics of Computation*, 19(90):297-301, 1965.
- [Doo07] S. R. Deans. *The Radon Transform and Some of Its Applications*. Dover Publications, Mineola, N.Y., 2007.
- [Doo06] D. L. Donoho. Compressed sensing. *IEEE Transactions on Information Theory*, 52:1289-1306, 2006.
- [GD10] R. Gray and L. Davisson. *An Introduction to Statistical Signal Processing*. Cambridge University Press, New York, NY, USA, 1st edition, 2010.
- [Goo66] J.W. Goodman. *Introduction to Fourier Optics*. McGraw-Hill Series in Electrical and Computer Engineering: Communications and Signal Processing. McGraw-Hill, 1996.
- [JOP<sup>+</sup>1] Eric Jones, Travis Oliphant, Pearu Peterson, et al. SciPy: Open source scientific tools for Python, 2001-. [Online; <https://www.scipy.org>].
- [Mal08] S. Mallat. *A Wavelet Tour of Signal Processing, Third Edition: The Sparse Way*. Academic Press, 3rd edition, 2008.
- [Ol01] T. Oliphant. NumPy: Open source scientific computing for Python, 2006-. [Online; [www.numpy.org](http://www.numpy.org)].
- [ORB99] A. V. Oppenheim, R. W. Schaffer, and J. R. Buck. *Discrete-time Signal Processing*. Prentice-Hall, Inc., Upper Saddle River, NJ, USA, 1999.
- [Oug17] B. Osgood. *Lectures on the Fourier Transform and its Applications*. McGraw Hill, first edition, 2017.
- [Ste00] S. Strogatz. *Advanced Signal Processing Handbook: Theory and Implementation for Radar, Sonar, and Medical Imaging Real-Time Systems*. CRC Press, Inc., Boca Raton, FL, USA, 1st edition, 2000.
- [YL85] B. Yoo and B. Liu. Volume rendering of DCT-based compressed 3d scalar data. *IEEE Transactions on Visualization and Computer Graphics*, 1(1):29-43, Mar 1995.