Lab 6: Categorical Predictors

SDS358: Applied Regression Analysis

Michael J. Mahometa, Ph.D.

.

"A little [statistics] is a dangerous thing. Drink deep, or taste not the Pierian spring."

Alexander Pope

Introduction

The basic idea of Lab is as follows: Answer a research question with the provided dataset. Each week, that research question (and data) will change depending on the topic we've covered the prior class days. Once we're done with Lab, you'll have a Lab Assignment, that will look a lot like the Lab: a research question you'll need to answer given some data. In Lab, you'll learn the procedure for answering the research question. For the Lab Assignment, you'll do that procedure for a grade (independently).

To help answer the research question, we'll follow some basic steps that we'll repeat throughout the semester:

- Reflect on the Question: Figure out the variables of interest, and the technique that's required.
- Analyze the Data: Perform the steps required for the technique.
- Draw Conclusions: Use the information that you got from the prior step to answer the research question in a concise, logical manner.

Let's get started:

Primary Research Question:

Among single adult learners participating online courses at a major university, when controlling for Age, Gender, Child status, Job Type, and Social Support, what predictors significantly impact the outcome of overall Happiness?

Step1: Reflect on the Question:

Download the syntax and data files from Canvas.

Let's load in our SDSRegressionR package so that we can use some of it's functions later:

#Load our class package library(SDSRegressionR)

Next, we'll load in the data. Be sure to use the basic file structure we talked about the first Lab: Put your syntax in a folder specific to this Lab. Then, make a "data" folder in that same place - use lowercase. If you do that, then all of this syntax will work like a charm.

For this lab, we'll need to subset:

```
work <- read.csv("data/workers.csv", stringsAsFactors=FALSE)
sing <- subset(work, Marital.status=="Single")</pre>
```

Check the Data:

To make sure that we're working with the right data, and that we're all looking at it the same way, we'll answer some basic questions about the data before moving on:

- 1. How many observations are in the dataset for the model ("sing")?
- 2. What was mean Happiness score for the first participant 30 or older?
- 3. Of the first 10 participants, how many had a Social Support score under 20?

These questions can be answered simply by looking at the dataset once it's loaded in:

```
View(sing)
```

Check the Variables of Interest

Let's find the variables that we need to answer the primary research question:

- 1. Which variable tells us the Happiness of a participant?
 - What type of variable is this?
 - What scale is this variable on?
- 2. What are the independent variables for the research question?
- 3. Which of the control variables for the research question are categorical?

Again, these can be answered by looking at the dataframe, and with the help of the names() function. Also, the codebook for the data frame is our friend. You can open this in R or Excel. Remember, R is case-sensitive.

For **categorical data** we *really* need to look at the codebook. Some variables may be coded as 0/1, and we won't really see that by looking at the data alone. We can also run table() to help with this as well.

names(sing)

```
## [1] "Age" "Female" "College.grad"
## [4] "Have.child" "Marital.status" "Job"
## [7] "Religiosity" "Social.support" "Life.satisfaction"
## [10] "Happiness" "Stressors" "Depression"
```

Reflect on the Method

The last part of Reflect on the Question asks about the method or technique we'll use.

- 1. We will use Multiple Linear Regression to answer this Lab question. Why?
- 2. We'll need to dummy code a categorical variable. Why?
- 3. We'll use Sequential Regression to evaluate the impact of the categorical variable. Why?
- 4. We will also need to apply a correction to the post-hoc evaluations for the categorical variable. Why?

Step2: Analyze the Data

In this step, we'll run the provided syntax and answer some questions about the output to help us prepare for the final step.

Here's the syntax you'll need (from the .R syntax file):

```
#### Here is the R script you will use: (remember that # indicates a comment) ####
#Lab6: Categorical Variables
library(SDSRegressionR)
#Import data...
work <- read.csv("data/workers.csv", stringsAsFactors=FALSE)</pre>
names(work)
sing <- subset(coh, marital=="Single")</pre>
#Examine the categorical variable:
table(sing$Job)
#Recode into dummy variables:
#Job Type
sing$Academic <- NA
sing$Academic[!is.na(sing$Job) ] <- 0</pre>
sing$Academic[sing$Job == "Academic"] <- 1</pre>
sing$Professional <- NA
sing$Professional[!is.na(sing$Job) ] <- 0</pre>
sing$Professional[sing$Job == "Professional"] <- 1</pre>
sing$SupportServices <- NA
sing$SupportServices[!is.na(sing$Job) ] <- 0</pre>
sing$SupportServices[sing$Job == "SupportServices"] <- 1</pre>
#Run the model (SupportServices as reference)
hap <- lm(Happiness ~ Age + Female + Have.child + Academic + Professional +
             Social.support, data=sing)
summary(hap)
#Check the model...
library(car)
vif(hap)
residFitted(hap)
cooksPlot(hap, save.cutoff = TRUE)
threeOuts(hap)
#Drop the outliers
g_sing <- sing[!row.names(sing) %in% c(11, ...),] #Let's discuss....
#Rerun
hap2 <- lm(Happiness ~ Age + Female + Have.child + Academic + Professional +
             Social.support, data=g_sing)
summary(hap2)
```

```
lmBeta(hap2)
pCorr(hap2)
#Evaluate the Job Type dummies
g_sing$in_fullmod <- tagObs(hap2)</pre>
g_sing_full <- g_sing[which(g_sing$in_fullmod == 1), ]</pre>
hap2.1 <- lm(Happiness ~ Age + Female + Have.child +
             Social.support, data=g_sing_full)
hap2.2 <- lm(Happiness ~ Age + Female + Have.child + Academic + Professional +
             Social.support, data=g_sing_full)
anova(hap2.1, hap2.2)
summary(hap2.2)$r.squared - summary(hap2.1)$r.squared
#Post-hoc exploration
hap2 <- lm(Happiness ~ Age + Female + Have.child + Academic + Professional +
             Social.support, data=g_sing_full)
library(multcomp)
jcomp <- summary(glht(hap2, linfct = c("Academic=0", "Professional=0")))</pre>
summary(jcomp, test = adjusted("holm"))
hap2b <- lm(Happiness ~ Age + Female + Have.child + Academic + SupportServices +
             Social.support, data=g sing full)
jcomp2 <- summary(glht(hap2b, linfct = c("Academic=0", "SupportServices=0")))</pre>
summary(jcomp2, test = adjusted("holm"))
```

Question 1

The table() function was used on a categorical predictor. How many levels of this variable are there?______
This will require the use of ______ dummy coded variables to be created.

Question 2

What was the purpose of creating three dummy variables, when we only need _____? (Fill in the blank and answer resulting question.)

Question 3

We removed _____ outliers, because of _____.

Question 4

The categorical variable of "Job" showed a _____ impact on the prediction of Happiness: $F(____, ___, ___) = ____, p _____ 0.05$.

| Quesiton 5 |
|---|
| This categorical variable required post-hoc comparisons. |
| Question 6 |
| Bonferroni-Holm adjusted post-hoc comparisons showed a difference between Academic and Professional outcomes (t() =), a difference between Academic and SupportServices outcomes (t() =), and a difference between Professional and SupportServices outcomes (t() =). |

Step3: Draw Conclusions

The final step is for us to Draw Conclusions. We'll take the syntax we've been given from Analyze the Question, run it, then examine the output. The questions from the prior step help set us up for the Draw Conclusions part.

We'll "fill in the blanks" in a canned paragraph for the Lab. For the Lab Assignment, you'll need to come up with a similar paragraph all on your own (please don't steal mine).

Among single adult learners participating online courses at a major university, when controlling for Age, Gender, Child status, Job Type, and Social Support, what predictors significantly impact the outcome of overall Happiness?




Table 1: Happiness of Life Sequential Regression

| | Dependent variable: | | | | |
|-------------------------|-----------------------------|----------------------------|--|--|--|
| | Happiness | | | | |
| Age | $0.318 \; (0.229)$ | 0.437** (0.218) | | | |
| Female | -2.440(3.110) | -4.268(2.977) | | | |
| Have.child | -4.157(4.857) | -3.407(4.585) | | | |
| Academic | ` , | -7.135***(2.411) | | | |
| Professional | | 0.362(2.764) | | | |
| Social.support | $0.319^{***} (0.088)$ | 0.349***(0.083) | | | |
| Constant | 32.469*** (7.234) | 33.256*** (6.970) | | | |
| Observations | 90 | 90 | | | |
| \mathbb{R}^2 | 0.145 | 0.258 | | | |
| Adjusted R ² | 0.104 0.204 | | | | |
| F Statistic | $3.590^{***} (df = 4; 85)$ | $4.805^{***} (df = 6; 83)$ | | | |
| Note: | *p<0.1; **p<0.05; ***p<0.01 | | | | |

Table 2: Happiness Effect of Job Type

| Res.Df | RSS | Df | Sum of Sq | F | Pr(>F) |
|--------|----------|----|-----------|----------|-----------|
| 85 | 8330.320 | NA | NA | NA | NA |
| 83 | 7227.152 | 2 | 1103.168 | 6.334649 | 0.0027522 |

Lab Assignment

Now, with the tools at your disposal (the R syntax from Lab, and the logic of proceeding through the three steps of answering the research question), you'll have a Lab Assignment to complete (independently). For now, the Lab Assignment is to be completed in Canvas. It will follow the basic structure, and lead to the same place - answering the research question with a concise paragraph as in Draw Conclusions.

Good Luck!