Page 2 Practical Task — LLM, Context aur Memory

Source: *AI Coding Agents: Intern se Confident*, Page 2

Date: 20 October 2026

1. Objective

Prepare a concise six-field context packet before asking a coding agent to work, and identify missing assumptions before any code change. The focus is relevant, current, bounded context—not uploading everything.

2. Context packet prepared

Field	Task Tracker example
Goal	Ensure the status filter returns only tasks matching the selected status.
Relevant files	`src/statusFilter.js`, `test/statusFilter.test.js`, `package.json`
Current behavior	Exact `All` returns all tasks; other status comparisons are case-insensitive.
Expected behavior	All returns every task; Open returns open tasks; Done returns done tasks and excludes Open tasks.
Constraints	Keep the existing Node/JavaScript setup; no new dependencies or unrelated refactors; do not use private data.
Acceptance criteria	All/Open/Done behavior, case-insensitive matching, and the negative Open-in-Done case.

3. Prepared artifacts

File	Purpose
context-packet.md	Contains all six required context fields.
agent-prompt.md	Requests inspection and an assumptions report before editing.
missing-assumptions.md	Records questions about additional statuses, whitespace, invalid/missing status values, and All returning the original array or a copy.
inspection-notes.md	Summarizes the files and current behavior in the supplied demo.
README.md	Explains the exercise and its scope.

4. Review findings

The packet is consistent with the supplied demo: the ZIP contains a JavaScript filter and tests, not a TaskList UI component. The prepared files correctly use the existing source and test file names. The assumptions are recorded as questions rather than silently changing requirements.

5. Verification and scope

Item	Result
Context packet and supporting files	Prepared and reviewed for consistency with the supplied demo.
Source-code changes for Page 2	None; this exercise is about context preparation and assumption discovery.
Page 2 automated tests	Not applicable to the context-only task; no Page 2 test pass is claimed.
Coding-agent response in the user's editor	Not captured as external evidence in this report. The response below documents the assumptions analysis for the exercise.

6. Agent-style assumptions review

Before making a code change, clarify these points with the task owner:

- Should statuses other than All, Open, and Done be supported?
- Should whitespace around the selected status (for example, `" All "`) be trimmed?
- What should happen if a task has a missing, null, or non-string status?
- For All, must the function return the original array or may it return a copy?
- Are there repository instructions outside the supplied ZIP that also apply?

Conclusion: The Page 2 context packet and supporting documents are prepared. The main learning outcome is to provide relevant context, state constraints clearly, and surface assumptions before implementation.