



SUBMEDORTHO

SURGICAL & ORTHOPEDIC INSTRUMENTS



Bone Plates
& Screws



Hip
Implants



Knee
Implants



Spinal
Systems



Trauma &
Fixation Systems



Orthopedic
Instruments



Sterile Packed
& K-Wires



Custom-made
Solutions

ORTHOPEDIC CATALOGUE

Version 4



Proudly manufactured
in Sialkot, Pakistan –
delivering precision instruments
to healthcare professionals
around the world.



SUBMEDORTHO

Surgical & Orthopedic Instruments

PRECISION • QUALITY • RELIABILITY



ADDRESS: OAK KAHAN KHAS LAGRAYWALI SIALKOT



CONTACT NO: +92-3006212726



EMAIL ADDRESS: wwwadirthoggdflo@gmail.com



WEBSITE: www.submedortho.com



INSTAGRAM: Submedortho



CE CERTIFIED
Quality Assured



ISO 13485:2016
Quality Management System



QUALITY ASSURED
Trusted Worldwide



YOUR TRUSTED PARTNER IN SURGICAL EXCELLENCE

Precision Instruments. Trusted Quality. Worldwide.

With over 10 years of experience in the surgical instruments industry, **SubMedortho** is committed to providing the highest quality instruments for all surgical specialties. We manufacture a wide range of instruments for Orthopedic, General Surgery, Veterinary, Dental, ENT and all other surgical disciplines.



QUALITY YOU CAN TRUST

We use high-grade stainless steel and modern manufacturing techniques to ensure durability, precision and long-lasting performance.



PRECISION MANUFACTURING

Every instrument is crafted with care and inspected at multiple stages to meet international standards and your expectations.



TRAINING & SUPPORT

We offer product training, factory visits and complete after-sales support to ensure your satisfaction and business growth.



CUSTOMER SATISFACTION

Our customers are our priority. We build long-term relationships by delivering consistent quality, on-time delivery and best customer service.

We Sell On



Website
www.submedortho.com



Worldwide Shipping
Fast & Reliable Delivery

WHY CHOOSE SUBMEDORTHO?

- ✓ 10+ Years of Manufacturing Experience
- ✓ Exporting to Clients Worldwide
- ✓ Competitive Prices with Premium Quality
- ✓ Custom Manufacturing Available
- ✓ OEM & Private Label Services
- ✓ Strict Quality Control & Timely Delivery

SIALKOT - THE WORLD'S SURGICAL HUB

Sialkot, Pakistan is globally recognized as the "World's Surgical Instruments City". It is the largest manufacturer and exporter of surgical instruments, supplying to 150+ countries around the world.



Sialkot is Ranked
#1 in the World
for Surgical Instruments
Manufacturing



WE MANUFACTURE ALL KINDS OF SURGICAL INSTRUMENTS



Orthopedic
Surgery



Veterinary
Surgery



Dental
Surgery



ENT
Surgery



General
Surgery



And All Other
Surgical Instruments

QUALITY IN OUR HANDS, HEALTH IN YOURS

Orthopaedic

Bone Cutting Forceps	140
Bone Rongeurs	141
Bone Holding Forceps	144
Bone Holding Clamps	146
Plaster Spreaders and Shears	147
Bone Curettes	148
Bone Levers	153
Retractors	154
Dissecting Forceps and Hooks	156
Raspatories, Burr and Rugines	157
Osteotomes, Chisels and Gouges	158
Wire Cutters and Pliers	161
Accessories	164
Mallets	165
Raspatories, Files and Punches	167
Pushers, Impactors and Skids	168
Elevators	169
Retractors and Bone Levers	172
Saws, Shears and Knives	173
Screw and Plate Instruments	173
Pins	174
Sterile Kirschner and Arthrodesis Wires	175
Extremities Instruments and Sets	176
Shoulder Instruments	178




SUBMEDORTHO
— SURGICAL & ORTHOPEDIC INSTRUMENTS —

Bone Cutting Forceps


McIndoe Bone Cutting Forcep

Lightweight, compound action, angled jaw with prismatic points



Code	Description
SM-OT-MBCF	165mm long
SM-OT-MBCF	191mm long

Liston Box Joint Bone Cutting Forcep



Straight


Code	Description
SM-OT-LBCF	140mm long
SM-OT-LBCF	200mm long
SM-OT-LBCF	220mm long

Angled

Code	Description
SM-OT-LBCF	170mm long
SM-OT-LBCF	220mm long

Liston Screw Joint Bone Cutting Forcep

With fluted handle



150mm long

Code	Description
SM-OT-LBCF	Straight
SM-OT-LBCF	Angled

180mm long

Code	Description
SM-OT-LBCF	Straight
SM-OT-LBCF	Angled

200mm long


Code	Description
SM-OT-LBCF	Straight

230mm long

Code	Description
SM-OT-LBCF	Straight

Screw Joint Bone Cutting Forcep


Straight



Code	Description
SM-OT-SBCF	160mm long

Liston Compound Action Bone Cutting Forcep


Straight, for heavy duty



Code	Description
SM-OT-LBCF	305mm long
SM-OT-LBCF	300mm long
SM-OT-LBCF	190mm long

Ruskin-Liston Bone Cutting Forcep

Compound action, fine



Straight

Code	Description
SM-OT-RBCF	140mm long
SM-OT-RBCF	145mm long
SM-OT-RBCF	190mm long


Angled

Code	Description
SM-OT-RBCF	190mm long

Bone Cutting Forceps and Bone Rongeurs


Ward Bone Cutting Forceps

Slightly angled on flat




Code	Description
SM-OT-WBCF	180mm long

Kleinert Kutz Bone Rongeur



Code	Description
SM-OT-KKBR	Curved, 140mm, width 2mm
SM-OT-KKBR	Curved, 155mm, width 2mm
SM-OT-KKBR	Curved, 155mm, width 3mm

Horsley Compound Action Bone Cutter



Code	Description
SM-OT-HCBC	235mm long


Kleinert Kutz Skin Hooks



Code	Description
SM-OT-KKSH	16cm large
SM-OT-KKSH	16cm medium
SM-OT-KKSH	16cm small

Stamm's Box Joint Bone Cutter

Standard, stainless steel



Code	Description
SM-OT-JBC	140mm long

Did you know...

We repair power tools, pneumatic tools and hoses




- ✓ Stryker, Synthes, Hall, Microaire, De Soutter, and all other common brands repaired
- ✓ All dental tools can be repaired, including bearings and rotor replacement
- ✓ We also repair Phaco Handpieces and Ultrasound Handpieces

WWW.SUBMEDORTHO.COM


Bone Rongeurs

Echlin Compound Action Bone Rongeur

Straight, with or without horn, 230mm long




Code	Description
SM-OT-ABC	Width 2mm
SM-OT-ABC	Width 3mm
SM-OT-ABC	Width 4mm




Leksell Compound Action Bone Rongeur

250mm long




Code	Description
SM-OT-ABC	3mm bite
SM-OT-ABC	5mm bite
SM-OT-ABC	8mm bite



Leksell Compound Action Bone Rongeur

240mm long




Code	Description
SM-OT-ABC	Width 3mm



Stille Compound Action Bone Rongeur

Angled to side, 240mm long




Code	Description
SM-OT-ABC	11mm bite



Leksell Stille Compound Action Bone Rongeur


240mm long



Code	Description
SM-OT-ABC	8mm bite



Luer Stille Compound Action Bone Rongeur




Straight

Code	Description
SM-OT-ABC	10mm bite, 220mm long
SM-OT-ABC	12mm bite, 260mm long



Curved


Code	Description
SM-OT-ABC	10mm bite, 220mm long
SM-OT-ABC	11mm bite, 230mm long



Bone Rongeurs

Luer Compound Action Bone Rongeur



6mm bite, 190mm long



Code	Description
SM-OT-ABC	Straight
SM-OT-ABC	Curved



Ruskin Compound Action Bone Rongeur





3mm bite, 150mm long

4mm bite, 185mm long

Code	Description
SM-OT-ABC	Straight
SM-OT-ABC	Curved

Code	Description
SM-OT-ABC	Straight
SM-OT-ABC	Curved

Luer Box Joint Bone Rongeur



Straight, 185mm long


Curved, 210mm long

Code	Description
SM-OT-JBR	8mm bite
SM-OT-JBR	10mm bite

Code	Description
SM-OT-JBR	8mm bite

Compound Action Bone Rongeur


Lightweight pattern, curved, 150mm long



Code	Description
SM-OT-CABR	4mm bite

Cushing Screw Joint Bone Rongeur

190mm long



Straight


Curved

Code	Description
SM-OT-JBR	4mm bite
SM-OT-JBR	6mm bite
SM-OT-JBR	8mm bite

Code	Description
SM-OT-JBR	4mm bite
SM-OT-JBR	6mm bite
SM-OT-JBR	8mm bite

Lempert Box Joint Bone Rongeur


3mm bite, 155mm long



Code	Description
SM-OT-JBR	Straight
SM-OT-JBR	Curved

Bone Holding Forceps


Lambotte Bone Holding Forceps



Code	Description
SM-OT-LBHF	265mm long


Bone Holding Forceps

Screw joint, with holding screw



Code	Description
SM-OT-BHF	165mm long

Lambotte Bone Holding Forceps



Code	Description
SM-OT-LBHF	220mm long
M-OT-LBHF	215mm long
SM-OT-LBHF	330mm long


Hey Groves Bone Holding Forceps

With screw locking device




Code	Description
SM-OT-BHF	200mm long
SM-OT-BHF	225mm long
SM-OT-BHF	305mm long

Fara beuf Bone Holding Forceps




Code	Description
SM-OT-BHF	230mm long
SM-OT-BHF	250mm long

Bone Holding Forceps




Code	Description
SM-OT-BHF	140mm long
SM-OT-BHF	185mm long
SM-OT-BHF	215mm long
SM-OT-BHF	275mm long

Farabeuf-Lambotte Bone Holding Forceps



Code	Description
SM-OT-BHF	195mm long
SM-OT-BHF	250mm long
SM-OT-BHF	260mm long


Fergusson Bone Holding Forceps



Code	Description
SM-OT-BHF	150mm long
SM-OT-BHF	200mm long
SM-OT-BHF	230mm long

Bone Holding Forceps


Frosch Bone Holding Forceps



Code	Description
SM-OT-BHF	180mm long


Sequestrum (Necrosis) Forcep

Straight, long fine jaws




Code	Description
SM-OT-SNF	191mm long
SM-OT-SNF	203mm long

Joint Calcaneal Spreader




Code	Description
SM-OT-JCS	40mm opening, 1.6mm ø, 170mm long

Calcaneal Spreader




Code	Description
SM-OT-CS	40mm opening, 15mm wide tip, 70mm long

Inge Type Lamina Spreader



Code	Description
SM-OT-ITLS	40mm opening, no teeth, 5mm wide tip, 170mm long

Inge Type Lamina Spreader




Code	Description
SM-OT-ITLS	Baby, 40mm opening, with teeth, 10mm wide tip, 160mm long
SM-OT-ITLS	50mm opening, with teeth, 10mm wide tip, 240mm long

Harrison Bone Holding Forceps



Code	Description
SM-OT-HBHF	190mm long

St Thomas Bone Holding Forceps




Code	Description
SM-OT-TBHF	182mm long

Bone Holding Forceps and Clamps


Burns Bone Holding Forceps

Box joint



Code	Description
SM-OT-BBHF	200mm long


Scarf Type Clamp



Code	Description
SM-OT-STC	150mm long

Orthopaedic Grasping Forceps

Box joint




Code	Description
SM-OT-OGF	125mm long
SM-OT-OGF	165mm long

Lowman Bone Holding Clamp

Infant 125mm long

Child 175mm long


Adult 205mm long



Code
SM-OT-LBHC


Reduction Forcep

With adjustable lock




Code	Description
SM-OT-RF	Small, 135mm long
SM-OT-RF	Large, 168mm long

Parker Modified Lowman Bone Holding Clamp, Single



Code	Description
SM-OT-BHC	160mm long


Verbrugge Bone Holding Forceps



Code	Description
SM-OT-BHF	180mm long

Parker Retractor

For use with Lowman clamp




Code	Description
SM-OT-PR	Chain 850mm long

Plaster Spreaders and Shears


Haglund Plaster Spreader

Working part curved in right



Code	Description
SM-OT-HPS	280mm long


Plaster Cutter



Code	Description
SM-OT-PC	240mm long


Lawton Plaster Spreader

Working part curved in right




Code	Description
SM-OT-LPS	220mm long

Bohler Plaster Shears




Code	Description
SM-OT-BPS	240mm long

Henning Plaster Spreader




Code	Description
SM-OT-HPS	270mm long

Guys Plaster Shears




Code	Description
SM-OT-GPS	240mm long

Wolf Plaster Spreader




Code	Description
SM-OT-WPS	180mm long
SM-OT-WPS	250mm long

Engel Plaster Saw



Code	Description
SM-OT-EPS	150mm long


Stille Type Plaster Shears



Code	Description
SM-OT-STPS	380mm long
SM-OT-STPS	330mm long
M-OT-STPS	460mm long

Eccentric Plaster Shears

Without heavy serrated blade




Code	Description
SM-OT-FPS	190mm long

Bone Curettes

Bone Curette

Straight, 180mm long


Code	Description	Code	Description
SM-OT-BC	Width 2mm	SM-OT-BC	Width 10mm
SM-OT-BC	Width 4mm	SM-OT-BC	Width 12mm
SM-OT-BC	Width 6mm	SM-OT-BC	Width 14mm
SM-OT-BC	Width 8mm	SM-OT-BC	Width 16mm



Bone Curette

Straight, 260mm long


Code	Description	Code	Description
SM-OT-BC	Width 2mm	SM-OT-BC	Width 8mm
SM-OT-BC	Width 4mm	SM-OT-BC	Width 10mm
SM-OT-BC	Width 6mm	SM-OT-BC	Width 12mm



Bone Curette

Straight, 210mm long


Code	Description
SM-OT-BC	Width 2mm
SM-OT-BC	Width 4mm
SM-OT-BC	Width 6mm
SM-OT-BC	Width 8mm
SM-OT-BC	Width 10mm
SM-OT-BC	Width 12mm
SM-OT-BC	Width 14mm
SM-OT-BC	Width 16mm
SM-OT-BC	Width 20mm



Busche Bone Curette

Angled, 250mm long

Code	Description
SM-OT-BBC	Width 3mm
SM-OT-BBC	Width 4mm
SM-OT-BBC	Width 5mm



Bruns Bone Curette


225mm long

Straight

Code	Description
SM-OT-BBC	Width 3mm
SM-OT-BBC	Width 4mm
SM-OT-BBC	Width 5mm
SM-OT-BBC	Width 6mm
SM-OT-BBC	Width 7mm
SM-OT-BBC	Width 8mm

Angled


Code	Description
SM-OT-BBC	Width 3mm
SM-OT-BBC	Width 4mm
SM-OT-BBC	Width 5mm
SM-OT-BBC	Width 6mm
SM-OT-BBC	Width 7mm
SM-OT-BBC	Width 8mm



Gourdet Bone Curette

Straight, blunt
280mm long


Code	Description
SM-OT-GBC	Width 6mm
SM-OT-GBC	Width 8mm
SM-OT-GBC	Width 10mm
SM-OT-GBC	Width 12mm
SM-OT-GBC	Width 14mm



Shroeder Bone Curette

Straight, 310mm long


Code	Description
SM-OT-SBC	Width 6mm
SM-OT-SBC	Width 8mm
SM-OT-SBC	Width 10mm
SM-OT-SBC	Width 12mm
SM-OT-SBC	Width 14mm



Simon Bone Curette

Straight, 240mm long


Code	Description
SM-OT-SBC	Width 6mm
SM-OT-SBC	Width 8mm
SM-OT-SBC	Width 10mm
SM-OT-SBC	Width 12mm
SM-OT-SBC	Width 14mm



Spinal Curette

Oval, 205mm long

Code	Description	Code	Description
SM-OT-SBC	Width 4mm	SM-OT-SBC	Width 8mm
SM-OT-SBC	Width 5mm	SM-OT-SBC	Width 9mm
SM-OT-SBC	Width 6mm	SM-OT-SBC	Width 10mm
SM-OT-SBC	Width 7mm	SM-OT-SBC	Width 11mm




Bone Curettes

Volkman Bone Curette

Straight, 170mm long

Code	Description
SM-OT-VBC	Width 2mm
SM-OT-VBC	Width 3mm
SM-OT-VBC	Width 4mm
SM-OT-VBC	Width 5mm
SM-OT-VBC	Width 6mm

Code	Description
SM-OT-VBC	Width 8mm
SM-OT-VBC	Width 10mm
SM-OT-VBC	Width 12mm
SM-OT-VBC	Width 14mm



Volkman Bone Curette

Straight, 230mm long


Code	Description
SM-OT-VBC	Bowl width 10mm, bowl length 14.5mm



Wallich Bone Curette

Blunt

Code	Description
SM-OT-WBC	420mm long



Williger Bone Curette

Straight, 170mm long


Code	Description
SM-OT-WBC	Width 3.5mm
SM-OT-WBC	Width 5.5mm



Charnley Bone Curette

With T handle,
380mm long

Code	Description
SM-OT-CBC	Large, 20 x 14mm
SM-OT-CBC	Medium, 17 x 12mm
SM-OT-CBC	Small, 11 x 8mm



Bone Curettes

Sypert Bone Curette

Blue acetal "Suregrip" handle, 380mm long



Straight

Code	Description
SM-OT-SBC	Width 3mm
SM-OT-SBC	Width 4mm
SM-OT-SBC	Width 5mm

Angled

Code	Description
SM-OT-SBC	Width 3mm
SM-OT-SBC	Width 4mm
SM-OT-SBC	Width 5mm



Bone Curette

Blue acetal "Suregrip" handle, 410mm long




Straight

Code	Description
SM-OT-BC	Width 3mm
SM-OT-BC	Width 4mm
SM-OT-BC	Width 5mm

Angled

Code	Description
SM-OT-BC	Width 3mm
SM-OT-BC	Width 4mm
SM-OT-BC	Width 5mm



Caspar Bone Curette

Blue acetal "Suregrip" handle, 220mm long



Straight

Code	Description
SM-OT-CBC	Width 3.5mm
SM-OT-CBC	Width 4.5mm
SM-OT-CBC	Width 5.5mm

Angled

Code	Description
SM-OT-CBC	Width 3.5mm
SM-OT-CBC	Width 4.5mm
SM-OT-CBC	Width 5.5mm




Bone Curette

Blue acetal "Suregrip" handle, 270mm long, straight




Code	Description
SM-OT-BC	Width 4mm
SM-OT-BC	Width 6mm
SM-OT-BC	Width 8mm
SM-OT-BC	Width 10mm



Bone Curettes

Capener Spoon

Blue acetal "Suregrip" handle 285mm long



Code	Description
SM-OT-CS	Width 16mm
SM-OT-CS	Width 20mm

Capener Lamina Curette

Blue acetal "Suregrip" handle 300mm long



Code	Description
SM-OT-CLC	12 x 32mm
SM-OT-CLC	6 x 18mm

Stanley Boyd Curette

Double ended



Code	Description
SM-OT-SBC	Small - 50mm long
SM-OT-SBC	Medium - 200mm long
SM-OT-SBC	Large - 250mm long



Volkman Bone Scoop

Double-ended, straight



Code	Description
SM-OT-VBS	175mm long
SM-OT-VBS	220mm long
SM-OT-VBS	220mm long

Martini Bone Curette

Shown at half size
double-ended, straight 140mm long



Code	Description
SM-OT-MBC	Small and medium
SM-OT-MBC	Medium and large

Lane Bone Lever

240mm long

6mm

Code	Description
SM-OT-LBL	Slight curve
SM-OT-LBL	Full curve

8mm

Code	Description
SM-OT-LBL	Slight curve
SM-OT-LBL	Full curve



Lane Bone Lever

For small bones


Code	Description
SM-OT-LBL	10mm wide, 265mm long



Lane Bone Lever

For small bones, serrated end

Code	Description
SM-OT-LBL	10mm wide, 260mm long



Trethowan Bone Lever

Ring handle

Code	Description
SM-OT-TBL	220mm long



Watson-Jones Bone Lever

Code	Description
SM-OT-WJBL	275mm long




Banhart Bone Lever

Code	Description
SM-OT-BBL	300mm long



Retractors

Hip Set



Femoral Dislocation Lever 285mm

Code	Description
SM-OT-HS	Spoon elevator 25mm with blue acetal suregrip handle – large



Curved Osteotome 260mm

Code	Description
SM-OT-HS	With blue acetal suregrip handle - 2



Muller Curette 240mm

Code	Description
SM-OT-HS	Curette 27mm with blue acetal suregrip handle – large



Small Gouge 240mm

Code	Description
SM-OT-HS	8mm cranked blue acetal suregrip handle




Muller Curette 270mm

Code	Description
SM-OT-HS	Curette 9mm with blue acetal suregrip handle – small

Charnley Initial Incision Retractor

Code	Description
SM-OT-CIIR	Frame only
SM-OT-CIIR	Weight only, 75mm x 50mm ø
SM-OT-CIIR	Goal post pins and chain




Short blades

Code	Description
SM-OT-CIIR	Short blade, 25mm deep
SM-OT-CIIR	Short blade, 35mm deep
SM-OT-CIIR	Short blade, 50mm deep
SM-OT-CIIR	Short blade, 65mm
SM-OT-CIIR	Short blade, 75mm deep
SM-OT-CIIR	Short blade, 80mm deep
SM-OT-CIIR	Short blade, 100mm deep
SM-OT-CIIR	Short blade, 125mm
SM-OT-CIIR	Short blade, 150mm


Long blades

Code	Description
SM-OT-CIIR	Long blade, 35mm deep
SM-OT-CIIR	Long blade, 50mm deep
SM-OT-CIIR	Long blade, 65mm
SM-OT-CIIR	Long blade, 70mm deep
SM-OT-CIIR	Long blade, 75mm deep
SM-OT-CIIR	Long blade, 100mm deep
SM-OT-CIIR	Long blade, 125mm
SM-OT-CIIR	Long blade, 150mm
SM-OT-CIIR	Long round blade, 50mm deep



Travers Retractor


Self retaining, internal rack, 210mm long



Code	Description
SM-OT-TR	4 x 5 teeth, 95mm fully open

Jackson Burrows Retractor


Self retaining



Code	Description
SM-OT-JBR	175mm

West Retractor


Self retaining, 140mm long



Code	Description
SM-OT-WR	3 x 4 teeth, 60mm fully open
SM-OT-WR	3 x 4 teeth, 60mm fully open, with cam rack

Norfolk and Norwich Retractor

4 x 5 teeth 50mm blades x 223mm long



Code	Description
SM-OT-NNR	Standard rack

Refurbishment of Orthopedic sets

Refurbishing
instruments
can save up to
80%

of the cost of buying new,
with compelling evidence to
demonstrate effectiveness

Independent research¹ showed that instruments
refurbished by Surgical Holdings had a 4x
reduction in the amount of residual protein.

The smooth and polished surface has an
increased cleaning efficacy, and all refurbishments
come with an 18 month warranty as standard.
Standard turnaround times are 1 week and
an express 2 day service is also available.

Reference: ¹ Data available on file.

Book your orthopedic set refurbishment
on www.submedortho.com




Before
Refurbishment

After
Refurbishment

Retractors, Dissecting Forceps and Hooks

Jackson Burrows Hand Retractor

225mm long



Code	Description
SM-OT-JBHR	Narrow curve, 13mm blade
SM-OT-JBHR	Broad, angular, 20mm blade

Ballance (Volkmann) Retractor

203mm long



Sharp


Code	Description
SM-OT-BVR	1 prong
SM-OT-BVR	2 prong
SM-OT-BVR	3 prong
SM-OT-BVR	4 prong
SM-OT-BVR	6 prong

Blunt

Code	Description
SM-OT-BVR	1 prong
SM-OT-BVR	2 prong
SM-OT-BVR	3 prong
SM-OT-BVR	4 prong
SM-OT-BVR	6 prong

Jackson Burrows Dissecting Forcep


140mm long



Code	Description
SM-OT-JBDF	Tongue and groove only
SM-OT-JBDF	Tongue and groove, 1-2 teeth

Charnley-McIndoe Dissecting Forceps


150mm long



Code	Description
SM-OT-CMDF	2-3 teeth


Kocher Bone Hook

220mm long




Code	Description
SM-OT-KBH	Sharp
SM-OT-KBH	Blunt

Langenbeck Bone Hook



Code	Description
SM-OT-LBH	200mm long


Dislocation Hook



Code	Description
SM-OT-DH	253mm long


Dislocation Hip Hook

Blue acetal "Suregrip" handle



Code	Description
SM-OT-DHH	185mm long


Key Raspatories



Code	Description
SM-OT-KR	Width 6.4mm 180mm long
SM-OT-KR	Width 9.5mm 190mm long
SM-OT-KR	Width 12.7mm 190mm long
SM-OT-KR	Width 19mm 200mm long
SM-OT-KR	Width 25.4mm 210mm long

Lambotte Raspatory


205mm Long



Code	Description
SM-OT-LR	Width 10mm
SM-OT-LR	Width 15mm
SM-OT-LR	Width 20mm

Paton Bone Burr


Satin handle, 155mm long



Code	Description
SM-OT-PBB	3.5mm ø x 17mm
SM-OT-PBB	4.5mm ø x 17mm
SM-OT-PBB	5.0mm ø x 17mm

Robert Jones Rugine


Convex sharp edge, fan shaped end, with solid pistol handle



Code	Description
SM-OT-RJR	185mm long

Mitchell Rugine


Straight, sharp edge, fan shaped, hollow handle



Code	Description
SM-OT-MR	210mm long

Farabeuf Rugine

Curved end, chisel edge, hollow handle



Code	Description
SM-OT-FR	160mm long

Osteotomes, Chisels and Gouges

Lexer Osteotome


Blue acetal "Suregrip" handle, 180mm long



Code	Description
SM-OT-LO	4mm

Capener Osteotome

Blue acetal "Suregrip" handle, 250mm long



Shallow curved


Code	Description
SM-OT-CO	Width 6mm
SM-OT-CO	Width 10mm
SM-OT-CO	Width 12mm
SM-OT-CO	Width 15mm
SM-OT-CO	Width 20mm
SM-OT-CO	Width 25mm
SM-OT-CO	Width 30mm

Acute curved

Code	Description
SM-OT-CO	Width 6mm
SM-OT-CO	Width 10mm
SM-OT-CO	Width 15mm
SM-OT-CO	Width 20mm
SM-OT-CO	Width 25mm

Capener Osteotome

Blue acetal "Sure grip" handle, straight, 255mm long




Code	Description
SM-OT-CO	Width 6mm
SM-OT-CO	Width 8mm
SM-OT-CO	Width 10mm
SM-OT-CO	Width 12mm
SM-OT-CO	Width 13mm

Code	Description
SM-OT-CO	Width 15mm
SM-OT-CO	Width 18mm
SM-OT-CO	Width 20mm
SM-OT-CO	Width 25mm
SM-OT-CO	Width 30mm

Capener Chisel

Blue acetal "Suregrip" handle straight, 250mm long




Code	Description
SM-OT-CC	Width 6mm
SM-OT-CC	Width 10mm
SM-OT-CC	Width 12mm

Code	Description
SM-OT-CC	Width 15mm
SM-OT-CC	Width 20mm
SM-OT-CC	Width 25mm

Capener Lamina Gouge

Blue acetal "Suregrip" handle, straight, 265mm long




Code	Description
SM-OT-CLG	Width 6mm
SM-OT-CLG	Width 10mm
SM-OT-CLG	Width 12mm

Code	Description
SM-OT-CLG	Width 15mm
SM-OT-CLG	Width 20mm
SM-OT-CLG	Width 25mm

Capener Lamina Gouge

Cranked, blue acetal "Suregrip" handle, 250mm long



With reversed edge


Code	Description
SM-OT-CLG	Width 6mm
SM-OT-CLG	Width 8mm
SM-OT-CLG	Width 10mm
SM-OT-CLG	Width 11mm
SM-OT-CLG	Width 16mm
SM-OT-CLG	Width 17mm

Code	Description
SM-OT-CLG	Width 6mm
SM-OT-CLG	Width 8mm
SM-OT-CLG	Width 10mm
SM-OT-CLG	Width 11mm
SM-OT-CLG	Width 16mm
SM-OT-CLG	Width 17mm

OTHER LENGTHS AND SIZES AVAILABLE

Capener Lamina Gouge


Swan neck, blue acetal "Sure grip" handle, 250mm long



Code	Description
SM-OT-CLG	Width 8mm

Capener Lamina Gouge

Reverse cranked, blue acetal "Sure grip" handle, 245mm long



Code	Description
SM-OT-CLG	Width 11mm
SM-OT-CLG	Width 16mm
SM-OT-CLG	Width 17mm

Code	Description
SM-OT-CLG	Width 6mm
SM-OT-CLG	Width 8mm
SM-OT-CLG	Width 10mm

Osteotomes, Chisels and Gouges

Read Osteotome

Serrated head
180mm long



Code	Description
SM-OT-RO	Width 4mm
SM-OT-RO	Width 5mm

Read Gouge

Serrated head, 180mm long



Code	Description
SM-OT-RG	Width 2mm
SM-OT-RG	Width 3mm
SM-OT-RG	Width 4mm
SM-OT-RG	Width 5mm

Code	Description
SM-OT-RG	Width 6mm
SM-OT-RG	Width 7mm
SM-OT-RG	Width 8mm

Read Chisel

Serrated head, 180mm long




Code	Description
SM-OT-RC	Width 2mm
SM-OT-RC	Width 3mm
SM-OT-RC	Width 4mm
SM-OT-RC	Width 5mm

Code	Description
SM-OT-RC	Width 6mm
SM-OT-RC	Width 7mm
SM-OT-RC	Width 8mm

Swedish Pattern Osteotome

200mm long



Code	Description
SM-OT-SPO	Width 10mm
SM-OT-SPO	Width 15mm
SM-OT-SPO	Width 20mm
SM-OT-SPO	Width 25mm
SM-OT-SPO	Width 30mm

With tungsten carbide edge

Code	Description
SM-OT-SPO	Width 10mm
SM-OT-SPO	Width 15mm
SM-OT-SPO	Width 20mm
SM-OT-SPO	Width 25mm
SM-OT-SPO	Width 30mm

Swedish Pattern Chisel

200mm long



With tungsten carbide edge

Code	Description
SM-OT-SPC	Width 10mm
SM-OT-SPC	Width 15mm
SM-OT-SPC	Width 20mm
SM-OT-SPC	Width 25mm
SM-OT-SPC	Width 30mm

Code	Description
SM-OT-SPC	Width 20mm
SM-OT-SPC	Width 25mm
SM-OT-SPC	Width 30mm
SM-OT-SPC	Width 25mm
SM-OT-SPC	Width 30mm

Swedish Pattern Gouge

200mm long



With tungsten carbide edge

Code	Description
SM-OT-SPG	Width 10mm
SM-OT-SPG	Width 15mm
SM-OT-SPG	Width 20mm
SM-OT-SPG	Width 25mm

Code	Description
SM-OT-SPG	Width 10mm
SM-OT-SPG	Width 15mm
SM-OT-SPG	Width 20mm
SM-OT-SPG	Width 25mm

Lambotte Osteotome

230mm long



Straight

Code	Description
SM-OT-LO	2mm wide
SM-OT-LO	4mm wide
SM-OT-LO	7mm wide
SM-OT-LO	15mm wide
SM-OT-LO	20mm wide
SM-OT-LO	25mm wide
SM-OT-LO	30mm wide
SM-OT-LO	38mm wide
SM-OT-LO	44mm wide
SM-OT-LO	50mm wide


Curved

Code	Description
SM-OT-LO	15mm wide
SM-OT-LO	20mm wide
SM-OT-LO	25mm wide
SM-OT-LO	30mm wide
SM-OT-LO	38mm wide
SM-OT-LO	40mm wide
SM-OT-LO	44mm wide
SM-OT-LO	50mm wide

Osteotomes, Chisels and Gouges

Albee Osteotome

190mm long



Code	Description
SM-OT-AO	Width 38mm
SM-OT-AO	Width 50mm

Small Gouges

150mm long



Code	Description
SM-OT-SG	4mm wide
SM-OT-SG	6mm wide
SM-OT-SG	8mm wide

Moore Hollow Osteotome

Rectangular, for curved standard stems



Code	Description
SM-OT-MHO	135mm long
SM-OT-MHO	255mm long

Box Chisel

Blue acetal "Suregrip" handle,
285mm long



Code
SM-OT-BC

Small Osteotomes

150mm long



Code	Description
SM-OT-OS	4mm wide
SM-OT-OS	6mm wide
SM-OT-OS	8mm wide

Alexander Gouge

Straight, 170mm long



Code	Description
SM-OT-AG	Width 5mm
SM-OT-AG	Width 7mm

Code	Description
SM-OT-AG	Width 9mm
SM-OT-AG	Width 11mm

Small Chisels

150mm long



Code	Description
SM-OT-CS	4mm wide
SM-OT-CS	6mm wide
SM-OT-CS	8mm wide

Partsch Gouge

Straight



140mm long


Code	Description
SM-OT-PG	Width 3mm
SM-OT-PG	Width 4mm
SM-OT-PG	Width 5mm
SM-OT-PG	Width 6mm

170mm long

Code	Description
SM-OT-PG	Width 3mm
SM-OT-PG	Width 4mm
SM-OT-PG	Width 5mm
SM-OT-PG	Width 6mm
SM-OT-PG	Width 7mm

Wire Cutting Pliers


Tungsten carbide edge, for cutting up to and including 6mm $\varnothing$



Code	Description
SM-OT-WCP	450mm long
SM-OT-WCP	560mm long

Wire Cutting Pliers


Tungsten carbide edge, for cutting Kirschner wires up to and including 5.5mm $\varnothing$



Code	Description
SM-OT-WCP	480mm long

Wire Cutting Pliers

Tungsten carbide edge, for cutting Kirschner wires up to 4mm $\varnothing$




Code	Description
SM-OT-WCP	380mm long

Wire Cutters and Pliers

Top Cutter


Gold handles, tungsten carbide edge, for cutting Kirschner wire



Code	Description
SM-OT-TC	Up to 2.5mm, 215mm long
SM-OT-TC	Up to 1.5mm, 145mm long

Side Cutter


Gold handles, tungsten carbide edge, jaws have rounded edges, for cutting Kirschner wires



code	Description
SM-OT-SC	Up to 2.5mm ø, 230mm long
SM-OT-SC	Up to 2.2mm ø, 215mm long
SM-OT-SC	Up to 1.5mm ø, 145mm long

Top and Side Cutter


Small, gold handles, tungsten carbide edge, for cutting Kirschner wires up to 1.5mm ø



Code	Description
SM-OT-TSC	175mm long

Wire Cutting Pliers


Gold handles, tungsten carbide edge, 120mm long



Code	Description
SM-OT-WCP	For wire up to 0.2mm ø
SM-OT-WCP	For wire up to 0.3mm ø
SM-OT-WCP	For wire up to 0.5mm ø
SM-OT-WCP	For wire up to 0.5mm ø 115mm long
SM-OT-WCP	For wire up to 0.7mm ø

Side Cutter


Compound action, angled tungsten carbide jaw, gold handles, for Kirschner wire up to 1.6mm ø



Code	Description
SM-OT-SC	180mm long

Orthopaedic Plier/Cutter


Stainless steel



Code	Description
SM-OT-OPC	180mm long
SM-OT-OPC	220mm long

Side Cutter


Gold handles, tungsten carbide edge, for cutting Kirschner wires up to 1.5mm ø



Code	Description
SM-OT-SC	170mm long

Bone Plate Bender/Wire Cutter Pliers

For nipping and breaking off soft wire only
Not suitable for Kirschner wires




Code	Description
SM-OT-WCP	150mm long

Wire Cutters and Pliers

Pliers for Wire

175mm long



Code

SM-OT-PW




Code

SM-OT-PW


Orthopaedic Plier/Cutter

Stainless steel, tungsten carbide edge, for cutting Kirschner wire up to 1.6mm



Pliers for Bone Burrs

190mm long




Code

SM-OT-PBB


Code	Description
SM-OT-OPC	TC 180mm long
SM-OT-OPC	Non TC for cutting soft wire only, max cut 1.6mm, 180mm long

Mole Grip Type Wrench

Stainless steel



Orthopaedic Pliers



Code	Description
SM-OT-OP	185mm

Code	Description
SM-OT-MGTW	190mm long


Accessories

Wire Twister Biomet Type



Code	Description
SM-OT-WTBT	150mm long

Martin Cartilage Forceps



Code	Description
SM-OT-MCF	180mm long

Charnley Suture Forcep


Slotted, 1-2 teeth



Code	Description
SM-OT-CSF	180mm long

Suture Wire Cutting Scissors

Angled to cut soft wire only, max cut 1.2mm



Code	Description
SM-OT-SWCS	120mm long

Suture Wire Cutting Scissors



Code	Description
SM-OT-SWCS	110mm long

Mallet


With serrated head, 170mm long



Code	Description
SM-OT-MALLET	190 grams

Mallet


Blue acetal, 240mm long



Code	Description
SM-OT-MALLET	340 grams, vertical end

Mallet


Blue acetal "Suregrip" handle, 275mm long



Code
SM-OT-MALLET

Mallet


Blue acetal, 255mm long



Code	Description
SM-OT-MALLET	520 grams, vertical end
SM-OT-MALLET	650 grams, horizontal end

Mallet


Stainless steel, 270mm long



Code	Description
SM-OT-MALLET	640 grams
SM-OT-MALLET	1020 grams

Heath Mallet

Stainless steel, 135mm long




Code	Description
SM-OT-MALLET	650 grams
SM-OT-MALLET	920 grams

Code	Description
SM-OT-MALLET	1150 grams
SM-OT-MALLET	1340 grams

Mallet

Stainless steel, with pistol grip*
240mm long




Code	Description
SM-OT-MALLET	580 grams

ALSO AVAILABLE WITH
BLUE ACETAL HANDLE

Royal Cornwall Mallet

Stainless steel, with extended handle and strong welded head, 190mm long




Code	Description
SM-OT-MALLET	1000 grams

Mallets

Orthopaedic Mallet


Surgical Holdings pattern, stainless steel, 170mm long



Code	Description
SM-OT-MALLET	800 grams
SM-OT-MALLET	880 grams
SM-OT-MALLET	1020 grams

Orthopaedic Mallet


Stainless steel, Surgical Holdings pattern, one flat and one domed end, 180mm long



Code	Description
SM-OT-MALLET	960 grams
SM-OT-MALLET	750 grams

Toffee Hammer


Stainless steel, one plain and one serrated side, 190mm long



Code	Description
SM-OT-MALLET	280 grams

Ombredanne Mallet


Stainless steel, one flat and one domed end



Code	Description
SM-OT-MALLET	950 grams, 240mm long
SM-OT-MALLET	1110 grams, 270mm long

Collin Mallet


Stainless steel, 205mm long



Code	Description
SM-OT-MALLET	270 grams

Kelsey Fry Mallet


With renewable acetal ends, 190mm long



Code	Description
SM-OT-MALLET	280 grams
SM-OT-MALLET	Replacement end - pair

Surgical Holdings Orthopaedic Mallet

Stainless steel with blue acetal "Suregrip" handle 270mm long




Code	Description
SM-OT-MALLET	720 grams
SM-OT-MALLET	800 grams

Code	Description
SM-OT-MALLET	900 grams
SM-OT-MALLET	970 grams

Surgical Holdings Orthopaedic Mallet

Stainless steel with blue acetal "Suregrip" handle 200mm long



Code	Description
SM-OT-MALLET	660 grams
SM-OT-MALLET	790 grams

Code	Description
SM-OT-MALLET	1020 grams
SM-OT-MALLET	1400 grams

Surgical Holdings Mallet

Stainless steel with blue acetal "Suregrip" handle domed faced head, 200mm long



Code	Description
SM-OT-MALLET	650 grams

Putti Raspatory



Code	Description
SM-OT-PR	300mm long

OTHER SHAPES AND CONFIGURATIONS ON REQUEST

Bone File and Raspatory


Stainless steel



Code	Description
SM-OT-BFR	215mm long

Austin Moore Type Raspatory


Including tommy bar,
295mm long



Code	Description
SM-OT-AMTR	Standard
SM-OT-AMTR	Narrow (not illustrated)

Thompson Type Raspatory

Including tommy bar




Many other types available
Supply a drawing of the prosthesis - we will make the rasp in any batch size you require. The teeth will be chipped up at 0.75mm per face over and above the size of the prosthesis stem, to allow for cementing.

Code	Description
SM-OT-TTR	270mm long

Miller Bone File

180mm long



Code	Description
SM-OT-MBF	Short end
SM-OT-MBF	Slight curve
SM-OT-MBF	Full curve

McGoey Punch

Double ended, 220mm long



4



4a




4b

Code	Description
SM-OT-MP	13 x 19mm
SM-OT-MP	6 x 10mm
SM-OT-MP	13 x 6mm half round

Smillie Bone Punch



Head size 15 x 19.5mm




Head size 9.5 x 15.5mm

Code	Description
SM-OT-SBP	Straight 140mm long
SM-OT-SBP	Cranked 175mm long

Pushers, Impactors and Skids

Charnley Cup Pusher

With nylon head



Code	Description
SM-OT-CCP	295mm long

Hardinge Cement Restrictor

With T handle



Code	Description
SM-OT-HCR	335mm long

Charnley Prosthesis Pusher


Stainless steel handle
with nylon insert



Code	Description
SM-OT-CPP	180mm long

Moore Femoral Head Extractor


With T handle



Code	Description
SM-OT-MFHE	150mm long
SM-OT-MFHE	205mm long

Judet Impactor

Stainless steel handle
with nylon head



Code	Description
SM-OT-JI	140mm long

Murphy Skids

Double ended, 355mm long



Code	Description
SM-OT-MS	Uncoated
SM-OT-MS	Coated

Femoral Pusher

Head impactor, white Pomalux



Code	Description
SM-OT-FP	31mm ø x 180mm long

Murphy Skids


Single ended, 330mm long



Code	Description
SM-OT-MS	Coated

Adson Periosteal Elevator

Serrated grip, 165mm long



straight

Code	Description
SM-OT-APE	7mm wide

curved

Code	Description
SM-OT-APE	5mm wide
SM-OT-APE	7mm wide

Langenbeck Elevator


Straight



Code	Description
SM-OT-LE	200mm long

Bristow Periosteal Elevator

Sharp edge



Code	Description
SM-OT-BPE	240mm long


MacDonald Dissector Double Ended



Code	Description
SM-OT-MDDE	191mm long

Doyen Periosteal Elevator

Satin finish handle



165mm long


Code	Description
SM-OT-DPE	Right
SM-OT-DPE	Left

180mm long

Code	Description
SM-OT-DPE	Right
SM-OT-DPE	Left

Pennybacker Elevator

Curved, sharp, 6mm wide



Code	Description
SM-OT-PE	170mm long

Key Periosteal Elevator

190mm long



Code	Description
SM-OT-KPE	10mm wide
SM-OT-KPE	13mm wide

Periosteal Elevator

Straight



Code	Description
SM-OT-PE	175mm long

Elevators

Periosteal Elevator

Straight, 12 x 20mm, with blue acetal "Suregrip" handle



Code	Description
SM-OT-PE	195mm long

Periosteal Elevator


Curved, 5 x 25mm, with blue acetal "Suregrip" handle



Code	Description
SM-OT-PE	185mm long

Tudor Edwards Periosteal Elevator

For first rib, satin finish handle, 175mm long



Code	Description
SM-OT-TEPE	12mm wide
SM-OT-TEPE	18mm wide

Hohmann Bone Elevator


Matt finish, 160mm long



Code	Description
SM-OT-HBE	6mm wide
SM-OT-HBE	8mm wide
SM-OT-HBE	10mm wide
SM-OT-HBE	15mm wide

Hohmann-Muller Spike Elevator


With narrow spade



Code	Description
SM-OT-HMSE	220mm long, 10mm wide
SM-OT-HMSE	230mm long, 12mm wide
SM-OT-HMSE	240mm long, 18mm wide

Hohmann-Aldinger Bone Elevator


Curved



Code	Description
SM-OT-HABE	270mm long x 24mm wide

Hohmann Bone Elevator


Curved



Code	Description
SM-OT-HBE	285mm long x 34mm wide

Hohmann Bone Lever


Curved, Leicester Royal Infirmary pattern



Code	Description
SM-OT-HBL	340mm long x 23mm wide

Wagner Bone Elevator


220mm long



Code	Description
SM-OT-WBE	17mm wide

Schumacher Bone Elevator


290mm long



Code	Description
SM-OT-SBE	35mm wide, 18mm at edge

Lange-Hohmann Bone Elevator


250mm long



Code	Description
SM-OT-LHBE	24mm wide

Muller Soft Tissue Retractor


40mm wide



Code	Description
SM-OT-MSTR	410mm long
SM-OT-MSTR	300mm long

Schumacher Bone Elevator

345mm long




Code	Description
SM-OT-SBE	37mm wide, 18mm at edge

Retractors and Bone Levers

Fakuda Type Retractor

230mm long




Code

SM-OT-FTR

Hohmann Retractor

45° angle, 200mm long




Code

SM-OT-HR

Hohmann Tapered Spike Retractor

225mm overall length



Code

SM-OT-HTSR

Posterior Bone Lever

230mm long




Code

SM-OT-PBL

Trethowan Bone Lever

Bent, ring handle 222mm long, 280mm long




Code	Description
SM-OT-TBL	90° angle
SM-OT-TBL	70° angle (illustrated)
SM-OT-TBL	45° angle

Hermann Laparoscopic Instruments

Offering more than 5 years of quality and safety, know-how and innovation, technology and precision.

Surgical Holdings provide you it

- 2 year warranty
- Unique interchangeable handle and working parts
- Handle and rod design gives extra stability and robustness
- We perform maintenance and modifications in-house
- Custom designs




+
Exclusive distributor

www.submedortho.com

Saws, Shears and Knives

Gigli Saw Handles

Per pair



Code	Description
SM-OT-GSH	65mm long


Guys Tenotomy Knife



Code	Description
SM-OT-GTK	140mm long

Charnley Saws

Code	Description
SM-OT-CS	500mm long
SM-OT-CS	700mm long




Gigli Saws

Code	Description
SM-OT-GS	300mm long
SM-OT-GS	500mm long
SM-OT-GS	700mm long

Smillie Menisectomy Knife


175mm long



Code	Description
SM-OT-SMK	Straight


Smillie Menisectomy Knife

Protruding beak at base, 175mm long



Code	Description
SM-OT-SMK	Curved to right
SM-OT-SMK	Curved to left

Collin Rib Shears



Code	Description
SM-OT-CRS	195mm long

Screw and Plate Instruments

Allen Key Sets


Bright guard



Code	Description
SM-OT-AKS	1.5mm - 10mm

Size mm	Overall Length
1.5	63mm
2.0	77mm
2.5	87mm
3.0	93mm
4.0	104mm
5.0	120mm
6.0	141mm
7.0	147mm
8.0	158mm
10.0	180mm

Orthopaedic Ruler Stainless Steel



Code	Description
SM-OT-ORSS	Metric, 300mm

Pins

Denham Pin

Temporary implants, material conforms CE marking available on request.

Code	Size
SM-OT-DP	3.96mm dia x 203mm long trocar/3 side end
SM-OT-DP	3.96mm dia x 203mm long trocar/square end
SM-OT-DP	3.96mm dia x 229mm long trocar/3 side end
SM-OT-DP	3.96mm dia x 229mm long trocar/square end

Code	Size
SM-OT-DP	4.76mm dia x 203mm long trocar/3 side end
SM-OT-DP	4.76mm dia x 203mm long trocar/square end
SM-OT-DP	4.76mm dia x 229mm long trocar/3 side end
SM-OT-DP	4.76mm dia x 229mm long trocar/square end

**THREESIDED END OR
SQUARE END IN STOCK
OTHER SIZES AVAILABLE**



Steinmann Pins

Temporary implants, material conforms to
. CE marking available on request

Various specs available –
contact us for full information

Ø mm*	Ø mm*
1.58	3.96
2.00	4.36
2.38	4.76
2.78	6.00
3.17	6.35
3.57	8.00

LENGTHS 150, 180, 200, 250mm
*Other lengths and diameters available

When ordering, use prefix letters
with size following
e.g. Trocar with one screw end
Ø4.76mm = IPTS/476



IPTT = trocar/trocar ends



IPTS = trocar/trocar with one screw end




IPTSE = trocar/square end



IPTSE3 = trocar/with 3 sided end

Bohler Stirrup



Code	Description
SM-OT-BS	Small 89 x 102mm
SM-OT-BS	Medium 114 x 165mm
SM-OT-BS	Large 152 x 241mm

Steinmann Pin Cap with Screw

Code	Description
SM-OT-SPCS	4mm Ø
SM-OT-SPCS	Replacement screw



SE OR 54b

Sterile Kirschner and Arthrodesis Wires

Sterile Kirschner and Arthrodesis Wires

Temporary implants, material conforms.

Sterile Trocar/ Sterile Trocar Arthrodesis Wires

Code	Size
SM-OT-SKAW	0.8mm x 70mm
SM-OT-SKAW	0.9mm x 70mm
SM-OT-SKAW	0.9mm x 75mm
SM-OT-SKAW	0.9mm x 100mm
SM-OT-SKAW	0.9mm x 125mm
SM-OT-SKAW	0.9mm x 140mm
SM-OT-SKAW	0.9mm x 150mm
SM-OT-SKAW	0.9mm x 180mm
SM-OT-SKAW	1.0mm x 70mm
SM-OT-SKAW	1.0mm x 75mm
SM-OT-SKAW	1.0mm x 100mm
SM-OT-SKAW	1.1mm x 90mm
SM-OT-SKAW	1.1mm x 100mm
SM-OT-SKAW	1.1mm x 115mm
SM-OT-SKAW	1.1mm x 125mm
SM-OT-SKAW	1.1mm x 140mm
SM-OT-SKAW	1.1mm x 150mm

Code	Size
SM-OT-SKAW	1.1mm x 200mm
SM-OT-SKAW	1.25mm x 150mm
SM-OT-SKAW	1.2mm x 70mm
SM-OT-SKAW	1.2mm x 100mm
SM-OT-SKAW	1.2mm x 125mm
SM-OT-SKAW	1.2mm x 140mm
SM-OT-SKAW	1.2mm x 150mm
SM-OT-SKAW	1.2mm x 180mm
SM-OT-SKAW	1.2mm x 200mm
SM-OT-SKAW	1.4mm x 70mm
SM-OT-SKAW	1.4mm x 100mm
SM-OT-SKAW	1.4mm x 115mm
SM-OT-SKAW	1.4mm x 125mm
SM-OT-SKAW	1.4mm x 140mm
SM-OT-SKAW	1.4mm x 150mm
SM-OT-SKAW	1.4mm x 180mm
SM-OT-SKAW	1.4mm x 200mm

Code	Size
SM-OT-SKAW	1.6mm x 50mm
SM-OT-SKAW	1.6mm x 70mm
SM-OT-SKAW	1.6mm x 100mm
SM-OT-SKAW	1.6mm x 115mm
SM-OT-SKAW	1.6mm x 125mm
SM-OT-SKAW	1.6mm x 150mm
SM-OT-SKAW	1.6mm x 180mm
SM-OT-SKAW	1.6mm x 200mm
SM-OT-SKAW	1.8mm x 200mm
SM-OT-SKAW	2.0mm x 100mm
SM-OT-SKAW	2.0mm x 115mm
SM-OT-SKAW	2.0mm x 125mm
SM-OT-SKAW	2.0mm x 150mm
SM-OT-SKAW	2.0mm x 180mm
SM-OT-SKAW	2.0mm x 200mm

Sterile Trocar/Sterile Kirschner Wires (Pack of 10 Sterile Singles)

Code	Size
SM-OT-SKAW	0.8mm x 70mm
SM-OT-SKAW	0.9mm x 70mm
SM-OT-SKAW	0.9mm x 75mm
SM-OT-SKAW	0.9mm x 100mm
SM-OT-SKAW	0.9mm x 125mm
SM-OT-SKAW	0.9mm x 140mm
SM-OT-SKAW	0.9mm x 150mm
SM-OT-SKAW	0.9mm x 180mm
SM-OT-SKAW	1.0mm x 70mm
SM-OT-SKAW	1.0mm x 75mm
SM-OT-SKAW	1.0mm x 100mm
SM-OT-SKAW	1.1mm x 90mm
SM-OT-SKAW	1.1mm x 100mm
SM-OT-SKAW	1.1mm x 115mm
SM-OT-SKAW	1.1mm x 125mm
SM-OT-SKAW	1.1mm x 140mm
SM-OT-SKAW	1.1mm x 150mm

Code	Size
SM-OT-SKAW	1.1mm x 200mm
SM-OT-SKAW	1.25mm x 150mm
SM-OT-SKAW	1.2mm x 70mm
SM-OT-SKAW	1.2mm x 100mm
SM-OT-SKAW	1.2mm x 125mm
SM-OT-SKAW	1.2mm x 140mm
SM-OT-SKAW	1.2mm x 150mm
SM-OT-SKAW	1.2mm x 180mm
SM-OT-SKAW	1.2mm x 200mm
SM-OT-SKAW	1.4mm x 70mm
SM-OT-SKAW	1.4mm x 100mm
SM-OT-SKAW	1.4mm x 115mm
SM-OT-SKAW	1.4mm x 125mm
SM-OT-SKAW	1.4mm x 140mm
SM-OT-SKAW	1.4mm x 150mm
SM-OT-SKAW	1.4mm x 180mm
SM-OT-SKAW	1.4mm x 200mm


Code	Size
SM-OT-SKAW	1.6mm x 50mm
SM-OT-SKAW	1.6mm x 70mm
SM-OT-SKAW	1.6mm x 100mm
SM-OT-SKAW	1.6mm x 115mm
SM-OT-SKAW	1.6mm x 125mm
SM-OT-SKAW	1.6mm x 150mm
SM-OT-SKAW	1.6mm x 180mm
SM-OT-SKAW	1.6mm x 200mm
SM-OT-SKAW	1.8mm x 200mm
SM-OT-SKAW	2.0mm x 100mm
SM-OT-SKAW	2.0mm x 115mm
SM-OT-SKAW	2.0mm x 125mm
SM-OT-SKAW	2.0mm x 150mm
SM-OT-SKAW	2.0mm x 180mm
SM-OT-SKAW	2.0mm x 200mm

OTHER SIZES, FULL AND PARTIALLY THREADED STYLES ARE ALSO AVAILABLE PLEASE CONTACT US WITH YOUR REQUIREMENTS.

Extremities Instruments and Sets

Fine Hand Set


Includes: small stille type mallet 17cm long and 2mm, 4mm, 6mm, 8mm, 10mm and 12mm osteotomes



Code

SM-OT-KIT 1

Flexible Chisels and Blades



Code	Description
SM-OT-FCB	Allen key for flat chisel blades introducer handle 185mm long
SM-OT-FCB	Chisel blade 5mm for introducer handle
SM-OT-FCB	Chisel blade 5mm curved for introducer handle
SM-OT-FCB	Chisel blade 10mm for introducer handle
SM-OT-FCB	Chisel blade 10mm curved for introducer handle
SM-OT-FCB	Chisel blade 15mm for introducer handle
SM-OT-FCB	Chisel blade 15mm curved for introducer handle
SM-OT-FCB	Introducer handle for flat chisel blades 185mm long

Mini Fine Hand Osteotomes

With blue acetal handle



Code	Description
SM-OT-MFHO	2mm wide, 165mm long
SM-OT-MFHO	4mm wide, 165mm long
SM-OT-MFHO	6mm wide, 165mm long
SM-OT-MFHO	8mm wide, 165mm long
SM-OT-MFHO	10mm wide, 165mm long
SM-OT-MFHO	12mm wide, 165mm long

Mini-Lexer Gouges


With blue acetal handle



Code	Description
SM-OT-MLG	4mm wide, 18cm long
SM-OT-MLG	6mm wide, 18cm long
SM-OT-MLG	8mm wide, 18cm long
SM-OT-MLG	10mm wide, 18cm long

Mini-Lexer Osteotome and Gouge Set

Includes 4mm, 6mm, 8mm, 10mm gouges 18cm long and 2mm, 4mm, 6mm, 8mm and 10mm osteotomes 18cm long



Code

SM-OT-KIT2

Mini-Lexer Osteotomes


With blue acetal handle



Code	Description
SM-OT-MLO	2mm wide, 18cm long
SM-OT-MLO	4mm wide, 18cm long
SM-OT-MLO	6mm wide, 18cm long
SM-OT-MLO	8mm wide, 18cm long
SM-OT-MLO	10mm wide, 18cm long


Removable Flexible Chisel and Blade Set

With blue acetal handle



Code	Description
SM-OT-BLADE SET	5mm, 10mm and 16mm straight
SM-OT-BLADE SET	5mm, 10mm and 16mm curved


Chiroubles Hand Immobilizer



Code	Description
CB3	Chirobloc 3 with wrist strap and 5 ForgetMeNots
CBL	Chirobloc Ballast
CBM	Chirobloc Large
CBP	Chirobloc Small
FMN2B.B	Chirobloc ForgetMeNot Blue
FMN2B.Y	Chirobloc ForgetMeNot Yellow

Small Mallet


Small mallet 340 gram 210mm long with one flat and one round end fitted with blue acetal handle



Code
SM-OT-MALLET

Small Stille Type Mallet

Ultra fine mallet 180mm long with one nylon head fitted with a blue acetal handle 180 gram




Code
SM-OT-MALLET

Shoulder Instruments

Kolbel Soft Tissue Retractor

Single-pronged, angled, 190mm




Code

SM-OT-KSTR

Kolbel Soft Tissue Retractor

Single-pronged, straight, very fine tips, 190mm



Code

SM-OT-KSTR

Kolbel Soft Tissue Retractor

Double pronged, angled, 190mm




Code

SM-OT-KSTR

Capsule Spreader

Single-pronged, fine, 90° curved, 165mm




Code

SM-OT-CS

Fukuda-Kujat Humeral Head Retractor

35mm, wide blade, 225mm



Code

SM-OT-FKHHR

Kolbel Self Retaining Glenoid Retractor

With ball snap-fit, slightly curved, 200mm



Code
SM-OT-KGR

Kolbel Glenoid Retractor

Double-pronged, angled tips, 300mm, 18mm straight



Code
SM-OT-KGR

Kolbel Glenoid Retractor


Double-pronged, angled tips, 300mm, 15mm strongly curved



Code
SM-OT-KGR

Pair of Kolbel Self Retaining Glenoid Retractor Blades

With ball fit



Code	Description
SM-OT-RB	Pair of blades size 36 x 36mm
SM-OT-RB	Pair of blades size 53 x 36mm
SM-OT-RB	Pair of blades size 68 x 36mm