SE 3XA3: Module Interface Specification Euneva

Team 9, Euneva Mehta, Jash - mehtaj8 Sharma, Aditya - shara24 Ren, Zackary - renx11

March 18, 2021

Contents

| 1 | Intr | oducti | ion | 2 |
|---|------|---------|--------------------------|---|
| 2 | MIS | of G | UI Module | 3 |
| | 2.1 | Interfa | ace Syntax | 3 |
| | | 2.1.1 | Exported Access Program | 3 |
| | | 2.1.2 | Exported Constants | 3 |
| | | 2.1.3 | Exported Types | 3 |
| | 2.2 | Interfa | ace Semantics | 3 |
| | | 2.2.1 | State Variables | 3 |
| | | 2.2.2 | Environment Variables | 3 |
| | | 2.2.3 | Assumptions | 3 |
| | | 2.2.4 | Access Program Semantics | 3 |
| 3 | MIS | of Lo | ogin Module | 4 |
| | 3.1 | Interfa | ace Syntax | 4 |
| | | 3.1.1 | Exported Access Program | 4 |
| | | 3.1.2 | Exported Constants | 4 |
| | | 3.1.3 | Exported Types | 4 |
| | 3.2 | Interfa | ace Semantics | 4 |
| | | 3.2.1 | State Variables | 4 |
| | | 3.2.2 | Environment Variables | 4 |
| | | 3.2.3 | Assumptions | 4 |
| | | 3.2.4 | Access Program Semantics | 4 |
| 4 | MIS | of Fi | lterCourses Module | 5 |
| | 4.1 | Interfa | ace Syntax | 5 |
| | | 4.1.1 | Exported Access Program | 5 |
| | | 4.1.2 | Exported Constants | 5 |
| | | 4.1.3 | Exported Types | 5 |
| | 4.2 | Interfa | ace Semantics | 5 |
| | | 4.2.1 | State Variables | 5 |
| | | 4.2.2 | Environment Variables | 5 |
| | | 4.2.3 | Assumptions | 5 |
| | | 424 | Access Program Semantics | 5 |

| 5 | MIS | S of As | ssignmentInformation Module | 6 |
|----------|-----|---------|-----------------------------|----|
| | 5.1 | Interfa | ace Syntax | 6 |
| | | 5.1.1 | Exported Access Program | 6 |
| | | 5.1.2 | Exported Constants | 6 |
| | | 5.1.3 | Exported Types | 6 |
| | 5.2 | Interfa | ace Semantics | 6 |
| | | 5.2.1 | State Variables | 6 |
| | | 5.2.2 | Environment Variables | 6 |
| | | 5.2.3 | Assumptions | 6 |
| | | 5.2.4 | Access Program Semantics | 6 |
| 6 | MIS | S of Q | uizInformation Module | 8 |
| | 6.1 | Interfa | ace Syntax | 8 |
| | | 6.1.1 | Exported Access Program | 8 |
| | | 6.1.2 | Exported Constants | 8 |
| | | 6.1.3 | Exported Types | 8 |
| | 6.2 | Interfa | ace Semantics | 8 |
| | | 6.2.1 | State Variables | 8 |
| | | 6.2.2 | Environment Variables | 8 |
| | | 6.2.3 | Assumptions | 8 |
| | | 6.2.4 | Access Program Semantics | 8 |
| 7 | MIS | S of Fi | ltering Module 1 | 0 |
| | 7.1 | Interfa | ace Syntax | .0 |
| | | 7.1.1 | Exported Access Program | 0 |
| | | 7.1.2 | Exported Constants | .0 |
| | | 7.1.3 | Exported Types | .0 |
| | 7.2 | Interfa | ace Semantics | .0 |
| | | 7.2.1 | State Variables | 0 |
| | | 7.2.2 | Environment Variables | 0 |
| | | 7.2.3 | | 0 |
| | | 7.2.4 | | C |
| | | | | |
| L | ist | of Ta | ables | |
| | 1 | Revis | sion History | 1 |

List of Figures

| Date | Version | Notes |
|------------|---------|---|
| 17/03/2021 | 1.0 | Initial version of Module Interface Specification |

Table 1: Revision History

1 Introduction

This project involves a lot of front-end web development. As a result, most of the components cannot be effectively described as part of the MIS format. However, the back-end components of the software, the components that involve more logic and have more engineering based design desicions have been the main focus of this MIS.

2 MIS of GUI Module

2.1 Interface Syntax

2.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|-------------|----|-----|------------|
| Constructor | - | GUI | - |

2.1.2 Exported Constants

None

2.1.3 Exported Types

None

2.2 Interface Semantics

2.2.1 State Variables

Not Applicable

2.2.2 Environment Variables

GUI

2.2.3 Assumptions

None

2.2.4 Access Program Semantics

Constructor():

Input: None Transition: None

CHILL OF 1

Output: GUI of To-do list app

3 MIS of Login Module

3.1 Interface Syntax

3.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|-------|--------------------------|-----|-----------------------|
| Login | usernameArg, passwordArg | - | InvalidLoginException |

3.1.2 Exported Constants

None

3.1.3 Exported Types

None

3.2 Interface Semantics

3.2.1 State Variables

Not Applicable

3.2.2 Environment Variables

None

3.2.3 Assumptions

A valid MACID and password will be entered as usernameArg and passwordArg

3.2.4 Access Program Semantics

login(usernameArg, passwordArg):

Input: usernameArg, passwordArg

Transition: Submits entered information

Output: None

Exception: InvalidLoginException if usernameArg or passwordArg is not

a valid MACID or password

4 MIS of FilterCourses Module

4.1 Interface Syntax

4.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|---------------|---------------------|-----|-----------------------|
| filterCourses | shadowRoot, panelId | - | InvalidLoginException |

4.1.2 Exported Constants

None

4.1.3 Exported Types

None

4.2 Interface Semantics

4.2.1 State Variables

Not Applicable

4.2.2 Environment Variables

None

4.2.3 Assumptions

None

4.2.4 Access Program Semantics

filterCourses(shadowRoot):

Input: shadowRoot: CSS element

Transition: Filters courses for current semester

Output: panelID: String

5 MIS of AssignmentInformation Module

5.1 Interface Syntax

5.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|-----------------------------|-----------------------|---------------------|------------|
| getAssignmentInformation | classNames, classUrls | assignmentJson | - |
| getClasses | shadowRoot, panelID | classUrls, class- | - |
| | | Names | |
| getAssignmentDueDates | dueDateElems | dateArr | - |
| getAssignmentCompleteStatus | completionStatusElems | completionStatusArr | - |
| getAssignmentFolderNames | assignmentFolderElems | assignmentNamesArr | - |

5.1.2 Exported Constants

None

5.1.3 Exported Types

None

5.2 Interface Semantics

5.2.1 State Variables

Not Applicable

5.2.2 Environment Variables

None

5.2.3 Assumptions

None

5.2.4 Access Program Semantics

getAssignmentInformation(classNames, classUrls): Input: classNames, classUrls: String arrays Transition: Collects and returns all assignment information in a dictio-

nary

Output: assignmentJson: dictionary

Exception: None

getClasses(shawdowRoot, panelID):

Input: shadowRoot, panelID: CSS element, String Transition: Obtains all classUrls and classNames Output: classUrls, classNames: String arrays

Exception: None

getAssignmentDueDates(dueDateElems):

Input: dueDateElems: CSS elements

Transition: Collects assignment due dates for every class

Output: dateArr: String array

Exception: None

get Assignment Complete Status (completion Status Elems):

Input: completionStatusElems: CSS elements

Transition: Collects assignment completion status for every class

Output: completionStatusArr: String array

Exception: None

getAssignmentFolderNames(assignmentFolderElems):

Input: assignmentFolderElems: CSS elements

Transition: Collects assignment folder names for every class

Output: assignmentNamesArr: String array

6 MIS of QuizInformation Module

6.1 Interface Syntax

6.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|-----------------------|-----------------------|-----------------------|------------|
| getQuizInformation | classNames, classUrls | quizJson | - |
| getQuizFolderNames | quizFolderElems | quizNamesArr | - |
| getQuizDueDates | dueDateClass | dateArr | - |
| getQuizCompleteStatus | completionStatusElems | completionStatusArr | - |
| getClasses | shadowRoot, panelID | classUrls, classNames | - |

6.1.2 Exported Constants

None

6.1.3 Exported Types

None

6.2 Interface Semantics

6.2.1 State Variables

Not Applicable

6.2.2 Environment Variables

None

6.2.3 Assumptions

None

6.2.4 Access Program Semantics

getAssignmentInformation(classNames, classUrls):

Input: classNames, classUrls: String arrays

Transition: Collects and returns all assignment information in a dictionary

Output: assignmentJson: dictionary

Exception: None

getQuizInformation(classNames, classUrls):

Input: classNames, classUrls: String arrays

Transition: Collects and returns all quiz information in a dictionary

Output: quizJson: dictionary

Exception: None

getQuizFolderNames(quizFolderElems):

Input: quizFolderElems: CSS elements

Transition: Collects guiz folder names for every class

Output: quizNamesArr: String array

Exception: None

getQuizDueDates(dueDateClass):

Input: dueDateClass: CSS elements

Transition: Collects quiz due dates for every class

Output: dateArr: String array

Exception: None

getQuizCompleteStatus(completionStatusElems):

Input: completionStatusElems: CSS elements

Transition: Collects quiz completion status for every class

Output: completionStatusArr: String array

Exception: None

getClasses(shadowRoot, panelID):

Input: shadowRoot, panelID: CSS element, String Transition: Obtains all classUrls and classNames Output: classUrls, classNames: String arrays

7 MIS of Filtering Module

7.1 Interface Syntax

7.1.1 Exported Access Program

| Name | In | Out | Exceptions |
|-----------------------------|----------------|--------------------------|------------|
| filterAssignmentInformation | assignmentData | assignment Data Filtered | - |
| filterQuizInformation | quizData | quizDataFiltered | - |
| main | - | - | - |

7.1.2 Exported Constants

None

7.1.3 Exported Types

None

7.2 Interface Semantics

7.2.1 State Variables

Not Applicable

7.2.2 Environment Variables

None

7.2.3 Assumptions

None

7.2.4 Access Program Semantics

filterAssignmentInformation(assignmentData):

Input: assignmentData: dictionary

Transition: Filters all assignment information and returns a dictionary

Output: assignmentDataFiltered: dictionary

Exception: None

filter Quiz Information (quiz Data):

Input: quizData: dictionary

Transition: Filters all quiz information and returns a dictionary

Output: quizDataFiltered: dictionary

Exception: None

main():

Input: None

Transition: Uses other modules to combine and filter all information.

Output: None Exception: None