

Test Report: Project Title

Author Name

March 8, 2023

1 Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

2 Symbols, Abbreviations and Acronyms

symbol	description
T	Test

[symbols, abbreviations or acronyms – you can reference the SRS tables if needed —SS]

Contents

1	Revision History	i
2	Symbols, Abbreviations and Acronyms	ii
3	Functional Requirements Evaluation	1
3.1	Start Screen	1
3.2	Map Interactions	3
3.3	Backend Processing	4
4	Nonfunctional Requirements Evaluation	6
4.1	Usability	6
4.2	Performance	6
4.3	etc.	6
5	Comparison to Existing Implementation	6
6	Unit Testing	7
7	Changes Due to Testing	7
7.1	Preliminary Information Tests	7
7.2	Map Interactions	7
7.3	Backend Processing	7
8	Automated Testing	7
9	Trace to Requirements	7
10	Trace to Modules	7
11	Code Coverage Metrics	7

List of Tables

List of Figures

This document ...

3 Functional Requirements Evaluation

Tests taken from V and V Plan section 5.1 are evaluated here and the corresponding section names are used as well.

3.1 Start Screen

Start screen covers functional requirements 1-5 from the SRS as all those requirements are related to the inputs and functionality that exists in the program before any processing or output is shown

Preliminary Information Tests

1. preliminary-information-test-1

Control: Automatic

Initial State: No input in the start screen

Input: Start Location

Desired output: Status Message stating if the start Location was accepted

Actual Output: No status message found

Result: Test case failed as the app failed to display a popup of location being validated.

Impact: The app will assume the use of valid start location as input as the core use of this app is to find the cost of trips not validate locations it is given.

2. preliminary-information-test-2

Control: Automatic

Initial State: No input in the start screen

Input: Location of the Destination

Output: Status Message stating if the Location was accepted

Desired output: Status Message stating if the destination location was accepted

Actual Output: No status message found

Result: Test case failed as the app failed to display a popup of the location being validated.

Impact: The app will assume the use of valid end locations as input as the core use of this app is to find the cost of trips not validate locations it is given.

3. preliminary-information-test-3

Control: Automatic

Initial State: No input in the start screen

Input: Car Details

Desired output: Status Message stating if the Car Information was accepted

Actual Output: No status message found

Result: Test case failed as the app failed to display a popup of the status message validating car details.

Impact: The app with its dropdown menus only allows the user to select valid cars and similarly only asks for mileage as alternative.

4. preliminary-information-test-4

Control: Automatic

Initial State: Accepted Car details in the start screen

Input: Car mileage/fuel economy information

Desired output: Status Message stating if the Car mileage/fuel economy information was accepted

Actual Output: No status message found

Result: Test case failed as the app failed to display a popup of the status message validating mileage information.

Impact: Small popup known as toast will be added to the app to indicate a valid/invalid value has been added to the mileage.

5. preliminary-information-test-5

Control: Automatic

Initial State: Accepted Car details in the start screen

Input: Car information

Desired output: Status Message stating if the Car information was updated

Actual Output: No status message found

Result: Test case failed as the app failed to display a popup of the status message stating if the Car information was updated successfully.

Impact: The popup does not need to exist as the app should require a full reset as a lot of different information needs to be updated to make this feature viable for the major goal of this app.

3.2 Map Interactions

Map Interaction covers functional requirements 6-8 as these requirements are concerned with functionality related to the map on display.

Map Tests

1. map-test-1

Control: Manual

Initial State: Start Screen finished

Input: None

Desired output: Map displaying a route from start to end based on start screen input

Actual Output: Found full route displayed on the map to indicate the route the app considers most ideal

Result: Test case passed as the desired output was found in the app.

Impact: None

2. map-test-2

Control: Manual

Initial State: Start Screen finished

Input: None

Desired output: Map displaying all gas stations that it can possibly encounter along the route from a start to end destination

Actual Output: Found no gas stations along the route being displayed.

Result: Test case failed as the desired output was not found in the app.

Impact: The requirement that was used in the derivation process for this is not important anymore as the app functions on the basis that refueling is done at the start of the trip.

3. map-test-3

Control: Manual

Initial State: Start Screen finished

Input: None

Desired output: Map displaying all gas station prices as they come up along the displayed route

Actual Output: Found no gas stations as such along the route being displayed.

Result: Test case failed as the desired output was not found in the app.

Impact: Gas prices could not feasibly be found for all the gas stations as such the requirements used to derive this test case are not valid anymore.

3.3 Backend Processing

Backend processing covers functional requirements 9-12 as these requirements are concerned with calculations and, external data collection and processing alike.

Backend Tests

1. backend-test-1

Control: Automatic

Initial State: Start Screen finished

Input: Route Details

Desired output: Route returned to the user is one that is optimizing the distance and elevation perfectly to reduce fuel costs

Actual Output: Route returned to the user is optimized to minimize fuel costs

Result: Test case passed as the main goal of the optimization is achieved as minimal fuel costs are being shown.

Impact: None.

2. backend-test-2

Control: Automatic

Initial State: Start Screen finished

Input: Route Details

Desired output: The database call on the backend returns correct elevation data for a route.

Actual Output: The route details for multiple routes was matched with correct reference data in the framework and was found to be identical.

Result: Test case passed as the desired output was achieved.

Impact: None.

3. backend-test-3

Control: Automatic

Initial State: Start Screen finished

Input: Route Details

Desired output: Correct mileage is given by backend for a certain co-ordinate.

Actual Output: Mileage that matched reference value is given by the backend.

Result: Test case passed as the desired output was achieved.

Impact: None.

4. backend-test-4

Control: Automatic

Initial State: Start Screen finished

Input: Route Details

Desired output: Correct total cost is calculated by the backend for a certain route with a start and end decisions as the route details.

Actual Output: All data required for correct total cost is given by the backend which is verified with reference data and equated in the front end.

Result: Test case passed as the desired output was achieved.

Impact: None.

4 Nonfunctional Requirements Evaluation

4.1 Usability

4.2 Performance

4.3 etc.

5 Comparison to Existing Implementation

This section will not be appropriate for every project.

6 Unit Testing

7 Changes Due to Testing

7.1 Preliminary Information Tests

To start with there will be some changes incoming to the SRS firstly FR-1 and FR-2 will be removed or modified due to preliminary-information-test-1 and 2. And FR-3 will be modified due to the results of test preliminary-information-test-3. The test preliminary-information-test-4 showed there is a need for small popup with the use of a toast ui component in the app and this will be added to the application. The test preliminary-information-test-5 showed that the SRS needs to be updated with removal or modification of FR-5 due to the changed priorities of the application.

7.2 Map Interactions

The test Mapmap-test-2 showed that the SRS needs to be changed for FR-7 as the refueling functionality has been modified from original concept of the application so this requirement will be changed or removed entirely. Similar idea for map-test-3 as the refueling functionality of the original concept has changed there is no need to show individual fuel prices in a certain area with the need of it being removed/changed.

7.3 Backend Processing

No changes to the backend from the testing.

8 Automated Testing

9 Trace to Requirements

10 Trace to Modules

11 Code Coverage Metrics

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

- 1.
- 2.