
Less PC.

Less cable. Less downtime.

A machine-side solution for NC transfer, serial-port protection, and shift reports.



Owner / Manager | Programmer / Engineering | CNC Operator

Elecio Smart DNC mounts beside each CNC and sends NC programs to the control without a separate PC or long DNC cabling.

One CNC
does not need its own PC

Many shops keep an old PC and RS232 cable beside each CNC just to send programs. That means more maintenance and more failure points.

01

Extra PC

Each machine needs power, Windows, software, and maintenance.

02

PC failure stops transfer

If that PC or its port fails, program transfer stops for that machine.

03

Crowded machine area

Case, monitor, mouse, and cables take space near the operator.

04

Scattered versions

Files get spread across USB drives, PCs, and folders.

Elecio replaces the PC beside the CNC. Each machine has its own device.

Files are managed from one software environment, but production does not depend on one central PC.

One software for management;

one independent device beside each CNC

Elecio is not a single serial server that can stop the whole line.
Each CNC receives programs through its own device.

Prepare in office

Select target CNC

Send by network / WiFi



Receive on Elecio device

Short serial link to CNC

Log time and result

Result for the shop

Fewer PCs, fewer cables, less dependency, and better file control.

Management software | Elecio device | Operator | CNC machine

Less cable;
fewer DNC problems

Long RS232 cables in a workshop can pick up noise and cause unstable or incomplete transfers.

01 Electrical noise

Long cable runs are more exposed to noise and harder to troubleshoot.

02 Dropouts and incomplete transfer

One weak connection can stop a transfer in the middle.

03 Costly cabling

Layout changes often mean new cable routing and testing.



With Elecio, the serial cable stays short beside the CNC. Main transfer runs over the network.


Port failure
can mean days of downtime

On older CNCs, communication boards are not easy to replace. A bad PC port or power issue can create repair cost and downtime.

01 Lower direct-damage risk
Elecio sits between the network and the CNC serial port, reducing reliance on old PC ports.

02 Less port handling
The machine port is not repeatedly plugged and unplugged.

03 Less machine downtime
The goal is to avoid losing a valuable CNC for days because of one port.



CNC port | Power fluctuation | Old PC | Machine downtime

The CNC serial port is a sensitive point. Elecio is built to protect it.

Numbers that actually help the shop

Elecio logs program execution with date and time, so running time, idle time, and preparation time become visible.

01 Program runtime

How long each program ran on the machine.

02 Time between cycles

Part loading, setup, tool change, and waiting time become visible.

03 End-of-shift report

See which machines ran and which ones waited.

Reporting logic

Program start +

Program end +

Time between cycles =

Machine idle time


Simple shop formula

Shift time - actual run time = time to review and improve

12-month warranty | Software updates | Technical support

The file is ready;
the transfer path is shorter

No need to walk to a separate PC, USB drive, or cable for every CNC. Send the file from the work area.



01 Select target CNC

The program is sent to the selected CNC.

02 Description and tag

Job name, note, and file version stay clear.

03 Transfer without walking

Engineering stays focused on CAM and production, not carrying files.

Goal: the right file, on the right CNC, without extra walking.

File control

from one simple interface

From Windows, web, or mobile, select the CNC, send the file, and monitor the transfer status.

01
Select CNC

02
File folders

03
Send by WiFi / network



04 Grouped programs

Group multiple files for one job or sequence.

05 Auto repeat

For repeat production, the program is ready for the next run.

Windows | Mobile | Web | Device discovery on network

Files stay organized; history stays available

Keep programs organized per CNC and review what was sent, when, and to which machine.



1. **Folders by machine or job**
   Files remain easy to find.
2. **Transfer time log**
   Time, user, and target CNC can be checked.
3. **Transfer status check**
   Connection errors and incomplete transfer are easier to spot.
4. **Linked to run reports**
   Active program, runtime, and successful runs appear in reports.

When file versions conflict, transfer history makes review faster.

Organized archive | Parameter storage | Transfer history

The program is ready on the device; the operator only selects it

The operator stays beside the CNC and selects the right file by name and note.

01 Quick program receive

From engineering to the device beside the CNC.

02 Lower selection error

Name, folder, and note reduce wrong-file risk.

03 Serial-port protection

The machine port is handled less and stays in a safer path.



Simple | Low hassle | Reliable

Operator work should be clear and fast, not tied to PCs and cables.

Receive, check, run

A simple path for the operator

The device interface is made for shop-floor use: short, clear, and practical.



Receive

The program is ready in a clear folder on the Elecio device.

1

Check

Check file name and job note.

2

Run

Send to CNC control and start production.

3

Grouped program

Auto repeat

Sleep / standby mode

For repeat jobs, the next run is prepared faster.

Time between two cycles
is no longer hidden


The gap after one program ends and before the next starts is recorded. This shows loading, setup, or waiting time.

01
Part loading

02
Setup and zeroing

03
Tool or material change

04
Waiting for operator or part



The purpose is not to blame people; it is to find repeated delays and reduce downtime.

Simple data for the next shift decision.

One industrial solution; for old and new CNCs

One Elecio device is installed beside each CNC, while the software manages transfer and archive.

Machine-side hardware



- No separate PC beside each CNC
- Short serial connection to CNC
- Serial-port protection
- Program receive by WiFi / network
- Machine communication parameters saved

Management software



- File management and folders
- Direct transfer and status monitoring
- Grouped programs and auto repeat
- Transfer history and run reports
- Windows / Web / Mobile

Compatible with major CNC controls

FANUC	SIEMENS	HEIDENHAIN
MITSUBISHI	HAAS	CHARMILLES

Final compatibility is checked by control model, port type, and machine condition before purchase.

Connect machines without extra PCs to file flow and reporting

To check compatibility, send the control model, port photo, and current transfer method to Elecio.

01 **Website**

elecio.ir

02 **Email**

info@elecio.ir

03 **Call / consultation**

026 4472 5131

Scan to visit the website and request consultation.

How to start

01 **Send machine details**

Control model, port, and current transfer method

02 **Technical check**

Cable type, parameters, and compatibility

03 **Demo and proposal**

A solution based on number of machines

04 **Installation and training**

Setup, transfer test, and operator training