

Name: Mehul Vinod Gohil

Roll No: 14fyit

1. Explain Green Computing With its advantages

Ans:- INTRODUCTION.

Green computing is the study and practice of minimizing the environmental impact of computer system and related resources effectively and eco-friendly. It is an emerging concept towards reducing the hazardous material and save our environment from the harmful impacts of the computer, CPU, servers and other electronic devices

Green computing is an application of environmental science which offers economically possible solutions that conserve natural environment and its resources. Green computing is designing, manufacturing, using and disposing of computers and its resources efficiently with minimal or no impact on environment. The goals of Green computing is to manage the power and energy efficiency, choice of eco friendly hardware and software, and recycling the material to increase the product's life. Go for Green computer reduced your electricity bill and give a full rest to your mind. Now in these days, we use the star management strategies and technologies that reduce energy consumption waste.

1. Energy Savings

Apart from computers, there are different kinds of electrical appliances that consume significant amount of energy. This creates a demand for the energy production. Therefore, it is necessary to decrease this energy crisis as much as possible for making a more eco-friendly environment.

Green computing makes sure that very less amount of energy is consumed by the IT processes. Thus, this can save plenty amount of energy overtime.

2. Cost Savings

Green computing is highly cost effective that helps people save money. Since lots of energies are saved when using a green computing solution, it also substantially leads to financial gains. Even though green computing is with high upfront costs, still it is cost effective in the long run.

3. Recycling Process

Green computing encourages recycling process by reusing and recycling electronic wastes. Most parts of the computer are constructed using eco-friendly materials instead of plastic so that it can have less environmental impacts. This makes all the electronic wastes to get separated efficiently. Hence by implementing green computing strategies, companies overall can improve their recycling process.

4. Brand Strengthen

Some customers are so well concerned about the environment that they are solely preferring to go with companies that support green computing. Green computing is capable of creating public images so that they can strengthen their brand and market position all around the world.

5. Less Pollution

Through conventional computing, lots of pollution issues take place in the environment. For an example, if not properly recycled all the electronic wastes from the computer may end up circulating on land. Thus, leading to soil as well as water pollution. By using green computing, the users can minimize the impact created by pollution at least to some extent.

6. GHG Emission

During the production of IT hardware, tremendous amount of green house gases are released to the atmosphere. Especially, since harmful gases such as carbon dioxide are emitted, it could lead to global warming. Hence, for lowering the amount of green house gases emitted, the production of hardware components must be reduced as well. This is how green computing works effectively.

7. Chemical Exposure

In most of the electronic devices, harmful chemicals such as mercury is used. If a human happens to get contacted with those substances, he/she will probably suffer from health risks. Some of the known health risks are triggering of immune responses, nerve damage or even cancer. The companies which practice green computing potentially avoid the use of non-toxic substances during the production of computer hardware.

2. What is E-waste? What can be done to reduce the impact of E-waste.

Ans:-

E-waste is any electrical or electronic equipment that's been discarded. This includes working and broken items that are thrown in the garbage or donated to a charity reseller like Goodwill. Often, if the item goes unsold in the store, it will be thrown away. E-waste is particularly dangerous due to toxic chemicals that naturally leach from the metals inside when buried.

The challenge of reducing e-waste is something everyone needs to become aware of and make a commitment to doing, and it starts with understanding why we don't want our used electronics continuously flowing into community landfills.

Electronic waste is defined as discarded electrical or electronic devices that can lead to human and environmental damage if they get put in landfills. These devices contain toxic chemicals like mercury and lead, and while they're safe to use once they get placed in a landfill those toxins can seep out into the soil and water, contaminating both. If those toxins get into your drinking water then that presents a health hazard for you and your family.

And this is no minor challenge. As technology evolves and keeps improving our electronics, giving us incentives to get rid of our current models for the newest one, there's been a tendency to just throw away these products. This has created a serious global e-waste problem.

Reducing e-waste isn't just about eliminating those environmental risks. Minimizing e-waste also helps us to conserve resources and reduces the amount of energy we need to make these products; recycling parts within e-waste uses considerably less energy than creating new ones.

We can also help keep down the cost of new consumer goods by using recycled parts to make new products. This is a far less expensive proposition for manufacturers than having to go mining for virgin ore to make new metals. This means that the cost of making a new smartphone, or any other electronic device, goes down once manufacturers are able to access the parts they need from the recycling industry.

So this is a win-win proposition all around. The challenge, of course, is that not enough people know that e-waste can be recycled.

That's why one of the strongest and most effective ways on learning how to reduce e-waste is to help spread the word about recycling.

If you're someone that already recycles your e-waste then it's great that you're already doing your part to reduce waste. Now it's time to go the next step and share your knowledge with other people — family, friends, neighbors, coworkers — who may not be aware of the hazards that e-waste poses.

If you have a family member or friend that just got a new smartphone or laptop, or simply plans on disposing of their old ones, talk to them about recycling it with an experienced recycling firm like Great Lakes Electronics Corporation, which can make the parts within them available to new users and manufacturers.

It's also important to share your knowledge on the detrimental impact of throwing those devices away, or even hoarding them, this gives people a reason to act on your advice. If your friends and family members appreciate recycling and faithfully toss their plastics, cans and papers in municipal bins, let them know how easy it is to recycle e-waste. They can easily call a recycling firm, like Great Lakes Electronics Corporation, and do the same with their e-waste.

3. What are the benefits of going paperless.

Ans:-

Saves Time

Time spent filing, organizing, and searching for paper documents is time that could be spent on more productive tasks. Digitized documents are stored in a central repository, which is basically a well-organized digital filing cabinet where all of your documents live.

Using a digital document management system, you'll get to harness the same powerful search abilities that you're used to using on Google. This means employees can find files at the click of a button, much more quickly than the laborious, manual process of searching for a specific file in a buried folder. **Employees are able to use this extra time on revenue-generating projects.**

Saves Space

Paper takes up a lot of space – as do filing cabinets and space to store those filing cabinets. Books and bookshelves are bulky, too. What's worse, paper keeps piling up, oftentimes accumulating more quickly than it can be sorted and organized. This is particularly true of industries that have long mandatory retention periods for paperwork like the financial industry.

Digitizing files allows you to store all documents either on an on-premises server or in the cloud. Digital file folders in a repository require much less space than a physical records archive.

Saves Money

Going digital improves process efficiency, saving you money. Paperless offices can process a much larger volume of paperwork compared to traditional offices in the same amount of time.

Further, digitization reduces money spent on paper, printers, ink, postage, office space for files and employee time to manage paperwork. The savings on employee time become especially valuable in regards to regulatory audits and repetitive, high-volume tasks like expense reimbursements.

Eases Transfer of Information

Document management software offers a simple process for saving documents. The software easily compiles digital documents using scanners, mobile capture using a camera on a phone or tablet or importing any file type (.docx, .pdf, image files). Many commonly used applications, like Microsoft Office and Adobe Acrobat, integrate with document management systems and have native plugins which allow you to file your document into your content management system with just one click.

Promotes the Environment

Manufacturing paper products produce greenhouse gases, causing deforestation and global warming. Recycling can offset some of the environmental impact, but not by much. Most paper eventually ends up in a landfill. Further, ink and toners contain volatile compounds and non-renewable substances which are damaging to the environment. It is much more sustainable to simply reduce paper use altogether by switching to a paperless office.

Boosts Security

Physical documents are hard to track – reams of paper can get lost, misfiled or destroyed without anyone noticing. It can also be difficult to monitor the access, printing and copying of sensitive files. Document management software has advanced security capabilities that can tackle these challenges. System administrators can set-up granular access rights, which assign permissions at the document level (e.g. settings based on the type of document), user level (e.g. settings based on person's job function), or system level (e.g. overarching security for all data in the system).

The security benefits of a paperless workplace go beyond access rights. Implementing document management software also allows organizations to leverage electronic signatures, redact confidential information, create audit trails and more.

4. What is Github ? Give advantages of using Github.

Ans:

Github is a hosting platform wherein developers can store their computer code in the github server in files and folders called repository and track them continuously. It is an open-source version control and collaboration platform for program developers.

It helps all the programmers to collaborate with each other who are working on a similar project and also share their code easily as and when required. The collection of these files will show the source code of a program which is spread across the files to make it easier to manage what can be many thousands of lines of code and still be able to find the parts you need to find.

Advantages of GitHub

It's free and it is open source:

As discussed earlier, github is completely free and you can use it without paying and since it is an open source you can download the source code and can make changes as per the requirements.

It is fast:

Since most of the operations are preferred locally, it allows huge benefit in terms of speed.

It provides good backup:

Here chance of losing data is very low as it provides the multiple copies of it.

Multiple developers can work:

Github allows multiple developers to work on a single project at a time. It helps all the team members to work together on a single project at a time from different locations.

Conclusion

Once you know the usage of github repository you can go ahead and start using it. It has the best interface to its concepts and is a solid base to work from.

Github is the most preferred platform of developers especially whenever the developers are working on a single project from different locations.

5. Write the program using PEP8 rules.

Ans:-

It gets difficult to understand a messed up handwriting, similarly an unreadable and unstructured code is not accepted by all. However, you can benefit as a programmer only when you can express better with your code. This is where PEP comes to the rescue.

Python Enhancement Proposal or PEP is a design document which provides information to the Python community and also describes new features and document aspects, such as style and design for Python.

Python is a multi-paradigm programming language which is easy to learn and has gained popularity in the fields of Data Science and Web Development over a few years and **PEP 8** is called the style code of Python. It was written by Guido van Rossum, Barry Warsaw, and Nick Coghlan in the year 2001. It focuses on enhancing Python's code readability and consistency. Join the certification course on [Python Programming](#) and gain skills and knowledge about various features of Python along with tips and tricks.

A Foolish Consistency is the Hobgoblin of Little Minds

‘A great person does not have to think consistently from one day to the next’ — this is what the statement means.

Consistency is what matters. It is considered as the style guide. You should maintain consistency within a project and mostly within a function or module.

However, there will be situations where you need to make use of your own judgement, where consistency isn't considered an option. You must know when you need to be inconsistent like for example when applying the guideline would make the code less readable or when the code needs to comply with the earlier versions of Python which the style guide doesn't recommend.

In simple terms, you cannot break the backward compatibility to follow with PEP.

The Zen of Python

It is a collection of 19 ‘guiding principles’ which was originally written by Tim Peters in the year 1999. It guides the design of the Python Programming Language.

Python was developed with some goals in mind. You can see those when you type the following code and run it:

```
>>> import this
```

The Zen of Python, by Tim Peters

Beautiful is better than ugly.

Explicit is better than implicit.

Simple is better than complex.

Complex is better than complicated.

Flat is better than nested.

Sparse is better than dense.

Readability counts.

Special cases aren't special enough to break the rules.

Although practicality beats purity.

Errors should never pass silently.

Unless explicitly silenced.

In the face of ambiguity, refuse the temptation to guess.

There should be one-- and preferably only one --obvious way to do it.

Although that way may not be obvious at first unless you're Dutch.

Now is better than never.

Although never is often better than **right** now.

If the implementation is hard to explain, it's a bad idea.

If the implementation is easy to explain, it may be a good idea.

Namespaces are one honking great idea -- let's do more of those!

The Need for PEP 8

Readability is the key to good code. Writing good code is like an art form which acts as a subjective topic for different developers.

Readability is important in the sense that once you write a code, you need to remember what the code does and why you have written it. You might never write that code again, but you'll have to read that piece of code again and again while working in a project.

PEP 8 adds a logical meaning to your code by making sure your variables are named well, sufficient whitespaces are there or not and also by commenting well. If you're a beginner to the language, PEP 8 would make your coding experience more pleasant.

Following PEP 8 would also make your task easier if you're working as a professional developer. People who are unknown to you and have never seen how you style your code will be able to easily read and understand your code only if you follow and recognize a particular guideline where readability is your de facto.

And as Guido van Rossum said— “Code is read much more than it is often written”.

The Code Layout

Your code layout has a huge impact on the readability of your code.

Indentation

The indentation level of line is computed by the leading spaces and tabs at the beginning of a line of logic. It influences the grouping of statements.

The rules of PEP 8 says to use 4 spaces per indentation level and also spaces should be preferred over tabs.

An example of code to show indentation:

```
x = 5
```

```
if x < 10:
```

```
    print('x is less than 10')
```

Tabs or Spaces?

Here the **print** statement is indented which informs Python to execute the statement only if the **if** statement is true. Indentation also helps Python to know what code it will execute during function calls and also when using classes.

PEP 8 recommends using 4 spaces to show indentation and tabs should only be used to maintain consistency in the code.

Python 3 forbids the mixing of spaces and tabs for indentation. You can either use tabs or spaces and you should maintain consistency while using Python 3. The errors are automatically displayed:

```
python hello.py
```

```
File "hello.py", line 3
```

```
    print(i, j)
```

```
        ^
```

```
TabError: inconsistent use of tabs and spaces in indentation
```

However, if you're working in Python 2, you can check the consistency by using a **-t** flag in your code which will display the warnings of inconsistencies with the use of spaces and tabs.

You can also use the **-tt** flag which will show the errors instead of warnings and also the location of inconsistencies in your code.

Maximum Line Length and Line Breaking

The Python Library is conservative and **79 characters** are the maximum required line limit as suggested by PEP 8. This helps to avoid line wrapping.

Since maintaining the limit to 79 characters isn't always possible, so PEP 8 allows wrapping lines using Python's implied line continuation with parentheses, brackets, and braces:

```
def function(argument_1, argument_2,  
            argument_3, argument_4):  
    return argument_1
```

Or by using backslashes to break lines:

```
with open('/path/to/some/file/you/want/to/read') as example_1, \  
    open('/path/to/some/file/being/written', 'w') as example_2:  
    file_2.write(file_1.read())
```

When it comes to binary operators, PEP 8 encourages to break lines before the binary operators. This accounts for more readable code.

Let us understand this by comparing two examples:

Example 1

Do

```
total = ( variable_1 + variable_2 - variable_3 )
```

Example 2

Don't

```
total = ( variable_1 + variable_2 - variable_3 )
```

In the first example, it is easily understood which variable is added or subtracted, since the operator is just next to the variable to which it is operated. However, in the second example, it is a little difficult to understand which variable is added or subtracted.

Indentation with Line Breaks

Indentation allows a user to differentiate between multiple lines of code and a single line of code that spans multiple lines. It enhances readability too.

The first style of indentation is to adjust the indented block with the delimiter:

```
def function(argument_one, argument_two,  
            argument_three, argument_four):  
    return argument_one
```

You can also improve readability by adding comments:

```
x = 10  
  
if (x > 5 and  
    x < 20):  
    # If Both conditions are satisfied  
    print(x)
```

Or by adding extra indentation:

```
x = 10  
  
if (x > 5 and  
    x < 20):  
    print(x)
```

Another type of indentation is the **hanging indentation** by which you can symbolize a continuation of a line of code visually:

```
foo = long_function_name(  
    variable_one, variable_two,  
    variable_three, variable_four)
```

You can choose any of the methods of indentation, following line breaks, in situations where the 79 character line limit forces you to add line breaks in your code, which will ultimately improve the readability.

Closing Braces in Line Continuations

Closing the braces after line breaks can be easily forgotten, so it is important to put it somewhere where it makes good sense or it can be confusing for a reader.

One way provided by PEP 8 is to put the closing braces with the first white-space character of the last line:

```
my_list_of_numbers = [  
    1, 2, 3,  
    4, 5, 6,  
    7, 8, 9  
    ]
```

Or lining up under the first character of line that initiates the multi-line construct:

```
my_list_of_numbers = [  
    1, 2, 3,  
    4, 5, 6,  
    7, 8, 9  
    ]
```

Remember, you can use any of the two options keeping in mind the consistency of the code.

Blank Lines

Blank lines are also called vertical whitespaces. It is a logical line consisting of spaces, tabs, formfeeds or comments that are basically ignored.

Using blank lines in top-level-functions and classes:

```
class my_first_class:  
  
    pass  
  
class my_second_class:
```

```
pass

def top_level_function():

    return None
```

Adding two blank lines between the top-level-functions and classes will have a clear separation and will add more sensibility to the code.

Using blank lines in defining methods inside classes:

```
class my_class:

    def method_1(self):

        return None


    def method_2(self):

        return None
```

Here, a single vertical space is enough for a readable code.

You can also use blank spaces inside multi-step functions. It helps the reader to gather the logic of your function and understand it efficiently. A single blank line will work in such case.

An example to illustrate such:

```
def calculate_average(number_list):

    sum_list = 0

    for number in number_list:

        sum_list = sum_list + number

    average = 0
```

```
average = sum_list / len(number_list)
```

```
return average
```

Above is a function to calculate the **average**. There is a blank line between each step and also before the **return** statement.

The use of blank lines can greatly improve the readability of your code and it also allows the reader to understand the separation of the sections of code and the relation between them.

Naming Conventions

Choosing names which are sensible and can be easily understandable, while coding in Python, is very crucial. This will save time and energy of a reader. Inappropriate names might lead to difficulties when debugging.

Naming Styles

Naming variables, functions, classes or methods must be done very carefully. Here's a list of the type, naming conventions and examples on how to use them:

Type	Naming Conventions	Examples
Variable	Using short names with CapWords.	T, AnyString, My_First_Variable
Function	Using a lowercase word or words with underscores to improve readability.	function, my_first_function

Type	Naming Conventions	Examples
Class	Using CapWords and do not use underscores between words.	Student, MyFirstClass
Method	Using lowercase words separated by underscores.	Student_method, method
Constants	Using all capital letters with underscores separating words	TOTAL, MY_CONSTANT, MAX_FLOW
Exceptions	Using CapWords without underscores.	IndexError, NameError
Module	Using short lower-case letters using underscores.	module.py, my_first_module.py
Package	Using short lowercase words and underscores are discouraged.	package, my_first_package

Choosing names

To have readability in your code, choose names which are descriptive and give a clearer sense of what the object represents. A more real-life approach to naming is necessary for a reader to understand the code.

Consider a situation where you want to store the name of a person as a string:


```
>>> name = 'John William'

>>> first_name, last_name = name.split()

>>> print(first_name, last_name, sep='/ ')
```

John/ William

Here, you can see, we have chosen variable names like **first_name** and **last_name** which are clearer to understand and can be easily remembered. We could have used short names like **x**, **y** or **z** but it is not recommended by PEP 8 since it is difficult to keep track of such short names.

Consider another situation where you want to double a single argument. We can choose an abbreviation like **db** for the function name:

```
# Don't

def db(x):

    return x * 2
```

However, abbreviations might be difficult in situations where you want to return back to the same code after a couple of days and still be able to read and understand. In such cases, it's better to use a concise name like **double_a_variable**:

```
# Do

def double_a_value(x):

    return x * 2
```

Ultimately, what matters is the readability of your code.

Comments

A comment is a piece of code written in simple English which improves the readability of code without changing the outcome of a program. You can understand the aim of the code

much faster just by reading the comments instead of the actual code. It is important in analyzing codes, debugging or making a change in logic.

Block Comments

Block comments are used while importing data from files or changing a database entry where multiples lines of code are written to focus on a single action. They help in interpreting the aim and functionality of a given block of code.

They start with a **hash(#)** and a single space and always indent to the same level as the code:

for i in range(0, 10):

```
    # Loop iterates 10 times and then prints i
```

```
    # Newline character
```

```
    print(i, '\n')
```

You can also use multiple paragraphs in a block comment while working on a more technical program.

Block comments are the most suitable type of comments and you can use it anywhere you like.

Inline Comments

Inline comments are the comments which are placed on the same line as the statement. They are helpful in explaining why a certain line of code is essential.

Example of inline comments:

```
x = 10 # An inline comment
```

```
y = 'JK Rowling' # Author Name
```

Inline comments are more specific in nature and can easily be used which might lead to clutter. So, PEP 8 basically recommends using block comments for general-purpose coding.

Document Strings

Document strings or docstrings start at the first line of any function, class, file, module or method. These type of comments are enclosed between single quotations (`"`) or double quotations (`"""`).

An example of docstring:

```
def quadratic_formula(x, y, z, t):  
  
    """Using the quadratic formula"""  
  
    t_1 = (- b+(b**2-4*a*c)**(1/2)) / (2*a)  
  
    t_2 = (- b-(b**2-4*a*c)**(1/2)) / (2*a)  
  
  
    return t_1, t_2
```

Whitespaces in Expressions and Statements

In computing, whitespace is any character or sequence of characters which are used for spacing and have an ‘empty’ representation. It is helpful in improving the readability of expressions and statements if used properly.

Whitespace around Binary Operators

When you’re using assignment operators (`=`, `+=`, `-=`, **and so forth**) or comparisons (`==`, `!=`, `>`, `<`, `>=`, `<=`) or booleans (**and**, **not**, **or**), it is suggested to use a single whitespace on the either side.

Example of adding whitespace when there is more than one operator in a statement:

Don't

```
b = a ** 2 + 10
```

```
c = (a + b) * (a - b)
```

Do

```
b = a**2 + 10
```

```
c = (a+b) * (a-b)
```

In such mathematical computations, you should add whitespace around the operators with the least priority since adding spaces around each operator might be confusing for a reader.

Example of adding whitespaces in an **if** statement with many conditions:

Don't

```
if a < 10 and a % 5 == 0:
```

```
    print('a is smaller than 10 and is divisible by 5!')
```

Do

```
if a<10 and a%5==0:
```

```
    print('a is smaller than 10 and is divisible by 5!')
```

Here, the **and** operator has the least priority, so whitespaces have been added around it.

Colons act as binary operators in slices:

```
ham[3:4]
```

```
ham[x+1 : x+2]
```

```
ham[3:4:5]
```

```
ham[x+1 : x+2 : x+3]
```

```
ham[x+1 : x+2 :]
```

Since colons act as a binary operator, whitespaces are added on either side of the operator with the lowest priority. Colons must have the same amount of spacing in case of an extended slice. An exception is when the slice parameter is omitted, space is also omitted.

Avoiding Whitespaces

Trailing whitespaces are whitespaces placed at the end of a line. These are the most important to avoid.

You should avoid whitespaces in the following cases—

Inside a parentheses, brackets, or braces:

Do

```
list = [1, 2, 3]
```

Don't

```
list = [ 1, 2, 3, ]
```

Before a comma, a semicolon, or a colon:

```
x = 2
```

```
y = 3
```

Do

```
print(x, y)
```

Don't

```
print(x , y)
```

Before open parenthesis that initiates the argument list of a function call:

```
def multiply_by_2(a):
```

```
    return a * 2
```

Do

```
multiply_by_2(3)
```

Don't

```
multiply_by_2 (3)
```

Before an open bracket that begins an index or a slice:

Do

```
ham[5]
```

Don't

```
ham [5]
```

Between a trailing comma and a closing parenthesis:

Do

```
spam = (1,)
```

Don't

```
spam = (1, )
```

To adjust assignment operators:

Do

```
variable_1 = 5
```

```
variable_2 = 6
```

```
my_long_var = 7
```

```
# Don't
```

```
variable_1 = 5
```

```
variable_2 = 6
```

```
my_long_var = 7
```

Programming Recommendations

PEP 8 guidelines suggest different ways to maintain consistency among multiple implementations of Python like **PyPy**, **Jython** or **Cython**.

An example of comparing **boolean** values:

```
# Don't
```

```
bool_value = 5 > 4
```

```
if bool_value == True:
```

```
    return '4 is smaller than 5'
```

```
# Do
```

```
if bool_value:
```

```
    return '4 is smaller than 5'
```

Since **bool** can only accept values **True** or **False**, it is useless to use the equivalence operator **==** in these type of **if** executions. PEP 8 recommends the second example which will require lesser and simpler coding.

An example to check whether a list is empty or not:

```
# Don't
```

```
list_value = []  
  
if not len(list_value):  
  
    print('LIST IS EMPTY')
```

Do

```
list_value = []  
  
if not list_value:  
  
    print('LIST IS EMPTY')
```

Any **empty list** or string in Python is falsy. So you can write a code to check an empty string without checking the length of the list. The second example is more simple, so PEP encourages to write an **if** statement in this way.

The expression **is not** and **not ... is** are identical in functionality. But the former is more preferable due to its nature of readability:

Do

```
if x is not None:  
  
    return 'x has a value'
```

Don't

```
if not x is None:  
  
    return 'x has a value'
```

String slicing is a type of indexing syntax that extracts substrings from a string. Whenever you want to check if a string is prefixed or suffixed, PEP recommends using **.startswith()** and **.endswith()** instead of list slicing. This is because they are cleaner and have lesser chances of error:

Do

```
if foo.startswith('cat'):
```

Don't

```
if foo[:3] == 'cat':
```

An example using **.endswith()**:

Don't

```
if file_jpg[-3:] == 'jpg':
```

```
    print('It is a JPEG image file')
```

Do

```
if file_jpg.endswith('jpg'):
```

```
    print('It is a JPEG image file')
```

Though there exists multiple ways to execute a particular action, the main agenda of the guidelines laid by PEP 8 is simplicity and readability.

When to Ignore PEP 8

You should never ignore PEP 8. If the guidelines related to PEP8 are followed, you can be confident of writing readable and professional codes. This will also make the lives of your colleagues and other members working on the same project much easier.

There are some exclusive instances when you may ignore a particular guideline:

- After following the guidelines, the code becomes less readable, even for a programmer who is comfortable with reading codes that follow PEP 8.
- If the surrounding code is inconsistent with PEP.

- Compatible of code with older version of Python is the priority.

Checking PEP 8 Compliant Code

You can check whether your code actually complies with the rules and regulations of PEP 8 or not. **Linters** and **Autoformatters** are two classes of tools used to implement and check PEP 8 compliance.

Linters

It is a program that analyzes your code and detects program errors, syntax errors, bugs and structural problems. They also provide suggestions to correct the errors.

Some of the best linters used for Python code:

- pycodestyle is a tool to verify the PEP 8 style conventions in your Python code.

You can run the following from the command line to install **pycodestyle** using **pip**:

```
pip install pycodestyle
```

To display the errors of a program, run **pycodestyle** in this manner:

```
pycodestyle my_code.py
```

```
my_code.py:1:11: E231 missing whitespace after '{'
```

```
my_code.py:3:19: E231 missing whitespace after ')'
```

```
my_code.py:4:31: E302 expected 2 blank lines, found 1
```

- flake8 is a Python wrapper that verifies **PEP 8**, **pyflakes**, and circular complexity.

Type the command to install **flake8** using **pip**:

```
pip install flake8
```

Run **flake8** from the terminal using the command:

```
flake8 calc.py
```

```
calc.py:24:3: E111 indentation is not a multiple of two
```

```
calc.py:25:3: E111 indentation is not a multiple of two
```

```
calc.py:45:9: E225 missing whitespace around operator
```

You can also use some other good linters like [pylint](#), [pyflakes](#), [pychecker](#) and [mypy](#).

Autoformatters

An autoformatter is a tool which will format your code to adapt with PEP 8 automatically. One of the most commonly used autoformatter is [black](#).

To install **black** using **pip**, type:

```
pip install black
```

Remember, you need to have Python 3.6 or above to install **black**.

An example of code that doesn't follow PEP 8:

```
def add(a, b): return a+b
```

```
def multiply(a, b):
```

```
    return \
```

```
        a  * b
```

Now run black following the filename from the terminal:

```
black my_code.py
```

```
reformatted my_code.py
```

All done!

The reformatted code will look like:

```
def add(a, b):  
    return a + b
```

```
def multiply(a, b):  
    return a * b
```

Some other autoformatters include `autopep8` and `yapf`. Their work is similar to **black**.