

RPSC · RAS & RTS PRELIMINARY EXAMINATION 2026

Geography of Rajasthan

560 practice questions across 11 chapters, each chapter opening with a must-know fact sheet. Answers and explanations are at the back, so you can work through the paper first.

RG01	Location, Extent and Physiographic Divisions	50
RG02	Drainage: Rivers and Lakes of Rajasthan	55
RG03	Climate of Rajasthan	40
RG04	Natural Vegetation and Forests of Rajasthan	45
RG05	Soils of Rajasthan	35
RG06	Biodiversity Conservation: Parks, Sanctuaries, Reserves	60
RG07	Agriculture and Crops of Rajasthan	50
RG08	Livestock, Dairy and Fisheries of Rajasthan	40
RG09	Irrigation Projects and Canal Systems of Rajasthan	50
RG10	Population, Urbanisation and Tribes of Rajasthan	60
RG11	Minerals, Energy, Tourism and Transport of Rajasthan	75

560 questions · **311** fact-sheet points · **80** tagged as previously asked
Paper pattern: 150 questions · 200 marks · 3 hours · 1/3 negative marking

RG01

Location, Extent and Physiographic Divisions

50 questions · 29 fact-sheet points

Must-know facts

1. Area 3,42,239 sq km = 10.41% of India; largest Indian state by area since 1 November 2000 (Chhattisgarh carved out of Madhya Pradesh).
2. Latitudinal extent 23 deg 3' N to 30 deg 12' N (7 deg 9'); longitudinal extent 69 deg 30' E to 78 deg 17' E (8 deg 47').
3. North-south length 826 km; east-west length 869 km; difference 43 km. Shape roughly rhombus/kite.
4. Extreme points: N - Kona (Sri Ganganagar); S - Borkunda (Banswara); E - Silana (Dholpur); W - Katra (Jaisalmer).
5. Tropic of Cancer (23.5 deg N) grazes the extreme south - Banswara and Dungarpur districts only.
6. International border with Pakistan = 1,070 km (Radcliffe Line, 17 August 1947), from Hindumal Kot (Sri Ganganagar) to Shahgarh bulge (Barmer).
7. Jaisalmer has the longest international border (about 464 km); Sri Ganganagar, Bikaner and Barmer are the other border districts.
8. Inter-state boundaries: Madhya Pradesh longest (~1,600 km), Haryana ~1,262 km, Gujarat ~1,022 km, Uttar Pradesh ~877 km, Punjab shortest (~89 km).
9. Uttar Pradesh touches only Bharatpur and Dholpur; Punjab touches only Sri Ganganagar and Hanumangarh.
10. Administrative position 2025-26: 41 districts and 7 divisions (Jaipur, Jodhpur, Ajmer, Kota, Udaipur, Bikaner, Bharatpur).
11. 2023: 19 new districts + 3 new divisions (Banswara, Pali, Sikar). December 2024: 9 districts and all 3 new divisions denotified on the Lalit K. Panwar committee's report.
12. Eight new districts retained: Balotra, Beawar, Deeg, Didwana-Kuchaman, Khairthal-Tijara, Kotputli-Behror, Phalodi, Salumbar.
13. Four physiographic divisions - Western Sandy Plain (~61% area, ~40% population), Aravalli Hilly region (~9%, ~10%), Eastern Plain (~23%, ~39%), South-Eastern Hadoti Plateau (~7%, ~11%).
14. Thar (Marusthali) is India's largest desert; in Rajasthan it runs about 640 km NE-SW and 300-360 km wide; 'desert triangle' = Jodhpur-Jaisalmer-Bikaner.
15. Dunes: barchan (crescentic, Shekhawati-Churu), longitudinal/seif (parallel to wind, maximum in Jaisalmer), transverse, parabolic (Bikaner), star (Pokhran-Mohangarh), coppice/nabkha.
16. Semi-arid Bangar sub-regions: Ghaggar plain (locally 'Nali'), Shekhawati-Torawati internal drainage, Nagauri upland, Luni basin (Godwar - Pali, Sirohi, Jalore).
17. Aravalli - oldest fold mountain range of India, trends SW-NE about 692 km from Palanpur (Gujarat) to Delhi; roughly 80% of it lies in Rajasthan; Great Boundary Fault marks its north-eastern margin.
18. Peaks: Guru Shikhar 1,722 m (Sirohi) highest; Ser 1,597 m (Sirohi); Delwara 1,442 m (Sirohi); Jarga 1,431 m (Udaipur); Achalgarh 1,380 m (Sirohi); Kumbhalgarh 1,224 m (Rajsamand).
19. Northern Aravalli peaks: Raghunathgarh 1,055 m (Sikar) highest in Shekhawati, Malkhet 1,052 m (Sikar), Khoh 920 m (Jaipur), Harshnath 820 m (Sikar), Bairath/Bhairach 792 m (Alwar).
20. Central Aravalli: Todgarh (Morarji) 934 m, Taragarh 873 m (Ajmer), Nag Pahar 795 m (Ajmer); Merwara hills divide Marwar from Mewar.
21. Bhorat plateau (about 1,225 m) lies between Gogunda and Kumbhalgarh - the highest plateau of Rajasthan; Girwa is the saucer-shaped basin around Udaipur.

22. Mount Abu (Sirohi) is Rajasthan's only hill station - a detached granite mass (inselberg) at the south-western end of the Aravalli, carrying Guru Shikhar and Nakki lake.
23. Aravalli passes (nal/dara): Desuri Nal, Haldighati, Som, Deobari, Kevada ki Nal, Pipli, Hathi Guda; most passes lie in the central Aravalli.
24. Eastern Plain sub-units: Banas basin (Mewar plain and Malpura-Karauli plain), Chambal basin with beehad/badlands (Dholpur, Karauli, Sawai Madhopur), Mahi basin.
25. Mahi basin regions: Chappan plain (56 streams/villages, Banswara-Pratapgarh), Vagad (Dungarpur-Banswara), Kanthal (Pratapgarh).
26. Hadoti (Pathar) plateau has two parts - Vindhyan scarpland (between the Banas and the Chambal; Karauli, Sawai Madhopur, Bundi, Kota; 350-550 m sandstone) and the Deccan lava plateau (black soil; Kota, Bundi, Baran, Jhalawar).
27. Dang - the ravine/badland tract of Dholpur, Karauli and Sawai Madhopur; Mukundara and Bundi hills are the arc-shaped ranges of Hadoti.
28. Cultural regions: Marwar (Jodhpur-Pali-Nagaur), Mewar (Udaipur-Bhilwara-Chittorgarh), Hadoti (Kota-Bundi-Baran-Jhalawar), Shekhawati (Sikar-Jhunjhunu-Churu), Dhundhar (Jaipur), Mewat (Alwar-Bharatpur), Braj (Bharatpur-Dholpur).
29. Malani igneous suite of Jodhpur-Barmer is among the oldest volcanic rock formations of India; Rajasthan's rocks span Pre-Cambrian Aravalli and Delhi Supergroups and Vindhyan sandstone.

1. The total geographical area of Rajasthan is:

- | | |
|--------------------|--------------------|
| (A) 3,08,252 sq km | (B) 2,40,928 sq km |
| (C) 3,42,239 sq km | (D) 1,96,024 sq km |

2. Rajasthan became the largest State of India by area in the year:

- | | |
|----------|----------|
| (A) 1956 | (B) 1987 |
| (C) 2000 | (D) 1966 |

3. Rajasthan accounts for what percentage of the total geographical area of India?

- | | |
|------------|------------|
| (A) 9.41% | (B) 10.41% |
| (C) 11.41% | (D) 12.41% |

4. The latitudinal extent of Rajasthan is:

- | | |
|---------------------------------|----------------------------------|
| (A) 23 deg 3' N to 30 deg 12' N | (B) 23 deg 30' N to 30 deg 11' N |
| (C) 22 deg 3' N to 29 deg 12' N | (D) 24 deg 3' N to 31 deg 12' N |

5. The longitudinal extent of Rajasthan is:

- | | |
|----------------------------------|----------------------------------|
| (A) 69 deg 30' E to 78 deg 17' E | (B) 68 deg 30' E to 77 deg 17' E |
| (C) 70 deg 30' E to 79 deg 17' E | (D) 69 deg 12' E to 77 deg 30' E |

6. The north-to-south length of Rajasthan is approximately:

- | | |
|------------|------------|
| (A) 869 km | (B) 826 km |
| (C) 785 km | (D) 900 km |

7. The difference between the east-west and the north-south extent of Rajasthan is: HARD

- | | |
|-----------|-----------|
| (A) 23 km | (B) 33 km |
| (C) 53 km | (D) 43 km |

8. The northernmost point of Rajasthan, Kona village, lies in which district?

- | | |
|-----------------|--------------------|
| (A) Hanumangarh | (B) Sri Ganganagar |
| (C) Bikaner | (D) Jaisalmer |

- 9.** The Tropic of Cancer passes through which districts of Rajasthan?
(A) Udaipur and Pratapgarh (B) Banswara and Dungarpur
(C) Dungarpur and Pratapgarh (D) Banswara and Udaipur
- 10.** The length of Rajasthan's international boundary with Pakistan is about:
(A) 826 km (B) 1,262 km
(C) 1,070 km (D) 1,600 km
- 11.** Which district of Rajasthan shares the longest international border with Pakistan?
(A) Barmer (B) Bikaner
(C) Sri Ganganagar (D) Jaisalmer
- 12.** The Radcliffe Line in Rajasthan begins in the north from: **HARD**
(A) Sam, Jaisalmer (B) Shahgarh, Barmer
(C) Munabao, Barmer (D) Hindumal Kot, Sri Ganganagar
- 13.** With which of the following States does Rajasthan share its shortest boundary?
(A) Gujarat (B) Punjab
(C) Uttar Pradesh (D) Haryana
- 14.** Rajasthan shares its longest inter-State boundary with:
(A) Gujarat (B) Haryana
(C) Madhya Pradesh (D) Uttar Pradesh
- 15.** Which two districts of Rajasthan touch the boundary of Uttar Pradesh?
(A) Alwar and Bharatpur (B) Karauli and Dholpur
(C) Bharatpur and Karauli (D) Bharatpur and Dholpur
- 16.** As per the administrative position after the December 2024 review, Rajasthan has:
(A) 50 districts and 10 divisions (B) 33 districts and 7 divisions
(C) 53 districts and 10 divisions (D) 41 districts and 7 divisions
- 17.** The committee whose report led to the denotification of nine newly created districts of Rajasthan in December 2024 was headed by:
(A) Lalit K. Panwar (B) Ram Lubhaya
(C) G. S. Sandhu (D) Nihal Chand Goyal
- 18.** Which physiographic division occupies the largest share of Rajasthan's area?
(A) Aravalli and hilly region (B) Western sandy plain
(C) Eastern plain (D) South-eastern Hadoti plateau
- 19.** The 'Desert Triangle' of Rajasthan is formed by which three cities?
(A) Jaisalmer, Barmer and Jodhpur (B) Bikaner, Churu and Jaisalmer
(C) Jodhpur, Jaisalmer and Bikaner (D) Barmer, Bikaner and Jodhpur
- 20.** Longitudinal (seif) sand dunes are found in maximum numbers in which district of Rajasthan?
(A) Churu (B) Bikaner
(C) Jodhpur (D) Jaisalmer

21. Barchan dunes are:

- (A) Crescent-shaped dunes formed transverse to the prevailing wind
- (B) U-shaped dunes with horns pointing upwind
- (C) Long ridges lying parallel to the prevailing wind
- (D) Multi-armed dunes formed by winds from many directions

22. In Rajasthan the Ghaggar plain is locally known as:

- (A) Rohi
- (B) Nali
- (C) Godwar
- (D) Bagar

23. Guru Shikhar, the highest peak of Rajasthan, is located in which district and what is its height? RAS PRE 2018

- (A) Udaipur, 1,431 m
- (B) Rajsamand, 1,224 m
- (C) Sirohi, 1,722 m
- (D) Sirohi, 1,597 m

24. Which is the second highest peak of the Aravalli range?

- (A) Delwara
- (B) Jarga
- (C) Ser
- (D) Achalgarh

25. Raghunathgarh, the highest peak of the Shekhawati region, is situated in which district? HARD

- (A) Jhunjhunu
- (B) Sikar
- (C) Churu
- (D) Nagaur

26. The Bhorat plateau, the highest plateau of Rajasthan, lies between:

- (A) Mount Abu and Sirohi
- (B) Bijolia and Bhilwara
- (C) Todgarh and Beawar
- (D) Gogunda and Kumbhalgarh

27. The Chappan plain of Rajasthan lies in which districts?

- (A) Dungarpur and Udaipur
- (B) Banswara and Pratapgarh
- (C) Bhilwara and Chittorgarh
- (D) Jalore and Sirohi

28. Consider the following statements about the Aravalli range:

- I. It is the oldest fold mountain range of India.
- II. It runs in a south-west to north-east direction for about 692 km.
- III. About 80 per cent of its length lies within Rajasthan.

Which of the statements given above are correct? RAS PRE 2016

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

29. Consider the following statements about the Thar desert:

- I. It is the largest desert of India.
- II. In Rajasthan it stretches about 640 km in a north-east to south-west direction.
- III. It occupies roughly 61 per cent of the area of Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

30. Consider the following statements about Mount Abu:

- I. It is the only hill station of Rajasthan.
- II. It stands as a detached granite mass (inselberg) at the south-western end of the Aravalli.
- III. Its highest point, Guru Shikhar, lies in Udaipur district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

31. Consider the following statements about the physiographic divisions of Rajasthan:

- I. The Western Sandy Plain has about 61 per cent of the area but only about 40 per cent of the population.
- II. The Eastern Plain has about 23 per cent of the area and about 39 per cent of the population.
- III. The South-Eastern Hadoti plateau is the smallest division by area.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

32. Consider the following statements about the reorganisation of districts in Rajasthan:

- I. Nineteen new districts and three new divisions were created in 2023.
- II. Banswara, Pali and Sikar were the three new divisions created.
- III. All three new divisions were abolished in December 2024.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

33. Consider the following statements about the Hadoti plateau:

- I. The Vindhyan scarpland lies between the Banas and the Chambal rivers.
- II. The Deccan lava plateau of Rajasthan is characterised by black soil.
- III. The Mukundara hills form part of this division.

Which of the statements given above are correct? RAS PRE 2023

- (A) I, II and III
- (B) I and II only
- (C) II and III only
- (D) I and III only

34. Consider the following statements about the sand dunes of Rajasthan:

- I. Longitudinal dunes lie parallel to the direction of the prevailing wind.
- II. Star dunes are formed where winds blow from several directions.
- III. Parabolic dunes are crescent-shaped with their horns pointing downwind.

Which of the statements given above are correct? HARD

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

35. Consider the following statements about the Luni basin of Rajasthan:

- I. It is also known as the Godwar region.
- II. It is the most humid part of the Western Sandy Plain.
- III. It covers parts of Pali, Sirohi and Jalore districts.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

36. Consider the following statements about the international boundary of Rajasthan:

- I. It was drawn as part of the Radcliffe award of 1947.
- II. Its total length in Rajasthan is about 1,070 km.
- III. Jaisalmer accounts for the largest share of this boundary.

Which of the statements given above are correct?

- (A) I and III only
- (B) I, II and III
- (C) II and III only
- (D) I and II only

37. Consider the following statements about the Eastern Plain of Rajasthan:

- I. It is drained mainly by the Banas, Chambal and Mahi river systems.
- II. The badland or beehad topography of this division is best developed in Dholpur, Karauli and Sawai Madhopur.
- III. The Girwa is a saucer-shaped basin of this division lying around Udaipur.

Which of the statements given above are correct? **HARD**

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

38. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Peak) List-II (District)

- A. Jarga 1. Sirohi
- B. Kumbhalgarh 2. Udaipur
- C. Taragarh 3. Rajsamand
- D. Delwara 4. Ajmer **RAS PRE 2016**

- (A) A-2, B-3, C-4, D-1
- (B) A-1, B-3, C-4, D-2
- (C) A-2, B-1, C-4, D-3
- (D) A-3, B-2, C-1, D-4

39. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Peak) List-II (Height in metres)

- A. Guru Shikhar 1. 1,380
- B. Ser 2. 1,722
- C. Achalgarh 3. 1,055
- D. Raghunathgarh 4. 1,597 **RAS PRE 2024**

- (A) A-2, B-4, C-3, D-1
- (B) A-2, B-4, C-1, D-3
- (C) A-4, B-2, C-1, D-3
- (D) A-2, B-1, C-4, D-3

40. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Region) List-II (Districts)

- A. Vagad 1. Pratapgarh
 B. Kanthal 2. Dungarpur and Banswara
 C. Godwar 3. Sikar, Jhunjhunu and Churu
 D. Shekhawati 4. Pali, Sirohi and Jalore

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-1, C-3, D-4
 (C) A-3, B-1, C-4, D-2
 (D) A-2, B-1, C-4, D-3

41. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Extreme point of Rajasthan) List-II (District)

- A. Kona (north) 1. Banswara
 B. Borkunda (south) 2. Dholpur
 C. Silana (east) 3. Sri Ganganagar
 D. Katra (west) 4. Jaisalmer HARD

- (A) A-3, B-2, C-1, D-4
 (B) A-4, B-1, C-2, D-3
 (C) A-3, B-1, C-2, D-4
 (D) A-3, B-1, C-4, D-2

42. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Neighbouring State) List-II (Approximate boundary length with Rajasthan)

- A. Madhya Pradesh 1. 89 km
 B. Punjab 2. 1,600 km
 C. Uttar Pradesh 3. 1,022 km
 D. Gujarat 4. 877 km HARD

- (A) A-2, B-1, C-3, D-4
 (B) A-2, B-1, C-4, D-3
 (C) A-1, B-2, C-4, D-3
 (D) A-2, B-4, C-1, D-3

43. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Sub-region) List-II (Physiographic division)

- A. Bhorat plateau 1. South-Eastern Plateau
 B. Chappan plain 2. Aravalli hilly region
 C. Deccan lava plateau 3. Western Sandy Plain
 D. Nagauri upland 4. Eastern Plain

- (A) A-2, B-4, C-1, D-3
 (B) A-1, B-4, C-2, D-3
 (C) A-2, B-3, C-1, D-4
 (D) A-4, B-2, C-1, D-3

44. Which one of the following peak-district pairs is NOT correctly matched?

- (A) Ser - Sirohi (B) Jarga - Udaipur
 (C) Khoh - Jaipur (D) Harshnath - Alwar

45. Which one of the following districts does NOT touch the international border with Pakistan?

- (A) Jaisalmer (B) Barmer
 (C) Jodhpur (D) Bikaner

- 46.** Which one of the following is NOT a part of the South-Eastern (Hadoti) plateau of Rajasthan?
- (A) Vindhyan scarpland (B) Deccan lava plateau
(C) Mukundara hills (D) Bhorat plateau
- 47.** Which one of the following statements about Rajasthan's location is NOT correct?
- (A) It lies wholly to the north of the Equator and east of the Prime Meridian
(B) The Tropic of Cancer passes through Banswara and Dungarpur districts
(C) It shares boundaries with five Indian States and one country
(D) Its easternmost point lies in Bharatpur district
- 48.** Which one of the following districts was NOT retained after the December 2024 review of the districts created in 2023?
- (A) Balotra (B) Salumbar
(C) Anupgarh (D) Phalodi
- 49.** Arrange the following peaks of Rajasthan in descending order of their height:
- I. Jarga
II. Guru Shikhar
III. Kumbhalgarh
IV. Ser HARD
- (A) II, IV, I, III
(B) II, I, IV, III
(C) IV, II, I, III
(D) II, IV, III, I
- 50.** Assertion (A): The western part of Rajasthan is far drier than the eastern part.
Reason (R): The Aravalli range lies parallel to the path of the south-west monsoon's Arabian Sea branch and fails to obstruct it.
Select the correct answer:
- (A) Both A and R are true and R is the correct explanation of A
(B) Both A and R are true but R is not the correct explanation of A
(C) A is true but R is false
(D) A is false but R is true

RG02

Drainage: Rivers and Lakes of Rajasthan

55 questions · 32 fact-sheet points

Must-know facts

1. Drainage split: about 60% of Rajasthan has internal (inland) drainage; the Bay of Bengal system (Chambal-Banas-Kali Sindh-Parvati) drains the east and the Arabian Sea system (Luni, Mahi, Sabarmati, West Banas) the south and south-west.
2. Chambal - ancient name Charmanyavati; rises at Janapav hills (Mhow, Indore district, MP); enters Rajasthan at Chaurasigarh (Chittorgarh); joins the Yamuna in Etawah district, UP; the only perennial river of Rajasthan.
3. Chambal tributaries: Banas, Mej, Kali Sindh, Parvati, Parwan, Kural, Chhoti Kali Sindh, Brahmani, Aalaniya, Chakan, Retam, Shipra, Kunu.
4. Chambal projects upstream to downstream: Gandhi Sagar (MP) - Rana Pratap Sagar (Rawatbhata, Chittorgarh) - Jawahar Sagar (Kota-Bundi) - Kota Barrage.
5. Chulia waterfall lies on the Chambal near Bhainsrorgarh (Chittorgarh); the Chambal ravines (beehad) scar Dholpur, Karauli and Sawai Madhopur.
6. Banas - 'Van ki Asha'; rises in the Khamnor hills of the Aravalli (Rajsamand); 512 km, the longest river flowing entirely within Rajasthan; joins the Chambal at Rameshwar Ghat, Sawai Madhopur.
7. Banas tributaries: Berach, Kothari, Menali, Khari, Dai, Dheel, Sohadara, Morel, Bandi, Mansi.
8. Triveni Sangam at Bigod (Bhilwara) = Banas + Berach + Menali. The other Triveni is at Beneshwar (Dungarpur) = Som + Mahi + Jakham.
9. Bisalpur dam on the Banas at Todaraisingh (Tonk) supplies drinking water to Jaipur, Ajmer and Tonk; Isarda dam is also on the Banas.
10. Berach rises in the Gogunda hills (Udaipur), ancient name Ayad; Udai Sagar lies on it. Kothari rises at Diver (Rajsamand) and feeds Meja dam (Bhilwara).
11. Luni - ancient name Lavanavari; rises at Nag Pahar/Naga hills near Ajmer as the Sagarmati, joined by the Saraswati at Govindgarh; about 495 km; ends in the Rann of Kutch.
12. Luni turns saline downstream of Balotra, hence 'half sweet, half salty'. Jojri is its only left-bank tributary; others (Sukri, Mithri, Bandi, Jawai, Guhiya, Sagi, Khari) join from the right.
13. Jawai dam at Sumerpur (Pali) is the largest dam of western Rajasthan - the 'lifeline of Marwar'; Sardar Samand lies on the Sukri.
14. Mahi rises near Amjhera/Mehad in Dhar district, MP; 576 km total, about 171 km in Rajasthan; the only Indian river that crosses the Tropic of Cancer twice; empties into the Gulf of Khambhat.
15. Mahi tributaries: Som, Jakham, Anas, Eru, Chap, Moran. Mahi Bajaj Sagar dam is at Borkheda (Banswara), a joint Rajasthan-Gujarat project.
16. Jakham dam (Pratapgarh) is the highest dam of Rajasthan (about 81 m). Som-Kamla-Amba dam is in Dungarpur.
17. Sabarmati rises in the Padrada hills (Udaipur) and flows only about 45 km in Rajasthan; West Banas rises near Sirohi and ends in the Little Rann of Kutch.
18. Ghaggar - the 'mrit nadi' (dead river), identified with the Vedic Saraswati; rises in the Kalka/Shivalik hills (Himachal Pradesh); enters Rajasthan at Talwara jheel (Hanumangarh); locally called 'Nali'; Kalibangan stands on its bank.
19. Kantli rises in the Khandela hills (Sikar), flows through Sikar and Jhunjhunu and vanishes in the sands; Ganeshwar lies on it.

20. Kakni (Masurdi) of Jaisalmer is the shortest river of Rajasthan (about 17 km) and ends in the Bhuj jheel; Ruparel rises in the Udainath hills (Alwar) and dies out in Bharatpur.
21. Banganga ('Arjun ki Ganga') rises in the Bairath hills and disappears in the Bharatpur plains; Sabi/Sahibi rises in the Sewar hills (Jaipur) and flows to the Najafgarh jheel.
22. Sambhar-feeding rivers: Mentha, Rupangarh, Khari and Khandela. Kali Sindh joins the Chambal at Nonera (Kota); Parvati and Parwan enter from Madhya Pradesh.
23. Sambhar - India's largest inland saline lake, spread over the Jaipur-Ajmer-Nagaur tract; Ramsar site since 23 March 1990; about 190 sq km; run by Sambhar Salts Ltd; flamingo habitat; Shakambhari Devi temple.
24. Other saline lakes: Pachpadra (Balotra - best-quality salt, about 98% NaCl, 'mora' method), Didwana (sodium sulphate), Lunkaransar (Bikaner), Kuchaman, Phulera, Talchhappar (Churu), Rewasa (Sikar), Kawad (Jodhpur).
25. Jaisamand (Dhebar) on the Gomti river - built by Maharana Jai Singh (1685-91), traditionally called the largest artificial freshwater lake in Asia; has seven islands.
26. Rajsamand lake built by Maharana Raj Singh I (1662) on the Gomti; the Nauchowki embankment carries the Raj Prashasti, the largest inscription in India (25 slabs), composed by Ranchhod Bhatt.
27. Udaipur lakes: Pichola (dug in Rana Lakha's reign by a Banjara; Jag Mandir and Jag Niwas), Fateh Sagar (Maharana Fateh Singh; hosts the Udaipur Solar Observatory), Udai Sagar (Maharana Udai Singh, on the Berach), Swaroop Sagar, Badi (Jiyan Sagar).
28. Ajmer lakes: Ana Sagar (built by Arnoraj Chauhan; Jahangir's Daulat Bagh, Shah Jahan's baradari), Foy Sagar (1892 famine-relief work by engineer Foy), Pushkar (natural, 52 ghats, Brahma temple).
29. Nakki lake (Mount Abu, Sirohi) is the highest lake of Rajasthan and the only one that freezes; Jodhpur has Balsamand (1159) and Kaylana (Pratap Singh, 1872); Siliserh is in Alwar; Gadsisar in Jaisalmer; Kolayat and Gajner in Bikaner.
30. Ramgarh lake in Baran district occupies a meteorite impact crater and is a notified geo-heritage site.
31. Rajasthan has five Ramsar sites: Keoladeo Ghana (1981), Sambhar (1990), Menar (2025), Khichan (2025) and Siliserh Lake, Alwar (2025).
32. Waterfalls: Chulia (Chambal, Chittorgarh), Menal (Chittorgarh), Bhimlat (Bundi), Damoh (Dholpur), Apsara falls near Mount Abu.

1. The Chambal river originates from:

- | | |
|---|--|
| (A) Janapav hills near Mhow, Madhya Pradesh | (B) Amarkantak plateau, Madhya Pradesh |
| (C) Khamnor hills, Rajasthan | (D) Kalka hills, Himachal Pradesh |

2. The ancient name of the Chambal river was:

- | | |
|-------------------|----------------|
| (A) Varnasa | (B) Lavanavari |
| (C) Charmanyavati | (D) Vidisha |

3. The Chambal river enters Rajasthan at:

- | | |
|------------------------------------|-------------------------------|
| (A) Rameshwar Ghat, Sawai Madhopur | (B) Chaurasigarh, Chittorgarh |
| (C) Bhainsrorgarh, Chittorgarh | (D) Nonera, Kota |

4. Which is the only perennial river of Rajasthan?

- | | |
|-------------|-----------|
| (A) Chambal | (B) Banas |
| (C) Luni | (D) Mahi |

5. The Chulia waterfall is situated on which river?

- | | |
|----------------|-------------|
| (A) Banas | (B) Chambal |
| (C) Kali Sindh | (D) Mej |

- 6.** The Rana Pratap Sagar dam on the Chambal river is located at:
 (A) Kota (B) Borkheda
 (C) Rawatbhata (D) Sumerpur
- 7.** The Chambal river finally joins which river?
 (A) Yamuna (B) Ganga
 (C) Sindh (D) Betwa
- 8.** The Kali Sindh river joins the Chambal at: **HARD**
 (A) Nonera in Kota (B) Palighat in Sawai Madhopur
 (C) Rameshwar Ghat in Sawai Madhopur (D) Bigod in Bhilwara
- 9.** Which is the longest river flowing entirely within Rajasthan? **RAS PRE 2023**
 (A) Luni (B) Banas
 (C) Berach (D) Kantli
- 10.** The Banas river originates from: **RAS PRE 2013**
 (A) Naga hills, Ajmer (B) Gogunda hills, Udaipur
 (C) Khamnor hills, Rajsamand (D) Khandela hills, Sikar
- 11.** The Triveni Sangam at Bigod in Bhilwara district is formed by the confluence of which rivers? **RAS PRE 2021**
 (A) Banas, Berach and Menali (B) Som, Mahi and Jakham
 (C) Chambal, Banas and Seep (D) Banas, Kothari and Khari
- 12.** The Banas river merges with the Chambal at: **RAS PRE 2024**
 (A) Bigod, Bhilwara (B) Nonera, Kota
 (C) Rameshwar Ghat, Sawai Madhopur (D) Chaurasigarh, Chittorgarh
- 13.** The Bisalpur dam, which supplies drinking water to Jaipur and Ajmer, is built on which river?
 (A) Berach (B) Banas
 (C) Morel (D) Kothari
- 14.** The Berach river, a tributary of the Banas, originates from:
 (A) Diver hills, Rajsamand (B) Gogunda hills, Udaipur
 (C) Bijraal hills, Rajsamand (D) Bassi, Jaipur
- 15.** The Meja dam of Bhilwara district is constructed on which river?
 (A) Menali (B) Khari
 (C) Dai (D) Kothari
- 16.** The Luni river originates from:
 (A) Khamnor hills (B) Bairath hills
 (C) Padrada hills (D) Naga hills near Ajmer
- 17.** The Luni river becomes saline downstream of which town?
 (A) Jalore (B) Sumerpur
 (C) Balotra (D) Pali
- 18.** Which one of the following is the only left-bank tributary of the Luni river? **HARD**
 (A) Sukri (B) Jojri
 (C) Bandi (D) Jawai

- 19.** The Jawai dam, called the lifeline of Marwar, is situated in which district?
- (A) Jalore (B) Sirohi
(C) Pali (D) Barmer
- 20.** The Luni river finally drains into:
- (A) Gulf of Khambhat (B) Arabian Sea near Dwarka
(C) Rann of Kutch (D) Sambhar lake
- 21.** Which river is the only one in India that crosses the Tropic of Cancer twice?
- (A) Narmada (B) Mahi
(C) Sabarmati (D) Luni
- 22.** The Beneshwar Triveni in Dungarpur district is formed by the confluence of:
- (A) Mahi, Anas and Eru (B) Mahi, Som and Jakham
(C) Som, Jakham and Gomti (D) Mahi, Som and Chap
- 23.** The highest dam of Rajasthan is built on which river? **HARD**
- (A) Mahi (B) Som
(C) Jakham (D) Chambal
- 24.** The Ghaggar river enters Rajasthan in which district?
- (A) Sri Ganganagar (B) Churu
(C) Hanumangarh (D) Bikaner
- 25.** The Kantli river of Rajasthan originates from:
- (A) Bairath hills, Jaipur (B) Udainath hills, Alwar
(C) Sewar hills, Jaipur (D) Khandela hills, Sikar
- 26.** The shortest river of Rajasthan, the Kakni (Masurdi), flows in which district? **HARD**
- (A) Jaisalmer (B) Barmer
(C) Bikaner (D) Jodhpur
- 27.** Which river of Rajasthan flows towards Haryana and ends in the Najafgarh jheel? **HARD**
- (A) Ruparel (B) Sabi
(C) Banganga (D) Gambhir
- 28.** Jaisamand lake, traditionally described as the largest artificial freshwater lake of Asia, was built on which river?
- (A) Berach (B) Ayad
(C) Gomti (D) Som
- 29.** The Raj Prashasti, the largest inscription in India, is engraved on the Nauchowki embankment of which lake?
- (A) Jaisamand (B) Rajsamand
(C) Pichola (D) Ana Sagar
- 30.** Nakki lake, the highest lake of Rajasthan, is located in which district?
- (A) Sirohi (B) Udaipur
(C) Rajsamand (D) Pali

31. Consider the following statements about the Banas river:

- I. It rises in the Khamnor hills of the Aravalli.
- II. The Berach and the Kothari are among its tributaries.
- III. It is a right-bank tributary of the Chambal.

Which of the statements given above are correct? RAS PRE 2024

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

32. Consider the following statements about the Chambal river:

- I. It is a tributary of the Yamuna.
- II. Gandhi Sagar, Rana Pratap Sagar and Jawahar Sagar dams are built on it.
- III. It forms a long stretch of the boundary between Rajasthan and Madhya Pradesh.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

33. Consider the following statements about the Luni river:

- I. It is formed by the union of the Sagarmati and the Saraswati near Govindgarh in Ajmer.
- II. It ends in the Gulf of Khambhat.
- III. Its water is sweet in the upper course and saline in the lower course.

Which of the statements given above are correct?

- (A) I and III only
- (B) I and II only
- (C) II and III only
- (D) I, II and III

34. Consider the following statements about the Mahi river:

- I. It originates in Madhya Pradesh.
- II. It crosses the Tropic of Cancer twice.
- III. The Mahi Bajaj Sagar project is a joint venture of Rajasthan and Gujarat.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

35. Consider the following statements about the Ghaggar river:

- I. It rises in the Shivalik hills of Himachal Pradesh.
- II. It is known as the 'mrit nadi' or dead river in Rajasthan.
- III. The Harappan site of Kalibangan lies on its bank.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

36. Consider the following statements about Sambhar lake:

- I. It is the largest inland saline lake of India.
- II. It was designated a Ramsar site in 1990.
- III. The Mentha and Rupangarh are among the rivers that feed it.

Which of the statements given above are correct? RAS PRE 2023

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

37. Consider the following statements about Jaisamand lake:

- I. It was built by Maharana Jai Singh in the late seventeenth century.
- II. It is fed chiefly by the Gomti river.
- III. It contains seven islands inhabited by the Bhil and Mina communities.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

38. Consider the following statements about the inland drainage of Rajasthan:

- I. Roughly 60 per cent of the area of Rajasthan has internal drainage.
- II. The Kantli and the Kakni are rivers of internal drainage.
- III. The Kantli finally empties into the Sambhar lake.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

39. Consider the following statements about the saline lakes of Rajasthan:

- I. Pachpadra produces salt of the highest sodium chloride content.
- II. Didwana lake is a source of sodium sulphate.
- III. Lunkaransar lake lies in Churu district.

Which of the statements given above are correct? HARD

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

40. Consider the following statements about the Ramsar sites of Rajasthan:

- I. Keoladeo Ghana was the first wetland of Rajasthan to be listed.
- II. Menar and Khichan were added to the Ramsar list in 2025.
- III. Rajasthan now has five Ramsar sites.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

41. Match List-I with List-II and select the correct answer using the codes given below:

List-I (River) List-II (Place of origin)

- A. Luni 1. Khamnor hills
 B. Banas 2. Janapav hills
 C. Chambal 3. Naga hills
 D. Sabarmati 4. Padrada hills

- (A) A-3, B-1, C-2, D-4
 (B) A-1, B-3, C-2, D-4
 (C) A-3, B-1, C-4, D-2
 (D) A-2, B-1, C-3, D-4

42. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Tributary) List-II (Main river)

- A. Jojri 1. Banas
 B. Kothari 2. Mahi
 C. Jakham 3. Luni
 D. Parwan 4. Chambal system

RAS PRE 2021

- (A) A-1, B-3, C-2, D-4
 (B) A-3, B-1, C-4, D-2
 (C) A-3, B-1, C-2, D-4
 (D) A-3, B-2, C-1, D-4

43. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Lake) List-II (District)

- A. Siliserh 1. Bikaner
 B. Kaylana 2. Alwar
 C. Kolayat 3. Baran
 D. Ramgarh crater lake 4. Jodhpur

- (A) A-2, B-1, C-4, D-3
 (B) A-3, B-4, C-1, D-2
 (C) A-2, B-4, C-1, D-3
 (D) A-2, B-4, C-3, D-1

44. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Lake) List-II (Builder)

- A. Ana Sagar 1. Maharana Raj Singh I
 B. Rajsamand 2. Arnoraj Chauhan
 C. Udai Sagar 3. Maharana Fateh Singh
 D. Fateh Sagar 4. Maharana Udai Singh

- (A) A-2, B-1, C-3, D-4
 (B) A-1, B-2, C-4, D-3
 (C) A-2, B-1, C-4, D-3
 (D) A-2, B-4, C-1, D-3

45. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Dam/Project) List-II (River)

- A. Meja 1. Jawai
 B. Sumerpur dam 2. Kothari
 C. Panchana 3. Gambhir
 D. Som-Kamla-Amba 4. Som **HARD**

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-1, C-3, D-4
 (C) A-2, B-1, C-4, D-3
 (D) A-3, B-1, C-2, D-4

46. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Saline lake) List-II (District)

- A. Pachpadra 1. Bikaner
 B. Lunkaransar 2. Balotra
 C. Talchhapar 3. Didwana-Kuchaman
 D. Didwana 4. Churu

- (A) A-2, B-4, C-1, D-3
 (B) A-1, B-2, C-4, D-3
 (C) A-2, B-1, C-3, D-4
 (D) A-2, B-1, C-4, D-3

47. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Waterfall) List-II (District)

- A. Chulia 1. Bundi
 B. Bhimlat 2. Dholpur
 C. Damoh 3. Chittorgarh
 D. Menal 4. Chittorgarh-Bhilwara border area **HARD**

- (A) A-1, B-3, C-2, D-4
 (B) A-3, B-2, C-1, D-4
 (C) A-3, B-1, C-2, D-4
 (D) A-4, B-1, C-2, D-3

48. Which one of the following is NOT a tributary of the Chambal river? **RAS PRE 2013**

- (A) Mej (B) Parvati
 (C) Jojri (D) Kali Sindh

49. Which one of the following is NOT a tributary of the Luni river?

- (A) Menali (B) Sukri
 (C) Bandi (D) Jawai

50. Which one of the following river-outfall pairs is NOT correctly matched?

- (A) Luni - Rann of Kutch (B) Mahi - Gulf of Khambhat
 (C) Chambal - Yamuna (D) Sabi - Sambhar lake

51. Which one of the following lake-district pairs is NOT correctly matched?

- (A) Foy Sagar - Ajmer (B) Balsamand - Jodhpur
 (C) Gadsisar - Barmer (D) Pushkar - Ajmer

52. Which one of the following rivers does NOT belong to the inland drainage system of Rajasthan?

- (A) Kantli (B) Kakni
(C) Ruparel (D) Berach

53. Which one of the following is NOT a Ramsar site of Rajasthan?

- (A) Keoladeo Ghana (B) Sambhar
(C) Menar (D) Talchhapar

54. Arrange the following dams on the Chambal river from upstream to downstream:

- I. Jawahar Sagar
II. Gandhi Sagar
III. Kota Barrage
IV. Rana Pratap Sagar

- (A) II, IV, I, III
(B) II, I, IV, III
(C) IV, II, I, III
(D) II, IV, III, I

55. Arrange the following rivers in descending order of their total length:

- I. Banas
II. Mahi
III. Sabarmati
IV. Luni HARD

- (A) II, I, IV, III
(B) II, IV, I, III
(C) I, II, IV, III
(D) II, I, III, IV

RG03

Climate of Rajasthan

40 questions · 26 fact-sheet points

Must-know facts

1. Rajasthan's climate is broadly arid to semi-arid; average annual rainfall about 58 cm against India's average of about 125 cm.
2. About 90 per cent of Rajasthan's rain falls in the south-west monsoon season (late June to mid-September); roughly 10 per cent comes from winter western disturbances.
3. The 50 cm isohyet runs broadly along the Aravalli axis and is the classic divide between the arid western desert and the semi-humid eastern plain.
4. Koppen Aw (tropical humid, savanna type) - Vagad region: Banswara, Dungarpur, Pratapgarh and adjoining south-east.
5. Koppen BWhw (hot desert, dry winter) - Jaisalmer, Bikaner, Churu, Sri Ganganagar, Hanumangarh, western Barmer and western Jodhpur.
6. Koppen BShw (semi-arid steppe) - Luni basin, Nagaur, Shekhawati (Sikar-Jhunjhunu), Ghaggar plain, Jalore, Pali.
7. Koppen Cwg (sub-humid, dry-winter monsoon type) - Jaipur, Alwar, Bharatpur, Ajmer, Bhilwara, Bundi, Chittorgarh, Udaipur, Kota.
8. Highest rainfall place in Rajasthan - Mount Abu (Sirohi); highest-rainfall district - Jhalawar.
9. Lowest rainfall - the Sam / Jaisalmer belt of the extreme west, roughly 10-20 cm a year.
10. Phalodi recorded 51.0 degrees C on 19 May 2016 - the highest air temperature ever recorded in India.
11. Churu is the classic extreme-continental station of Rajasthan, with among the highest annual temperature ranges in India.
12. Mount Abu is normally the coldest place of Rajasthan; Fatehpur (Sikar) and Churu frequently record sub-zero winter minima.
13. Loo - hot, dry, dust-laden westerly wind of May-June in western Rajasthan; Andhi - pre-monsoon dust storm.
14. Bhabulya - local dust whirlwind of the Bikaner-western Rajasthan tract; Mavath - winter rain from western disturbances, vital for rabi crops.
15. Western disturbances originate over the Mediterranean Sea and travel eastwards, entering India through the north-west.
16. The south-west monsoon normally enters Rajasthan in the last week of June through Banswara-Dungarpur and withdraws by about the end of September.
17. The Arabian Sea branch supplies most of western and southern Rajasthan's rain; the Bay of Bengal branch, weakened after crossing the Gangetic plain, reaches eastern Rajasthan.
18. The Aravalli range lies roughly parallel to the south-west monsoon current and therefore fails to obstruct it - a principal cause of western Rajasthan's aridity.
19. Rainfall regions of Rajasthan: arid (below 20 cm), semi-arid (20-40 cm), sub-humid (40-60 cm), humid (60-80 cm), very humid (80-150 cm).
20. Rainfall falls off sharply from the south-east to the north-west; rainfall variability exceeds 60 per cent in the west and is lowest in the south-east.
21. The Thar (Great Indian Desert) is India's largest desert; the arid western tract covers about 61 per cent of Rajasthan's area.

22. Chhappaniya Akal - the great famine of Vikram Samvat 1956 (1899-1900 CE), the most severe famine in Rajasthan's recorded history.
23. State Action Plans on Climate Change, including Rajasthan's (first prepared in 2010), sit under the National Action Plan on Climate Change, 2008.
24. The Tropic of Cancer passes through the extreme southern edge of Banswara district; almost the whole state lies in the sub-tropical belt.
25. Rajasthan has among India's highest diurnal and annual temperature ranges because of continentality, bare sandy surface and clear skies.
26. Only about 10 per cent of Rajasthan's area receives more than 80 cm of rain, and it lies almost entirely in the south and south-east.

1. The highest air temperature ever recorded in India, 51.0 degrees Celsius on 19 May 2016, was registered at which place in Rajasthan?

- | | |
|--------------------|-------------|
| (A) Sri Ganganagar | (B) Churu |
| (C) Barmer | (D) Phalodi |

2. Which Koppen climatic type is found in Jaisalmer, Bikaner and Churu districts?

- | | |
|----------|----------|
| (A) Cwg | (B) Aw |
| (C) BShw | (D) BWhw |

3. The Vagad region comprising Banswara and Dungarpur falls under which Koppen climatic type?

- | | |
|----------|----------|
| (A) Cwg | (B) BShw |
| (C) BWhw | (D) Aw |

4. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Koppen type) List-II (Region of Rajasthan)

- A. Aw 1. Jaisalmer and Bikaner
 B. BWhw 2. Shekhawati and Nagaur
 C. BShw 3. Banswara and Dungarpur
 D. Cwg 4. Jaipur and Alwar

- | |
|------------------------|
| (A) A-3, B-2, C-1, D-4 |
| (B) A-4, B-1, C-2, D-3 |
| (C) A-1, B-3, C-4, D-2 |
| (D) A-3, B-1, C-2, D-4 |

5. The 50 cm isohyet is important in the geography of Rajasthan chiefly because it broadly separates: RAS PRE 2018

- (A) The Banas basin from the Luni basin
- (B) The Chambal catchment from the internal drainage area
- (C) The Hadoti plateau from the Mewar plain
- (D) The arid western desert from the semi-humid eastern plain

6. Consider the following statements about rainfall in Rajasthan:

- I. Annual rainfall generally decreases from the south-east towards the north-west.
- II. The 50 cm isohyet broadly coincides with the alignment of the Aravalli range.
- III. The variability of annual rainfall is lowest in the western desert districts.

Which of the statements given above are correct?

- (A) I and III only
- (B) II and III only
- (C) I and II only
- (D) I, II and III

7. Which district of Rajasthan receives the highest average annual rainfall? RAS PRE 2023, 2024

- (A) Udaipur
- (B) Banswara
- (C) Sirohi
- (D) Jhalawar

8. Which district of Rajasthan records the lowest average annual rainfall? RAS PRE 2023, 2024

- (A) Bikaner
- (B) Barmer
- (C) Churu
- (D) Jaisalmer

9. The average annual rainfall of Rajasthan is approximately:

- (A) 38 cm
- (B) 58 cm
- (C) 78 cm
- (D) 98 cm

10. Which one of the following pairs relating to the local winds and weather phenomena of Rajasthan is NOT correctly matched?

- (A) Loo - hot dry summer wind of western Rajasthan
- (B) Andhi - pre-monsoon dust storm
- (C) Mavath - rain from the retreating south-west monsoon
- (D) Bhabulya - dust whirlwind of the Bikaner region

11. The hot, dry and dust-laden wind that blows over western Rajasthan during May and June is called:

- (A) Mavath
- (B) Norwester
- (C) Kalbaisakhi
- (D) Loo

12. In Rajasthan, winter rainfall caused by western disturbances is locally known as:

- (A) Andhi
- (B) Bhabulya
- (C) Loo
- (D) Mavath

13. The local dust whirlwind of the Bikaner and adjoining western Rajasthan region is known as: HARD

- (A) Andhi
- (B) Bhabulya
- (C) Mavath
- (D) Loo

14. Consider the following statements about the south-west monsoon in Rajasthan:

- I. It normally enters the state in the last week of June through Banswara and Dungarpur.
- II. It normally withdraws from the state by about the end of September.
- III. The Bay of Bengal branch is the main rain-bearing current for western Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

15. Which is the single wettest station of Rajasthan?

- (A) Jhalawar town (B) Banswara town
(C) Mount Abu (D) Pratapgarh town

16. The 'Chhappaniya Akal', the most severe famine in Rajasthan's recorded history, occurred in which year of the Vikram Samvat era?

- (A) VS 1868 (B) VS 1956
(C) VS 1999 (D) VS 2013

17. Arrange the following districts of Rajasthan in DESCENDING order of average annual rainfall:

- I. Jaisalmer
II. Jhalawar
III. Jaipur
IV. Banswara

- (A) IV, II, I, III
(B) II, III, IV, I
(C) IV, III, II, I
(D) II, IV, III, I

18. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Rainfall region) List-II (Annual rainfall)

- A. Arid 1. Below 20 cm
B. Semi-arid 2. 20-40 cm
C. Sub-humid 3. 40-60 cm
D. Very humid 4. Above 80 cm

- (A) A-2, B-1, C-3, D-4
(B) A-1, B-2, C-3, D-4
(C) A-1, B-3, C-2, D-4
(D) A-4, B-3, C-2, D-1

19. Approximately what proportion of Rajasthan's annual rainfall is received during the south-west monsoon season? **HARD**

- (A) About 50 per cent (B) About 65 per cent
(C) About 75 per cent (D) About 90 per cent

20. Which one of the following Koppen climatic types is NOT found in Rajasthan?

- (A) Aw (B) Am
(C) BShw (D) Cwg

21. Consider the following statements about the influence of the Aravalli range on Rajasthan's climate:

- I. The range runs roughly parallel to the direction of the south-west monsoon current.
II. Because of this alignment it fails to force the monsoon winds to rise significantly.
III. The area to the west of the range receives more rain than the area to its east.

Which of the statements given above are correct? **HARD**

- (A) I and III only
(B) II and III only
(C) I and II only
(D) I, II and III

22. The Bay of Bengal branch of the south-west monsoon principally brings rainfall to which part of Rajasthan?

- (A) Western Rajasthan (B) The Luni basin
(C) Shekhawati (D) Eastern Rajasthan

23. Which of the following is normally the coldest place in Rajasthan?

- (A) Churu (B) Fatehpur
(C) Bikaner (D) Mount Abu

24. Consider the following statements about climatic hazards in Rajasthan:

- I. Heat waves are most frequent in the western districts during May and June.
II. Cold waves are caused by the incursion of cold northerly winds in winter.
III. Hailstorms in Rajasthan occur mainly during the south-west monsoon season.

Which of the statements given above are correct?

- (A) II and III only
(B) I and II only
(C) I and III only
(D) I, II and III

25. Assertion (A): Western Rajasthan remains arid despite lying in the path of the south-west monsoon.

Reason (R): The Aravalli range is aligned roughly parallel to the monsoon current and does not obstruct it.

Select the correct answer:

- (A) Both A and R are true and R is the correct explanation of A
(B) Both A and R are true but R is not the correct explanation of A
(C) A is true but R is false
(D) A is false but R is true

26. Match List-I with List-II and select the correct answer using the codes given below:

List-I (District) List-II (Climatic character)

- A. Jaisalmer 1. Very humid
B. Nagaur 2. Semi-arid steppe
C. Jaipur 3. Arid, below 20 cm rainfall
D. Jhalawar 4. Sub-humid

- (A) A-3, B-4, C-2, D-1
(B) A-1, B-2, C-4, D-3
(C) A-3, B-2, C-1, D-4
(D) A-3, B-2, C-4, D-1

27. The arid western tract, that is, the Thar or Great Indian Desert region, covers approximately what share of Rajasthan's geographical area?

- (A) About 40 per cent (B) About 61 per cent
(C) About 75 per cent (D) About 25 per cent

28. Consider the following statements about the seasons of Rajasthan:

- I. The summer season extends from about March to mid-June.
II. The rainy season is associated with the advancing south-west monsoon from late June.
III. Winter rainfall in the state is associated with western disturbances.

Which of the statements given above are correct?

- (A) I and II only
(B) II and III only
(C) I and III only
(D) I, II and III

29. The Tropic of Cancer passes through the extreme southern part of which district of Rajasthan?

- (A) Dungarpur (B) Pratapgarh
(C) Banswara (D) Udaipur

- 30.** Which one of the following statements about Rajasthan's rainfall is NOT correct?
- (A) Rainfall increases steadily from the south-east to the north-west
 - (B) Almost 90 per cent of the rainfall occurs during the south-west monsoon
 - (C) The 50 cm isohyet broadly divides the state into two rainfall halves
 - (D) The rainfall of the state is highly variable from year to year
- 31.** The driest tract of Rajasthan, recording rainfall of the order of only 10-20 cm a year, lies around which place? HARD
- (A) Sam
 - (B) Pokhran
 - (C) Nokha
 - (D) Sardarshahar
- 32.** In Rajasthan, the violent dust storms of the pre-monsoon months of May and June are locally called:
- (A) Mavath
 - (B) Loo
 - (C) Andhi
 - (D) Bhabulya
- 33.** Consider the following statements about western disturbances affecting Rajasthan:
- I. They are extra-tropical systems that originate over the Mediterranean region.
 - II. They enter India from the north-west during the winter months.
 - III. They account for roughly half of Rajasthan's annual rainfall.
- Which of the statements given above are correct?
- (A) I and II only
 - (B) II and III only
 - (C) I and III only
 - (D) I, II and III
- 34.** Consider the following statements about drought in Rajasthan:
- I. Drought frequency is highest in the western desert districts.
 - II. High inter-annual rainfall variability is a principal cause of recurrent drought.
 - III. Jhalawar and Banswara are the most drought-prone districts of the state.
- Which of the statements given above are correct?
- (A) I and III only
 - (B) I and II only
 - (C) II and III only
 - (D) I, II and III
- 35.** Which station of Rajasthan is best known for an extreme continental climate, being among the hottest in summer and among the coldest in winter?
- (A) Churu
 - (B) Kota
 - (C) Udaipur
 - (D) Bharatpur
- 36.** Which one of the following pairs is NOT correctly matched?
- (A) Jaisalmer - hot desert climate (BWhw)
 - (B) Banswara - tropical humid climate (Aw)
 - (C) Kota - sub-humid climate (Cwg)
 - (D) Bikaner - semi-arid steppe climate (BShw)
- 37.** The number of rainfall-based climatic regions into which Rajasthan is conventionally divided is:
- (A) Three
 - (B) Four
 - (C) Five
 - (D) Six
- 38.** Sub-zero winter minimum temperatures on the plains of Rajasthan are most frequently recorded at: HARD
- (A) Kota
 - (B) Jaipur
 - (C) Fatehpur in Sikar district
 - (D) Bharatpur

39. The State Action Plan on Climate Change of Rajasthan has been framed under the umbrella of:

- (A) The National Green Tribunal Act, 2010
- (B) The National Action Plan on Climate Change, 2008
- (C) The Environment (Protection) Act, 1986
- (D) The National Forest Policy, 1988

40. Consider the following statements about temperature conditions in Rajasthan:

- I. The state records among the highest diurnal and annual temperature ranges in India.
- II. Its distance from the sea and its bare sandy surface are the principal causes.
- III. Clear skies and low humidity allow rapid heating by day and rapid cooling by night.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

RG04

Natural Vegetation and Forests of Rajasthan

45 questions · 29 fact-sheet points

Must-know facts

1. As per the India State of Forest Report (ISFR) 2023, Rajasthan's forest cover is 16,548.21 sq km, which is 4.84 per cent of its geographical area.
2. ISFR 2023: Rajasthan's forest plus tree cover is 27,389.33 sq km, or 8.00 per cent of the state's geographical area.
3. ISFR 2023 canopy classes for Rajasthan - Very Dense Forest 223.20 sq km, Moderately Dense Forest 4,237.41 sq km, Open Forest 12,087.60 sq km; open forest dominates overwhelmingly.
4. ISFR 2023: Rajasthan gained about 394 sq km of forest and tree cover over 2021, the fourth-largest increase among Indian states (Chhattisgarh led with 684 sq km).
5. Recorded forest area of Rajasthan is about 32,700 sq km, roughly 9.6 per cent of the state; Protected Forest is the largest legal class (about 56 per cent), Reserved Forest about 38 per cent and Unclassed Forest about 6 per cent.
6. The governing state law is the Rajasthan Forest Act, 1953.
7. By Champion and Seth's classification, Rajasthan's forests belong mainly to Group 5 (Tropical Dry Deciduous, about 57 per cent of forest area) and Group 6 (Tropical Thorn, about 15 per cent).
8. Northern Dry Mixed Deciduous Forest is the single largest forest type of Rajasthan, covering roughly 40 per cent of its forest area.
9. Dhok (*Anogeissus pendula*) is the most widespread tree species of Rajasthan, dominating the Aravalli and eastern hill tracts; it is also the most numerous species by tree count.
10. Palash or Dhak (*Butea monosperma*), the 'Flame of the Forest', is the second most numerous tree species of the state.
11. Teak (*Tectona grandis*) forests occur in the south - Banswara, Udaipur, Chittorgarh, Pratapgarh, Dungarpur, Baran; the type is classed as Very Dry Teak Forest.
12. Salar (*Boswellia serrata*) grows on dry rocky Aravalli slopes and yields Indian frankincense resin; Khair (*Acacia catechu*) of riverine and ravine tracts yields katha (catechu).
13. Khejri (*Prosopis cineraria*) is the state tree - called the Kalp Vriksha of the desert; its pods are 'sangri' and its dried leaves 'loong'; it is also known as Shami or Jandi.
14. Rohida (*Tecomella undulata*) is the state flower, called 'Marwar Teak' or 'Desert Teak', prized for its timber in western Rajasthan.
15. Characteristic desert flora: Kair (*Capparis decidua*), Aak (*Calotropis procera*), Phog (*Calligonum polygonoides*) and Sewan grass (*Lasiurus sindicus*) of the Jaisalmer plains.
16. Bamboo (*Dendrocalamus strictus*, locally 'Bans') of Rajasthan is concentrated in Udaipur, Banswara, Dungarpur, Chittorgarh, Pratapgarh, Kota and Baran.
17. Sub-tropical evergreen and semi-evergreen forest occurs in Rajasthan only in the Mount Abu tract of Sirohi district, the state's wettest hill area.
18. Salt-tolerant halophytic vegetation occurs around Sambhar, Pachpadra and Didwana salt basins.
19. As per ISFR 2021, Udaipur has the largest forest cover in Rajasthan (about 2,753 sq km), followed by Alwar, Pratapgarh, Baran and Chittorgarh.
20. As per ISFR 2021, the highest forest cover as a share of district area is in Udaipur (about 23.5 per cent) and Pratapgarh (about 23.2 per cent), then Sirohi, Karauli and Baran.
21. Lowest forest cover percentages are recorded in Jodhpur, Churu, Jaisalmer, Bikaner, Hanumangarh and

Nagaur.

22. Khejarli (Jodhpur), 1730: Amrita Devi Bishnoi and 363 Bishnois were killed resisting the felling of Khejri trees by men of Maharaja Abhay Singh of Marwar.
23. 11 September is observed as National Forest Martyrs Day in memory of the Khejarli sacrifice; the Amrita Devi Bishnoi Wildlife Protection Award honours courage in protecting wildlife.
24. The Bishnoi sect was founded by Guru Jambheshwar (Jambhoji) in 1485 at Samrathal Dhora near Bikaner; its 29 rules forbid felling green trees and killing animals.
25. Sacred groves of Rajasthan are called Oran, Kankad bani, Deo bani, Rakhat bani and Malvan; in December 2024 the Supreme Court directed that orans be treated as deemed forests.
26. Joint Forest Management in Rajasthan is implemented through Village Forest Protection and Management Committees; the state has a Forest Policy of 2010 and a Rajasthan Forest Policy 2023.
27. Rajasthan's forest policy target is to bring about 20 per cent of the geographical area under forest and tree cover.
28. The Aravalli Green Wall Project, launched in March 2023, aims to green a 5-km buffer along the Aravalli range across Rajasthan, Haryana, Gujarat and Delhi.
29. Desert afforestation relies on shelterbelt plantation along the Indira Gandhi Nahar, sand-dune stabilisation and species such as Khejri, Rohida, Phog and Sewan; CAZRI and AFRI, both at Jodhpur, are the lead research institutions.

1. Which is the most widespread tree species in the forests of Rajasthan? RAS PRE 2016
 - (A) Khejri
 - (B) Dhok
 - (C) Teak
 - (D) Salar
2. The botanical name of Dhok, the commonest tree of Rajasthan's forests, is: RAS PRE 2016
 - (A) Anogeissus pendula
 - (B) Boswellia serrata
 - (C) Butea monosperma
 - (D) Tecomella undulata
3. Which tree has been declared the State Tree of Rajasthan? RAS PRE 2013
 - (A) Rohida
 - (B) Neem
 - (C) Khejri
 - (D) Banyan
4. Which is the State Flower of Rajasthan? RAS PRE 2013
 - (A) Rohida
 - (B) Palash
 - (C) Kachnar
 - (D) Aak
5. The botanical name of the Khejri tree is:
 - (A) Acacia nilotica
 - (B) Prosopis cineraria
 - (C) Capparis decidua
 - (D) Calligonum polygonoides
6. The Khejarli sacrifice of 1730, in which villagers gave up their lives to save trees, was led by: RAS PRE 2018
 - (A) Gaura Devi
 - (B) Amrita Devi
 - (C) Kali Bai
 - (D) Jamna Lal
7. How many Bishnois are said to have laid down their lives in the Khejarli incident of 1730? RAS PRE 2018
 - (A) 84
 - (B) 252
 - (C) 363
 - (D) 451
8. The Khejarli massacre of 1730 took place during the reign of which ruler of Marwar?
 - (A) Maharaja Ajit Singh
 - (B) Maharaja Abhay Singh
 - (C) Maharaja Vijay Singh
 - (D) Maharaja Man Singh

9. National Forest Martyrs Day, commemorating the Khejarli sacrifice, is observed every year on:

- (A) 5 June
- (B) 21 March
- (C) 11 September
- (D) 2 October

10. The Bishnoi sect, whose tenets underpin Rajasthan's tradition of tree and wildlife protection, was founded by:

- (A) Guru Jambheshwar
- (B) Sant Dadu Dayal
- (C) Sant Pipa
- (D) Sant Laldas

11. Consider the following statements about the Bishnoi tradition of Rajasthan:

I. The sect was founded by Guru Jambheshwar in the fifteenth century.

II. Its code of conduct consists of twenty-nine rules.

III. The rules include prohibitions on felling green trees and on killing animals.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

12. As per the India State of Forest Report 2023, the forest cover of Rajasthan as a percentage of its geographical area is approximately:

- (A) 4.84 per cent
- (B) 9.57 per cent
- (C) 12.40 per cent
- (D) 21.76 per cent

13. As per the India State of Forest Report 2023, the combined forest and tree cover of Rajasthan is about what percentage of its geographical area?

- (A) 4.84 per cent
- (B) 6.20 per cent
- (C) 8.00 per cent
- (D) 11.50 per cent

14. Consider the following statements about Rajasthan's forest cover as reported in the India State of Forest Report 2023:

I. Open forest accounts for the largest part of the state's forest cover.

II. Very dense forest covers less than 250 sq km in the state.

III. Rajasthan's forest cover exceeds the national average percentage.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

15. Arrange the following districts of Rajasthan in DESCENDING order of forest cover by area as per the India State of Forest Report 2021:

I. Alwar

II. Udaipur

III. Chittorgarh

IV. Pratapgarh HARD

- (A) II, I, IV, III
- (B) II, IV, I, III
- (C) I, II, III, IV
- (D) II, I, III, IV

16. Which legal class accounts for the largest share of Rajasthan's recorded forest area? **HARD**

- (A) Reserved Forest (B) Protected Forest
(C) Unclassed Forest (D) Village Forest

17. Forests in Rajasthan are governed principally by:

- (A) The Rajasthan Forest Act, 1953 (B) The Rajasthan Forest Act, 1972
(C) The Indian Forest Act, 1927 alone (D) The Forest (Conservation) Act, 1980

18. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Local name) List-II (Botanical name)

- A. Khejri 1. *Butea monosperma*
B. Rohida 2. *Prosopis cineraria*
C. Palash 3. *Tecomella undulata*
D. Salar 4. *Boswellia serrata*

- (A) A-2, B-3, C-1, D-4
(B) A-2, B-1, C-3, D-4
(C) A-3, B-2, C-1, D-4
(D) A-2, B-3, C-4, D-1

19. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Species) List-II (Chief area in Rajasthan)

- A. Teak 1. Jaisalmer plains
B. Sewan grass 2. Aravalli and eastern hills
C. Dhok 3. Banswara and Udaipur
D. Rohida 4. Western arid districts

- (A) A-1, B-3, C-2, D-4
(B) A-3, B-1, C-2, D-4
(C) A-3, B-2, C-1, D-4
(D) A-3, B-1, C-4, D-2

20. Which one of the following pairs of a tree and its principal product is NOT correctly matched?

- (A) Khair - katha (catechu)
(B) Salar - resin used as Indian frankincense
(C) Khejri - sangri pods used as a vegetable
(D) Palash - commercial timber for railway sleepers

21. The forest product 'katha' or catechu is obtained from which tree?

- (A) Dhok (B) Khair
(C) Rohida (D) Palash

22. Which tree of Rajasthan is popularly known as the 'Flame of the Forest'?

- (A) Rohida (B) Palash
(C) Kadamb (D) Salar

23. Sewan, the important fodder grass of the Jaisalmer plains, has the botanical name: **HARD**

- (A) *Cenchrus ciliaris* (B) *Lasiurus indicus*
(C) *Panicum turgidum* (D) *Cynodon dactylon*

24. Phog, a characteristic shrub of the sand dunes of western Rajasthan, has the botanical name: **HARD**

- (A) *Calligonum polygonoides* (B) *Calotropis procera*
(C) *Capparis decidua* (D) *Ziziphus nummularia*

25. Consider the following statements about the Khejri tree:

- I. Its pods are known as sangri and are eaten as a vegetable.
- II. Its dried leaves, used as fodder, are called loong.
- III. It is also known as Shami or Jandi.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

26. Consider the following statements about Rohida:

- I. It has been declared the state flower of Rajasthan.
- II. It is known as Marwar Teak because of its valuable timber.
- III. It is chiefly found in the humid south-eastern districts of the state.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

27. Which one of the following is NOT a term used in Rajasthan for a sacred grove or community-protected forest?

- (A) Oran
- (B) Kankad bani
- (C) Rakhat bani
- (D) Khadin

28. Consider the following statements about the orans of Rajasthan:

- I. They are sacred groves protected by local communities in the name of a deity.
- II. In December 2024 the Supreme Court directed that they be treated as deemed forests.
- III. They are found mainly in western Rajasthan and provide habitat for the Great Indian Bustard.

Which of the statements given above are correct? **HARD**

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

29. Consider the following statements about the Aravalli Green Wall Project:

- I. It covers the Aravalli range across four states including Rajasthan.
- II. Its object is to check land degradation and the eastward spread of the desert.
- III. It was launched in 2023.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

30. Consider the following statements about Joint Forest Management in Rajasthan:

- I. It is implemented through village-level forest protection and management committees.
- II. It provides for sharing of usufruct benefits with participating villagers.
- III. It replaces the Rajasthan Forest Act, 1953 as the legal basis of forest management.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

31. The forest policy of Rajasthan sets a target of bringing approximately what share of the state's geographical area under forest and tree cover?

- (A) 10 per cent
- (B) 15 per cent
- (C) 20 per cent
- (D) 33 per cent

32. Which one of the following statements about the forest types of Rajasthan is NOT correct?

- (A) Tropical dry deciduous forests occupy the largest share of the state's forest area
- (B) Tropical thorn forests occur in the arid west
- (C) Tropical wet evergreen forests occur along the Chambal valley
- (D) Northern dry mixed deciduous forest is the single largest forest type

33. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Forest type) List-II (Characteristic)

- A. Tropical dry deciduous 1. Confined to Mount Abu
- B. Tropical thorn 2. Dominated by Dhok and teak; largest share of forest area
- C. Sub-tropical evergreen 3. Around Sambhar and Pachpadra
- D. Salt-tolerant vegetation 4. Desert thorn and dune scrub of the west

- (A) A-2, B-4, C-1, D-3
- (B) A-2, B-1, C-4, D-3
- (C) A-4, B-2, C-1, D-3
- (D) A-2, B-4, C-3, D-1

34. Under the Champion and Seth classification, the largest share of Rajasthan's forest area belongs to which group? **HARD**

- (A) Tropical Thorn Forest (Group 6)
- (B) Tropical Dry Deciduous Forest (Group 5)
- (C) Tropical Moist Deciduous Forest (Group 3)
- (D) Sub-tropical Broadleaved Hill Forest (Group 8)

35. Consider the following statements about tropical thorn forest in Rajasthan:

- I. It occurs mainly in the arid western districts.
- II. Desert thorn forest and desert dune scrub are among its sub-types.
- III. It is dominated by teak and bamboo.

Which of the statements given above are correct? **HARD**

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

36. The desert shrub *Capparis decidua*, whose berries are used to make the famous 'ker-sangri' preparation, is locally known as:

- (A) Aak
- (B) Kair
- (C) Phog
- (D) Jharber

37. Which one of the following districts is NOT among those with the highest forest cover percentage in Rajasthan?

- (A) Udaipur
- (B) Pratapgarh
- (C) Churu
- (D) Sirohi

38. The Amrita Devi Bishnoi Award instituted in her memory is given for outstanding work in the field of:

- (A) Rural sanitation
- (B) Wildlife and environment protection
- (C) Women's education
- (D) Handicraft promotion

39. Bamboo (*Dendrocalamus strictus*) in Rajasthan is concentrated chiefly in which districts?

- (A) Bikaner and Churu
- (B) Udaipur, Banswara and Chittorgarh
- (C) Nagaur and Jodhpur
- (D) Sri Ganganagar and Hanumangarh

40. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Item) List-II (Associated with)

- A. State tree of Rajasthan 1. Khejri
- B. State flower of Rajasthan 2. Rohida
- C. Most widespread tree species 3. Dhok
- D. Flame of the Forest 4. Palash

- (A) A-2, B-1, C-3, D-4
- (B) A-1, B-2, C-4, D-3
- (C) A-1, B-2, C-3, D-4
- (D) A-3, B-2, C-1, D-4

41. Which one of the following statements about the Khejri tree is NOT correct?

- (A) It is the state tree of Rajasthan
- (B) It is called the Kalp Vriksha of the desert
- (C) Its felling was resisted at Khejarli in 1730
- (D) It is an evergreen conifer of the Aravalli highlands

42. Consider the following statements about desert afforestation in Rajasthan:

- I. Shelterbelt plantations are raised along the Indira Gandhi Nahar to check dune movement and canal silting.
- II. Sand-dune stabilisation makes use of species such as Phog and Sewan grass.
- III. The Desert Development Programme is confined to the eastern plain of the state.

Which of the statements given above are correct?

- (A) II and III only
- (B) I and III only
- (C) I and II only
- (D) I, II and III

43. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Local name) List-II (Botanical name)

- A. Aak 1. *Tectona grandis*
- B. Bamboo 2. *Ziziphus mauritiana*
- C. Teak 3. *Calotropis procera*
- D. Ber 4. *Dendrocalamus strictus*

- (A) A-3, B-4, C-1, D-2
- (B) A-3, B-1, C-4, D-2
- (C) A-2, B-4, C-1, D-3
- (D) A-3, B-4, C-2, D-1

44. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Vegetation) List-II (Chief area in Rajasthan)

- A. Sub-tropical evergreen forest 1. Sambhar and Pachpadra
- B. Teak forest 2. Banswara
- C. Sewan grassland 3. Jaisalmer
- D. Salt-tolerant vegetation 4. Mount Abu

- (A) A-4, B-3, C-2, D-1
- (B) A-1, B-2, C-3, D-4
- (C) A-4, B-2, C-3, D-1
- (D) A-4, B-2, C-1, D-3

45. Which two Jodhpur-based institutions are the principal research bodies for arid-zone vegetation and desert afforestation in India? HARD

- | | |
|-----------------------|--------------------|
| (A) CAZRI and AFRI | (B) IARI and NBRI |
| (C) ICRISAT and CRIDA | (D) CSWRI and NRCC |

RG05

Soils of Rajasthan

35 questions · 28 fact-sheet points

Must-know facts

1. Desert or arid sandy soil covers the largest area of Rajasthan - Jaisalmer, Barmer, Bikaner, Jodhpur, Churu, Nagaur; low in humus and nitrogen, calcareous, highly porous.
2. Brown (non-calcic brown) soil - Luni basin: Pali, Jalore, Sirohi, Ajmer and parts of Sikar and Jhunjhunu; comparatively rich in phosphate.
3. Red-yellow soil - Sawai Madhopur, Bhilwara, Udaipur, Rajsamand, Ajmer, Tonk; derived from granite and gneiss; deficient in nitrogen and calcium.
4. Red loamy soil - Banswara, Dungarpur, Pratapgarh, Udaipur and Chittorgarh in the humid south.
5. Mixed red and black soil - Chittorgarh, Pratapgarh, Bhilwara, Banswara and Jhalawar; potash-sufficient but deficient in nitrogen and phosphorus.
6. Black or medium-black soil - Hadoti: Kota, Bundi, Baran and Jhalawar; derived from Deccan lava; high clay content, strong moisture retention.
7. Alluvial soil - eastern plain: Bharatpur, Dholpur, Alwar, Jaipur, Dausa, Tonk, Karauli, Sawai Madhopur and the Ganganagar canal tract; the most fertile group.
8. Saline-alkaline soil (Reh, Kallar, Usar) - Sri Ganganagar, Hanumangarh, Barmer, Jalore, Pali and the Sambhar-Pachpadra belt; caused by capillary rise of salts and over-irrigation.
9. Lithosols and regosols are thin skeletal soils of the Aravalli slopes with little profile development.
10. USDA/ICAR soil orders in Rajasthan: Entisol (largest extent, western Rajasthan), Aridisol (Jaisalmer, Bikaner, Churu, Jhunjhunu), Inceptisol (Udaipur, Rajsamand, Chittorgarh, Banswara, Dungarpur), Vertisol (Kota, Bundi, Baran, Jhalawar), Alfisol (Alwar, Bharatpur, Dholpur, Karauli).
11. Vertisol is the order of the black cotton soil - self-mulching, swelling clays that crack deeply in summer; Entisol is the youngest order with no horizon development; Aridisol is the true desert order.
12. Wind erosion and sand-dune movement are the chief soil problems of western Rajasthan; sheet, rill and gully erosion (the Chambal ravines) dominate the east and south-east.
13. Waterlogging and secondary salinity are the chief soil problems of the Indira Gandhi Nahar command in Sri Ganganagar and Hanumangarh.
14. Reclamation measures: gypsum application for alkaline soils, sub-surface drainage for waterlogging, shelterbelts and dune stabilisation against wind erosion, contour bunding and check dams against water erosion.
15. Rajasthan has the largest area under land degradation and desertification of any Indian state, as mapped in ISRO's Desertification and Land Degradation Atlas.
16. Soil Health Cards, soil testing laboratories (static and mobile) in the districts, and the state Department of Agriculture support soil-fertility management.
17. Rajasthan is divided into 10 agro-climatic zones, delineated under the National Agricultural Research Project and grouped into five broad regions numbered I to V.
18. Zone I-A Arid Western Plain - Barmer and part of Jodhpur; about 200-370 mm rainfall; sandy soil.
19. Zone I-B Irrigated North-Western Plain - Sri Ganganagar and Hanumangarh; the only fully canal-irrigated zone; wheat, cotton, mustard.
20. Zone I-C Hyper Arid Partial Irrigated Zone - Bikaner, Churu and Jaisalmer; the driest zone of the state.
21. Zone II-A Transitional Plain of Inland Drainage - Sikar, Jhunjhunu, Nagaur and part of Churu (the Shekhawati tract).

22. Zone II-B Transitional Plain of Luni Basin - Jalore, Pali and parts of Sirohi and Jodhpur.
23. Zone III-A Semi-Arid Eastern Plain - Jaipur, Ajmer, Dausa and Tonk.
24. Zone III-B Flood Prone Eastern Plain - Alwar, Bharatpur, Dholpur, Karauli and Sawai Madhopur.
25. Zone IV-A Sub-Humid Southern Plain - Udaipur, Chittorgarh, Rajsamand, Bhilwara and part of Pratapgarh.
26. Zone IV-B Humid Southern Plain - Dungarpur and Banswara; among the highest-rainfall zones.
27. Zone V Humid South-Eastern Plain (Hadoti) - Kota, Bundi, Baran and Jhalawar; deep black soils and the state's most productive farmland.
28. Zones I-A, I-B and I-C together make up the arid western plain region; zones IV-A, IV-B and V cover the humid south and south-east.

1. Which soil type covers the largest area of Rajasthan?

(A) Alluvial soil	(B) Black soil
(C) Desert sandy soil	(D) Red loamy soil
2. The black soil of Rajasthan, derived from Deccan lava, is chiefly found in which region?

(A) Shekhawati	(B) Hadoti
(C) Marwar	(D) Mewat
3. The most fertile soils of Rajasthan, found in the eastern plain districts of Bharatpur, Dholpur and Alwar, are:

(A) Alluvial soils	(B) Lithosols
(C) Saline soils	(D) Brown soils
4. Saline and alkaline soils, locally called Reh or Kallar, are a serious problem in which districts of Rajasthan?

(A) Banswara and Dungarpur	(B) Kota and Baran
(C) Sri Ganganagar and Hanumangarh	(D) Udaipur and Rajsamand
5. Red loamy soil in Rajasthan is chiefly found in which districts?

(A) Banswara and Dungarpur	(B) Bikaner and Churu
(C) Sikar and Jhunjhunu	(D) Sri Ganganagar and Hanumangarh
6. The brown or non-calcic brown soils of Rajasthan are chiefly associated with which basin?

(A) Banas basin	(B) Chambal basin
(C) Luni basin	(D) Mahi basin
7. Match List-I with List-II and select the correct answer using the codes given below:
 List-I (Soil type) List-II (Districts)
 A. Desert sandy soil 1. Banswara and Dungarpur
 B. Black soil 2. Bharatpur and Dholpur
 C. Alluvial soil 3. Kota and Jhalawar
 D. Red loamy soil 4. Jaisalmer and Barmer

(A) A-4, B-2, C-3, D-1	(B) A-4, B-3, C-1, D-2
(C) A-4, B-3, C-2, D-1	(D) A-1, B-3, C-2, D-4
8. Which one of the following pairs of a soil type and a district of Rajasthan is NOT correctly matched?

(A) Black soil - Bundi	(B) Desert sandy soil - Bikaner
(C) Alluvial soil - Alwar	(D) Red loamy soil - Churu

9. In the USDA soil taxonomy adopted for Rajasthan, which order occupies the largest area of the state? HARD

- (A) Vertisol (B) Alfisol
(C) Entisol (D) Mollisol

10. In soil taxonomy, the black cotton soils of Kota, Bundi, Baran and Jhalawar belong to which order?

- (A) Aridisol (B) Vertisol
(C) Alfisol (D) Inceptisol

11. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Soil order) List-II (Region of Rajasthan)

- A. Aridisol 1. Kota and Jhalawar
B. Vertisol 2. Jaisalmer and Bikaner
C. Alfisol 3. Udaipur and Dungarpur
D. Inceptisol 4. Alwar and Bharatpur

- (A) A-2, B-1, C-4, D-3
(B) A-1, B-2, C-4, D-3
(C) A-2, B-1, C-3, D-4
(D) A-2, B-3, C-4, D-1

12. Consider the following statements about the desert soils of Rajasthan:

- I. They are highly porous and have low water-holding capacity.
II. They are generally rich in humus and nitrogen.
III. They are usually calcareous and often contain a kankar layer.

Which of the statements given above are correct?

- (A) I and II only
(B) I and III only
(C) II and III only
(D) I, II and III

13. Consider the following statements about the black soils of Rajasthan:

- I. They are derived from the weathering of Deccan lava.
II. They have a high clay content and retain moisture well.
III. They are the dominant soils of the Shekhawati region.

Which of the statements given above are correct?

- (A) I and II only
(B) II and III only
(C) I and III only
(D) I, II and III

14. The chief soil problem of western Rajasthan is:

- (A) Waterlogging (B) Wind erosion and sand-dune movement
(C) Gully erosion (D) Laterisation

15. The extensive ravines and gully erosion of Rajasthan are chiefly associated with which river valley?

- (A) Luni (B) Banas
(C) Chambal (D) Ghaggar

16. Consider the following statements about waterlogging in Rajasthan:

- I. It is most serious in the command area of the Indira Gandhi Nahar.
- II. It is accompanied by secondary salinisation of the soil.
- III. Sub-surface drainage is one of the recommended remedies.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

17. Which amendment is most commonly used to reclaim alkaline soils in Rajasthan?

- (A) Gypsum
- (B) Urea
- (C) Lime
- (D) Rock phosphate

18. Into how many agro-climatic zones has Rajasthan been divided? RAS PRE 2016

- (A) Seven
- (B) Eight
- (C) Ten
- (D) Twelve

19. Bikaner, Churu and Jaisalmer are included in which agro-climatic zone of Rajasthan? RAS PRE 2016

- (A) Zone I-A Arid Western Plain
- (B) Zone I-C Hyper Arid Partial Irrigated Zone
- (C) Zone II-A Transitional Plain of Inland Drainage
- (D) Zone I-B Irrigated North-Western Plain

20. Jaipur, Ajmer, Dausa and Tonk fall in which agro-climatic zone of Rajasthan? RAS PRE 2016

- (A) Zone III-B Flood Prone Eastern Plain
- (B) Zone II-B Transitional Plain of Luni Basin
- (C) Zone III-A Semi-Arid Eastern Plain
- (D) Zone IV-A Sub-Humid Southern Plain

21. Which agro-climatic zone of Rajasthan comprises Sri Ganganagar and Hanumangarh districts?

- (A) Zone I-A
- (B) Zone I-B
- (C) Zone I-C
- (D) Zone II-A

22. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Agro-climatic zone) List-II (Districts)

A. Zone II-A Transitional Plain of Inland Drainage 1. Kota and Jhalawar

B. Zone II-B Transitional Plain of Luni Basin 2. Sikar and Jhunjhunu

C. Zone IV-B Humid Southern Plain 3. Jalore and Pali

D. Zone V Humid South-Eastern Plain 4. Dungarpur and Banswara RAS PRE 2016

- (A) A-3, B-2, C-4, D-1
- (B) A-2, B-3, C-1, D-4
- (C) A-2, B-3, C-4, D-1
- (D) A-2, B-4, C-3, D-1

23. Which one of the following pairs of an agro-climatic zone and its districts is NOT correctly matched?

- (A) Zone I-B Irrigated North-Western Plain - Sri Ganganagar and Hanumangarh
- (B) Zone III-B Flood Prone Eastern Plain - Alwar and Bharatpur
- (C) Zone V Humid South-Eastern Plain - Kota and Baran
- (D) Zone IV-A Sub-Humid Southern Plain - Bikaner and Churu

24. Which agro-climatic zone of Rajasthan is known as the Humid South-Eastern Plain and covers the Hadoti districts?

- (A) Zone IV-A (B) Zone IV-B
(C) Zone V (D) Zone III-B

25. Consider the following statements about Zone I-B of Rajasthan's agro-climatic classification:

- I. It comprises Sri Ganganagar and Hanumangarh districts.
II. It receives the highest natural rainfall of all zones in the state.
III. It depends heavily on canal irrigation from the Gang and Indira Gandhi canal systems.

Which of the statements given above are correct?

- (A) I and II only
(B) I and III only
(C) II and III only
(D) I, II and III

26. Arrange the following agro-climatic zones of Rajasthan in ASCENDING order of average annual rainfall:

- I. Zone I-C Hyper Arid Partial Irrigated Zone
II. Zone III-A Semi-Arid Eastern Plain
III. Zone IV-B Humid Southern Plain
IV. Zone II-A Transitional Plain of Inland Drainage

HARD

- (A) I, IV, II, III
(B) IV, I, II, III
(C) I, II, IV, III
(D) III, II, IV, I

27. Mixed red and black soil in Rajasthan is chiefly found in which districts?

- (A) Chittorgarh and Bhilwara (B) Bikaner and Jaisalmer
(C) Alwar and Bharatpur (D) Sikar and Jhunjhunu

28. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Soil of Rajasthan) List-II (Parent material or origin)

- A. Black soil 1. Weathering of granite and gneiss
B. Red-yellow soil 2. River-borne deposits
C. Desert soil 3. Weathering of Deccan lava
D. Alluvial soil 4. Wind-blown sand

- (A) A-3, B-1, C-4, D-2
(B) A-1, B-3, C-4, D-2
(C) A-3, B-1, C-2, D-4
(D) A-3, B-4, C-1, D-2

29. Consider the following statements about land degradation in Rajasthan:

- I. Rajasthan has the largest area under desertification and land degradation among Indian states.
II. Wind erosion is the principal process of land degradation in the state.
III. The Desertification and Land Degradation Atlas of India is prepared by ISRO.

Which of the statements given above are correct?

- (A) I and II only
(B) II and III only
(C) I and III only
(D) I, II and III

30. The thin, immature skeletal soils found on the steep slopes of the Aravalli range are called: **HARD**

- (A) Vertisols
- (B) Lithosols
- (C) Regur
- (D) Peaty soils

31. Consider the following statements about soil conservation measures in Rajasthan:

- I. Shelterbelt plantation and dune stabilisation are used against wind erosion.
- II. Contour bunding and check dams are used against water erosion.
- III. Gypsum application is used to reclaim alkaline soils.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

32. Which one of the following is NOT a soil order recognised in the soil taxonomy of Rajasthan? **HARD**

- (A) Entisol
- (B) Aridisol
- (C) Oxisol
- (D) Vertisol

33. The Alfisol order of soils in Rajasthan is chiefly found in which districts?

- (A) Alwar, Bharatpur and Dholpur
- (B) Jaisalmer and Bikaner
- (C) Kota and Jhalawar
- (D) Banswara and Dungarpur

34. Which one of the following statements about the agro-climatic zoning of Rajasthan is NOT correct?

- (A) The state has ten agro-climatic zones
- (B) Zone I-C is the driest zone of the state
- (C) Zone V comprises the Hadoti districts
- (D) Zone II-B covers Alwar, Bharatpur and Dholpur

35. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Soil problem) List-II (Area chiefly affected)

- A. Wind erosion and dune movement 1. Sambhar and Pachpadra
- B. Ravine and gully erosion 2. Dholpur and Karauli
- C. Waterlogging and salinity 3. Sri Ganganagar and Hanumangarh
- D. Soil salinity from saline lakes 4. Jaisalmer and Barmer

- (A) A-4, B-2, C-1, D-3
- (B) A-2, B-4, C-3, D-1
- (C) A-4, B-2, C-3, D-1
- (D) A-4, B-3, C-2, D-1

RG06

Biodiversity Conservation: Parks, Sanctuaries, Reserves

60 questions · 25 fact-sheet points

Must-know facts

1. Rajasthan has 5 national parks: Ranthambore (Sawai Madhopur), Keoladeo Ghana (Bharatpur), Sariska (Alwar), Desert NP (Jaisalmer-Barmer) and Mukundra Hills (Kota-Bundi-Jhalawar-Chittorgarh).
2. Desert National Park (about 3,162 sq km) is Rajasthan's largest national park; Keoladeo Ghana (28.73 sq km) is the smallest.
3. Keoladeo Ghana — bird sanctuary 1956, Ramsar site 1981, national park 1982, UNESCO World Heritage Site 1985; fed by the Gambhir and Banganga; Ajan Bandh built by Maharaja Suraj Mal of Bharatpur.
4. Ranthambore — Sawai Madhopur; one of the nine original Project Tiger reserves of 1973; national park 1980; Padam Talab, Raj Bagh, Jogi Mahal, Trinetra Ganesh temple.
5. Sariska (Alwar) — tiger reserve 1978, national park 1982; site of the world's first tiger relocation, June 2008, when tiger ST-1 was airlifted from Ranthambore.
6. Rajasthan's five notified tiger reserves: Ranthambore, Sariska, Mukundra Hills (2013), Ramgarh Vishdhari (2022, Bundi) and Dholpur-Karauli (2023) — position as of September 2026.
7. Dholpur-Karauli is India's 54th tiger reserve and Rajasthan's fifth and newest (2023).
8. Kumbhalgarh (Rajsamand-Udaipur-Pali-Ajmer-Sirohi, about 1,397 sq km) received in-principle central approval in August 2023 as Rajasthan's proposed sixth tiger reserve.
9. Rajasthan has 5 Ramsar sites (as of 2026): Keoladeo Ghana (1981), Sambhar Lake (1990), Khichan and Menar (5 June 2025) and Siliserh Lake, Alwar (2025).
10. Khichan (Phalodi) is famous for wintering demoiselle cranes (kurja); Menar (Udaipur) is the community-conserved 'bird village'.
11. Sanctuary to species: Tal Chhapar (Churu) blackbuck; Sitamata (Pratapgarh) flying squirrel and chausingha; National Chambal gharial, Gangetic dolphin and skimmer; Kumbhalgarh Indian wolf.
12. Sanctuary to district: Mount Abu-Sirohi; Shergarh-Baran; Bandh Baretha-Bharatpur; Kesarbagh, Van Vihar and Ram Sagar-Dholpur; Bassi and Bhainsrodgarh-Chittorgarh; Gajner-Bikaner; Dhawa (Doli)-Jodhpur.
13. Sajjangan Wildlife Sanctuary (Udaipur) surrounds the Monsoon Palace and is the smallest sanctuary of Rajasthan.
14. Kailadevi (Karauli) and Sawai Man Singh (Sawai Madhopur) sanctuaries form part of the Ranthambore Tiger Reserve.
15. Todgarh-Raoli sanctuary spreads over Ajmer, Pali and Rajsamand; Kumbhalgarh WLS over Rajsamand, Udaipur and Pali; Jawahar Sagar over Kota, Bundi and Chittorgarh.
16. Bisalpur (Tonk, 2008) was Rajasthan's first conservation reserve; Jodbeed Gadhwal (Bikaner, 2008) is famous for migratory vultures.
17. Conservation reserve to district: Jawai Bandh leopard-Pali; Sundha Mata-Jalore and Sirohi; Gudha Vishnoi-Jodhpur; Rotu and Gogelav-Nagaur; Beed Jhunjhunu and Mansa Mata-Jhunjhunu; Ummedganj-Kota; Shakambhari-Sikar and Jhunjhunu; Baghdarrah crocodile-Udaipur; Shahbad and Sorsan-Baran.
18. State symbols: state bird Godawan / Great Indian Bustard (1981), state animal (wild) chinkara (1981), state animal (domestic) camel (2014), state tree khejri, state flower rohida.
19. Project Great Indian Bustard was launched by Rajasthan on 5 June 2013; GIB conservation breeding centres are at Sam-Sudasari and Ramdevra in Jaisalmer.

20. Jhalana (Jaipur, 2017) is India's first leopard reserve; Amargarh (Jaipur) is Rajasthan's second leopard reserve.
21. Sorsan (Baran) and Shokaliya (Ajmer) grasslands are lesser florican (kharmor) habitats; Kharmor Conservation Reserve is in Ajmer.
22. Khejarli (Jodhpur) — Amrita Devi Bishnoi and 362 Bishnois died in 1730 defending khejri trees; the Amrita Devi Bishnoi Award is Rajasthan's highest wildlife honour.
23. Kailash Sankhala of Jodhpur, the 'Tiger Man of India', was the first director of Project Tiger; Wildlife Week is observed 2-8 October.
24. Biological parks: Nahargarh (Jaipur), Sajjangarh (Udaipur), Machia (Jodhpur), Abhedha (Kota); Jaipur Zoo (1876) is the oldest zoo of the state.
25. Akal Wood Fossil Park near Jaisalmer preserves 180-million-year-old fossilised tree trunks of the Jurassic period.

1. Which one of the following is the largest national park of Rajasthan by area?

(A) Ranthambore National Park	(B) Sariska National Park
(C) Mukundra Hills National Park	(D) Desert National Park
2. Keoladeo Ghana National Park is situated in which district of Rajasthan?

(A) Bharatpur	(B) Dholpur
(C) Karauli	(D) Alwar
3. Which national park of Rajasthan is inscribed on the UNESCO World Heritage List?

(A) Ranthambore National Park	(B) Keoladeo National Park
(C) Sariska National Park	(D) Desert National Park
4. How many national parks are there in Rajasthan?

(A) Four	(B) Five
(C) Six	(D) Seven
5. The Indian giant flying squirrel is the best-known mammal of which wildlife sanctuary of Rajasthan?

(A) Bassi Sanctuary	(B) Phulwari ki Naal Sanctuary
(C) Bhainsrodgarh Sanctuary	(D) Sitamata Sanctuary
6. Tal Chhapar Wildlife Sanctuary, noted for its blackbuck population, is located in which district?

(A) Nagaur	(B) Churu
(C) Jhunjhunu	(D) Sikar
7. The gharial and the Gangetic dolphin are protected in which sanctuary of Rajasthan?

(A) Bhainsrodgarh Sanctuary	(B) Jawahar Sagar Sanctuary
(C) Ram Sagar Sanctuary	(D) National Chambal Sanctuary
8. Mount Abu Wildlife Sanctuary lies in which district of Rajasthan?

(A) Sirohi	(B) Jalore
(C) Pali	(D) Udaipur
9. Which is the fifth and newest notified tiger reserve of Rajasthan? RAS PRE 2024

(A) Ramgarh Vishdhari	(B) Mukundra Hills
(C) Dholpur-Karauli	(D) Kumbhalgarh

- 10.** Ramgarh Vishdhari Tiger Reserve is located in which district?
(A) Baran (B) Bundi
(C) Jhalawar (D) Kota
- 11.** Mukundra Hills was declared a tiger reserve in which year?
(A) 2006 (B) 2010
(C) 2013 (D) 2016
- 12.** The world's first relocation of a wild tiger from one reserve to another was carried out in 2008 at:
(A) Sariska (B) Mukundra Hills
(C) Ranthambore (D) Panna
- 13.** Which area has received in-principle central approval to become Rajasthan's sixth tiger reserve?
(A) Sorsan (B) Jhalana
(C) Bhainsrodgarh (D) Kumbhalgarh
- 14.** Which bird is the state bird of Rajasthan?
(A) Great Indian Bustard (B) Demoiselle crane
(C) Indian courser (D) Lesser florican
- 15.** Which animal is the state animal (wild category) of Rajasthan?
(A) Chinkara (B) Blackbuck
(C) Camel (D) Chausingha
- 16.** The camel was declared the state animal of Rajasthan in the domestic category in which year?
(A) 2010 (B) 2012
(C) 2014 (D) 2016
- 17.** Which tree is the state tree of Rajasthan?
(A) Rohida (B) Dhok
(C) Salar (D) Khejri
- 18.** Rohida is the state flower of Rajasthan. Its botanical name is:
(A) Tecomella undulata (B) Prosopis cineraria
(C) Anogeissus pendula (D) Salvadora oleoides
- 19.** Sambhar Lake was designated a Ramsar site in which year? RAS PRE 2016
(A) 1981 (B) 1990
(C) 2002 (D) 2012
- 20.** As of 2026, how many Ramsar sites are located in Rajasthan? RAS PRE 2023
(A) Three (B) Four
(C) Five (D) Six
- 21.** Khichan wetland, declared a Ramsar site in 2025, is famous for which migratory bird?
(A) Siberian crane (B) Greater flamingo
(C) Demoiselle crane (D) Bar-headed goose
- 22.** Siliserh Lake, added to the Ramsar list in 2025, is situated in which district?
(A) Alwar (B) Bharatpur
(C) Dausa (D) Jaipur

- 23.** Which was the first conservation reserve to be notified in Rajasthan?
- (A) Sundha Mata (B) Bisalpur
(C) Gudha Vishnoi (D) Rotu
- 24.** Jawai Bandh Conservation Reserve in Pali district is best known for which animal?
- (A) Wolf (B) Blackbuck
(C) Leopard (D) Sloth bear
- 25.** Jodbeed Gadhwa Conservation Reserve in Bikaner is chiefly important for the conservation of:
- (A) Blackbuck (B) Chinkara
(C) Desert fox (D) Vultures
- 26.** Kumbhalgarh Wildlife Sanctuary is particularly noted for which carnivore?
- (A) Indian wolf (B) Sloth bear
(C) Caracal (D) Striped hyena
- 27.** The Sorsan grassland of Baran district is an important habitat of which bird? **HARD**
- (A) Great Indian Bustard (B) Lesser florican
(C) Sarus crane (D) Indian skimmer
- 28.** Which is India's first leopard reserve, notified in Rajasthan in 2017?
- (A) Amagarh (B) Bassi
(C) Sundha Mata (D) Jhalana
- 29.** Kailadevi Wildlife Sanctuary, which forms part of the Ranthambore Tiger Reserve, lies mainly in which district?
- (A) Dholpur (B) Sawai Madhopur
(C) Bundi (D) Karauli
- 30.** Desert National Park is spread over which two districts?
- (A) Jaisalmer and Barmer (B) Bikaner and Jaisalmer
(C) Barmer and Jalore (D) Jodhpur and Jaisalmer
- 31.** Shergarh Wildlife Sanctuary is located in which district of Rajasthan?
- (A) Kota (B) Baran
(C) Jhalawar (D) Bundi
- 32.** Who, born in Jodhpur and known as the 'Tiger Man of India', was the first director of Project Tiger?
- (A) Salim Ali (B) Valmik Thapar
(C) Kailash Sankhala (D) Fateh Singh Rathore
- 33.** Gajner Wildlife Sanctuary is situated in which district?
- (A) Churu (B) Jaisalmer
(C) Jodhpur (D) Bikaner

34. Consider the following statements about Ranthambore National Park:

- I. It lies in Sawai Madhopur district.
- II. It was among the nine reserves selected at the launch of Project Tiger in 1973.
- III. The Trinetra Ganesh temple is situated within the reserve.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

35. Consider the following statements about Keoladeo National Park:

- I. It was created around the Ajan Bandh built by Maharaja Suraj Mal of Bharatpur.
- II. It became a Ramsar site in 1981.
- III. It was once the wintering ground of the Siberian crane.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

36. Consider the following statements about the Desert National Park:

- I. It is the largest national park of Rajasthan.
- II. It is the principal habitat of the Great Indian Bustard in India.
- III. It lies wholly within Bikaner district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

37. Consider the following statements about Sariska:

- I. It was brought under Project Tiger in 1978.
- II. It was declared a national park in 1982.
- III. Tigers were reintroduced there from Ranthambore in 2008.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

38. Consider the following statements about the tiger reserves of Rajasthan:

- I. Rajasthan has five notified tiger reserves.
- II. Ramgarh Vishdhari Tiger Reserve is in Bundi district.
- III. Dholpur-Karauli is the newest tiger reserve of the state.

Which of the statements given above are correct? RAS PRE 2023

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

39. Consider the following statements about the Ramsar sites of Rajasthan:

- I. Keoladeo Ghana was designated in 1981.
- II. Sambhar Lake is India's largest inland saline wetland.
- III. Menar wetland lies in Udaipur district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

40. Consider the following statements about Tal Chhapar Sanctuary:

- I. It is a flat saline grassland.
- II. It is famous for the blackbuck.
- III. It lies in Jhunjhunu district.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

41. Consider the following statements about conservation reserves in Rajasthan:

- I. Bisalpur Conservation Reserve is in Tonk district.
- II. Sundha Mata Conservation Reserve extends over Jalore and Sirohi.
- III. Ummedganj Conservation Reserve is in Kota.

Which of the statements given above are correct? HARD

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

42. Consider the following statements about Sitamata Wildlife Sanctuary:

- I. It is known for the flying squirrel.
- II. The four-horned antelope is found there.
- III. It lies mainly in Bikaner district.

Which of the statements given above are correct?

- (A) II and III only
- (B) I and II only
- (C) I and III only
- (D) I, II and III

43. Consider the following statements about the state symbols of Rajasthan:

- I. The chinkara is the state animal in the wild category.
- II. The godawan is the state bird.
- III. The khejri is the state tree.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

44. Consider the following statements about the National Chambal Sanctuary:

- I. It was notified in 1979.
- II. It is a tri-state sanctuary shared by Rajasthan, Madhya Pradesh and Uttar Pradesh.
- III. The Indian skimmer is found there.

Which of the statements given above are correct? **HARD**

- (A) I, II and III
- (B) I and II only
- (C) II and III only
- (D) I and III only

45. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Wildlife Sanctuary) List-II (District)

- A. Tal Chhapar 1. Sirohi
- B. Mount Abu 2. Churu
- C. Shergarh 3. Bundi
- D. Ramgarh Vishdhari 4. Baran

RAS PRE 2023

- (A) A-2, B-1, C-4, D-3
- (B) A-2, B-1, C-3, D-4
- (C) A-1, B-2, C-4, D-3
- (D) A-2, B-4, C-1, D-3

46. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Wildlife Sanctuary) List-II (District)

- A. Bandh Baretha 1. Dholpur
- B. Kesarbagh 2. Bharatpur
- C. Sajjangarh 3. Sawai Madhopur
- D. Sawai Man Singh 4. Udaipur

RAS PRE 2016, 2024

- (A) A-1, B-2, C-4, D-3
- (B) A-2, B-1, C-3, D-4
- (C) A-2, B-1, C-4, D-3
- (D) A-1, B-2, C-3, D-4

47. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Conservation Reserve) List-II (District)

- A. Jawai Bandh 1. Jodhpur
- B. Gudha Vishnoi 2. Nagaur
- C. Rotu 3. Pali
- D. Ummedganj 4. Kota

RAS PRE 2021

HARD

- (A) A-3, B-2, C-1, D-4
- (B) A-3, B-1, C-2, D-4
- (C) A-1, B-3, C-2, D-4
- (D) A-3, B-1, C-4, D-2

48. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Tiger Reserve) List-II (Year of notification)

A. Mukundra Hills 1. 1973

B. Ranthambore 2. 1978

C. Sariska 3. 2013

D. Ramgarh Vishdhari 4. 2022 HARD

(A) A-1, B-3, C-2, D-4

(B) A-3, B-2, C-1, D-4

(C) A-3, B-1, C-4, D-2

(D) A-3, B-1, C-2, D-4

49. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Protected area) List-II (Flagship species)

A. Sitamata 1. Gharial

B. Tal Chhapar 2. Flying squirrel

C. National Chambal 3. Leopard

D. Jawai Bandh 4. Blackbuck

(A) A-2, B-4, C-1, D-3

(B) A-2, B-1, C-4, D-3

(C) A-4, B-2, C-1, D-3

(D) A-2, B-4, C-3, D-1

50. Match List-I with List-II and select the correct answer using the codes given below:

List-I (National Park) List-II (District)

A. Ranthambore 1. Alwar

B. Sariska 2. Bharatpur

C. Keoladeo Ghana 3. Sawai Madhopur

D. Mukundra Hills 4. Kota

(A) A-3, B-1, C-4, D-2

(B) A-1, B-3, C-2, D-4

(C) A-3, B-1, C-2, D-4

(D) A-3, B-2, C-1, D-4

51. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Ramsar site) List-II (District)

A. Keoladeo Ghana 1. Phalodi

B. Khichan 2. Udaipur

C. Menar 3. Bharatpur

D. Siliserh 4. Alwar

(A) A-3, B-2, C-1, D-4

(B) A-3, B-1, C-2, D-4

(C) A-1, B-3, C-2, D-4

(D) A-3, B-1, C-4, D-2

52. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Wildlife Sanctuary) List-II (District)

- A. Bassi 1. Bikaner
 B. Phulwari ki Naal 2. Jaipur
 C. Jamwa Ramgarh 3. Chittorgarh
 D. Gajner 4. Udaipur

RAS PRE 2024

HARD

- (A) A-3, B-1, C-2, D-4
 (B) A-4, B-3, C-2, D-1
 (C) A-3, B-4, C-1, D-2
 (D) A-3, B-4, C-2, D-1

53. Which one of the following pairs of wildlife sanctuary and district is NOT correctly matched?

- (A) Kailadevi - Karauli (B) Bhainsrodgarh - Chittorgarh
 (C) Todgarh-Raoli - Bharatpur (D) Van Vihar - Dholpur

54. Which one of the following is NOT a tiger reserve of Rajasthan?

- (A) Ramgarh Vishdhari (B) Sitamata
 (C) Mukundra Hills (D) Dholpur-Karauli

55. Which one of the following is NOT a national park of Rajasthan?

- (A) Mukundra Hills (B) Desert National Park
 (C) Sariska (D) Kumbhalgarh

56. Which one of the following pairs of conservation reserve and district is NOT correctly matched?

HARD

- (A) Beed Jhunjhunu - Barmer (B) Shakambhari - Sikar
 (C) Baghdarrah - Udaipur (D) Gogelav - Nagaur

57. Which one of the following is NOT a Ramsar site of Rajasthan?

- (A) Sambhar Lake (B) Menar
 (C) Pushkar Lake (D) Siliserh

58. Which one of the following pairs of species and protected area is NOT correctly matched?

- (A) Wolf - Kumbhalgarh Sanctuary
 (B) Great Indian Bustard - Keoladeo National Park
 (C) Vulture - Jodbeed Gadhwa
 (D) Lesser florican - Sorsan

59. Arrange the following tiger reserves of Rajasthan in the correct chronological order of their notification, beginning with the earliest:

- I. Mukundra Hills
 II. Sariska
 III. Dholpur-Karauli
 IV. Ramgarh Vishdhari

- (A) II, I, IV, III
 (B) I, II, III, IV
 (C) II, I, III, IV
 (D) I, II, IV, III

60. Assertion (A): The Great Indian Bustard has been adopted as the state bird of Rajasthan.

Reason (R): The Desert National Park of Jaisalmer is among the last strongholds of the species in India.

Select the correct answer using the codes given below: HARD

- (A) Both A and R are true and R is the correct explanation of A
- (B) Both A and R are true but R is not the correct explanation of A
- (C) A is true but R is false
- (D) A is false but R is true

RG07

Agriculture and Crops of Rajasthan

50 questions · 25 fact-sheet points

Must-know facts

1. Rajasthan ranks first in India in the production of bajra, rapeseed-mustard, guar (cluster bean), moth bean, isabgol and henna.
2. Bajra: Rajasthan is India's largest producer; Alwar leads in production while Barmer has the largest area under the crop.
3. Rapeseed-mustard: Rajasthan is the largest producer; Sriganganagar, Alwar and Bharatpur are leading districts; ICAR-Directorate of Rapeseed-Mustard Research is at Sear, Bharatpur.
4. Guar: Rajasthan accounts for the bulk of India's guar and guar gum output; Hanumangarh and Bikaner lead; guar gum is a major export earner.
5. Rajasthan ranks second in India in groundnut (Bikaner leads), third in soybean (Jhalawar leads) and third in total pulses (Nagaur leads).
6. Jowar: Rajasthan ranks third in India, Ajmer leading; barley is dominated by Jaipur district; gram by Bikaner.
7. Wheat and cotton are concentrated in the canal-irrigated north-west — Sriganganagar and Hanumangarh.
8. Seed spices: Rajasthan has the largest area in India under cumin (jeera); Nagaur is famous for fenugreek (methi), Jalore for isabgol, and Baran-Kota-Jhalawar for coriander.
9. Ramganj Mandi in Kota district is Asia's largest coriander (dhanja) market.
10. Sojat (Pali) henna carries a Geographical Indication tag; Rajasthan supplies almost all of India's mehndi.
11. Horticulture: kinnow — Sriganganagar and Hanumangarh; orange — Jhalawar; Mathania (Jodhpur) red chilli; ber and aonla in the arid west.
12. Rajasthan pioneered olive cultivation through Rajasthan Olive Cultivation Ltd; India's first olive oil refinery is at Bassi in Jaipur district.
13. A Centre of Excellence for date palm has been set up at Sagra-Bhojka in Jaisalmer district.
14. Opium is grown under licence in Chittorgarh, Pratapgarh, Bhilwara and Jhalawar and is regulated by the Central Bureau of Narcotics.
15. Walra is the slash-and-burn shifting cultivation of the Bhils of southern Rajasthan; Chimata (plains/lower slopes) and Dajiya (hill slopes) are its two forms.
16. Maize hybrids associated with Rajasthan: Mahi Kanchan, Mahi Dhawal and the Pratap Makka series; bajra: RCB 911 and the RHB (Rajasthan Hybrid Bajra) series, besides HHB 67 Improved.
17. ICAR-National Research Centre on Seed Spices is at Tabiji, Ajmer (2000); the National Research Centre on Camel and the Central Institute for Arid Horticulture are both at Bikaner.
18. CAZRI (Central Arid Zone Research Institute), Jodhpur was set up in 1959; AFRI is also at Jodhpur; CSWRI is at Avikanagar (Malpura, Tonk), 1962.
19. Agricultural universities: SKRAU Bikaner (1987, the state's first), MPUAT Udaipur (1999), SKNAU Jobner, Agriculture University Jodhpur and Agriculture University Kota (2013); RAJUVAS Bikaner (2010) for veterinary sciences.
20. Rajasthan is divided into 10 agro-climatic zones out of the 126 identified for India by ICAR.
21. Rajasthan became the first Indian state to present a separate agriculture budget, in February 2022.

22. Kharif crops: bajra, jowar, maize, moth, guar, groundnut, cotton, sesame, soybean; rabi crops: wheat, barley, gram, mustard, taramira, isabgol, coriander.
23. Rajasthan Organic Farming Policy was announced in 2017; the Raj Kisan Saathi portal delivers farmer services online; crop insurance runs through PMFBY.
24. The Rajasthan State Agricultural Marketing Board (1974) runs the krishi upaj mandis; GRAM (Global Rajasthan Agritech Meet) was first held at Jaipur in 2016.
25. Sugarcane is confined to Bundi, Sriganganagar, Chittorgarh and Udaipur; the Keshoraipatan (Bundi) cooperative sugar mill is the best known unit.

1. Rajasthan holds the first rank in India in the production of which of the following coarse cereals?

(A) Jowar	(B) Ragi
(C) Maize	(D) Bajra
2. Rajasthan is the largest producer in India of which of the following oilseeds?

(A) Rapeseed-mustard	(B) Groundnut
(C) Soybean	(D) Sesame
3. Which district leads Rajasthan in the production of guar (cluster bean)?

(A) Hanumangarh	(B) Jodhpur
(C) Nagaur	(D) Churu
4. Which district of Rajasthan is the leading producer of isabgol (psyllium)?

(A) Nagaur	(B) Barmer
(C) Pali	(D) Jalore
5. Which place in Rajasthan is famous for henna (mehndi) cultivation and holds a Geographical Indication tag for it?

(A) Merta City	(B) Sojat
(C) Mandore	(D) Nokha
6. Ramganj Mandi, described as Asia's largest market for its produce, is associated with which crop?

(A) Cumin	(B) Fenugreek
(C) Coriander	(D) Isabgol
7. Rajasthan has the largest area in India under which of the following seed spices? **HARD**

(A) Fennel	(B) Coriander
(C) Cumin	(D) Ajwain
8. Which district of Rajasthan is best known for the cultivation of fenugreek (methi)?

(A) Kota	(B) Jalore
(C) Bharatpur	(D) Nagaur
9. Licensed cultivation of opium in Rajasthan is chiefly carried on in which group of districts? **HARD**

(A) Chittorgarh, Pratapgarh and Bhilwara	(B) Bikaner, Churu and Jhunjhunu
(C) Alwar, Dausa and Karauli	(D) Jaisalmer, Barmer and Jalore
10. Kinnow cultivation in Rajasthan is concentrated in which district?

(A) Jhalawar	(B) Sriganganagar
(C) Bharatpur	(D) Udaipur

- 11.** Which district of Rajasthan is known as the state's orange (santra) belt?
- (A) Sirohi (B) Banswara
(C) Jhalawar (D) Dholpur
- 12.** Mathania, famous for its red chilli, is located in which district?
- (A) Nagaur (B) Pali
(C) Barmer (D) Jodhpur
- 13.** India's first olive oil refinery was established at which place in Rajasthan?
- (A) Bassi (Jaipur) (B) Lunkaransar (Bikaner)
(C) Nagaur (D) Sikar
- 14.** 'Walra' in Rajasthan refers to: RAS PRE 2018
- (A) A traditional water harvesting structure
(B) Shifting cultivation practised by the Bhils
(C) A rabi oilseed crop
(D) A system of contract farming
- 15.** 'Mahi Kanchan' is an improved variety of which crop? RAS PRE 2023
- (A) Bajra (B) Wheat
(C) Maize (D) Mustard
- 16.** 'RCB 911' is a hybrid variety of which crop? RAS PRE 2024 HARD
- (A) Maize (B) Barley
(C) Guar (D) Bajra
- 17.** The National Research Centre on Seed Spices is located at: RAS PRE 2023
- (A) Ajmer (B) Bikaner
(C) Jodhpur (D) Kota
- 18.** The National Research Centre on Camel is situated in which city of Rajasthan? RAS PRE 2016
- (A) Jaisalmer (B) Bikaner
(C) Barmer (D) Jodhpur
- 19.** The Central Institute for Arid Horticulture is located at: RAS PRE 2018
- (A) Jodhpur (B) Ajmer
(C) Bikaner (D) Sriganganagar
- 20.** The Central Arid Zone Research Institute (CAZRI) is located at:
- (A) Bikaner (B) Barmer
(C) Jaisalmer (D) Jodhpur
- 21.** The Directorate of Rapeseed-Mustard Research is located at Sewar in which district? HARD
- (A) Bharatpur (B) Alwar
(C) Sriganganagar (D) Tonk
- 22.** Which was the first agricultural university established in Rajasthan?
- (A) Maharana Pratap University of Agriculture and Technology, Udaipur
(B) Rajasthan Agricultural University, Bikaner
(C) Sri Karan Narendra Agriculture University, Jobner
(D) Agriculture University, Kota

- 23.** Maharana Pratap University of Agriculture and Technology is located at:
- (A) Jobner (B) Kota
(C) Udaipur (D) Jodhpur
- 24.** Sri Karan Narendra Agriculture University is situated at:
- (A) Mandore (B) Durgapura
(C) Tabiji (D) Jobner
- 25.** Which state was the first in India to present a separate agriculture budget?
- (A) Rajasthan (B) Madhya Pradesh
(C) Punjab (D) Karnataka
- 26.** Into how many agro-climatic zones is Rajasthan divided?
- (A) Eight (B) Ten
(C) Twelve (D) Fourteen
- 27.** Which district leads Rajasthan in soybean production?
- (A) Kota (B) Baran
(C) Jhalawar (D) Bundi

28. Consider the following statements about bajra cultivation in Rajasthan:

- I. Rajasthan is the largest producer of bajra in India.
II. It is a kharif crop.
III. Barmer has the largest area under bajra in the state.

Which of the statements given above are correct?

- (A) I, II and III
(B) I and II only
(C) II and III only
(D) I and III only

29. Consider the following statements about rapeseed-mustard in Rajasthan:

- I. It is a rabi crop.
II. Rajasthan is the largest producer in India.
III. The Directorate of Rapeseed-Mustard Research is located at Bharatpur.

Which of the statements given above are correct?

- (A) I and II only
(B) II and III only
(C) I, II and III
(D) I and III only

30. Consider the following statements about guar in Rajasthan:

- I. It is a kharif legume.
II. Rajasthan produces the bulk of India's guar.
III. Guar gum is used in the oil and gas industry.

Which of the statements given above are correct?

- (A) I and III only
(B) I, II and III
(C) I and II only
(D) II and III only

31. Consider the following statements about seed spices in Rajasthan:

- I. Rajasthan has the largest area under cumin in India.
- II. Jalore is the leading district for isabgol.
- III. The National Research Centre on Seed Spices is at Jodhpur.

Which of the statements given above are correct?

- (A) II and III only
- (B) I and III only
- (C) I, II and III
- (D) I and II only

32. Consider the following statements about Walra cultivation:

- I. It is a form of shifting cultivation.
- II. It is practised by the Bhils of southern Rajasthan.
- III. Chimata and Dajiya are related forms of the same practice.

Which of the statements given above are correct? RAS PRE 2013, 2018

- (A) I, II and III
- (B) I and II only
- (C) II and III only
- (D) I and III only

33. Consider the following statements about agricultural universities of Rajasthan:

- I. Maharana Pratap University of Agriculture and Technology is at Udaipur.
- II. Sri Karan Narendra Agriculture University is at Jobner.
- III. RAJUVAS, the veterinary university, is at Jaipur.

Which of the statements given above are correct?

- (A) I and III only
- (B) II and III only
- (C) I and II only
- (D) I, II and III

34. Consider the following statements about cropping seasons in Rajasthan:

- I. Moth, guar and sesame are kharif crops.
- II. Taramira and isabgol are rabi crops.
- III. Bajra is sown in the rabi season.

Which of the statements given above are correct?

- (A) II and III only
- (B) I and II only
- (C) I and III only
- (D) I, II and III

35. Consider the following statements about horticulture in Rajasthan:

- I. India's first olive oil refinery was set up at Bassi in Jaipur district.
- II. A Centre of Excellence for date palm has been established in Jaisalmer district.
- III. Kinnow is grown mainly in Sriganganagar and Hanumangarh.

Which of the statements given above are correct? HARD

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

36. Consider the following statements about agricultural research institutions in Rajasthan:

- I. CAZRI is located at Jodhpur.
- II. The Central Institute for Arid Horticulture is at Bikaner.
- III. The Central Sheep and Wool Research Institute is at Avikanagar in Tonk district.

Which of the statements given above are correct? **RAS PRE 2018**

- (A) I, II and III
- (B) I and II only
- (C) II and III only
- (D) I and III only

37. Consider the following statements about agricultural administration in Rajasthan:

- I. Rajasthan was the first state in India to present a separate agriculture budget.
- II. The Rajasthan Organic Farming Policy was announced in 2017.
- III. Crop insurance in the state is implemented through the Pradhan Mantri Fasal Bima Yojana.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

38. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Crop) List-II (Leading district in Rajasthan)

- A. Guar 1. Jhalawar
- B. Soybean 2. Hanumangarh
- C. Isabgol 3. Bikaner
- D. Groundnut 4. Jalore

- (A) A-3, B-1, C-4, D-2
- (B) A-2, B-1, C-4, D-3
- (C) A-2, B-4, C-1, D-3
- (D) A-2, B-1, C-3, D-4

39. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Research institution) List-II (Location)

- A. National Research Centre on Seed Spices 1. Bikaner
- B. National Research Centre on Camel 2. Jodhpur
- C. Central Arid Zone Research Institute 3. Bharatpur
- D. Directorate of Rapeseed-Mustard Research 4. Ajmer

RAS PRE 2023

- (A) A-1, B-4, C-2, D-3
- (B) A-4, B-1, C-3, D-2
- (C) A-2, B-1, C-4, D-3
- (D) A-4, B-1, C-2, D-3

40. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Agricultural produce) List-II (Associated centre in Rajasthan)

- A. Coriander 1. Bassi
 B. Olive oil refinery 2. Sagra-Bhojka
 C. Opium 3. Ramganj Mandi
 D. Date palm Centre of Excellence 4. Chittorgarh **HARD**

- (A) A-3, B-4, C-1, D-2
 (B) A-1, B-3, C-4, D-2
 (C) A-3, B-1, C-4, D-2
 (D) A-3, B-1, C-2, D-4

41. Match List-I with List-II and select the correct answer using the codes given below:

List-I (University) List-II (Headquarters)

- A. Swami Keshwanand Rajasthan Agricultural University 1. Udaipur
 B. Maharana Pratap University of Agriculture and Technology 2. Jobner
 C. Sri Karan Narendra Agriculture University 3. Bikaner
 D. Agriculture University 4. Kota

- (A) A-4, B-1, C-2, D-3
 (B) A-3, B-2, C-1, D-4
 (C) A-3, B-1, C-2, D-4
 (D) A-1, B-3, C-2, D-4

42. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Horticultural produce) List-II (District)

- A. Kinnow 1. Jodhpur
 B. Orange 2. Sriganganagar
 C. Red chilli 3. Pali
 D. Henna 4. Jhalawar

- (A) A-4, B-2, C-1, D-3
 (B) A-2, B-4, C-1, D-3
 (C) A-2, B-4, C-3, D-1
 (D) A-2, B-1, C-4, D-3

43. Which one of the following pairs of crop and leading district of Rajasthan is NOT correctly matched?

- (A) Coriander - Baran (B) Barley - Jaipur
 (C) Gram - Bikaner (D) Cotton - Udaipur

44. Which one of the following is NOT a kharif crop of Rajasthan?

- (A) Barley (B) Moth
 (C) Guar (D) Sesame

45. Which one of the following pairs of institution and location is NOT correctly matched? **RAS PRE 2016**

- (A) Central Arid Zone Research Institute - Jodhpur
 (B) National Research Centre on Camel - Bikaner
 (C) National Research Centre on Seed Spices - Jaipur
 (D) Central Sheep and Wool Research Institute - Avikanagar

46. Rajasthan is the largest producer in India of all the following EXCEPT:

- (A) Bajra (B) Soybean
 (C) Guar (D) Moth bean

47. Which one of the following is NOT a rabi crop grown in Rajasthan?

- (A) Taramira (B) Isabgol
(C) Gram (D) Moth

48. Which one of the following pairs of variety and crop is NOT correctly matched?

RAS PRE 2024

HARD

- (A) Mahi Kanchan - Bajra (B) RCB 911 - Bajra
(C) Pratap Makka - Maize (D) Mahi Dhawal - Maize

49. Arrange the following institutions of Rajasthan in the correct chronological order of their establishment, beginning with the earliest:

I. National Research Centre on Seed Spices, Ajmer

II. Central Arid Zone Research Institute, Jodhpur

III. National Research Centre on Camel, Bikaner

IV. Central Sheep and Wool Research Institute, Avikanagar

HARD

- (A) II, III, IV, I
(B) II, IV, III, I
(C) IV, II, III, I
(D) II, IV, I, III

50. Arrange the following universities of Rajasthan in the correct chronological order of their establishment, beginning with the earliest:

I. Maharana Pratap University of Agriculture and Technology, Udaipur

II. Rajasthan Agricultural University, Bikaner

III. Agriculture University, Kota

IV. Rajasthan University of Veterinary and Animal Sciences, Bikaner

- (A) I, II, IV, III
(B) II, I, III, IV
(C) II, I, IV, III
(D) I, II, III, IV

RG08

Livestock, Dairy and Fisheries of Rajasthan

40 questions · 27 fact-sheet points

Must-know facts

1. 20th Livestock Census (2019): Rajasthan 568 lakh livestock — 2nd in India after Uttar Pradesh; about 10.6% of the national herd; density about 166 animals per sq km.
2. Species share (20th Census): goat 36.7% > cattle 24.5% > buffalo 24.1% > sheep 13.9%.
3. Rajasthan's all-India ranks (20th Census): 1st in goat, camel and donkey; 2nd in buffalo; 4th in sheep; 6th in cattle; 17th in poultry.
4. Camel population fell about 35% between the 19th (2012) and 20th (2019) censuses to about 2.13 lakh — still roughly 85% of India's camels.
5. Rajasthan is India's largest wool producer, contributing about 48% of national output (47.85%, Basic Animal Husbandry Statistics 2025); Bikaner has Asia's largest wool market.
6. Cattle — Rathī (Bikaner, Sri Ganganagar, Hanumangarh, Jaisalmer): best milch breed of the state, called the 'Kamdhenu of Rajasthan'.
7. Tharparkar (Jodhpur, Jaisalmer, Barmer): dual-purpose; also called Thari, Malani or White Sindhi.
8. Nagauri (Nagaur): premier draught breed. Kankrej (Barmer, Jalore, Sirohi): also called Wadad/Wadhiar, famous for its 'sawai chaal' gait.
9. Gir (origin Gir forests, Saurashtra; in Rajasthan Ajmer, Bhilwara, Chittorgarh) also called Renderi/Ajmeri; Mewati or Kosi (Alwar, Bharatpur); Malvi (Jhalawar, Kota, Baran); Haryana (Sikar, Jhunjhunu, Alwar).
10. Buffalo — Rajasthan has no indigenous buffalo breed. Murrah (highest milk yield, 'black gold') in Alwar-Bharatpur-Shekhawati; Surti in Udaipur-Banswara; Bhadawari (highest milk fat, up to about 13%) in eastern Rajasthan; Jafarabadi is India's heaviest buffalo.
11. Sheep — Chokla (Churu, Jhunjhunu, Sikar): finest carpet wool in India; called the 'Jewel of Rajasthan' and the 'Indian Merino'.
12. Magra, also called Bikaneri (Bikaner, Nagaur, Jaisalmer, Churu): the only lustrous white carpet-wool breed of the region.
13. Marwari sheep (Jodhpur, Pali, Barmer, Jalore, Nagaur): black face, small tubular ears; the most numerous sheep breed of Rajasthan.
14. Nali (Sri Ganganagar, Hanumangarh, Churu, Jhunjhunu): densest and heaviest fleece of Rajasthan's breeds. Pugal (Bikaner-Jaisalmer border): black face with brown stripes above the eyes.
15. Jaisalmeri (Jaisalmer, Barmer, Jodhpur): largest-bodied sheep breed, Roman nose. Malpura (Jaipur, Tonk, Sawai Madhopur). Sonadi or Chanother (Udaipur, Dungarpur, Chittorgarh): large drooping ears, also milked.
16. Goat — Sirohi (Sirohi, Pali, Ajmer): leading meat breed; Jakhrana (Jakhrana village, Behror, Alwar): highest milk-yielding goat of Rajasthan.
17. Marwari goat (Jodhpur, Barmer, Jaisalmer, Pali): black, long-haired. Barbari (Alwar, Bharatpur, Dholpur): small, stall-fed. Jamunapari (Chambal ravines of Dholpur-Karauli): tallest Indian goat breed.
18. Camel — declared the state animal of Rajasthan on 30 June 2014; the Rajasthan Camel (Prohibition of Slaughter and Regulation of Temporary Migration or Export) Act, 2015 protects it.
19. Camel breeds: Bikaneri (heavy draught/load), Jaisalmeri and Nachna (fast riding breeds), Gomat (Jaisalmer-Jodhpur), Mewari (Udaipur-Rajsamand, best milker), Kachchhi (Barmer-Jalore).
20. Horses — Marwari (inward-curving ear tips), Malani (Barmer), Kathiawari (Jalore-Barmer); the Equine Production Campus of NRC on Equines is at Bikaner.

21. Institutions — RAJUVAS, Bikaner (veterinary university, 2010); National Research Centre on Camel, Jorbeed, Bikaner (1984); Central Sheep and Wool Research Institute, Avikanagar (Malpura, Tonk district, 1962); Central Wool Development Board headquarters, Jodhpur.
22. Bikaner hosts Asia's largest wool market; Bikaner and Jodhpur are the state's main wool-scouring and pressing centres.
23. Dairy — Rajasthan Co-operative Dairy Federation (RCDF) set up in 1977, headquarters Jaipur, markets milk under the brand SARAS.
24. RCDF follows the three-tier Anand (Amul) pattern: village dairy co-operative society, district milk producers' union, state federation; NDDDB Anand and Operation Flood (Verghese Kurien) are the parent model.
25. Fisheries — Rajasthan is landlocked, so only inland fisheries exist; Chambal-basin reservoirs (Rana Pratap Sagar, Jawahar Sagar, Kota Barrage), Mahi Bajaj Sagar and Jaisamand are the main fishery waters; PMMSY (2020) is the central umbrella scheme.
26. Schemes — Bhamashah Pashu Bima Yojana, Avika Kavach (sheep insurance), Mangla Pashu Bima Yojana (announced 2024-25, free livestock insurance), Gopal Credit Card (2024-25); central Rashtriya Gokul Mission (2014) and National Livestock Mission.
27. Livestock fairs — Pushkar (Ajmer) camel fair, Ramdeoiji cattle fair Nagaur, Mallinath fair Tilwara (Barmer) famous for horses, Gogamedi (Hanumangarh) and Baldev pashu mela Merta (Nagaur).

1. As per the 20th Livestock Census (2019), what is Rajasthan's rank in India in total livestock population?

(A) First	(B) Second
(C) Third	(D) Fifth
2. Which species accounts for the largest share of Rajasthan's livestock as per the 20th Livestock Census (2019)?

(A) Cattle	(B) Buffalo
(C) Goat	(D) Sheep
3. As per the 20th Livestock Census (2019), Rajasthan ranks FIRST in India in the population of which of the following?

(A) Sheep	(B) Cattle
(C) Camel	(D) Poultry
4. Rajasthan's rank in India in wool production is:

(A) First	(B) Second
(C) Fourth	(D) Sixth
5. In milk production Rajasthan stands at which position among Indian states?

(A) First	(B) Second
(C) Third	(D) Fourth
6. Which cattle breed of Rajasthan is popularly called the 'Kamdhenu of Rajasthan'?

(A) Tharparkar	(B) Nagauri
(C) Rathi	(D) Kankrej
7. The Nagauri breed of cattle is chiefly valued for:

(A) Milk yield	(B) Wool
(C) Hide quality	(D) Draught power
8. The cattle breed of Rajasthan also known as 'Wadad' or 'Wadhiar' is: HARD

(A) Kankrej	(B) Malvi
(C) Mewati	(D) Gir

- 9.** Which is the highest milk-yielding buffalo breed reared in Rajasthan?
- (A) Murrah (B) Surti
(C) Bhadawari (D) Jafarabadi
- 10.** The buffalo breed known for the highest fat content in its milk is:
- (A) Bhadawari (B) Murrah
(C) Mehsana (D) Surti
- 11.** Which sheep breed of Rajasthan produces the finest carpet wool in India and is called the 'Jewel of Rajasthan'?
- (A) Chokla (B) Magra
(C) Nali (D) Marwari
- 12.** The Magra breed of sheep, noted for its extremely white and lustrous fleece, belongs primarily to which district?
- (A) Udaipur (B) Jhunjhunu
(C) Bikaner (D) Tonk
- 13.** Which is the largest-bodied sheep breed of Rajasthan, marked by a Roman nose and long drooping ears?
- (A) Pugal (B) Sonadi
(C) Jaisalmeri (D) Malpura
- 14.** The sheep breed of Rajasthan yielding the densest and heaviest fleece is:
- (A) Sonadi (B) Marwari
(C) Chokla (D) Nali
- 15.** Which goat breed, named after a village in Alwar district, is the highest milk-yielding goat of Rajasthan?
- (A) Sirohi (B) Barbari
(C) Marwari (D) Jakhrana
- 16.** The Sirohi breed of goat is primarily reared in which group of districts?
- (A) Alwar and Bharatpur (B) Bikaner and Churu
(C) Dholpur and Karauli (D) Sirohi, Pali and Ajmer
- 17.** In which year was the camel declared the state animal of Rajasthan?
- (A) 2010 (B) 2012
(C) 2014 (D) 2017
- 18.** The Nachna breed of camel, prized as a fast riding camel, belongs to which district?
- (A) Bikaner (B) Jaisalmer
(C) Barmer (D) Udaipur
- 19.** The National Research Centre on Camel is located at: RAS PRE 2023
- (A) Jodhpur (B) Jaisalmer
(C) Bikaner (D) Nagaur
- 20.** Avikanagar, the seat of the Central Sheep and Wool Research Institute, lies in which district of Rajasthan?
- (A) Ajmer (B) Tonk
(C) Nagaur (D) Jaipur
- 21.** The Rajasthan University of Veterinary and Animal Sciences (RAJUVAS) is located at:
- (A) Bikaner (B) Jaipur
(C) Udaipur (D) Jodhpur

22. The headquarters of the Central Wool Development Board is situated at: **HARD**

- (A) Bikaner
- (B) Jaipur
- (C) Jodhpur
- (D) Tonk

23. Consider the following statements about the Rajasthan Co-operative Dairy Federation:

- I. It was set up in 1977.
- II. It markets milk and milk products under the brand name SARAS.
- III. It follows the three-tier Anand pattern of co-operative organisation.

Which of the statements given above are correct?

- (A) I, II and III
- (B) I and II only
- (C) II and III only
- (D) I and III only

24. Consider the following statements about the Chokla sheep:

- I. Its home tract lies in Churu, Jhunjhunu and Sikar districts.
- II. It yields the finest carpet-quality wool among Indian sheep breeds.
- III. It is also known as the Indian Merino.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

25. Consider the following statements about camels in Rajasthan:

- I. Rajasthan has the largest camel population among Indian states.
- II. The camel population of Rajasthan increased between the 19th and 20th Livestock Censuses.
- III. The Mewari camel is valued mainly for milk.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

26. Consider the following statements about the Tharparkar cattle:

- I. It is a purely draught breed with negligible milk yield.
- II. Its home tract in Rajasthan lies in Jodhpur, Jaisalmer and Barmer.
- III. It is also known as Thari or White Sindhi.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

27. Consider the following statements about the Marwari sheep:

- I. It is distinguished by a black face and very small tubular ears.
- II. Its home tract includes Jodhpur, Pali, Barmer, Jalore and Nagaur.
- III. It is the most numerous sheep breed of Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

28. Consider the following statements about fisheries in Rajasthan:

- I. Being a landlocked state, Rajasthan has only inland fisheries.
- II. Reservoirs of the Chambal basin are among the state's principal fishery waters.
- III. The Pradhan Mantri Matsya Sampada Yojana is the central umbrella scheme for fisheries development.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

29. Consider the following statements about goats in Rajasthan:

- I. Rajasthan has the largest goat population among Indian states.
- II. The Jamunapari is the tallest goat breed found in India.
- III. The Barbari goat is a large-bodied breed of the western desert.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

30. Consider the following statements based on the 20th Livestock Census (2019) for Rajasthan:

- I. Goats form the single largest species group in the state's livestock.
- II. Rajasthan ranks second in India in buffalo population.
- III. Rajasthan ranks first in India in cattle population.

Which of the statements given above are correct? **HARD**

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

31. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Cattle breed) List-II (Home tract)

- A. Rath 1. Nagaur
- B. Nagauri 2. Bikaner and Sri Ganganagar
- C. Mewati 3. Barmer and Jalore
- D. Kankrej 4. Alwar and Bharatpur

- (A) A-1, B-2, C-3, D-4
- (B) A-2, B-1, C-3, D-4
- (C) A-2, B-1, C-4, D-3
- (D) A-4, B-1, C-2, D-3

32. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Sheep breed) List-II (Home tract)

- A. Chokla 1. Udaipur and Dungarpur
 B. Magra 2. Churu, Jhunjhunu and Sikar
 C. Sonadi 3. Jaipur, Tonk and Sawai Madhopur
 D. Malpura 4. Bikaner

- (A) A-4, B-2, C-3, D-1
 (B) A-2, B-1, C-4, D-3
 (C) A-3, B-4, C-1, D-2
 (D) A-2, B-4, C-1, D-3

33. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Goat breed) List-II (Speciality or tract)

- A. Jakhrana 1. Leading meat breed of southern Rajasthan
 B. Sirohi 2. Highest milk yield, Alwar district
 C. Barbari 3. Black, long-haired goat of the Marwar desert
 D. Marwari 4. Small stall-fed goat of eastern Rajasthan

- (A) A-2, B-1, C-4, D-3
 (B) A-1, B-2, C-4, D-3
 (C) A-2, B-4, C-1, D-3
 (D) A-2, B-1, C-3, D-4

34. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Camel breed) List-II (Principal tract)

- A. Bikaneri 1. Udaipur and Rajsamand
 B. Nachna 2. Bikaner
 C. Mewari 3. Barmer and Jalore
 D. Kachchhi 4. Jaisalmer

- (A) A-2, B-1, C-4, D-3
 (B) A-2, B-4, C-1, D-3
 (C) A-4, B-2, C-1, D-3
 (D) A-2, B-4, C-3, D-1

35. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Institution) List-II (Location)

- A. Central Sheep and Wool Research Institute 1. Jodhpur
 B. National Research Centre on Camel 2. Jaipur
 C. Central Wool Development Board 3. Avikanagar (Tonk)
 D. Rajasthan Co-operative Dairy Federation headquarters 4. Bikaner

- (A) A-3, B-1, C-4, D-2
 (B) A-4, B-3, C-1, D-2
 (C) A-3, B-4, C-2, D-1
 (D) A-3, B-4, C-1, D-2

36. Which one of the following is NOT a sheep breed of Rajasthan?

- (A) Pugal (B) Sonadi
 (C) Jakhrana (D) Malpura

37. Which one of the following pairs of buffalo breed and its place of origin is NOT correctly matched?

- (A) Jafarabadi - Punjab
- (B) Murrah - Haryana
- (C) Surti - Gujarat
- (D) Bhadawari - Uttar Pradesh and Madhya Pradesh

38. Which one of the following pairs of cattle breed and district is NOT correctly matched?

- (A) Tharparkar - Jaisalmer
- (B) Gir - Hanumangarh
- (C) Rathi - Bikaner
- (D) Malvi - Jhalawar

39. Which one of the following statements about animal husbandry in Rajasthan is NOT correct?

- (A) Rajasthan is the largest wool producing state of India
- (B) Bikaner has Asia's largest wool market
- (C) Rajasthan has its own indigenous buffalo breed named Murrah
- (D) The camel is the state animal of Rajasthan

40. Arrange the following species in the descending order of their share in Rajasthan's livestock as per the 20th Livestock Census (2019):

I. Buffalo

II. Goat

III. Sheep

IV. Cattle

HARD

- (A) II, IV, I, III
- (B) II, I, IV, III
- (C) IV, II, I, III
- (D) II, IV, III, I

RG09

Irrigation Projects and Canal Systems of Rajasthan

50 questions · 30 fact-sheet points

Must-know facts

1. IGNP was conceived by Kanwar Sen, Chief Engineer of Bikaner, on 29 October 1948; originally called the Rajasthan Canal Project and renamed Indira Gandhi Nahar Pariyojana in 1984.
2. Foundation stone of the Rajasthan Canal was laid on 31 March 1958 by Union Home Minister Govind Ballabh Pant.
3. IGNP draws water from the Harike Barrage at the Sutlej-Beas confluence in Ferozepur district, Punjab.
4. Rajasthan Feeder 204 km (about 170 km in Punjab-Haryana and 35 km in Rajasthan) plus the Indira Gandhi Main Canal 445 km gives a total of about 649 km.
5. Stage-I main canal is 189 km, commanding Sri Ganganagar, Hanumangarh and northern Bikaner; Stage-II runs the remaining 256 km up to Mohangarh in Jaisalmer, commanding Bikaner, Jodhpur, Jaisalmer, Barmer, Churu and Nagaur.
6. Gravity branches of IGNP leave the right bank (Rawatsar branch is the exception on the left bank); all seven lift canals take off from the left bank.
7. Kanwar Sen Lift Canal (old name Lunkaransar Lift), head at Gharsana — benefits Sri Ganganagar and Bikaner.
8. Pannalal Barupal Lift Canal (old Gajner Lift) — Bikaner and Nagaur; Veer Tejaji Lift Canal (old Bangarsar Lift) — Bikaner.
9. Chaudhary Kumbha Ram Lift Canal (old Gandheli-Sahwa Lift) — Hanumangarh, Churu, Jhunjhunu and Bikaner; the main drinking-water lifeline of Churu and Jhunjhunu.
10. Dr. Karni Singh Lift Canal (old Kolayat Lift) — Bikaner and Jodhpur; Guru Jambheshwar Lift Canal (old Phalodi Lift) — Jodhpur, Jaisalmer, Bikaner; Jai Narayan Vyas Lift Canal (old Pokaran Lift) — Jaisalmer and Jodhpur.
11. Rajiv Gandhi Lift Canal carries IGNP water for drinking to Jodhpur city; waterlogging and salinity ('sem') in the Stage-I command of Sri Ganganagar-Hanumangarh is IGNP's principal criticism.
12. Gang Canal is Rajasthan's oldest canal — built by Maharaja Ganga Singh of Bikaner after the Chhappaniya famine, opened 26 October 1927; about 129 km long with only 17 km in Rajasthan; draws Sutlej water at the Ferozepur (Hussainiwala) headworks and irrigates Sri Ganganagar.
13. Bhakra-Nangal is on the Sutlej at Bhakra (Bilaspur, Himachal Pradesh); its reservoir is Gobind Sagar; a joint Punjab-Haryana-Rajasthan project in which Rajasthan's share is about 15.2%; it irrigates Hanumangarh and Sri Ganganagar.
14. Chambal Valley Project is a 50:50 Rajasthan-Madhya Pradesh venture; upstream to downstream the structures are Gandhi Sagar (Mandsaur, MP), Rana Pratap Sagar (Rawatbhata, Chittorgarh), Jawahar Sagar (Kota) and Kota Barrage.
15. Kota Barrage generates no power; it only diverts water into the Right and Left Main Canals which irrigate Kota, Bundi, Baran, Sawai Madhopur and Tonk.
16. Bisalpur dam is on the Banas at Bisalpur village, Todaraisingh tehsil, Tonk district — the state's biggest drinking-water project, supplying Jaipur, Ajmer, Tonk, Beawar, Kishangarh and Nasirabad.
17. Jawai dam is on the Jawai, a tributary of the Luni, at Sumerpur in Pali district — the largest dam of western Rajasthan and the 'lifeline of Marwar'; begun by Maharaja Umaid Singh in 1946 and completed in 1957; benefits Pali and Jalore.
18. Mahi Bajaj Sagar is on the Mahi at Borkheda in Banswara district — a joint Rajasthan-Gujarat project and the longest dam of Rajasthan (about 3.1 km); benefits Banswara and Dungarpur, with the Kagdi pick-up weir feeding its canals.

19. Parwan Vrihad Pariyojana is on the Parwan, a tributary of the Kali Sindh, in Jhalawar district and benefits Jhalawar, Baran and Kota.
20. Narmada Canal: Rajasthan is the tail-end beneficiary of the Sardar Sarovar; 74 km of the canal lies in Rajasthan (532 km with Gujarat's stretch), entering near Sanchoe in Jalore and irrigating Jalore and Barmer; it is India's first canal command with 100% sprinkler and drip irrigation.
21. Sidhmukh-Nohar project uses Ravi-Beas water and benefits Hanumangarh (Nohar, Bhadra) and Churu (Sidhmukh, Taranagar); it was assisted by the European Union and later NABARD.
22. Yamuna water: the 1994 MoU among Haryana, Uttar Pradesh, Rajasthan, Himachal Pradesh and Delhi governs Rajasthan's share; the Gurgaon Canal serves Bharatpur, and a 2024 Haryana-Rajasthan MoU covers Yamuna water for Churu, Sikar and Jhunjhunu.
23. ERCP became PKC-ERCP after the tripartite MoU of 28 January 2024 among the Centre, Rajasthan and Madhya Pradesh, and was renamed the Ram Jal Setu Link Project on 22 January 2025; it had been given national-project status in December 2022.
24. Ram Jal Setu (PKC-ERCP) transfers surplus monsoon flows of the Chambal and its tributaries Parvati, Kali Sindh, Mej and Chakan to the deficit Banas, Banganga, Gambhiri and Parbati sub-basins, serving 17 eastern districts and about 40% of Rajasthan's population.
25. Other dams: Jakham (Pratapgarh, highest dam of Rajasthan at about 81 m), Panchana (Karauli, biggest earthen dam, built at the confluence of five rivers), Som-Kamla-Amba (Dungarpur), Meja (Bhilwara, on the Kothari), Morel (Sawai Madhopur), Gudha (Bundi, on the Mej), Chhapi (Jhalawar), Orai (Chittorgarh), Sardar Samand (Pali), Bandh Baretha (Bharatpur, on the Kakund) and Isarda (Tonk-Sawai Madhopur, on the Banas).
26. Wells and tube-wells irrigate the largest share of Rajasthan's net irrigated area; canals rank second and are concentrated in the Sri Ganganagar-Hanumangarh belt. The Chambal is the state's only perennial river.
27. Khadin (Jaisalmer) — developed by Paliwal Brahmins in the 15th century; an earthen bund across the lower slope of a rocky catchment on which crops are raised on residual moisture; also called Dhora.
28. Tanka — a covered underground tank in a house courtyard for drinking water (Bikaner, Barmer, Jaisalmer, Churu). Kund or Kundi — a circular covered underground well whose saucer-shaped catchment is called the agor.
29. Nadi (village pond), Toba (natural depression with a catchment in the Thar), Kui or Beri (narrow deep seepage pit dug beside a paar or tank), Paar (percolation area tapped through kuis), Jhalara (rectangular stepped tank fed by seepage, used for community bathing — Jodhpur, Udaipur), Baori (stepwell; Chand Baori at Abhaneri in Dausa, Bundi the city of stepwells).
30. Johad — earthen check dam of the Alwar region, revived by Rajendra Singh and Tarun Bharat Sangh (Arvari river); Bandha (embankment, Alwar-Bharatpur); Chauka system of Laporiya village, Dudu, Jaipur; Naada and Saza Kuva of southern Rajasthan. Mukhyamantri Jal Swavlamban Abhiyan was launched on 27 January 2016 at Nimbi Jodha (Nagaur); Jal Jeevan Mission began on 15 August 2019.

1. The Indira Gandhi Nahar Pariyojana was originally conceived in 1948 by:

- | | |
|-------------------------|--------------------------|
| (A) Kanwar Sen | (B) Maharaja Ganga Singh |
| (C) Govind Ballabh Pant | (D) Pannalal Barupal |

2. The Indira Gandhi Canal takes off from which of the following? RAS PRE 2013

- (A) Nangal Barrage on the Sutlej
- (B) Harike Barrage at the Sutlej-Beas confluence
- (C) Hussainiwala headworks on the Sutlej
- (D) Pong Dam on the Beas

3. The length of the Rajasthan Feeder canal of the Indira Gandhi Nahar Pariyojana is about: **HARD**
- (A) 149 km (B) 189 km
(C) 204 km (D) 445 km
4. The total length of the Indira Gandhi Main Canal is:
- (A) 256 km (B) 445 km
(C) 649 km (D) 832 km
5. The Rajasthan Canal Project was renamed the Indira Gandhi Nahar Pariyojana in the year:
- (A) 1958 (B) 1974
(C) 1984 (D) 1991
6. The foundation stone of the Rajasthan Canal was laid on 31 March 1958 by: **HARD**
- (A) Jawaharlal Nehru (B) Govind Ballabh Pant
(C) Mohanlal Sukhadia (D) Sardar Vallabhbhai Patel
7. The Indira Gandhi Main Canal terminates at:
- (A) Gadra Road (B) Pokaran
(C) Mohangarh (D) Bap
8. The Kanwar Sen Lift Canal of the Indira Gandhi Nahar Pariyojana was earlier known as: **HARD**
- (A) Gajner Lift Canal (B) Kolayat Lift Canal
(C) Bangarsar Lift Canal (D) Lunkaransar Lift Canal
9. The Chaudhary Kumbha Ram Lift Canal, earlier called the Gandheli-Sahwa Lift Canal, principally supplies drinking water to which districts? **RAS PRE 2018**
- (A) Jaisalmer and Barmer (B) Nagaur and Pali
(C) Bikaner and Nagaur (D) Churu and Jhunjhunu
10. The Pannalal Barupal Lift Canal was formerly known as the: **HARD**
- (A) Phalodi Lift Canal (B) Pokaran Lift Canal
(C) Gajner Lift Canal (D) Sahwa Lift Canal
11. The Jai Narayan Vyas Lift Canal of IGNP was earlier called the: **HARD**
- (A) Pokaran Lift Canal (B) Kolayat Lift Canal
(C) Bangarsar Lift Canal (D) Lunkaransar Lift Canal
12. Which lift canal carries Indira Gandhi Canal water for drinking purposes to Jodhpur city?
- (A) Rajiv Gandhi Lift Canal (B) Veer Tejaji Lift Canal
(C) Kanwar Sen Lift Canal (D) Guru Jambheshwar Lift Canal
13. The oldest canal irrigation project of Rajasthan is: **RAS PRE 2016**
- (A) Bhakra Canal (B) Gang Canal
(C) Indira Gandhi Canal (D) Sidhmukh-Nohar Canal
14. The Gang Canal principally irrigates which district of Rajasthan?
- (A) Sri Ganganagar (B) Hanumangarh
(C) Churu (D) Bikaner
15. The reservoir created by the Bhakra Dam on the Sutlej is called:
- (A) Gobind Sagar (B) Gandhi Sagar
(C) Rana Pratap Sagar (D) Pong reservoir

- 16.** Which is the uppermost (most upstream) dam of the Chambal Valley Project?
- (A) Gandhi Sagar (B) Rana Pratap Sagar
(C) Kota Barrage (D) Jawahar Sagar
- 17.** The Rana Pratap Sagar dam is situated at Rawatbhata in which district?
- (A) Kota (B) Chittorgarh
(C) Bundi (D) Baran
- 18.** Which structure of the Chambal Valley Project does NOT generate hydroelectric power and serves only to divert water into canals?
- (A) Gandhi Sagar (B) Rana Pratap Sagar
(C) Jawahar Sagar (D) Kota Barrage
- 19.** The Bisalpur dam is constructed on which river? RAS PRE 2021
- (A) Berach (B) Banas
(C) Kothari (D) Morel
- 20.** The Jawai dam, called the 'lifeline of Marwar', is located in which district? RAS PRE 2016
- (A) Jalore (B) Sirohi
(C) Pali (D) Jodhpur
- 21.** The Mahi Bajaj Sagar project is a joint venture of Rajasthan with which state? RAS PRE 2023
- (A) Madhya Pradesh (B) Maharashtra
(C) Punjab (D) Gujarat
- 22.** The Parwan Vrihad Pariyojana is designed to benefit which group of districts? RAS PRE 2024
- (A) Kota, Bundi and Sawai Madhopur (B) Bhilwara, Ajmer and Tonk
(C) Udaipur, Dungarpur and Banswara (D) Jhalawar, Baran and Kota
- 23.** Narmada canal water reaches Rajasthan and irrigates which pair of districts?
- (A) Jalore and Barmer (B) Sirohi and Pali
(C) Udaipur and Dungarpur (D) Banswara and Pratapgarh
- 24.** The Narmada Canal command in Rajasthan is notable for being the first in India where:
- (A) Water is supplied entirely by lift
(B) Sprinkler and drip irrigation are 100% compulsory
(C) The canal is fully lined with concrete
(D) Irrigation is charged on a volumetric basis
- 25.** The Sidhmukh-Nohar irrigation project benefits which districts of Rajasthan?
- (A) Hanumangarh and Churu (B) Sri Ganganagar and Bikaner
(C) Jhunjhunu and Sikar (D) Nagaur and Jodhpur
- 26.** The Eastern Rajasthan Canal Project, integrated with the Parvati-Kalisindh-Chambal link, was renamed as:
- (A) Ram Setu Canal Project (B) Ram Jal Setu Link Project
(C) Chambal Jal Kranti Project (D) Purvi Rajasthan Jal Setu
- 27.** The Jakham dam, the highest dam of Rajasthan, is located in which district? HARD
- (A) Udaipur (B) Chittorgarh
(C) Banswara (D) Pratapgarh

28. The khadin system of water harvesting was developed by which community? RAS PRE 2024

- (A) Bishnois of Jodhpur (B) Paliwal Brahmins of Jaisalmer
(C) Meenas of Sawai Madhopur (D) Rabaris of Pali

29. Consider the following statements about the Indira Gandhi Nahar Pariyojana:

- I. Stage-I of the main canal is 189 km long.
II. The command of Stage-I lies mainly in Sri Ganganagar, Hanumangarh and northern Bikaner.
III. Stage-II extends the canal up to Mohangarh in Jaisalmer district.

Which of the statements given above are correct?

- (A) I and II only
(B) II and III only
(C) I and III only
(D) I, II and III

30. Consider the following statements about the Indira Gandhi Nahar Pariyojana:

- I. Excessive seepage has caused waterlogging and salinity in parts of its Stage-I command.
II. All its lift canals take off from the left bank of the main canal.
III. The canal system has helped stabilise shifting sand dunes along its course.

Which of the statements given above are correct? HARD

- (A) I and II only
(B) I, II and III
(C) II and III only
(D) I and III only

31. Consider the following statements about the Ram Jal Setu Link Project:

- I. It was earlier known as the Eastern Rajasthan Canal Project.
II. A tripartite memorandum of understanding for it was signed in January 2024 by the Union government, Rajasthan and Madhya Pradesh.
III. It aims to serve the eastern districts of Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
(B) I, II and III
(C) II and III only
(D) I and III only

32. Consider the following statements about the Bisalpur project:

- I. It is built on the Banas river.
II. It lies in Sawai Madhopur district.
III. It supplies drinking water to Jaipur and Ajmer.

Which of the statements given above are correct?

- (A) I and II only
(B) I and III only
(C) II and III only
(D) I, II and III

33. Consider the following statements about the Chambal Valley Project:

- I. It is a joint project of Rajasthan and Madhya Pradesh on an equal-share basis.
- II. Jawahar Sagar dam lies between Rana Pratap Sagar and Kota Barrage.
- III. Gandhi Sagar dam is located in Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

34. Consider the following statements about traditional water structures of Rajasthan:

- I. A tanka is a covered underground tank built in a house courtyard to store rainwater for drinking.
- II. The saucer-shaped catchment of a kund is called the agor.
- III. A jhalara is a rectangular stepped tank fed by seepage and used for community bathing.

Which of the statements given above are correct? RAS PRE 2024

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

35. Consider the following statements:

- I. The Mukhyamantri Jal Swavlamban Abhiyan was launched in January 2016.
- II. The Jal Jeevan Mission was launched on 15 August 2019.
- III. Wells and tube-wells account for the largest share of Rajasthan's net irrigated area.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

36. Consider the following statements about the Gang Canal:

- I. It was built during the reign of Maharaja Ganga Singh of Bikaner.
- II. It draws water from the Sutlej river.
- III. The greater part of its length lies in Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

37. Consider the following statements about the Mahi Bajaj Sagar project:

- I. The dam is built on the Mahi river in Banswara district.
- II. The Kagdi pick-up weir forms part of the project.
- III. It benefits Banswara and Dungarpur districts.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

38. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Project) List-II (River)

- A. Bisalpur 1. Kothari
 B. Meja 2. Banas
 C. Jawai 3. Mahi
 D. Bajaj Sagar 4. Luni tributary

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-1, C-3, D-4
 (C) A-2, B-1, C-4, D-3
 (D) A-2, B-4, C-1, D-3

39. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Irrigation project) List-II (Chief beneficiary districts)

- A. Jawai 1. Jhalawar, Baran and Kota
 B. Parwan 2. Jalore and Barmer
 C. Narmada Canal 3. Pali and Jalore
 D. Som-Kamla-Amba 4. Dungarpur and Udaipur

RAS PRE 2024

- (A) A-3, B-1, C-2, D-4
 (B) A-1, B-3, C-2, D-4
 (C) A-3, B-2, C-1, D-4
 (D) A-4, B-1, C-2, D-3

40. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Present name of lift canal) List-II (Former name)

- A. Kanwar Sen Lift Canal 1. Kolayat Lift Canal
 B. Pannalal Barupal Lift Canal 2. Gandheli-Sahwa Lift Canal
 C. Dr. Karni Singh Lift Canal 3. Lunkaransar Lift Canal
 D. Chaudhary Kumbha Ram Lift Canal 4. Gajner Lift Canal

RAS PRE 2021

HARD

- (A) A-4, B-3, C-2, D-1
 (B) A-3, B-4, C-1, D-2
 (C) A-3, B-1, C-4, D-2
 (D) A-1, B-4, C-3, D-2

41. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Lift canal) List-II (Districts benefited)

- A. Guru Jambheshwar 1. Sri Ganganagar and Bikaner
 B. Kanwar Sen 2. Jodhpur, Jaisalmer and Bikaner
 C. Pannalal Barupal 3. Hanumangarh, Churu and Jhunjhunu
 D. Chaudhary Kumbha Ram 4. Bikaner and Nagaur

HARD

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-4, C-1, D-3
 (C) A-3, B-1, C-4, D-2
 (D) A-2, B-1, C-4, D-3

42. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Water harvesting structure) List-II (Description)

- A. Khadin 1. Narrow deep pit dug to collect seepage water
 B. Kui 2. Earthen bund across a rocky slope for crop raising
 C. Toba 3. Earthen check dam of the Alwar region
 D. Johad 4. Natural depression with a catchment in the Thar

RAS PRE 2024

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-4, C-1, D-3
 (C) A-2, B-1, C-4, D-3
 (D) A-3, B-1, C-4, D-2

43. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Dam) List-II (District)

- A. Panchana 1. Bundi
 B. Gudha 2. Karauli
 C. Bandh Baretha 3. Bharatpur
 D. Sardar Samand 4. Pali

HARD

- (A) A-1, B-2, C-3, D-4
 (B) A-2, B-1, C-3, D-4
 (C) A-2, B-3, C-1, D-4
 (D) A-2, B-1, C-4, D-3

44. Which one of the following pairs of project and river is NOT correctly matched?

- (A) Panchana - Confluence of five rivers
 (B) Gudha - Mej
 (C) Orai - Kothari
 (D) Jakham - Jakham

45. Which one of the following pairs of lift canal and beneficiary district is NOT correctly matched?

- (A) Kanwar Sen Lift Canal - Banswara
 (B) Jai Narayan Vyas Lift Canal - Jaisalmer
 (C) Dr. Karni Singh Lift Canal - Bikaner
 (D) Veer Tejaji Lift Canal - Bikaner

46. Which one of the following is NOT a component of the Chambal Valley Project?

- (A) Gandhi Sagar
 (B) Rana Pratap Sagar
 (C) Bisalpur
 (D) Jawahar Sagar

47. Which one of the following statements about the Indira Gandhi Nahar Pariyojana is NOT correct?

- (A) It obtains its water from the Harike Barrage
 (B) Its entire command lies in the Chambal basin
 (C) Its main canal is 445 km long
 (D) It was originally known as the Rajasthan Canal Project

48. Which one of the following is NOT a traditional water harvesting structure of Rajasthan?

- (A) Khadin
 (B) Tanka
 (C) Johad
 (D) Zing

49. Which one of the following pairs of dam and district is NOT correctly matched?

- (A) Meja - Bhilwara
 (B) Morel - Sawai Madhopur
 (C) Chhapi - Jhalawar
 (D) Isarda - Alwar

50. Arrange the following structures of the Chambal Valley Project in order from upstream to downstream:

- I. Jawahar Sagar
 - II. Gandhi Sagar
 - III. Kota Barrage
 - IV. Rana Pratap Sagar
- (A) II, I, IV, III
 - (B) II, IV, I, III
 - (C) IV, II, I, III
 - (D) II, IV, III, I

RG10

Population, Urbanisation and Tribes of Rajasthan

60 questions · 30 fact-sheet points

Must-know facts

1. Census 2011: Rajasthan population 6,85,48,437 (6.85 crore) = 5.66% of India; 8th most populous state, 1st in area.
2. Decadal growth 2001-11: 21.31% (India 17.70%) — highest Barmer (32.5%), lowest Sri Ganganagar (about 10%).
3. Density 200 persons/sq km (India 382; Rajasthan was 165 in 2001) — highest Jaipur (595), lowest Jaisalmer (17).
4. Sex ratio 928 (India 943) — highest Dungarpur (994), then Rajsamand (990), Pali (987); lowest Dholpur (846), then Karauli/Jaisalmer.
5. Child sex ratio (0-6) 888 (India 919) — highest Banswara (934), lowest Jhunjhunu (837).
6. Literacy 66.11% (India 74.04%) — male 79.19%, female 52.12%; gender gap about 27 points, the widest among major states.
7. Literacy: highest district Kota (76.56%), lowest Jalore (54.86%); highest male literacy Jhunjhunu (86.9%), lowest male literacy Pratapgarh.
8. Female literacy: highest Kota (about 65.9%), lowest Jalore (about 38.5%).
9. Most populous district Jaipur (66.26 lakh), then Jodhpur (36.87 lakh) and Alwar (36.74 lakh); least populous Jaisalmer (6.69 lakh).
10. Largest district by area Jaisalmer (38,401 sq km); smallest Dholpur (about 3,034 sq km).
11. Urban population 24.89% (about 1.70 crore); rural 75.11% — Rajasthan is far less urbanised than India (31.16%).
12. Most urbanised district Kota (about 60.3%), then Jaipur (52.4%) and Ajmer (40.1%); least urbanised Dungarpur (about 6.4%), then Banswara and Pratapgarh.
13. Million-plus cities in Census 2011: Jaipur, Jodhpur and Kota (Jaipur is the only one above 30 lakh).
14. Scheduled Castes 17.83% (1.22 crore); Scheduled Tribes 13.48% (92.38 lakh) of the state population.
15. ST share: highest Banswara, second Dungarpur, then Pratapgarh and Udaipur; lowest Nagaur, then Bikaner.
16. ST absolute numbers: highest in Udaipur district; SC absolute numbers highest in Jaipur; SC share highest in Sri Ganganagar, lowest in Dungarpur.
17. Religion (2011): Hindu 88.49%, Muslim 9.07%, Sikh 1.27%, Jain 0.91%, Christian 0.14%.
18. Meena (Mina) is the most populous Scheduled Tribe of Rajasthan; Bhil second; Garasia third; Sahariya the smallest but most vulnerable.
19. Bhil — Banswara, Dungarpur, Udaipur, Pratapgarh; hamlet 'palli/phala'; shifting cultivation 'Chimata' (hill slope) and 'Dajiya' (plain); dance-drama Gavri.
20. Garasia — Sirohi (Abu Road, Pindwara), Udaipur (Kotra, Jhadol), Pali (Bali); shifting cultivation 'Walra'; marriages Mor-bandiya, Peharavani, Taanana; Gol-Gadheda fair.
21. Sahariya — the ONLY Particularly Vulnerable Tribal Group (PVTG) of Rajasthan; Kishanganj and Shahbad tehsils of Baran district; headman 'Kotwal'.
22. Damor — Simalwara and Aspuri (Dungarpur) and parts of Banswara; village/panchayat head called 'Mukhi'; Chadwa Tirth fair.
23. Kathodi — Kotra, Jhadol and Sarada (Udaipur); migrants from Maharashtra; prepare 'katha' (catechu) from khair wood.

24. Rabari/Raika — camel and sheep herders of Pali, Jodhpur, Nagaur and Sirohi; Gadia Lohar — nomadic blacksmiths tracing descent to Chittorgarh.
25. Kanjar and Sansi are denotified nomadic communities; Bhil-Mina, Dhanka, Naik, Patelia and Seharla are also notified STs of Rajasthan.
26. Tribal Area Development (TAD) department headquarters — Udaipur; Tribal Sub-Plan began in the Fifth Five Year Plan (1974-75); MADA covers scattered tribal pockets.
27. Rajasthan announced its State Population Policy in 2000; the state is a net out-migration state, chiefly to Gujarat, Maharashtra and Delhi.
28. After the December 2024 reorganisation Rajasthan has 41 districts in 7 divisions — Jaipur, Jodhpur, Ajmer, Kota, Bikaner, Bharatpur and Udaipur.
29. Work participation rate of Rajasthan in Census 2011 was above the all-India average; female work participation is high in western districts.
30. Rajasthan's population growth has decelerated: 28.41% (1991-2001) fell to 21.31% (2001-2011).

1. As per Census 2011, Rajasthan's rank among Indian states in terms of population is:

- | | |
|------------|-------------|
| (A) Sixth | (B) Seventh |
| (C) Eighth | (D) Ninth |

2. The decadal growth rate of population of Rajasthan during 2001-2011, as per Census 2011, was:

- | | |
|------------|------------|
| (A) 17.70% | (B) 21.31% |
| (C) 24.60% | (D) 28.41% |

3. As per Census 2011, the population density of Rajasthan is:

- | | |
|---------------------------|---------------------------|
| (A) 165 persons per sq km | (B) 200 persons per sq km |
| (C) 382 persons per sq km | (D) 228 persons per sq km |

4. The sex ratio of Rajasthan as per Census 2011 is: RAS PRE 2021

- | | |
|---------|---------|
| (A) 921 | (B) 926 |
| (C) 928 | (D) 943 |

5. As per Census 2011, the child sex ratio (0-6 years) of Rajasthan is:

- | | |
|---------|---------|
| (A) 883 | (B) 888 |
| (C) 896 | (D) 914 |

6. The overall literacy rate of Rajasthan as per Census 2011 is: RAS PRE 2016

- | | |
|------------|------------|
| (A) 60.41% | (B) 66.11% |
| (C) 69.70% | (D) 74.04% |

7. As per Census 2011, the female literacy rate of Rajasthan is:

- | | |
|------------|------------|
| (A) 43.85% | (B) 48.60% |
| (C) 52.12% | (D) 56.75% |

8. Which district of Rajasthan recorded the highest sex ratio in Census 2011? RAS PRE 2018, 2023

- | | |
|---------------|---------------|
| (A) Rajsamand | (B) Dungarpur |
| (C) Pali | (D) Banswara |

9. As per Census 2011, the lowest sex ratio in Rajasthan was recorded in the district of:

- | | |
|---------------|---------------|
| (A) Bharatpur | (B) Jaisalmer |
| (C) Karauli | (D) Dholpur |

10. Which district of Rajasthan had the highest child sex ratio (0-6 years) in Census 2011?
(A) Banswara (B) Dungarpur
(C) Pratapgarh (D) Udaipur
11. The lowest child sex ratio (0-6 years) in Census 2011 among Rajasthan's districts was recorded in:
(A) Sikar (B) Jhunjhunu
(C) Dholpur (D) Ganganagar
12. Which district of Rajasthan had the highest literacy rate as per Census 2011? RAS PRE 2021
(A) Jaipur (B) Jhunjhunu
(C) Kota (D) Sikar
13. As per Census 2011, the lowest literacy rate in Rajasthan was recorded in the district of:
(A) Pratapgarh (B) Sirohi
(C) Banswara (D) Jalore
14. The highest male literacy rate in Rajasthan as per Census 2011 was recorded in:
(A) Sikar (B) Kota
(C) Jaipur (D) Jhunjhunu
15. Which district of Rajasthan had the largest population as per Census 2011?
(A) Jodhpur (B) Jaipur
(C) Alwar (D) Nagaur
16. As per Census 2011, the least populous district of Rajasthan was:
(A) Pratapgarh (B) Bundi
(C) Sirohi (D) Jaisalmer
17. The district of Rajasthan with the lowest population density (about 17 persons per sq km) in Census 2011 is:
(A) Bikaner (B) Barmer
(C) Jaisalmer (D) Churu
18. Which is the smallest district of Rajasthan by geographical area?
(A) Rajsamand (B) Bundi
(C) Dungarpur (D) Dholpur
19. The highest decadal growth rate of population (2001-2011) in Rajasthan was recorded in the district of: RAS PRE 2018
(A) Jaisalmer (B) Barmer
(C) Jodhpur (D) Bikaner
20. As per Census 2011, the lowest decadal growth rate of population in Rajasthan was recorded in: HARD
(A) Sri Ganganagar (B) Jhunjhunu
(C) Pali (D) Bundi
21. The share of urban population in Rajasthan as per Census 2011 is approximately:
(A) 19.9% (B) 24.9%
(C) 31.2% (D) 35.6%
22. Which is the most urbanised district of Rajasthan as per Census 2011?
(A) Jaipur (B) Ajmer
(C) Kota (D) Jodhpur

- 23.** As per Census 2011, the least urbanised district of Rajasthan was:
- (A) Banswara (B) Jalore
(C) Pratapgarh (D) Dungarpur
- 24.** How many cities of Rajasthan had a population of more than ten lakh as per Census 2011?
- (A) Two (B) Three
(C) Four (D) Five
- 25.** The Scheduled Caste population of Rajasthan as a share of the state's total population in Census 2011 is about:
- (A) 13.5% (B) 15.9%
(C) 17.8% (D) 21.4%
- 26.** As per Census 2011, Scheduled Tribes form what percentage of Rajasthan's population? RAS PRE 2021
- (A) 8.6% (B) 11.2%
(C) 13.5% (D) 17.8%
- 27.** Which district of Rajasthan has the highest percentage of Scheduled Tribe population as per Census 2011? RAS PRE 2018, 2021
- (A) Udaipur (B) Banswara
(C) Dungarpur (D) Pratapgarh
- 28.** The largest Scheduled Tribe population in absolute numbers in Rajasthan (Census 2011) is found in the district of:
- (A) Sirohi (B) Banswara
(C) Dungarpur (D) Udaipur
- 29.** As per Census 2011, the lowest proportion of Scheduled Tribe population in Rajasthan is found in:
- (A) Bikaner (B) Sri Ganganagar
(C) Hanumangarh (D) Nagaur
- 30.** Which is the most populous Scheduled Tribe of Rajasthan? RAS PRE 2013
- (A) Bhil (B) Garasia
(C) Meena (D) Sahariya
- 31.** The only Particularly Vulnerable Tribal Group (PVTG) of Rajasthan is:
- (A) Kathodi (B) Sahariya
(C) Damor (D) Garasia
- 32.** The Sahariya tribe of Rajasthan is mainly concentrated in the Kishanganj and Shahbad tehsils of which district?
- (A) Kota (B) Jhalawar
(C) Bundi (D) Baran
- 33.** 'Walra', a form of shifting cultivation practised in Rajasthan, is associated with which tribe? RAS PRE 2013, 2018
- (A) Bhil (B) Meena
(C) Garasia (D) Kanjar

34. Consider the following statements regarding Rajasthan as per Census 2011:

- I. The state's population density is 200 persons per sq km.
- II. The state's sex ratio is 928 females per 1000 males.
- III. The state's decadal growth rate was lower than the all-India average.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

35. Consider the following statements about literacy in Rajasthan as per Census 2011:

- I. Male literacy was 79.19% and female literacy 52.12%.
- II. Kota district recorded the highest literacy rate.
- III. Barmer district recorded the lowest literacy rate.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

36. Consider the following statements about the tribal population of Rajasthan:

- I. Scheduled Tribes constitute about 13.5% of the state's population.
- II. Banswara district has the highest proportion of Scheduled Tribes.
- III. The Bhil are numerically the largest tribe of Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

37. Consider the following statements about the Bhil tribe of Rajasthan:

- I. They are concentrated in Banswara, Dungarpur, Udaipur and Pratapgarh.
- II. Their small hamlet is called 'palli' or 'phala'.
- III. Their form of shifting cultivation on hill slopes is called 'Chimata'.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

38. Consider the following statements about the Garasia tribe:

- I. They are found mainly in the Abu Road and Pindwara tehsils of Sirohi district.
- II. 'Mor bandiya' is one of their recognised forms of marriage.
- III. They are the largest tribe of Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

39. Consider the following statements about the Sahariya tribe of Rajasthan:

- I. They are the only Particularly Vulnerable Tribal Group notified in the state.
- II. Their traditional village headman is called 'Kotwal'.
- III. They are concentrated in the Dungarpur-Banswara belt.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

40. Consider the following statements on urbanisation in Rajasthan as per Census 2011:

- I. About one-fourth of the state's population lives in urban areas.
- II. Kota is the most urbanised district of the state.
- III. Rajasthan's level of urbanisation is higher than the all-India average.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

41. Consider the following statements about the Scheduled Caste population of Rajasthan (Census 2011):

- I. SCs form about 17.8% of the state's population.
- II. Sri Ganganagar has one of the highest proportions of SC population.
- III. Dungarpur has one of the lowest proportions of SC population.

Which of the statements given above are correct? **HARD**

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

42. Consider the following statements about the Meena tribe of Rajasthan:

- I. They are numerically the largest Scheduled Tribe of the state.
- II. They are concentrated in Jaipur, Dausa, Sawai Madhopur and Karauli.
- III. 'Zamindar' and 'Chowkidar' are recognised divisions among them.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

43. Consider the following statements about the administrative divisions of Rajasthan:

- I. The state at present has 41 districts.
- II. The state at present has 7 divisions.
- III. Banswara and Pali are among the current divisional headquarters.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

44. Consider the following statements about population policy and migration in Rajasthan:

- I. Rajasthan announced its State Population Policy in the year 2000.
- II. Rajasthan is a net out-migration state.
- III. Gujarat and Maharashtra are among the major destinations of migrants from Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) I, II and III
- (C) II and III only
- (D) I and III only

45. Match List-I with List-II and select the correct answer using the codes given below (Census 2011):

List-I (Indicator) List-II (District with the highest value)

- A. Sex ratio 1. Kota
- B. Literacy rate 2. Jaipur
- C. Population 3. Dungarpur
- D. Child sex ratio 4. Banswara

RAS PRE 2024

- (A) A-3, B-1, C-2, D-4
- (B) A-3, B-2, C-1, D-4
- (C) A-4, B-1, C-2, D-3
- (D) A-3, B-1, C-4, D-2

46. Match List-I with List-II and select the correct answer using the codes given below (Census 2011, lowest values):

List-I (Indicator) List-II (District)

- A. Sex ratio 1. Jaisalmer
- B. Literacy rate 2. Jhunjhunu
- C. Population density 3. Dholpur
- D. Child sex ratio 4. Jalore

HARD

- (A) A-3, B-4, C-2, D-1
- (B) A-1, B-4, C-3, D-2
- (C) A-3, B-4, C-1, D-2
- (D) A-4, B-3, C-1, D-2

47. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Tribe) List-II (Principal district)

- A. Sahariya 1. Udaipur
- B. Kathodi 2. Baran
- C. Damor 3. Sirohi
- D. Garasia 4. Dungarpur

- (A) A-2, B-1, C-4, D-3
- (B) A-2, B-4, C-1, D-3
- (C) A-3, B-1, C-4, D-2
- (D) A-2, B-1, C-3, D-4

48. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Tribal term) List-II (Meaning/association)

- A. Palli 1. Garasia shifting cultivation
 B. Walra 2. Bhil hamlet
 C. Kotwal 3. Damor village head
 D. Mukhi 4. Sahariya village head **HARD**

- (A) A-2, B-1, C-4, D-3
 (B) A-2, B-1, C-3, D-4
 (C) A-1, B-2, C-4, D-3
 (D) A-2, B-4, C-1, D-3

49. Match List-I with List-II and select the correct answer using the codes given below (Census 2011 population):

List-I (District) List-II (Approximate population)

- A. Jaipur 1. 6.69 lakh
 B. Jodhpur 2. 36.87 lakh
 C. Alwar 3. 66.26 lakh
 D. Jaisalmer 4. 36.74 lakh

- (A) A-3, B-4, C-2, D-1
 (B) A-3, B-2, C-4, D-1
 (C) A-2, B-3, C-4, D-1
 (D) A-3, B-2, C-1, D-4

50. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Community) List-II (Traditional occupation)

- A. Gadia Lohar 1. Camel and sheep rearing
 B. Rabari (Raika) 2. Preparation of katha from khair
 C. Kathodi 3. Itinerant blacksmithy
 D. Sansi 4. Denotified nomadic community of the Bharatpur region

- (A) A-3, B-1, C-2, D-4
 (B) A-1, B-3, C-2, D-4
 (C) A-3, B-2, C-1, D-4
 (D) A-3, B-1, C-4, D-2

51. Match List-I with List-II and select the correct answer using the codes given below (Census 2011, level of urbanisation):

List-I (District) List-II (Approximate urban share)

- A. Kota 1. 6.4%
 B. Jaipur 2. 40.1%
 C. Ajmer 3. 60.3%
 D. Dungarpur 4. 52.4% **HARD**

- (A) A-3, B-2, C-4, D-1
 (B) A-4, B-3, C-2, D-1
 (C) A-3, B-4, C-2, D-1
 (D) A-3, B-4, C-1, D-2

52. Which one of the following pairs of Census 2011 indicator and district is NOT correctly matched?

- (A) Highest literacy rate - Kota
 (B) Highest sex ratio - Dungarpur
 (C) Lowest population density - Barmer
 (D) Highest decadal growth - Barmer

- 53.** Which one of the following statements about Rajasthan as per Census 2011 is NOT correct?
- (A) The state's literacy rate was 66.11%
 - (B) The state's child sex ratio was 888
 - (C) The state's urban population share was about 24.89%
 - (D) The state ranked first in India in population
- 54.** Which one of the following tribe-district pairs is NOT correctly matched?
- (A) Sahariya - Baran
 - (B) Garasia - Sirohi
 - (C) Kathodi - Udaipur
 - (D) Damor - Jhalawar
- 55.** Which one of the following is NOT a Scheduled Tribe notified in Rajasthan?
- (A) Dhanka
 - (B) Damor
 - (C) Patelia
 - (D) Toda
- 56.** Which one of the following statements about the Sahariya tribe is NOT correct? HARD
- (A) They are the only PVTG of Rajasthan
 - (B) They are concentrated in the Dang region of Baran district
 - (C) Their traditional headman is called 'Mukhi'
 - (D) Collection of minor forest produce is among their traditional occupations
- 57.** Which one of the following cities of Rajasthan did NOT have a population above ten lakh as per Census 2011?
- (A) Jaipur
 - (B) Jodhpur
 - (C) Kota
 - (D) Ajmer
- 58.** Which one of the following pairs is NOT correctly matched with reference to tribal administration in Rajasthan? HARD
- (A) Headquarters of the Tribal Area Development department - Udaipur
 - (B) Tribal Sub-Plan - began in the Fifth Five Year Plan
 - (C) MADA - approach for scattered tribal pockets
 - (D) Sahariya Development Programme - Dungarpur district
- 59.** Arrange the following districts of Rajasthan in descending order of their population as per Census 2011:
- I. Alwar
II. Jaipur
III. Nagaur
IV. Jodhpur HARD
- (A) II, IV, I, III
 - (B) II, I, IV, III
 - (C) IV, II, I, III
 - (D) II, IV, III, I
- 60.** Arrange the following districts of Rajasthan in descending order of sex ratio as per Census 2011:
- I. Pali
II. Dungarpur
III. Rajsamand
IV. Dholpur RAS PRE 2016 HARD
- (A) II, III, I, IV
 - (B) III, II, I, IV
 - (C) II, I, III, IV
 - (D) II, III, IV, I

RG11

Minerals, Energy, Tourism and Transport of Rajasthan

75 questions · 30 fact-sheet points

Must-know facts

1. Rajasthan is India's SOLE producer of lead-zinc ore, wollastonite, selenite and jasper; it leads India in gypsum, rock phosphate, silver, marble, calcite, soapstone, ball clay and sandstone.
2. Jhamar Kotra (Udaipur) — India's largest rock phosphate deposit, worked by RSMML; other deposits Maton and Kanpur-Dakan Kotra (Udaipur), Birmania (Jaisalmer).
3. Gypsum — Got-Manglodh and Bhadwasi (Nagaur), also Bikaner, Sri Ganganagar, Hanumangarh, Barmer; Rajasthan produces the bulk of India's gypsum.
4. Copper — Khetri-Singhana, Madan-Kudan and Kolihan (Jhunjhunu), worked by the Khetri Copper Complex of Hindustan Copper Ltd; also Kho-Dariba (Alwar), Deri-Basantgarh (Sirohi).
5. Lead-zinc — Zawar (Udaipur, world's oldest known zinc-smelting site), Rampura-Agucha (Bhilwara, India's largest zinc mine), Rajpura-Dariba and Sindesar Khurd (Rajsamand); operator Hindustan Zinc Ltd, HQ Udaipur.
6. Sindesar Khurd (Rajsamand) is India's largest silver-producing mine; HZL smelters at Debari (Udaipur), Chanderiya (Chittorgarh) and Dariba.
7. Tungsten — Degana (Nagaur, Rewat hill); gold — Bhukia-Jagpura (Banswara); uranium — Rohil in the Khandela belt (Sikar) and Jahaj (Bhilwara).
8. Iron ore — Morija-Banola (Jaipur), Neemla-Rajpura (Dausa), Nathara-ki-Pal and Dalani (Udaipur); manganese — Kalakhunta, Lilwani, Timamori (Banswara).
9. Marble — Makrana (Nagaur region; white marble of the Taj Mahal), Rajsamand (largest producing district), Andhi (Jaipur, green), Babarmal (Udaipur, pink).
10. Limestone — Sanu (Jaisalmer, high-grade SMS variety for steel plants), Gotan and Mundwa (Nagaur), Chittorgarh, Bundi, Jhunjhunu (cement grade).
11. Sandstone — Dholpur and Karauli (red), Jodhpur (chhitar), Banshi Paharpur (Bharatpur/Deeg); granite — Jalore, the 'granite city of Rajasthan'.
12. Fluorite — Mando ki Pal (Dungarpur); wollastonite — Khera and Belka Pahar (Sirohi); asbestos — Rikhabdeo/Kherwara (Udaipur), Ajmer, Dungarpur, Rajsamand.
13. Emerald — Kaliguman-Tekhi belt (Rajsamand-Ajmer); garnet — Rajmahal (Tonk); bentonite — Barmer and Jaisalmer; ball clay — Bikaner; selenite — Nagaur.
14. Lignite — Palana and Barsingsar (Bikaner), Kapurdi, Jalipa and Giral (Barmer), Matasukh and Kasnau (Nagaur). Palana is Rajasthan's oldest worked lignite field.
15. Petroleum — Barmer-Sanchore basin: Mangala (discovered 2004, India's largest onshore find in decades), Bhagyam, Aishwariya, Raageshwari, Saraswati; block RJ-ON-90/1, operator Cairn/Vedanta; production from 2009.
16. Natural gas — Jaisalmer basin: Tanot, Dandewala, Bagitibba, Bhagewala (ONGC); this gas feeds the Ramgarh gas-based power station.
17. HPCL Rajasthan Refinery (HRRL), Pachpadra in Balotra district — 9 MMTPA refinery with a 2.4 MMTPA petrochemical complex; HPCL 74% and Government of Rajasthan 26%; commercial operations declared in June 2026.
18. RSMML (Rajasthan State Mines and Minerals Ltd), HQ Udaipur — rock phosphate, limestone, gypsum, lignite and fluorite; Rajasthan is India's third largest salt producer (Sambhar, Didwana, Pachpadra, Lunkaransar).

19. Thermal power: Suratgarh (Sri Ganganagar) is the largest thermal station of the state and is called Rajasthan's 'thermal power house'; Kota Super Thermal (Kota) was its first coal-based station.
20. Other stations — Chhabra (Baran), Kalisindh (Jhalawar), Giral lignite (Barmer), Barsingsar lignite of NLC (Bikaner), Ramgarh gas (Jaisalmer), Dholpur combined-cycle gas (Dholpur).
21. Rawatbhata Atomic Power Station (Chittorgarh) on the Chambal — India's second nuclear power station, Unit-1 built with Canadian collaboration; hydel at Rana Pratap Sagar, Jawahar Sagar and Mahi Bajaj Sagar (Banswara).
22. Bhadla Solar Park — Bhadla village, Phalodi district (earlier Jodhpur district), about 2,245 MW over roughly 56 sq km; India's largest solar park (long described as the world's largest, since overtaken; position as of 2026).
23. Rajasthan ranks FIRST among Indian states in installed solar capacity (about 41.7 GW as of April 2026) and second in total renewable capacity after Gujarat.
24. RRECL — Rajasthan Renewable Energy Corporation Ltd (Jaipur) is the state nodal agency for renewable energy; key policies: Rajasthan Solar Energy Policy 2019 and Rajasthan Integrated Clean Energy Policy 2024.
25. PM-KUSUM (2019, MNRE) — Component A: small grid-connected plants on barren land; Component B: standalone solar pumps; Component C: solarisation of existing grid-connected pumps. PM Surya Ghar Muft Bijli Yojana (Feb 2024) gives up to 300 free units a month.
26. Power utilities: RVUNL (generation), RVPNL (transmission) and three discoms — Jaipur, Ajmer and Jodhpur Vidyut Vitran Nigam Ltd. Wind hubs: Jaisalmer, Jodhpur and Barmer.
27. UNESCO World Heritage Sites in Rajasthan (4): Keoladeo National Park, Bharatpur (1985, natural); Jantar Mantar, Jaipur (2010); Hill Forts of Rajasthan (2013); Jaipur walled city (2019).
28. The six Hill Forts of Rajasthan: Chittorgarh, Kumbhalgarh (Rajsamand), Ranthambore (Sawai Madhopur), Gagron (Jhalawar), Amber (Jaipur) and Jaisalmer.
29. Tourism: RTDC runs state tourism; Palace on Wheels launched 26 January 1982, Royal Rajasthan on Wheels in 2009; slogan 'Padharo Mhare Desh'; Rajasthan Tourism Policy 2020; tourism given industry status in 2021.
30. Transport: North Western Railway, HQ Jaipur, created 1 October 2002; Jaipur Metro (Mansarovar-Chandpole) opened 3 June 2015, the state's first metro; the longest state stretch of the Delhi-Mumbai Expressway (about 373 km) lies in Rajasthan; Jaipur is the state's main international airport and Kishangarh (Ajmer) its greenfield airport.

1. Jhamar Kotra, the largest deposit of its kind in India, is associated with which mineral? RAS PRE 2021

- | | |
|------------------|--------------------|
| (A) Gypsum | (B) Rock phosphate |
| (C) Wollastonite | (D) Fluorite |

2. The Got-Manglodh mines of Rajasthan are famous for the production of:

- | | |
|---------------|---------------|
| (A) Gypsum | (B) Copper |
| (C) Limestone | (D) Soapstone |

3. The Khetri copper belt of Rajasthan lies in which district? RAS PRE 2016, 2024

- | | |
|---------------|-----------|
| (A) Sikar | (B) Alwar |
| (C) Jhunjhunu | (D) Ajmer |

4. Rampura-Agucha, India's largest zinc mine, is located in which district of Rajasthan?

- | | |
|-----------------|---------------|
| (A) Udaipur | (B) Rajsamand |
| (C) Chittorgarh | (D) Bhilwara |

5. Zawar, the world's oldest known site of zinc smelting, is situated in which district?
(A) Udaipur (B) Rajsamand
(C) Bhilwara (D) Sirohi
6. Degana in Rajasthan is known for the mining of which mineral? **RAS PRE 2018**
(A) Manganese (B) Tungsten
(C) Mica (D) Bauxite
7. Makrana, famous for white marble, lies in which region of Rajasthan?
(A) Bhilwara (B) Nagaur
(C) Rajsamand (D) Sirohi
8. The Sanu deposit of Jaisalmer district is important for which mineral?
(A) Limestone (B) Rock phosphate
(C) Bentonite (D) Gypsum
9. Mando ki Pal, the principal fluorite deposit of Rajasthan, lies in which district? **HARD**
(A) Dungarpur (B) Banswara
(C) Sirohi (D) Jalore
10. The Rohil uranium deposit of Rajasthan is located in which district? **HARD**
(A) Bhilwara (B) Sikar
(C) Udaipur (D) Baran
11. The Bhukia-Jagpura gold deposit of Rajasthan is situated in which district? **HARD**
(A) Pratapgarh (B) Dungarpur
(C) Udaipur (D) Banswara
12. Rajasthan is the only producer in India of which of the following minerals?
(A) Bauxite (B) Wollastonite
(C) Chromite (D) Graphite
13. Sindesar Khurd, India's largest silver-producing mine, is located in which district of Rajasthan? **HARD**
(A) Udaipur (B) Bhilwara
(C) Chittorgarh (D) Rajsamand
14. The Mangala oil field of Rajasthan lies in which basin? **RAS PRE 2013, 2018**
(A) Jaisalmer basin (B) Barmer-Sanchore basin
(C) Bikaner-Nagaur basin (D) Vindhyan basin
15. Palana and Barsingsar, well-known lignite fields of Rajasthan, are located in which district?
(A) Barmer (B) Nagaur
(C) Bikaner (D) Jaisalmer
16. The Kapurdi and Jalipa lignite fields of Rajasthan lie in which district? **RAS PRE 2024**
(A) Bikaner (B) Barmer
(C) Nagaur (D) Jalore
17. Rajasthan State Mines and Minerals Limited (RSMML) has its headquarters at:
(A) Jaipur (B) Jodhpur
(C) Udaipur (D) Bikaner

- 18.** Hindustan Zinc Limited, the operator of Rajasthan's lead-zinc mines, has its headquarters at:
- (A) Udaipur (B) Bhilwara
(C) Jaipur (D) Chittorgarh
- 19.** Nathara-ki-Pal, an iron ore deposit of Rajasthan, is located in which district? **HARD**
- (A) Udaipur (B) Bhilwara
(C) Jaipur (D) Dausa
- 20.** Which district of Rajasthan is known as the 'granite city' of the state?
- (A) Sirohi (B) Jalore
(C) Barmer (D) Pali
- 21.** Bansi Paharpur, the source of the red sandstone used in several major national monuments, lies in which district? **HARD**
- (A) Karauli (B) Dholpur
(C) Bharatpur (D) Sawai Madhopur
- 22.** Which district of Rajasthan is the largest producer of marble in the state?
- (A) Nagaur (B) Rajsamand
(C) Udaipur (D) Jaipur
- 23.** The Bhadla Solar Park of Rajasthan is located in which district?
- (A) Bikaner (B) Jaisalmer
(C) Barmer (D) Phalodi
- 24.** Which state of India has the highest installed solar power capacity? **RAS PRE 2023**
- (A) Gujarat (B) Rajasthan
(C) Karnataka (D) Tamil Nadu
- 25.** The state nodal agency for the promotion of renewable energy in Rajasthan is: **RAS PRE 2018, 2021**
- (A) RVUNL (B) RSMML
(C) RRECL (D) RVPNL
- 26.** Which is the largest thermal power station of Rajasthan in terms of installed capacity?
- (A) Kota Super Thermal Power Station (B) Chhabra Thermal Power Plant
(C) Kalisindh Thermal Power Station (D) Suratgarh Super Thermal Power Station
- 27.** Which was the first coal-based thermal power station established in Rajasthan?
- (A) Suratgarh (B) Kota
(C) Chhabra (D) Giral
- 28.** The Chhabra Thermal Power Plant of Rajasthan is situated in which district?
- (A) Jhalawar (B) Kota
(C) Bundi (D) Baran
- 29.** The Kalisindh Thermal Power Station of Rajasthan is located in which district? **RAS PRE 2016, 2023**
- (A) Jhalawar (B) Baran
(C) Kota (D) Bundi
- 30.** The Rawatbhata Atomic Power Station of Rajasthan is located in which district?
- (A) Kota (B) Bundi
(C) Chittorgarh (D) Jhalawar

- 31.** The Ramgarh gas-based thermal power station of Rajasthan is located in which district?
- (A) Jodhpur (B) Barmer
(C) Bikaner (D) Jaisalmer
- 32.** Under the PM Surya Ghar Muft Bijli Yojana, how many units of electricity per month are provided free to eligible households?
- (A) 100 units (B) 200 units
(C) 300 units (D) 500 units
- 33.** Under the PM-KUSUM scheme, Component-B provides for:
- (A) Grid-connected solar plants on barren land
(B) Installation of standalone solar agriculture pumps
(C) Solarisation of existing grid-connected pumps
(D) Rooftop solar on government buildings
- 34.** Which organisation is responsible for the transmission of electricity in Rajasthan?
- (A) RVUNL (B) RVPNL
(C) RRECL (D) JVVNL
- 35.** How many properties in Rajasthan are inscribed on the UNESCO World Heritage List?
- (A) Two (B) Three
(C) Four (D) Six
- 36.** The walled city of Jaipur was inscribed on the UNESCO World Heritage List in which year?
- (A) 2010 (B) 2013
(C) 2019 (D) 2021
- 37.** Which of the following hill forts inscribed by UNESCO is located in Jhalawar district?
- (A) Kumbhalgarh (B) Gagron
(C) Ranthambore (D) Amber
- 38.** The luxury tourist train 'Palace on Wheels' was started in which year?
- (A) 1972 (B) 1982
(C) 1992 (D) 2009
- 39.** The headquarters of the North Western Railway zone is located at:
- (A) Jodhpur (B) Ajmer
(C) Jaipur (D) Bikaner
- 40.** The first corridor of the Jaipur Metro, opened in 2015, runs between:
- (A) Chandpole and Badi Chaupar (B) Mansarovar and Chandpole
(C) Sitapura and Ambabari (D) Mansarovar and Badi Chaupar
- 41.** The greenfield airport at Kishangarh in Rajasthan lies in which district?
- (A) Nagaur (B) Ajmer
(C) Jaipur (D) Tonk

42. Consider the following statements about minerals of Rajasthan:

- I. Rajasthan is the sole producer of lead-zinc ore in India.
- II. Rajasthan is the leading producer of gypsum in India.
- III. Rajasthan is the leading producer of bauxite in India.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

43. Consider the following statements about Jhamar Kotra:

- I. It is India's largest rock phosphate deposit.
- II. It is located in Udaipur district.
- III. It is worked by Rajasthan State Mines and Minerals Ltd.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

44. Consider the following statements about the lead-zinc mines of Rajasthan:

- I. Rampura-Agucha is located in Bhilwara district.
- II. Rajpura-Dariba is located in Rajsamand district.
- III. Zawar is located in Chittorgarh district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

45. Consider the following statements about the lignite resources of Rajasthan:

- I. Palana lignite field lies in Bikaner district.
- II. Kapurdi and Jalipa lignite fields lie in Barmer district.
- III. Matasukh lignite field lies in Nagaur district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

46. Consider the following statements about petroleum in Rajasthan:

- I. The Mangala field was discovered in the Barmer-Sanchore basin.
- II. Tanot and Dandewala are gas fields of the Jaisalmer basin.
- III. Commercial crude oil production from the Barmer basin began in the 1980s.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

47. Consider the following statements about the HPCL Rajasthan Refinery at Pachpadra:

- I. It is a joint venture of HPCL and the Government of Rajasthan.
- II. It is located in Balotra district.
- III. Its refining capacity is 9 MMTPA.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

48. Consider the following statements about the marble of Rajasthan:

- I. Makrana is famous for white marble.
- II. Andhi in Jaipur district yields green marble.
- III. Rajsamand is the largest marble-producing district of the state.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

49. Consider the following statements about the Bhadla Solar Park:

- I. It is spread over roughly 56 square kilometres.
- II. Its installed capacity is about 2,245 MW.
- III. It lies in Barmer district.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

50. Consider the following statements about renewable energy in Rajasthan:

- I. RRECL is the state nodal agency for renewable energy.
- II. Rajasthan ranks first among Indian states in installed solar capacity.
- III. The Rajasthan Solar Energy Policy was announced in 2019.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

51. Consider the following statements about thermal power in Rajasthan:

- I. The Suratgarh station lies in Sri Ganganagar district.
- II. The Chhabra station lies in Baran district.
- III. The Kalisindh station lies in Kota district.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

52. Consider the following statements about the Rawatbhata Atomic Power Station:

- I. It stands on the Chambal river in Chittorgarh district.
- II. Its first unit was built with Canadian collaboration.
- III. It was India's first nuclear power station.

Which of the statements given above are correct?

- (A) I and II only
- (B) I and III only
- (C) II and III only
- (D) I, II and III

53. Consider the following statements about the UNESCO World Heritage properties of Rajasthan:

- I. Keoladeo National Park was inscribed as a natural site.
- II. The Jantar Mantar of Jaipur was inscribed in 2010.
- III. The Hill Forts of Rajasthan comprise six forts.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I and III only
- (D) I, II and III

54. Consider the following statements about tourism in Rajasthan:

- I. The Palace on Wheels was launched in 1982.
- II. RTDC is the state tourism development corporation.
- III. Rajasthan's tourism slogan is 'Padharo Mhare Desh'.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

55. Consider the following statements about transport in Rajasthan:

- I. The North Western Railway zone has its headquarters at Jaipur.
- II. Jaipur was the first city of Rajasthan to get a metro rail system.
- III. The longest state stretch of the Delhi-Mumbai Expressway lies in Rajasthan.

Which of the statements given above are correct?

- (A) I and II only
- (B) II and III only
- (C) I, II and III
- (D) I and III only

56. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Mineral) List-II (District)

- A. Rock phosphate 1. Jhunjhunu
- B. Gypsum 2. Udaipur
- C. Copper 3. Jaisalmer
- D. Limestone (SMS grade) 4. Nagaur

- (A) A-2, B-4, C-1, D-3
- (B) A-2, B-1, C-4, D-3
- (C) A-4, B-2, C-1, D-3
- (D) A-2, B-4, C-3, D-1

57. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Mine) List-II (Mineral)

- A. Jhamar Kotra 1. Tungsten
 B. Got-Manglodh 2. Rock phosphate
 C. Zawar 3. Gypsum
 D. Degana 4. Lead-zinc

RAS PRE 2016, 2021

- (A) A-2, B-4, C-3, D-1
 (B) A-2, B-3, C-4, D-1
 (C) A-2, B-3, C-1, D-4
 (D) A-3, B-2, C-4, D-1

58. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Lignite field) List-II (District)

- A. Palana 1. Barmer
 B. Kapurdi 2. Nagaur
 C. Matasukh 3. Bikaner
 D. Giral 4. Barmer

- (A) A-1, B-3, C-2, D-4
 (B) A-3, B-1, C-4, D-2
 (C) A-3, B-1, C-2, D-4
 (D) A-3, B-2, C-1, D-4

59. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Field) List-II (Product/Basin)

- A. Mangala 1. Gas, Jaisalmer basin
 B. Tanot 2. Crude oil, Barmer-Sanchore basin
 C. Aishwariya 3. Crude oil, Barmer-Sanchore basin
 D. Dandewala 4. Gas, Jaisalmer basin

HARD

- (A) A-3, B-4, C-2, D-1
 (B) A-2, B-4, C-3, D-1
 (C) A-1, B-2, C-3, D-4
 (D) A-2, B-1, C-3, D-4

60. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Power station) List-II (District)

- A. Suratgarh 1. Jhalawar
 B. Chhabra 2. Chittorgarh
 C. Kalisindh 3. Sri Ganganagar
 D. Rawatbhata 4. Baran

RAS PRE 2016, 2023

- (A) A-3, B-4, C-1, D-2
 (B) A-3, B-1, C-4, D-2
 (C) A-4, B-3, C-1, D-2
 (D) A-3, B-4, C-2, D-1

61. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Mineral) List-II (Deposit)

- A. Fluorite 1. Khera-Belka Pahar (Sirohi)
 B. Wollastonite 2. Rajmahal (Tonk)
 C. Emerald 3. Mando ki Pal (Dungarpur)
 D. Garnet 4. Kaliguman (Rajsamand) **HARD**

- (A) A-3, B-4, C-1, D-2
 (B) A-3, B-1, C-4, D-2
 (C) A-1, B-3, C-4, D-2
 (D) A-3, B-1, C-2, D-4

62. Match List-I with List-II and select the correct answer using the codes given below:

List-I (UNESCO World Heritage property in Rajasthan) List-II (Year of inscription)

- A. Keoladeo National Park 1. 2019
 B. Jantar Mantar, Jaipur 2. 1985
 C. Hill Forts of Rajasthan 3. 2010
 D. Jaipur walled city 4. 2013

- (A) A-1, B-3, C-4, D-2
 (B) A-2, B-3, C-1, D-4
 (C) A-2, B-3, C-4, D-1
 (D) A-2, B-4, C-3, D-1

63. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Hill Fort) List-II (District)

- A. Kumbhalgarh 1. Sawai Madhopur
 B. Gagron 2. Rajsamand
 C. Ranthambore 3. Jaipur
 D. Amber 4. Jhalawar

- (A) A-2, B-1, C-4, D-3
 (B) A-4, B-2, C-1, D-3
 (C) A-2, B-4, C-3, D-1
 (D) A-2, B-4, C-1, D-3

64. Match List-I with List-II and select the correct answer using the codes given below:

List-I (Industrial/mineral centre) List-II (Associated activity)

- A. Chanderiya 1. Copper smelting
 B. Khetri 2. Zinc smelting
 C. Makrana 3. Salt production
 D. Sambhar 4. Marble quarrying

- (A) A-2, B-1, C-4, D-3
 (B) A-1, B-2, C-4, D-3
 (C) A-2, B-1, C-3, D-4
 (D) A-2, B-4, C-1, D-3

65. Which one of the following mineral-district pairs is NOT correctly matched?

- (A) Rock phosphate - Udaipur (B) Tungsten - Nagaur
 (C) Fluorite - Sirohi (D) Copper - Jhunjhunu

66. Which one of the following is NOT a lignite field of Rajasthan? **RAS PRE 2024**

- (A) Kapurdi (B) Jalipa
 (C) Barsingsar (D) Jhamar Kotra

- 67.** Which one of the following statements about the Bhadla Solar Park is NOT correct?
- (A) It lies in Phalodi district
(B) It has an installed capacity of about 2,245 MW
(C) It is India's largest solar park
(D) It is operated solely by the Rajasthan Renewable Energy Corporation
- 68.** Which one of the following power station-district pairs of Rajasthan is NOT correctly matched?
- (A) Dholpur combined cycle - Dholpur
(B) Kalisindh - Jhalawar
(C) Ramgarh - Jaisalmer
(D) Giral - Bikaner
- 69.** Which one of the following is NOT a UNESCO World Heritage property located in Rajasthan?
- (A) Keoladeo National Park
(B) Jantar Mantar, Jaipur
(C) Hill Forts of Rajasthan
(D) Rani ki Vav
- 70.** Which one of the following is NOT one of the six Hill Forts of Rajasthan inscribed by UNESCO?
- (A) Gagron
(B) Amber
(C) Mehrangarh
(D) Jaisalmer
- 71.** Which one of the following statements about the HPCL Rajasthan Refinery is NOT correct? **HARD**
- (A) It is located at Pachpadra in Balotra district
(B) The Government of Rajasthan holds a 26% equity stake
(C) It has a refining capacity of 9 MMTA
(D) It is India's first refinery based entirely on imported crude
- 72.** Which one of the following pairs is NOT correctly matched? **HARD**
- (A) Sindesar Khurd - silver
(B) Bhukia-Jagpura - gold
(C) Rohil - uranium
(D) Morija-Banola - manganese
- 73.** Arrange the following World Heritage properties of Rajasthan in the chronological order of their inscription by UNESCO, starting with the earliest:
- I. Jantar Mantar, Jaipur
II. Keoladeo National Park
III. Jaipur walled city
IV. Hill Forts of Rajasthan
- (A) II, I, IV, III
(B) II, IV, I, III
(C) I, II, IV, III
(D) II, I, III, IV
- 74.** Arrange the following power projects of Rajasthan in the chronological order of their commissioning, starting with the earliest:
- I. Kota Super Thermal Power Station
II. Rawatbhata Atomic Power Station Unit-1
III. Bhadla Solar Park (full capacity)
IV. Suratgarh Super Thermal Power Station **HARD**
- (A) II, I, IV, III
(B) I, II, IV, III
(C) II, IV, I, III
(D) II, I, III, IV

75. Assertion (A): Rajasthan leads all Indian states in installed solar power capacity.

Reason (R): Western Rajasthan combines very high solar insolation with extensive tracts of low-value barren land.

Select the correct answer:

- (A) Both A and R are true and R is the correct explanation of A
- (B) Both A and R are true but R is not the correct explanation of A
- (C) A is true but R is false
- (D) A is false but R is true

Answer key & explanations

RG01 – LOCATION, EXTENT AND PHYSIOGRAPHIC DIVISIONS

RG01.1 C	RG01.14 C	RG01.27 B	RG01.40 D
RG01.2 C	RG01.15 D	RG01.28 D	RG01.41 C
RG01.3 B	RG01.16 D	RG01.29 B	RG01.42 B
RG01.4 A	RG01.17 A	RG01.30 A	RG01.43 A
RG01.5 A	RG01.18 B	RG01.31 D	RG01.44 D
RG01.6 B	RG01.19 C	RG01.32 B	RG01.45 C
RG01.7 D	RG01.20 D	RG01.33 A	RG01.46 D
RG01.8 B	RG01.21 A	RG01.34 A	RG01.47 D
RG01.9 B	RG01.22 B	RG01.35 D	RG01.48 C
RG01.10 C	RG01.23 C	RG01.36 B	RG01.49 A
RG01.11 D	RG01.24 C	RG01.37 A	RG01.50 A
RG01.12 D	RG01.25 B	RG01.38 A	
RG01.13 B	RG01.26 D	RG01.39 B	

RG02 – DRAINAGE: RIVERS AND LAKES OF RAJASTHAN

RG02.1 A	RG02.15 D	RG02.29 B	RG02.43 C
RG02.2 C	RG02.16 D	RG02.30 A	RG02.44 C
RG02.3 B	RG02.17 C	RG02.31 D	RG02.45 B
RG02.4 A	RG02.18 B	RG02.32 B	RG02.46 D
RG02.5 B	RG02.19 C	RG02.33 A	RG02.47 C
RG02.6 C	RG02.20 C	RG02.34 D	RG02.48 C
RG02.7 A	RG02.21 B	RG02.35 D	RG02.49 A
RG02.8 A	RG02.22 B	RG02.36 D	RG02.50 D
RG02.9 B	RG02.23 C	RG02.37 B	RG02.51 C
RG02.10 C	RG02.24 C	RG02.38 A	RG02.52 D
RG02.11 A	RG02.25 D	RG02.39 A	RG02.53 D
RG02.12 C	RG02.26 A	RG02.40 D	RG02.54 A
RG02.13 B	RG02.27 B	RG02.41 A	RG02.55 A
RG02.14 B	RG02.28 C	RG02.42 C	

RG03 – CLIMATE OF RAJASTHAN

RG03.1 D	RG03.11 D	RG03.21 C	RG03.31 A
RG03.2 D	RG03.12 D	RG03.22 D	RG03.32 C
RG03.3 D	RG03.13 B	RG03.23 D	RG03.33 A
RG03.4 D	RG03.14 A	RG03.24 B	RG03.34 B
RG03.5 D	RG03.15 C	RG03.25 A	RG03.35 A
RG03.6 C	RG03.16 B	RG03.26 D	RG03.36 D
RG03.7 D	RG03.17 D	RG03.27 B	RG03.37 C
RG03.8 D	RG03.18 B	RG03.28 D	RG03.38 C
RG03.9 B	RG03.19 D	RG03.29 C	RG03.39 B
RG03.10 C	RG03.20 B	RG03.30 A	RG03.40 D

RG04 – NATURAL VEGETATION AND FORESTS OF RAJASTHAN

RG04.1 B	RG04.4 A	RG04.7 C	RG04.10 A
RG04.2 A	RG04.5 B	RG04.8 B	RG04.11 D
RG04.3 C	RG04.6 B	RG04.9 C	RG04.12 A

RG04.13 C	RG04.22 B	RG04.31 C	RG04.40 C
RG04.14 A	RG04.23 B	RG04.32 C	RG04.41 D
RG04.15 A	RG04.24 A	RG04.33 A	RG04.42 C
RG04.16 B	RG04.25 D	RG04.34 B	RG04.43 A
RG04.17 A	RG04.26 A	RG04.35 A	RG04.44 C
RG04.18 A	RG04.27 D	RG04.36 B	RG04.45 A
RG04.19 B	RG04.28 D	RG04.37 C	
RG04.20 D	RG04.29 D	RG04.38 B	
RG04.21 B	RG04.30 A	RG04.39 B	

RG05 – SOILS OF RAJASTHAN

RG05.1 C	RG05.10 B	RG05.19 B	RG05.28 A
RG05.2 B	RG05.11 A	RG05.20 C	RG05.29 D
RG05.3 A	RG05.12 B	RG05.21 B	RG05.30 B
RG05.4 C	RG05.13 A	RG05.22 C	RG05.31 D
RG05.5 A	RG05.14 B	RG05.23 D	RG05.32 C
RG05.6 C	RG05.15 C	RG05.24 C	RG05.33 A
RG05.7 C	RG05.16 D	RG05.25 B	RG05.34 D
RG05.8 D	RG05.17 A	RG05.26 A	RG05.35 C
RG05.9 C	RG05.18 C	RG05.27 A	

RG06 – BIODIVERSITY CONSERVATION: PARKS, SANCTUARIES, RESERVES

RG06.1 D	RG06.16 C	RG06.31 B	RG06.46 C
RG06.2 A	RG06.17 D	RG06.32 C	RG06.47 B
RG06.3 B	RG06.18 A	RG06.33 D	RG06.48 D
RG06.4 B	RG06.19 B	RG06.34 B	RG06.49 A
RG06.5 D	RG06.20 C	RG06.35 C	RG06.50 C
RG06.6 B	RG06.21 C	RG06.36 A	RG06.51 B
RG06.7 D	RG06.22 A	RG06.37 D	RG06.52 D
RG06.8 A	RG06.23 B	RG06.38 B	RG06.53 C
RG06.9 C	RG06.24 C	RG06.39 C	RG06.54 B
RG06.10 B	RG06.25 D	RG06.40 A	RG06.55 D
RG06.11 C	RG06.26 A	RG06.41 D	RG06.56 A
RG06.12 A	RG06.27 B	RG06.42 B	RG06.57 C
RG06.13 D	RG06.28 D	RG06.43 C	RG06.58 B
RG06.14 A	RG06.29 D	RG06.44 A	RG06.59 A
RG06.15 A	RG06.30 A	RG06.45 A	RG06.60 B

RG07 – AGRICULTURE AND CROPS OF RAJASTHAN

RG07.1 D	RG07.12 D	RG07.23 C	RG07.34 B
RG07.2 A	RG07.13 A	RG07.24 D	RG07.35 D
RG07.3 A	RG07.14 B	RG07.25 A	RG07.36 A
RG07.4 D	RG07.15 C	RG07.26 B	RG07.37 C
RG07.5 B	RG07.16 D	RG07.27 C	RG07.38 B
RG07.6 C	RG07.17 A	RG07.28 A	RG07.39 D
RG07.7 C	RG07.18 B	RG07.29 C	RG07.40 C
RG07.8 D	RG07.19 C	RG07.30 B	RG07.41 C
RG07.9 A	RG07.20 D	RG07.31 D	RG07.42 B
RG07.10 B	RG07.21 A	RG07.32 A	RG07.43 D
RG07.11 C	RG07.22 B	RG07.33 C	RG07.44 A

RG07.45 C	RG07.47 D	RG07.49 B
RG07.46 B	RG07.48 A	RG07.50 C

RG08 – LIVESTOCK, DAIRY AND FISHERIES OF RAJASTHAN

RG08.1 B	RG08.11 A	RG08.21 A	RG08.31 C
RG08.2 C	RG08.12 C	RG08.22 C	RG08.32 D
RG08.3 C	RG08.13 C	RG08.23 A	RG08.33 A
RG08.4 A	RG08.14 D	RG08.24 B	RG08.34 B
RG08.5 B	RG08.15 D	RG08.25 C	RG08.35 D
RG08.6 C	RG08.16 D	RG08.26 B	RG08.36 C
RG08.7 D	RG08.17 C	RG08.27 D	RG08.37 A
RG08.8 A	RG08.18 B	RG08.28 C	RG08.38 B
RG08.9 A	RG08.19 C	RG08.29 A	RG08.39 C
RG08.10 A	RG08.20 B	RG08.30 A	RG08.40 A

RG09 – IRRIGATION PROJECTS AND CANAL SYSTEMS OF RAJASTHAN

RG09.1 A	RG09.14 A	RG09.27 D	RG09.40 B
RG09.2 B	RG09.15 A	RG09.28 B	RG09.41 D
RG09.3 C	RG09.16 A	RG09.29 D	RG09.42 C
RG09.4 B	RG09.17 B	RG09.30 B	RG09.43 B
RG09.5 C	RG09.18 D	RG09.31 B	RG09.44 C
RG09.6 B	RG09.19 B	RG09.32 B	RG09.45 A
RG09.7 C	RG09.20 C	RG09.33 A	RG09.46 C
RG09.8 D	RG09.21 D	RG09.34 D	RG09.47 B
RG09.9 D	RG09.22 D	RG09.35 D	RG09.48 D
RG09.10 C	RG09.23 A	RG09.36 A	RG09.49 D
RG09.11 A	RG09.24 B	RG09.37 D	RG09.50 B
RG09.12 A	RG09.25 A	RG09.38 C	
RG09.13 B	RG09.26 B	RG09.39 A	

RG10 – POPULATION, URBANISATION AND TRIBES OF RAJASTHAN

RG10.1 C	RG10.16 D	RG10.31 B	RG10.46 C
RG10.2 B	RG10.17 C	RG10.32 D	RG10.47 A
RG10.3 B	RG10.18 D	RG10.33 C	RG10.48 A
RG10.4 C	RG10.19 B	RG10.34 A	RG10.49 B
RG10.5 B	RG10.20 A	RG10.35 A	RG10.50 A
RG10.6 B	RG10.21 B	RG10.36 A	RG10.51 C
RG10.7 C	RG10.22 C	RG10.37 D	RG10.52 C
RG10.8 B	RG10.23 D	RG10.38 A	RG10.53 D
RG10.9 D	RG10.24 B	RG10.39 A	RG10.54 D
RG10.10 A	RG10.25 C	RG10.40 A	RG10.55 D
RG10.11 B	RG10.26 C	RG10.41 C	RG10.56 C
RG10.12 C	RG10.27 B	RG10.42 B	RG10.57 D
RG10.13 D	RG10.28 D	RG10.43 A	RG10.58 D
RG10.14 D	RG10.29 D	RG10.44 B	RG10.59 A
RG10.15 B	RG10.30 C	RG10.45 A	RG10.60 A

RG11 – MINERALS, ENERGY, TOURISM AND TRANSPORT OF RAJASTHAN

RG11.1 B	RG11.3 C	RG11.5 A	RG11.7 B
RG11.2 A	RG11.4 D	RG11.6 B	RG11.8 A

RG11.9 A	RG11.26 D	RG11.43 D	RG11.60 A
RG11.10 B	RG11.27 B	RG11.44 A	RG11.61 B
RG11.11 D	RG11.28 D	RG11.45 C	RG11.62 C
RG11.12 B	RG11.29 A	RG11.46 A	RG11.63 D
RG11.13 D	RG11.30 C	RG11.47 C	RG11.64 A
RG11.14 B	RG11.31 D	RG11.48 D	RG11.65 C
RG11.15 C	RG11.32 C	RG11.49 A	RG11.66 D
RG11.16 B	RG11.33 B	RG11.50 C	RG11.67 D
RG11.17 C	RG11.34 B	RG11.51 A	RG11.68 D
RG11.18 A	RG11.35 C	RG11.52 A	RG11.69 D
RG11.19 A	RG11.36 C	RG11.53 D	RG11.70 C
RG11.20 B	RG11.37 B	RG11.54 C	RG11.71 D
RG11.21 C	RG11.38 B	RG11.55 C	RG11.72 D
RG11.22 B	RG11.39 C	RG11.56 A	RG11.73 A
RG11.23 D	RG11.40 B	RG11.57 B	RG11.74 A
RG11.24 B	RG11.41 B	RG11.58 C	RG11.75 A
RG11.25 C	RG11.42 A	RG11.59 D	

RG01 – EXPLANATIONS

1. (C) 3,42,239 sq km — Rajasthan covers 3,42,239 sq km, which is 10.41% of India's area. The distractors are the areas of Madhya Pradesh (3,08,252), Uttar Pradesh (2,40,928) and Gujarat (1,96,024).

2. (C) 2000 — Rajasthan overtook Madhya Pradesh on 1 November 2000, when Chhattisgarh was carved out of MP. Before that Rajasthan was the second largest state.

3. (B) 10.41% — 3,42,239 sq km out of India's 32,87,263 sq km works out to about 10.41%. Rajasthan holds this area with only about 5.67% of India's population (Census 2011).

4. (A) 23 deg 3' N to 30 deg 12' N — Rajasthan lies between 23 deg 3' N and 30 deg 12' N, a spread of 7 deg 9'. The whole state therefore lies north of the Tropic of Cancer except its extreme southern fringe.

5. (A) 69 deg 30' E to 78 deg 17' E — Rajasthan extends from 69 deg 30' E to 78 deg 17' E, a spread of 8 deg 47'. The westernmost point is Katra village in Jaisalmer and the easternmost is Silana village in Dholpur.

6. (B) 826 km — Rajasthan measures about 826 km from north to south and 869 km from east to west, a difference of 43 km.

7. (D) 43 km — East-west 869 km minus north-south 826 km = 43 km. This is a favourite RPSC one-liner because both figures look similar.

8. (B) Sri Ganganagar — Kona village in Sri Ganganagar district (30 deg 12' N) is Rajasthan's northernmost point. The southernmost is Borkunda in Banswara.

9. (B) Banswara and Dungarpur — The Tropic of Cancer clips only the extreme southern tip of Rajasthan, crossing Banswara and Dungarpur districts. Hence almost the whole state lies in the sub-tropical belt.

10. (C) 1,070 km — The Radcliffe Line runs about 1,070 km along Rajasthan, from Hindumal Kot in Sri Ganganagar to the Shahgarh bulge in Barmer. 1,600 km is Rajasthan's boundary with Madhya Pradesh.

11. (D) Jaisalmer — Jaisalmer accounts for about 464 km of the 1,070 km Radcliffe Line - by far the longest share of any Rajasthan district.

12. (D) Hindumal Kot, Sri Ganganagar — Rajasthan's stretch of the Radcliffe Line runs from Hindumal Kot (Sri Ganganagar) in the north to the Shahgarh bulge (Barmer) in the south. Munabao is the railway crossing point on the Barmer border.

13. (B) Punjab — Rajasthan's border with Punjab is only about 89 km, touching Sri Ganganagar and Hanumangarh. Its longest inter-state boundary is with Madhya Pradesh (~1,600 km).

14. (C) Madhya Pradesh — The Rajasthan-Madhya Pradesh boundary is about 1,600 km, the longest of the five states Rajasthan touches. Haryana follows with about 1,262 km.

- 15. (D) Bharatpur and Dholpur** — Only Bharatpur and Dholpur touch Uttar Pradesh. Karauli and Sawai Madhopur border Madhya Pradesh, not UP.
- 16. (D) 41 districts and 7 divisions** — The 2023 reorganisation created 19 new districts and 3 new divisions; in December 2024 nine districts and all three new divisions were denotified, leaving 41 districts and 7 divisions (Jaipur, Jodhpur, Ajmer, Kota, Udaipur, Bikaner, Bharatpur).
- 17. (A) Lalit K. Panwar** — A committee under retired IAS officer Dr Lalit K. Panwar reviewed the districts created in 2023; on its report nine districts and the Banswara, Pali and Sikar divisions were dissolved.
- 18. (B) Western sandy plain** — The Western Sandy Plain covers about 61% of the state but supports only about 40% of its population. The Eastern Plain, with 23% of the area, carries about 39% of the population.
- 19. (C) Jodhpur, Jaisalmer and Bikaner** — Jodhpur, Jaisalmer and Bikaner form the classic desert triangle of the Thar. The Thar is India's largest desert and covers roughly 61% of Rajasthan.
- 20. (D) Jaisalmer** — Longitudinal dunes lie parallel to the prevailing wind and are most extensive in Jaisalmer. Barchans dominate the Shekhawati-Churu tract and parabolic dunes are common around Bikaner.
- 21. (A) Crescent-shaped dunes formed transverse to the prevailing wind** — Barchans are crescent-shaped and develop across the wind direction, their horns pointing downwind; they are the most mobile dunes and are common in Churu, Jhunjhunu and Sikar. The other options describe parabolic, longitudinal and star dunes.
- 22. (B) Nali** — The flood plain of the Ghaggar in Hanumangarh-Sri Ganganagar is called 'Nali'. Godwar is the Luni basin of Pali-Sirohi-Jalore and Bagar the semi-arid Shekhawati tract.
- 23. (C) Sirohi, 1,722 m** — Guru Shikhar (1,722 m) on Mount Abu in Sirohi district is the highest point of Rajasthan and of the whole Aravalli range. Ser peak (1,597 m), also in Sirohi, is second.
- 24. (C) Ser** — Ser peak (1,597 m) in Sirohi district ranks second after Guru Shikhar (1,722 m). Delwara is 1,442 m, Jarga 1,431 m and Achalgarh 1,380 m.
- 25. (B) Sikar** — Raghunathgarh (1,055 m) in Sikar district is the highest peak of the northern Aravalli/Shekhawati tract. Malkhet (1,052 m) in the same district is a close second.
- 26. (D) Gogunda and Kumbhalgarh** — The Borat plateau (average height about 1,225 m) lies between Gogunda in Udaipur and Kumbhalgarh in Rajsamand. The Banas rises from the Khamnor hills on its slopes.
- 27. (B) Banswara and Pratapgarh** — The Chappan ('fifty-six') plain of Banswara and Pratapgarh is named after the 56 streams or villages of the Mahi basin that drain it. Vagad covers Dungarpur-Banswara and Kanthal covers Pratapgarh.
- 28. (D) I, II and III** — All three are correct. The Aravalli is a Pre-Cambrian fold range running from Palanpur in Gujarat to Delhi, and roughly four-fifths of it lies in Rajasthan; the Great Boundary Fault marks its north-eastern margin.
- 29. (B) I, II and III** — All three statements are correct. The Thar or Marusthali is India's largest desert; its Rajasthan portion is about 640 km long and 300-360 km wide and forms the Western Sandy Plain, roughly 61% of the state.
- 30. (A) I and II only** — Statements I and II are correct. Guru Shikhar lies in Sirohi district, not Udaipur, so III is wrong. Mount Abu is Rajasthan's only hill station and its plateau carries Nakki lake and the Dilwara temples.
- 31. (D) I, II and III** — All three are correct. The Hadoti plateau covers only about 7% of Rajasthan with about 11% of its people, making it the smallest of the four divisions.
- 32. (B) I, II and III** — All three are correct. After the December 2024 denotification Rajasthan reverted to 7 divisions, and the number of districts stands at 41.
- 33. (A) I, II and III** — All three are correct. The Vindhyas scarpland (350-550 m sandstone) spreads over Karauli, Sawai Madhopur, Bundi and Kota, while the Deccan lava plateau of Kota-Bundi-Baran-Jhalawar carries black cotton soil.
- 34. (A) I and II only** — I and II are correct. In a parabolic dune the horns point upwind (the opposite of a barchan), so III is wrong. Star dunes occur around Pokhran and Mohangarh.
- 35. (D) I, II and III** — All three are correct. The Luni basin or Godwar lies in the rain-shadow-free south-western foothills of the Aravalli and receives more rain than the rest of western Rajasthan.

- 36. (B) I, II and III** — All three are correct. Jaisalmer alone accounts for about 464 km of the 1,070 km line, which runs from Hindumal Kot in Sri Ganganagar to the Shahgarh bulge in Barmer.
- 37. (A) I and II only** — I and II are correct. The Girwa around Udaipur belongs to the Aravalli hilly region, not the Eastern Plain, so III is wrong.
- 38. (A) A-2, B-3, C-4, D-1** — Jarga (1,431 m) is in Udaipur, Kumbhalgarh (1,224 m) in Rajsamand, Taragarh (873 m) in Ajmer and Delwara (1,442 m) in Sirohi.
- 39. (B) A-2, B-4, C-1, D-3** — Guru Shikhar 1,722 m, Ser 1,597 m, Achalgarh 1,380 m and Raghunathgarh 1,055 m. The first three are in Sirohi, Raghunathgarh is in Sikar.
- 40. (D) A-2, B-1, C-4, D-3** — Vagad is the Dungarpur-Banswara tract, Kanthal is Pratapgarh, Godwar the Luni basin of Pali-Sirohi-Jalore, and Shekhawati covers Sikar, Jhunjhunu and Churu.
- 41. (C) A-3, B-1, C-2, D-4** — Kona is in Sri Ganganagar (30 deg 12' N), Borkunda in Banswara (23 deg 3' N), Silana in Dholpur (78 deg 17' E) and Katra in Jaisalmer (69 deg 30' E).
- 42. (B) A-2, B-1, C-4, D-3** — Madhya Pradesh ~1,600 km (longest), Punjab ~89 km (shortest), Uttar Pradesh ~877 km and Gujarat ~1,022 km. Haryana accounts for about 1,262 km.
- 43. (A) A-2, B-4, C-1, D-3** — The Bhorat plateau belongs to the Aravalli, the Chappan plain to the Mahi basin of the Eastern Plain, the Deccan lava plateau to the Hadoti division, and the Nagauri upland to the semi-arid Bangar of the Western Sandy Plain.
- 44. (D) Harshnath - Alwar** — Harshnath (about 820 m) is in Sikar district, not Alwar. Alwar's notable heights are Bhairach/Bairath (792 m) and Bilali (775 m).
- 45. (C) Jodhpur** — Jodhpur has no international border. Taking the long-established districts, the border districts are Sri Ganganagar, Bikaner, Jaisalmer and Barmer; the 2023 reorganisation did not change Jodhpur's position on this point.
- 46. (D) Bhorat plateau** — The Bhorat plateau lies in the Aravalli hilly region between Gogunda and Kumbhalgarh. The other three are parts of the Hadoti division.
- 47. (D) Its easternmost point lies in Bharatpur district** — The easternmost point of Rajasthan is Silana village in Dholpur district (78 deg 17' E), not Bharatpur. The other three statements are correct.
- 48. (C) Anupgarh** — Anupgarh was one of the nine districts denotified in December 2024. Balotra, Beawar, Deeg, Didwana-Kuchaman, Khairthal-Tijara, Kotputli-Behror, Phalodi and Salumbar were retained.
- 49. (A) II, IV, I, III** — Guru Shikhar 1,722 m > Ser 1,597 m > Jarga 1,431 m > Kumbhalgarh 1,224 m.
- 50. (A) Both A and R are true and R is the correct explanation of A** — The Aravalli runs south-west to north-east, roughly parallel to the Arabian Sea branch of the monsoon, so it does not force the moist air to rise; western Rajasthan therefore stays arid while the eastern side gets orographic rain.

RG02 — EXPLANATIONS

- 1. (A) Janapav hills near Mhow, Madhya Pradesh** — The Chambal rises in the Janapav hills of the Vindhyan range near Mhow in Indore district of Madhya Pradesh. Its ancient name is Charmanyavati.
- 2. (C) Charmanyavati** — The Chambal is the Charmanyavati of the Mahabharata. Varnasa is the old name of the Banas and Lavanavari of the Luni.
- 3. (B) Chaurasigarh, Chittorgarh** — The Chambal enters Rajasthan at Chaurasigarh in Chittorgarh district. Bhainsrorgarh, further downstream, is famous for the Chulia waterfall.
- 4. (A) Chambal** — The Chambal, fed by the heavier rainfall of the Malwa plateau and regulated by the Gandhi Sagar and Rana Pratap Sagar dams, is the only river in Rajasthan that flows through the year.
- 5. (B) Chambal** — The Chulia falls lie on the Chambal near Bhainsrorgarh in Chittorgarh district. The Menal falls are on the Menali and the Bhimlat falls are in Bundi.
- 6. (C) Rawatbhata** — Rana Pratap Sagar dam stands at Rawatbhata in Chittorgarh district, downstream of Gandhi Sagar. Rawatbhata also houses the Rajasthan Atomic Power Station.
- 7. (A) Yamuna** — The Chambal merges with the Yamuna in Etawah district of Uttar Pradesh, at the Pachnada area where five streams meet.

- 8. (A) Nonera in Kota** — The Kali Sindh, which enters Rajasthan from Madhya Pradesh through Jhalawar, joins the Chambal at Nonera in Kota district. Its own tributaries include the Ahu, Parwan and Chhoti Kali Sindh.
- 9. (B) Banas** — The Banas, about 512 km long, rises and ends within Rajasthan and is therefore the longest river wholly inside the state. The Luni leaves Rajasthan for the Rann of Kutch.
- 10. (C) Khamnor hills, Rajsamand** — The Banas rises in the Khamnor hills of the Aravalli near Kumbhalgarh in Rajsamand district, on the Borat plateau. It is called 'Van ki Asha' - the hope of the forest.
- 11. (A) Banas, Berach and Menali** — At Bigod the Banas is joined by the Berach and the Menali. Rajasthan's other well-known Triveni is at Beneshwar in Dungarpur, where the Som, Mahi and Jakham meet.
- 12. (C) Rameshwar Ghat, Sawai Madhopur** — The Banas joins the Chambal at Rameshwar Ghat in Sawai Madhopur, where the Chambal, Banas and Seep meet - itself regarded as a Triveni.
- 13. (B) Banas** — The Bisalpur dam stands on the Banas at Todaraisingh in Tonk district. The Meja dam on the Kothari serves Bhilwara.
- 14. (B) Gogunda hills, Udaipur** — The Berach rises in the Gogunda hills of Udaipur; in its upper course it is called the Ayad. Uda Sagar lake is built on it.
- 15. (D) Kothari** — The Meja dam on the Kothari river is the main source of drinking water for Bhilwara city. The Kothari rises at Diver in Rajsamand and joins the Banas.
- 16. (D) Naga hills near Ajmer** — The Luni rises on the western slope of the Naga hills (Nag Pahar) near Ajmer, where it is called the Sagarmati; after being joined by the Saraswati at Govindgarh it takes the name Luni.
- 17. (C) Balotra** — Up to Balotra the Luni carries sweet water; beyond it the gypsum-rich soils make it saline, which is why it is called 'half sweet, half salty'. Its old name Lavanavari also means salt-laden.
- 18. (B) Jojri** — The Jojri, rising in Nagaur, is the Luni's only left-bank tributary; all its other feeders - Sukri, Mithri, Bandi, Jawai, Guhiya, Sagi - come from the Aravalli on the right bank.
- 19. (C) Pali** — The Jawai dam was built at Sumerpur in Pali district on the Jawai, a tributary of the Luni. It is the largest dam of western Rajasthan.
- 20. (C) Rann of Kutch** — After about 495 km the Luni empties into the Rann of Kutch in Gujarat. The Mahi and Sabarmati, by contrast, reach the Gulf of Khambhat.
- 21. (B) Mahi** — The Mahi, which rises in Dhar district of Madhya Pradesh and loops through Banswara and Dungarpur before turning south into Gujarat, cuts the Tropic of Cancer twice.
- 22. (B) Mahi, Som and Jakham** — At Beneshwar the Som and the Jakham join the Mahi; the site hosts the Beneshwar fair, often called the 'kumbh of the tribals'.
- 23. (C) Jakham** — The Jakham dam in Pratapgarh district, about 81 m high, is Rajasthan's highest dam. The Jakham is a tributary of the Mahi.
- 24. (C) Hanumangarh** — The Ghaggar enters Rajasthan at Talwara jheel in Hanumangarh district. It is called the 'mrit nadi' or dead river and is identified by many scholars with the Vedic Saraswati.
- 25. (D) Khandela hills, Sikar** — The Kantli rises in the Khandela hills of Sikar, flows through Sikar and Jhunjhunu and vanishes in the sands - a classic inland drainage river. The Ganeshwar site lies on its bank.
- 26. (A) Jaisalmer** — The Kakni rises at Kotri village in Jaisalmer, runs only about 17 km and spreads out into the Bhuj jheel - the shortest river of the state.
- 27. (B) Sabi** — The Sabi or Sahibi rises in the Sewar hills near Jaipur and flows north-east to the Najafgarh jheel in the Delhi-Haryana region. The Ruparel and Banganga die out inside Rajasthan.
- 28. (C) Gomti** — Jaisamand or Dhebar lake was created by Maharana Jai Singh (1685-91) by damming the Gomti river. It has seven islands, the largest being Baba ka Bhagra. It lies in the erstwhile Udaipur district, now Salumbar.
- 29. (B) Rajsamand** — The Rajsamand lake, built by Maharana Raj Singh I in 1662, carries the Raj Prashasti on 25 marble slabs, composed by Ranchhod Bhatt Tailang.
- 30. (A) Sirohi** — Nakki lake lies at Mount Abu in Sirohi district at about 1,200 m - the highest lake in Rajasthan and the only one that freezes in winter.
- 31. (D) I, II and III** — All three are correct. The Banas joins the Chambal from the right at Rameshwar Ghat in Sawai Madhopur after a course of about 512 km, the longest run of any river confined to Rajasthan.

- 32. (B) I, II and III** — All three are correct. Gandhi Sagar lies in Madhya Pradesh while Rana Pratap Sagar (Rawatbhata) and Jawahar Sagar (Kota-Bundi) are in Rajasthan, with the Kota Barrage last in the chain.
- 33. (A) I and III only** — I and III are correct. The Luni drains into the Rann of Kutch, not the Gulf of Khambhat, so II is wrong; the Mahi and Sabarmati reach the Gulf of Khambhat.
- 34. (D) I, II and III** — All three are correct. The Mahi rises near Amjhara in Dhar district (MP), enters Rajasthan through Banswara, and the Mahi Bajaj Sagar dam at Borkheda is shared with Gujarat.
- 35. (D) I, II and III** — All three are correct. The Ghaggar enters Rajasthan at Talwara jheel in Hanumangarh, is locally called 'Nali', and its dry bed carries Kalibangan.
- 36. (D) I, II and III** — All three are correct. Sambhar became a Ramsar site on 23 March 1990 and is fed by the Mentha, Rupangarh, Khari and Khandela; it is a major flamingo wintering ground.
- 37. (B) I, II and III** — All three are correct. Jaisamand, also called Dhebar lake, was completed between 1685 and 1691 and is traditionally described as Asia's largest artificial freshwater lake.
- 38. (A) I and II only** — I and II are correct. The Kantli disappears in the sands of the Shekhawati region; it is the Mentha, Rupangarh, Khari and Khandela that drain into Sambhar, so III is wrong.
- 39. (A) I and II only** — I and II are correct. Lunkaransar lies in Bikaner district, not Churu; Talchhappar in Churu is the salt-affected flat famous for blackbuck.
- 40. (D) I, II and III** — All three are correct. Keoladeo was listed in 1981 and Sambhar in 1990; Menar (Udaipur) and Khichan (Phalodi) were added in 2025, and Siliserh Lake (Alwar) later the same year, taking Rajasthan's total to five. Position as of September 2026.
- 41. (A) A-3, B-1, C-2, D-4** — The Luni rises in the Naga hills (Ajmer), the Banas in the Khamnor hills (Rajsamand), the Chambal in the Janapav hills (MP) and the Sabarmati in the Padrada hills (Udaipur).
- 42. (C) A-3, B-1, C-2, D-4** — Jojri is a tributary of the Luni, Kothari of the Banas, Jakham of the Mahi, and Parwan joins the Kali Sindh in the Chambal system.
- 43. (C) A-2, B-4, C-1, D-3** — Siliserh is in Alwar, Kaylana in Jodhpur, Kolayat in Bikaner and the meteorite-crater lake of Ramgarh in Baran district.
- 44. (C) A-2, B-1, C-4, D-3** — Ana Sagar (Ajmer) was built by Arnoraj Chauhan, Rajsamand by Maharana Raj Singh I, Udaipur Sagar by Maharana Uda Singh and Fateh Sagar by Maharana Fateh Singh.
- 45. (B) A-2, B-1, C-3, D-4** — Meja dam is on the Kothari (Bhilwara), the Jawai dam at Sumerpur is on the Jawai (Pali), Panchana in Karauli is on the Gambhir and the Som-Kamla-Amba project in Dungarpur is on the Som.
- 46. (D) A-2, B-1, C-4, D-3** — Pachpadra lies in Balotra (carved out of Barmer), Lunkaransar in Bikaner, Talchhappar in Churu and Didwana in Didwana-Kuchaman (carved out of Nagaur). The post-2023 district names are used here.
- 47. (C) A-3, B-1, C-2, D-4** — Chulia falls are on the Chambal in Chittorgarh, Bhimlat in Bundi, Damoh in Dholpur and Menal on the Menali near the Chittorgarh-Bhilwara border.
- 48. (C) Jojri** — The Jojri is a tributary of the Luni, not of the Chambal. Mej, Parvati, Kali Sindh, Banas, Kural and Parwan all belong to the Chambal system.
- 49. (A) Menali** — The Menali joins the Banas at the Bigod Triveni Sangam in Bhilwara. Sukri, Bandi and Jawai are Luni tributaries.
- 50. (D) Sabi - Sambhar lake** — The Sabi (Sahibi) flows north-east into the Najafgarh jheel. Sambhar is fed by the Mentha, Rupangarh, Khari and Khandela.
- 51. (C) Gadsisar - Barmer** — Gadsisar (Gadisar) lake is in Jaisalmer, not Barmer. Foy Sagar and Pushkar are in Ajmer and Balsamand in Jodhpur.
- 52. (D) Berach** — The Berach is a tributary of the Banas and so belongs to the Bay of Bengal system through the Chambal and Yamuna. Kantli, Kakni and Ruparel all dissipate inland.
- 53. (D) Talchhappar** — Talchhappar in Churu is a wildlife sanctuary famous for blackbuck but is not a Ramsar site. Rajasthan's five Ramsar sites are Keoladeo Ghana National Park (Bharatpur, 1981), Sambhar Lake (1990), Menar (Udaipur, 2025), Khichan (Phalodi, 2025) and Siliserh Lake (Alwar, 2025).
- 54. (A) II, IV, I, III** — Gandhi Sagar (MP) comes first, then Rana Pratap Sagar at Rawatbhata, then Jawahar Sagar, and the Kota Barrage last.

55. (A) II, I, IV, III — Mahi about 576 km, Banas 512 km, Luni about 495 km and Sabarmati about 416 km. The Banas is the longest river confined entirely to Rajasthan.

RG03 – EXPLANATIONS

- 1. (D) Phalodi** — Phalodi (then part of Jodhpur district) touched 51.0 degrees C on 19 May 2016, the highest air temperature ever recorded in India. Churu, the usual runner-up, has touched 50.8 degrees C.
- 2. (D) BWhw** — BWhw denotes a hot desert climate with a dry winter, covering the extreme western districts. The 'w' suffix marks the dry winter and 'h' the hot type.
- 3. (D) Aw** — Aw is the tropical humid savanna type with a dry winter, found in the wettest south of Rajasthan. It supports the state's highest rainfall after the Mount Abu tract.
- 4. (D) A-3, B-1, C-2, D-4** — Aw covers the humid Vagad south, BWhw the true desert, BShw the semi-arid steppe of Shekhawati and the Luni basin, and Cwg the sub-humid eastern plain.
- 5. (D) The arid western desert from the semi-humid eastern plain** — The 50 cm annual rainfall line runs roughly along the Aravalli axis and is the conventional boundary between western arid Rajasthan and the eastern semi-humid plains.
- 6. (C) I and II only** — Rainfall does fall off from the south-east to the north-west, and the 50 cm isohyet roughly follows the Aravalli axis. Variability is highest, not lowest, in the western desert, where it exceeds 60 per cent.
- 7. (D) Jhalawar** — Jhalawar in the Hadoti plateau records the highest district-level annual rainfall in Rajasthan. The single wettest station, however, is Mount Abu in Sirohi district.
- 8. (D) Jaisalmer** — Jaisalmer, in the extreme west of the Thar, receives the least rain in Rajasthan, of the order of 10-20 cm a year. The Sam tract of the district is the driest point.
- 9. (B) 58 cm** — Rajasthan averages about 58 cm a year, well under half the national average of roughly 125 cm. Almost 90 per cent of it falls during the south-west monsoon.
- 10. (C) Mavath - rain from the retreating south-west monsoon** — Mavath is winter rainfall caused by western disturbances, not by the retreating monsoon, and is critical for the rabi crop.
- 11. (D) Loo** — The Loo is a scorching westerly of the pre-monsoon months and is a major cause of heat-stroke deaths in Barmer, Jaisalmer and Bikaner.
- 12. (D) Mavath** — Mavath is the light winter rain of December-February brought by western disturbances. It is highly beneficial for wheat, mustard and gram.
- 13. (B) Bhabulya** — Bhabulya is a small, short-lived dust whirlwind of the arid western tract. Larger, more damaging dust storms of the pre-monsoon period are called Andhi.
- 14. (A) I and II only** — The monsoon enters through the humid south-east around the last week of June and withdraws by late September. Western Rajasthan draws mainly on the Arabian Sea branch, not the Bay of Bengal branch.
- 15. (C) Mount Abu** — Mount Abu in Sirohi district, at over 1,200 m on the Aravalli crest, receives the state's heaviest rainfall through orographic lifting.
- 16. (B) VS 1956** — The Chhappaniya Akal of Vikram Samvat 1956 corresponds to 1899-1900 CE. The earlier Trikal famine of VS 1868 is another landmark in the state's famine history.
- 17. (D) II, IV, III, I** — Jhalawar and Banswara lie in the very humid south-east and south, Jaipur in the sub-humid eastern plain, and Jaisalmer in the arid extreme west.
- 18. (B) A-1, B-2, C-3, D-4** — Rajasthan is conventionally divided into five rainfall regions - arid, semi-arid, sub-humid, humid (60-80 cm) and very humid (above 80 cm).
- 19. (D) About 90 per cent** — Roughly 90 per cent of the state's rain falls between late June and September. The remaining tenth comes mainly from winter western disturbances.
- 20. (B) Am** — Am, the tropical monsoon type with a short dry season, does not occur in Rajasthan. The state has Aw, BWhw, BShw and Cwg types.
- 21. (C) I and II only** — The south-west to north-east alignment of the Aravallis keeps them parallel to the monsoon current, so little orographic lifting occurs. The eastern side, not the western, is the wetter flank.

- 22. (D) Eastern Rajasthan** — The Bay of Bengal branch reaches eastern Rajasthan after crossing the Gangetic plain and is much weakened. Western and southern Rajasthan depend mainly on the Arabian Sea branch.
- 23. (D) Mount Abu** — Mount Abu, the state's only hill station, is normally the coldest place. On the plains, Fatehpur in Sikar and Churu regularly record sub-zero minima during cold waves.
- 24. (B) I and II only** — Hailstorms in Rajasthan are associated with western disturbances in the winter and pre-monsoon months and are a major threat to the rabi crop, not with the south-west monsoon.
- 25. (A) Both A and R are true and R is the correct explanation of A** — The south-west to north-east alignment of the Aravallis means the monsoon winds move along the range rather than across it, so they are not forced to rise and condense over western Rajasthan.
- 26. (D) A-3, B-2, C-4, D-1** — Rainfall rises steadily from Jaisalmer in the arid west through Nagaur and Jaipur to Jhalawar in the very humid south-east.
- 27. (B) About 61 per cent** — About 61 per cent of Rajasthan's area lies in the arid western tract, which is India's largest desert. It nonetheless supports a relatively dense population for a desert.
- 28. (D) I, II and III** — All three are correct. Rajasthan's conventional seasons are summer (March to mid-June), the rainy season (late June to September), and winter (November to February), with a short transitional autumn.
- 29. (C) Banswara** — The Tropic of Cancer clips the southern edge of Banswara district, so almost the whole of Rajasthan lies in the sub-tropical belt.
- 30. (A) Rainfall increases steadily from the south-east to the north-west** — Rainfall decreases, not increases, from the south-east towards the north-west, falling from over 90 cm in Jhalawar to under 20 cm in Jaisalmer.
- 31. (A) Sam** — The Sam tract of Jaisalmer district, on the Indo-Pakistan frontier, is the driest part of Rajasthan and of India's mainland desert.
- 32. (C) Andhi** — Andhi are dust storms raised by intense surface heating before the monsoon breaks. They reduce visibility sharply and often precede the first monsoon showers.
- 33. (A) I and II only** — Western disturbances form over the Mediterranean and enter India from the north-west in winter, but they give only about a tenth of Rajasthan's annual rainfall.
- 34. (B) I and II only** — Jaisalmer, Barmer and Bikaner, not the humid south-eastern districts of Jhalawar and Banswara, are the most drought-prone parts of Rajasthan.
- 35. (A) Churu** — Churu, on the fringe of the Thar, has one of India's largest annual temperature ranges, crossing 50 degrees C in summer and falling below freezing in winter.
- 36. (D) Bikaner - semi-arid steppe climate (BShw)** — Bikaner falls in the hot desert BWhw type, not the semi-arid steppe BShw type. BShw covers Nagaur, Shekhawati, the Luni basin and the Ghaggar plain.
- 37. (C) Five** — Rajasthan is divided into five rainfall regions: arid, semi-arid, sub-humid, humid and very humid, running from the north-west to the south-east.
- 38. (C) Fatehpur in Sikar district** — Fatehpur in Sikar district is the plains station that most often drops below freezing during cold waves, along with Churu. Mount Abu is colder but is a hill station.
- 39. (B) The National Action Plan on Climate Change, 2008** — All states prepare State Action Plans on Climate Change consistent with the National Action Plan on Climate Change of 2008 and its national missions. Rajasthan's plan was first prepared in 2010.
- 40. (D) I, II and III** — All three are correct. Continentality, a bare sandy surface and cloudless skies together give Rajasthan one of India's most extreme temperature regimes.

RG04 – EXPLANATIONS

- 1. (B) Dhok** — Dhok (*Anogeissus pendula*) dominates the Aravalli and eastern hill forests and is the most widespread and most numerous tree species of Rajasthan.
- 2. (A) Anogeissus pendula** — *Anogeissus pendula* is Dhok. *Boswellia serrata* is Salar, *Butea monosperma* is Palash and *Tecomella undulata* is Rohida.
- 3. (C) Khejri** — Khejri (*Prosopis cineraria*) is the state tree, revered as the Kalp Vriksha of the desert for its fodder, fuel, shade and edible pods known as sangri.

- 4. (A) Rohida** — Rohida (*Tecomella undulata*) is the state flower. The tree is known as Marwar Teak or Desert Teak and is valued for its durable timber.
- 5. (B) Prosopis cineraria** — *Prosopis cineraria* is Khejri. *Capparis decidua* is Kair and *Calligonum polygonoides* is Phog, both characteristic desert shrubs.
- 6. (B) Amrita Devi** — Amrita Devi Bishnoi led the resistance at Khejarli near Jodhpur; 363 Bishnois died protecting Khejri trees from felling.
- 7. (C) 363** — 363 Bishnois, led by Amrita Devi, were killed while protecting Khejri trees at Khejarli in Jodhpur district.
- 8. (B) Maharaja Abhay Singh** — Trees were being felled at Khejarli to supply lime kilns for the palace of Maharaja Abhay Singh of Jodhpur when Amrita Devi and her companions resisted.
- 9. (C) 11 September** — 11 September is observed as National Forest Martyrs Day in memory of the 363 Bishnois of Khejarli and all who have died protecting forests.
- 10. (A) Guru Jambheshwar** — Guru Jambheshwar, or Jambhoji, founded the Bishnoi sect in 1485 at Samrathal Dhora near Bikaner and laid down twenty-nine rules of conduct.
- 11. (D) I, II and III** — All three are correct. The name Bishnoi derives from 'bis' and 'noi', that is twenty-nine rules, laid down by Jambhoji in 1485.
- 12. (A) 4.84 per cent** — Rajasthan's forest cover in ISFR 2023 is 16,548.21 sq km, or 4.84 per cent of the state. 21.76 per cent is India's national forest cover in the same report.
- 13. (C) 8.00 per cent** — Forest cover 16,548.21 sq km plus tree cover gives 27,389.33 sq km, that is 8.00 per cent of Rajasthan's area, in ISFR 2023.
- 14. (A) I and II only** — Open forest (12,087.60 sq km) dominates and very dense forest is only 223.20 sq km. At 4.84 per cent, Rajasthan is far below the national figure of 21.76 per cent.
- 15. (A) II, I, IV, III** — The order is Udaipur (about 2,753 sq km), Alwar (about 1,196), Pratapgarh (about 1,034) and Chittorgarh (about 990); Baran lies between Pratapgarh and Chittorgarh.
- 16. (B) Protected Forest** — Protected Forest makes up roughly 56 per cent of Rajasthan's recorded forest area, Reserved Forest about 38 per cent and Unclassed Forest about 6 per cent.
- 17. (A) The Rajasthan Forest Act, 1953** — The Rajasthan Forest Act, 1953 is the principal state legislation for the constitution, protection and management of forests in Rajasthan.
- 18. (A) A-2, B-3, C-1, D-4** — Khejri is *Prosopis cineraria*, Rohida is *Tecomella undulata*, Palash is *Butea monosperma* and Salar is *Boswellia serrata*.
- 19. (B) A-3, B-1, C-2, D-4** — Teak is confined to the humid south, Sewan grass to the Jaisalmer plains, Dhok to the Aravalli belt and Rohida to the arid west.
- 20. (D) Palash - commercial timber for railway sleepers** — Palash (*Butea monosperma*) is valued for its flowers, gum, leaves used as plates and for lac culture, not for commercial sleeper timber.
- 21. (B) Khair** — Khair (*Acacia catechu*) yields katha, used in paan and in tanning. It grows chiefly in riverine and ravine tracts of Rajasthan.
- 22. (B) Palash** — Palash or Dhak (*Butea monosperma*) is called the Flame of the Forest for its brilliant orange-red spring flowers. It is the second most numerous tree species of Rajasthan.
- 23. (B) Lasiurus sindicus** — *Lasiurus sindicus*, or Sewan grass, is the finest natural pasture grass of the Thar and sustains the sheep and cattle economy of Jaisalmer.
- 24. (A) Calligonum polygonoides** — *Calligonum polygonoides*, or Phog, is a dune-binding shrub of the Thar. *Calotropis procera* is Aak, *Capparis decidua* is Kair and *Ziziphus nummularia* is Jharber.
- 25. (D) I, II and III** — All three are correct. The Khejri's multiple uses in the desert economy earned it the name Kalp Vriksha of the desert.
- 26. (A) I and II only** — Rohida is the state flower and is called Marwar Teak, but it is a tree of the arid and semi-arid west, not of the humid south-east.
- 27. (D) Khadin** — Khadin is a traditional runoff-farming and water-harvesting structure of Jaisalmer, not a sacred grove. Oran, Kankad bani, Deo bani and Rakhat bani are sacred groves.

- 28. (D) I, II and III** — All three are correct. The Supreme Court's 2024 direction extended forest-conservation protection to oran lands.
- 29. (D) I, II and III** — All three are correct. The project spans Rajasthan, Haryana, Gujarat and Delhi and forms part of India's wider land-restoration commitments.
- 30. (A) I and II only** — Joint Forest Management is an administrative and participatory arrangement; it does not replace the Rajasthan Forest Act, 1953, which remains the governing statute.
- 31. (C) 20 per cent** — Rajasthan's forest policy, restated in the Rajasthan Forest Policy 2023, targets about 20 per cent green cover, recognising that the national goal of 33 per cent is unattainable in a largely desert state.
- 32. (C) Tropical wet evergreen forests occur along the Chambal valley** — Rajasthan has no tropical wet evergreen forest. Its only evergreen element is the sub-tropical evergreen patch at Mount Abu.
- 33. (A) A-2, B-4, C-1, D-3** — Group 5 dry deciduous forest is the largest, Group 6 thorn forest occupies the arid west, evergreen forest is confined to Mount Abu, and halophytes fringe the salt basins.
- 34. (B) Tropical Dry Deciduous Forest (Group 5)** — Group 5, the Tropical Dry Deciduous Forests, account for roughly 57 per cent of Rajasthan's forest area; Group 6 thorn forests account for about 15 per cent.
- 35. (A) I and II only** — Thorn forest is dominated by Khejri, Kair, Rohida, Phog and Aak. Teak and bamboo belong to the moister dry deciduous forests of southern Rajasthan.
- 36. (B) Kair** — Kair (*Capparis decidua*) provides the ker berries which, with the sangri pods of the Khejri, make Rajasthan's celebrated ker-sangri dish.
- 37. (C) Churu** — Churu is among the districts with the lowest forest cover, under one per cent of its area. Udaipur, Pratapgarh, Sirohi, Karauli and Baran head the list.
- 38. (B) Wildlife and environment protection** — The Amrita Devi Bishnoi Wildlife Protection Award honours individuals and communities showing exemplary courage in protecting wildlife and forests.
- 39. (B) Udaipur, Banswara and Chittorgarh** — Bamboo, locally called bans, grows in the moister southern districts of Udaipur, Banswara, Dungarpur, Chittorgarh, Pratapgarh, Kota and Baran.
- 40. (C) A-1, B-2, C-3, D-4** — Khejri is the state tree, Rohida the state flower, Dhok the most widespread species and Palash the Flame of the Forest.
- 41. (D) It is an evergreen conifer of the Aravalli highlands** — Khejri is a hardy leguminous tree of the arid plains, not a conifer, and it is the mainstay of the desert agro-forestry system.
- 42. (C) I and II only** — The Desert Development Programme operates in the arid western districts, not in the eastern plain. Shelterbelts and dune stabilisation are the mainstays of desert afforestation.
- 43. (A) A-3, B-4, C-1, D-2** — Aak is *Calotropis procera*, the common desert milkweed; bamboo of Rajasthan is *Dendrocalamus strictus*; teak is *Tectona grandis* and ber is *Ziziphus mauritiana*.
- 44. (C) A-4, B-2, C-3, D-1** — Evergreen forest survives only on Mount Abu, teak in the humid south, Sewan grass on the Jaisalmer plains and halophytes around the saline basins.
- 45. (A) CAZRI and AFRI** — The Central Arid Zone Research Institute (CAZRI) and the Arid Forest Research Institute (AFRI), both at Jodhpur, lead research on desert vegetation and afforestation.

RG05 — EXPLANATIONS

- 1. (C) Desert sandy soil** — Desert or arid sandy soil covers the largest part of the state, spreading over Jaisalmer, Barmer, Bikaner, Jodhpur, Churu and Nagaur. It is highly porous and poor in humus and nitrogen.
- 2. (B) Hadoti** — Black or medium-black soil occupies the Hadoti plateau - Kota, Bundi, Baran and Jhalawar. Its high clay content gives it excellent moisture retention.
- 3. (A) Alluvial soils** — The eastern plain carries alluvial soils deposited by the Banganga, Gambhir, Chambal and Banas systems, and these are the most productive soils of the state.
- 4. (C) Sri Ganganagar and Hanumangarh** — The canal-irrigated tract of Sri Ganganagar and Hanumangarh suffers from secondary salinity and alkalinity caused by over-irrigation and rising water tables.
- 5. (A) Banswara and Dungarpur** — Red loamy soil occurs in the humid southern districts of Banswara, Dungarpur, Pratapgarh, Udaipur and Chittorgarh, where iron oxides give the characteristic colour.

- 6. (C) Luni basin** — Brown soils occupy the Luni basin - Pali, Jalore, Sirohi and Ajmer, extending into parts of Sikar and Jhunjhunu - and are comparatively rich in phosphate.
- 7. (C) A-4, B-3, C-2, D-1** — Sandy desert soil belongs to the western Thar, black soil to the Hadoti lava tract, alluvium to the eastern plain and red loam to the humid south.
- 8. (D) Red loamy soil - Churu** — Churu lies in the arid Thar and carries desert sandy soil. Red loamy soil belongs to the humid southern districts such as Banswara and Dungarpur.
- 9. (C) Entisol** — Entisols, the youngest soils showing almost no horizon development, cover the greatest extent in western Rajasthan. Aridisols occupy the true desert core.
- 10. (B) Vertisol** — Vertisols are deep, swelling clay soils that crack widely in the dry season and are self-mulching. In Rajasthan they occupy the Hadoti plateau.
- 11. (A) A-2, B-1, C-4, D-3** — Aridisols occupy the desert, Vertisols the Hadoti lava plateau, Alfisols the eastern plain and Inceptisols the southern Aravalli-Mewar-Vagad tract.
- 12. (B) I and III only** — Desert soils are poor in humus and nitrogen because of sparse vegetation and rapid oxidation, but they are calcareous and frequently have a kankar or gypsum layer.
- 13. (A) I and II only** — Black soils occupy the Hadoti plateau of the south-east, not Shekhawati, which carries sandy and brown soils.
- 14. (B) Wind erosion and sand-dune movement** — High wind velocity, loose sandy soil and sparse vegetation make wind erosion and shifting dunes the dominant soil hazard of the Thar.
- 15. (C) Chambal** — The Chambal ravines of Dholpur, Karauli and Sawai Madhopur are among India's most severely gullied badlands.
- 16. (D) I, II and III** — All three are correct. Over-irrigation without adequate drainage in the Sri Ganganagar and Hanumangarh canal tract has raised water tables and brought salts to the surface.
- 17. (A) Gypsum** — Gypsum supplies calcium that displaces sodium from the soil complex, after which the sodium salts are leached out. Lime is used for acidic, not alkaline, soils.
- 18. (C) Ten** — Rajasthan has ten agro-climatic zones, grouped into five broad regions numbered I to V, delineated on the basis of rainfall, soil, temperature and topography.
- 19. (B) Zone I-C Hyper Arid Partial Irrigated Zone** — Zone I-C, the Hyper Arid Partial Irrigated Zone, comprises Bikaner, Churu and Jaisalmer and is the driest agro-climatic zone of the state.
- 20. (C) Zone III-A Semi-Arid Eastern Plain** — Zone III-A, the Semi-Arid Eastern Plain, covers Jaipur, Ajmer, Dausa and Tonk, with rainfall of roughly 500-600 mm.
- 21. (B) Zone I-B** — Zone I-B, the Irrigated North-Western Plain, comprises Sri Ganganagar and Hanumangarh. It is the only agro-climatic zone of the state that is fully canal-irrigated.
- 22. (C) A-2, B-3, C-4, D-1** — Zone II-A is the Shekhawati inland-drainage tract, II-B the Luni basin, IV-B the humid Vagad south and Zone V the Hadoti plateau.
- 23. (D) Zone IV-A Sub-Humid Southern Plain - Bikaner and Churu** — Zone IV-A, the Sub-Humid Southern Plain, comprises Udaipur, Chittorgarh, Rajsamand and Bhilwara. Bikaner and Churu belong to the hyper-arid Zone I-C.
- 24. (C) Zone V** — Zone V, the Humid South-Eastern Plain, covers Kota, Bundi, Baran and Jhalawar. Its deep black soils make it the most productive farmland of Rajasthan.
- 25. (B) I and III only** — Zone I-B has low natural rainfall; its agricultural prosperity rests entirely on canal irrigation, which is why it is called the Irrigated North-Western Plain.
- 26. (A) I, IV, II, III** — Rainfall rises from the hyper-arid Zone I-C through the Shekhawati transitional plain and the semi-arid eastern plain to the humid southern plain of Dungarpur and Banswara.
- 27. (A) Chittorgarh and Bhilwara** — Mixed red and black soil occurs where the Aravalli metamorphics meet the Deccan lava, in Chittorgarh, Pratapgarh, Bhilwara, Banswara and Jhalawar.
- 28. (A) A-3, B-1, C-4, D-2** — Black soils form on Deccan basalt, red-yellow soils on granites and gneisses of the Aravalli belt, desert soils from wind-blown sand and alluvium from river deposition.

- 29. (D) I, II and III** — All three are correct. Wind erosion and vegetation degradation in the Thar make Rajasthan the most desertification-affected state in India.
- 30. (B) Lithosols** — Lithosols, along with regosols, are shallow stony soils on Aravalli slopes with almost no profile development and very low agricultural value.
- 31. (D) I, II and III** — All three are standard measures. In the IGNP command, sub-surface drainage is added to control waterlogging and secondary salinity.
- 32. (C) Oxisol** — Oxisols are deeply weathered tropical soils of humid equatorial regions and do not occur in Rajasthan. The state has Entisols, Aridisols, Inceptisols, Vertisols and Alfisols.
- 33. (A) Alwar, Bharatpur and Dholpur** — Alfisols, moderately leached soils with a clay-enriched subsoil, occupy the sub-humid eastern plain of Alwar, Bharatpur, Dholpur and Karauli.
- 34. (D) Zone II-B covers Alwar, Bharatpur and Dholpur** — Zone II-B is the Transitional Plain of the Luni Basin, covering Jalore, Pali and parts of Sirohi and Jodhpur. Alwar, Bharatpur and Dholpur belong to Zone III-B, the Flood Prone Eastern Plain.
- 35. (C) A-4, B-2, C-3, D-1** — Wind erosion afflicts the Thar, ravines the Chambal tract, waterlogging the canal command, and salinity the surroundings of the saline lakes.

RG06 – EXPLANATIONS

- 1. (D) Desert National Park** — Desert National Park, spread over about 3,162 sq km in Jaisalmer and Barmer districts, is the largest national park of Rajasthan. Keoladeo Ghana (28.73 sq km) is the smallest.
- 2. (A) Bharatpur** — Keoladeo Ghana lies in Bharatpur. It was declared a bird sanctuary in 1956, a Ramsar site in 1981 and a national park in 1982.
- 3. (B) Keoladeo National Park** — Keoladeo National Park was inscribed as a UNESCO World Heritage Site in 1985. Rajasthan's other World Heritage properties are the Hill Forts, Jantar Mantar and the walled city of Jaipur.
- 4. (B) Five** — Rajasthan has five national parks: Ranthambore, Keoladeo Ghana, Sariska, Desert National Park and Mukundra Hills.
- 5. (D) Sitamata Sanctuary** — Sitamata Wildlife Sanctuary, chiefly in Pratapgarh and extending into Chittorgarh and Udaipur, is famous for the flying squirrel (uran gilheri) and the four-horned antelope (chausingha).
- 6. (B) Churu** — Tal Chhapar is a flat saline grassland in Churu district. Besides blackbuck it is an important wintering ground for harriers.
- 7. (D) National Chambal Sanctuary** — The National Chambal Sanctuary (1979), extending over Kota, Bundi, Sawai Madhopur, Dholpur and Karauli, protects the gharial, mugger, Gangetic dolphin and Indian skimmer.
- 8. (A) Sirohi** — Mount Abu Wildlife Sanctuary (1960) is in Sirohi district and contains Rajasthan's only sub-tropical evergreen forest patches.
- 9. (C) Dholpur-Karauli** — Dholpur-Karauli was notified in 2023 as Rajasthan's fifth tiger reserve and India's 54th. Position as of September 2026; Kumbhalgarh has only in-principle approval as the proposed sixth.
- 10. (B) Bundi** — Ramgarh Vishdhari, in Bundi district, was notified in 2022 as Rajasthan's fourth tiger reserve. The Mej river flows through it.
- 11. (C) 2013** — Mukundra Hills became Rajasthan's third tiger reserve in 2013. Its national park was carved out of the erstwhile Darrah, Jawahar Sagar and Chambal sanctuaries.
- 12. (A) Sariska** — After Sariska lost all its tigers by 2004-05, tiger ST-1 was airlifted from Ranthambore to Sariska in June 2008 — the world's first tiger relocation by air.
- 13. (D) Kumbhalgarh** — The Kumbhalgarh-Todgarh Raoli landscape, spread over Rajsamand, Udaipur, Pali, Ajmer and Sirohi, received in-principle approval in August 2023 as the proposed sixth tiger reserve. Status as of September 2026.
- 14. (A) Great Indian Bustard** — The Great Indian Bustard, locally called godawan, was adopted as the state bird in 1981. Its main habitat is the Desert National Park.
- 15. (A) Chinkara** — The chinkara (Indian gazelle) was declared the state animal in 1981; the camel was later added as the state animal in the domestic category.

- 16. (C) 2014** — The camel was declared Rajasthan's state animal (domestic category) in 2014, and the Rajasthan Camel (Prohibition of Slaughter and Regulation of Temporary Migration or Export) Act followed in 2015.
- 17. (D) Khejri** — Khejri (*Prosopis cineraria*), the 'kalpavriksha of the desert', is the state tree. Rohida (*Tecomella undulata*) is the state flower.
- 18. (A) Tecomella undulata** — Rohida (*Tecomella undulata*), also called the desert teak or 'marwar teak', is Rajasthan's state flower.
- 19. (B) 1990** — Sambhar, India's largest inland saline lake, became a Ramsar site in 1990. Keoladeo Ghana had been designated earlier, in 1981.
- 20. (C) Five** — Rajasthan has five Ramsar sites as of 2026 — Keoladeo Ghana (1981), Sambhar Lake (1990), Khichan and Menar (June 2025) and Siliserh Lake, Alwar (2025).
- 21. (C) Demoiselle crane** — Khichan in Phalodi is world-renowned for the thousands of demoiselle cranes (*kurja*) that winter there and are fed by the local Jain community.
- 22. (A) Alwar** — Siliserh Lake near Alwar became Rajasthan's fifth Ramsar site in 2025, after Keoladeo, Sambhar, Khichan and Menar.
- 23. (B) Bisalpur** — Bisalpur Conservation Reserve in Tonk district, notified in 2008, was Rajasthan's first conservation reserve. Jodbeed Gadhwala (Bikaner) and Sundha Mata were notified the same year.
- 24. (C) Leopard** — The granite hills around Jawai Bandh in Pali support a remarkable density of leopards, which is why the area was notified as a leopard conservation reserve in 2013.
- 25. (D) Vultures** — Jodbeed Gadhwala, notified in 2008, hosts large congregations of migratory vultures, including Eurasian griffons, near Bikaner's carcass dumping ground.
- 26. (A) Indian wolf** — Kumbhalgarh Wildlife Sanctuary (Rajsamand, Udaipur and Pali) is known for the Indian wolf, besides leopard and chausingha.
- 27. (B) Lesser florican** — Sorsan in Baran is one of Rajasthan's principal breeding grasslands for the lesser florican (*kharmor*); Shokaliya in Ajmer is another.
- 28. (D) Jhalana** — Jhalana in Jaipur was notified in 2017 as India's first leopard reserve. Amargarh, also in Jaipur, became Rajasthan's second.
- 29. (D) Karauli** — Kailadevi Sanctuary (1983) lies chiefly in Karauli and extends into Sawai Madhopur; along with Sawai Man Singh Sanctuary it forms the buffer of the Ranthambore Tiger Reserve.
- 30. (A) Jaisalmer and Barmer** — Desert National Park covers parts of Jaisalmer and Barmer districts and is the principal refuge of the Great Indian Bustard.
- 31. (B) Baran** — Shergarh Sanctuary (1983) lies in Baran district on the Parvan river; Baran was carved out of Kota district in 1991.
- 32. (C) Kailash Sankhala** — Kailash Sankhala was the first director of Project Tiger (1973) and author of 'Tiger! The Story of the Indian Tiger'. Fateh Singh Rathore is associated with Ranthambore.
- 33. (D) Bikaner** — Gajner Sanctuary, around the Gajner lake and palace in Bikaner district, is famous for the imperial sandgrouse and blackbuck.
- 34. (B) I, II and III** — All three are correct. Ranthambore, in Sawai Madhopur, was one of the original nine Project Tiger reserves of 1973 and was declared a national park in 1980; the Trinetra Ganesh temple stands inside Ranthambore fort.
- 35. (C) I, II and III** — All three are correct. Keoladeo was a duck-shooting preserve of the Bharatpur rulers, became a Ramsar site in 1981 and a national park in 1982; the Siberian crane was last recorded there in 2002.
- 36. (A) I and II only** — Statements I and II are correct. Desert National Park lies in Jaisalmer and Barmer districts, not Bikaner, so III is wrong.
- 37. (D) I, II and III** — All three are correct. Sariska in Alwar became a tiger reserve in 1978 and a national park in 1982, and after local extinction it received relocated tigers from Ranthambore beginning June 2008.
- 38. (B) I, II and III** — All three are correct as of September 2026. Rajasthan's tiger reserves are Ranthambore, Sariska, Mukundra Hills, Ramgarh Vishdhari (Bundi, 2022) and Dholpur-Karauli (2023).

- 39. (C) I, II and III** — All three are correct. Menar, the 'bird village' of Udaipur, and Khichan of Phalodi were designated Ramsar sites on 5 June 2025.
- 40. (A) I and II only** — Statements I and II are correct. Tal Chhappar is in Churu district, not Jhunjhunu, so III is wrong.
- 41. (D) I, II and III** — All three are correct. Bisalpur (Tonk, 2008) was the state's first conservation reserve; Sundha Mata spans Jalore and Sirohi; Ummedganj Pakshi Vihar is in Kota.
- 42. (B) I and II only** — Statements I and II are correct. Sitamata lies chiefly in Pratapgarh, extending into Chittorgarh and Udaipur, so III is wrong.
- 43. (C) I, II and III** — All three are correct. Rohida is the state flower and the camel is the state animal in the domestic category.
- 44. (A) I, II and III** — All three are correct. In Rajasthan the sanctuary covers stretches of the Chambal in Kota, Bundi, Sawai Madhopur, Dholpur and Karauli, protecting gharial, dolphin and skimmer.
- 45. (A) A-2, B-1, C-4, D-3** — Tal Chhappar is in Churu, Mount Abu in Sirohi, Shergarh in Baran and Ramgarh Vishdhari in Bundi.
- 46. (C) A-2, B-1, C-4, D-3** — Bandh Baretha is in Bharatpur, Kesarbagh in Dholpur, Sajjangarh in Udaipur and Sawai Man Singh in Sawai Madhopur.
- 47. (B) A-3, B-1, C-2, D-4** — Jawai Bandh leopard conservation reserve is in Pali, Gudha Vishnoi in Jodhpur, Rotu in Nagaur and Ummedganj in Kota.
- 48. (D) A-3, B-1, C-2, D-4** — Ranthambore came under Project Tiger in 1973, Sariska in 1978, Mukundra Hills in 2013 and Ramgarh Vishdhari in 2022; Dholpur-Karauli followed in 2023.
- 49. (A) A-2, B-4, C-1, D-3** — Sitamata is known for the flying squirrel, Tal Chhappar for blackbuck, National Chambal for gharial and Jawai Bandh for leopard.
- 50. (C) A-3, B-1, C-2, D-4** — Ranthambore is in Sawai Madhopur, Sariska in Alwar, Keoladeo Ghana in Bharatpur and Mukundra Hills chiefly in Kota, extending into Bundi, Jhalawar and Chittorgarh.
- 51. (B) A-3, B-1, C-2, D-4** — Keoladeo Ghana is in Bharatpur, Khichan in Phalodi, Menar in Udaipur and Siliserh in Alwar; Sambhar Lake spreads over Jaipur, Nagaur and Ajmer.
- 52. (D) A-3, B-4, C-2, D-1** — Bassi is in Chittorgarh, Phulwari ki Naal in Udaipur, Jamwa Ramgarh in Jaipur and Gajner in Bikaner.
- 53. (C) Todgarh-Raoli - Bharatpur** — Todgarh-Raoli Sanctuary spreads over Ajmer, Pali and Rajsamand districts, not Bharatpur. The other three pairs are correct.
- 54. (B) Sitamata** — Sitamata is a wildlife sanctuary in Pratapgarh, not a tiger reserve. Rajasthan's five tiger reserves are Ranthambore, Sariska, Mukundra Hills, Ramgarh Vishdhari and Dholpur-Karauli.
- 55. (D) Kumbhalgarh** — Kumbhalgarh is a wildlife sanctuary (and a proposed tiger reserve), not a national park. Rajasthan's national parks are Ranthambore, Keoladeo Ghana, Sariska, Desert and Mukundra Hills.
- 56. (A) Beed Jhunjhunu - Barmer** — Beed Jhunjhunu Conservation Reserve is in Jhunjhunu district, not Barmer. Shakambhari extends over Sikar and Jhunjhunu, Baghdarrah crocodile reserve is in Udaipur and Gogelav is in Nagaur.
- 57. (C) Pushkar Lake** — Pushkar Lake is not a Ramsar site. Rajasthan's five Ramsar sites are Keoladeo Ghana, Sambhar Lake, Khichan, Menar and Siliserh (position as of 2026).
- 58. (B) Great Indian Bustard - Keoladeo National Park** — The Great Indian Bustard is associated with the Desert National Park, Sorsan and Shokaliya grasslands, not with Keoladeo, which is a wetland bird park.
- 59. (A) II, I, IV, III** — Sariska (1978), Mukundra Hills (2013), Ramgarh Vishdhari (2022) and Dholpur-Karauli (2023). Ranthambore, notified in 1973, is the oldest of all.
- 60. (B) Both A and R are true but R is not the correct explanation of A** — Both statements are factually true, but the bird was adopted as a state symbol in 1981 as a cultural and conservation emblem; the location of its surviving habitat is not the reason for that adoption.

1. **(D) Bajra** — Rajasthan is India's largest producer of bajra (pearl millet). Alwar leads in production while Barmer has the largest area under the crop.
2. **(A) Rapeseed-mustard** — Rajasthan leads India in rapeseed-mustard. It ranks second in groundnut and third in soybean.
3. **(A) Hanumangarh** — Hanumangarh leads in guar production, followed by Bikaner. Rajasthan accounts for the bulk of India's guar and guar-gum output, a major export item.
4. **(D) Jalore** — Jalore is the principal isabgol-producing district of Rajasthan, which is India's largest producer of the crop.
5. **(B) Sojat** — Sojat in Pali district is India's henna capital; Sojat mehndi received a GI tag. Rajasthan supplies almost the whole of India's henna.
6. **(C) Coriander** — Ramganj Mandi in Kota district is Asia's largest coriander (dhania) market. Coriander is grown mainly in Baran, Kota, Jhalawar and Bundi.
7. **(C) Cumin** — Rajasthan has the largest area under cumin (jeera) in India, grown mainly in Jodhpur, Barmer, Jalore, Nagaur and Pali. Gujarat is the other major cumin state.
8. **(D) Nagaur** — Nagaur is the leading fenugreek district of Rajasthan, which accounts for the largest share of India's methi production.
9. **(A) Chittorgarh, Pratapgarh and Bhilwara** — Opium poppy is licensed in Chittorgarh, Pratapgarh, Bhilwara and Jhalawar in Rajasthan, under the Central Bureau of Narcotics; Mandsaur and Neemuch in Madhya Pradesh form the adjoining belt.
10. **(B) Sriganganagar** — Kinnow is grown mainly in Sriganganagar and Hanumangarh in the canal-irrigated north-west. Jhalawar is Rajasthan's orange belt.
11. **(C) Jhalawar** — Jhalawar in the Hadoti region is Rajasthan's orange belt, supported by the humid south-eastern climate.
12. **(D) Jodhpur** — Mathania in Jodhpur district is renowned for its pungent red chilli, used in Rajasthani cuisine such as laal maas.
13. **(A) Bassi (Jaipur)** — India's first olive oil refinery was set up at Bassi in Jaipur district. Olive cultivation in Rajasthan is promoted through Rajasthan Olive Cultivation Ltd.
14. **(B) Shifting cultivation practised by the Bhils** — Walra is the slash-and-burn shifting cultivation of the Bhils of southern Rajasthan (Udaipur, Dungarpur, Banswara, Sirohi). Chimata and Dajiya are its plain and hill-slope forms.
15. **(C) Maize** — Mahi Kanchan is a maize variety associated with Rajasthan's southern maize belt; Mahi Dhawal and the Pratap Makka series are other maize varieties.
16. **(D) Bajra** — RCB 911 is a bajra (pearl millet) hybrid. The RHB series (Rajasthan Hybrid Bajra) and HHB 67 Improved are other well-known bajra hybrids grown in the state.
17. **(A) Ajmer** — The ICAR-National Research Centre on Seed Spices is at Tabiji, Ajmer, established in 2000, reflecting Rajasthan's dominance in cumin, coriander, fenugreek and fennel.
18. **(B) Bikaner** — The ICAR-National Research Centre on Camel is at Bikaner. The Central Institute for Arid Horticulture is also located at Bikaner.
19. **(C) Bikaner** — ICAR-Central Institute for Arid Horticulture (CIAH) is at Bikaner and works on ber, aonla, date palm, pomegranate and other arid fruits.
20. **(D) Jodhpur** — CAZRI was established at Jodhpur in 1959 for research on desertification, arid farming systems and sand-dune stabilisation.
21. **(A) Bharatpur** — ICAR-Directorate of Rapeseed-Mustard Research is at Sear, Bharatpur, in the heart of Rajasthan's mustard belt.
22. **(B) Rajasthan Agricultural University, Bikaner** — Rajasthan Agricultural University, Bikaner, founded in 1987, was the state's first agricultural university; it is now Swami Keshwanand Rajasthan Agricultural University (SKRAU).
23. **(C) Udaipur** — MPUAT was established at Udaipur in 1999 and serves the southern agro-climatic zones of Rajasthan.

- 24. (D) Jobner** — Sri Karan Narendra Agriculture University (SKNAU) is at Jobner in Jaipur district, created in 2013 along with the agriculture universities of Jodhpur and Kota.
- 25. (A) Rajasthan** — Rajasthan presented India's first separate state agriculture budget in February 2022, for the financial year 2022-23.
- 26. (B) Ten** — Rajasthan is divided into 10 agro-climatic zones, out of the 126 zones identified for India by ICAR.
- 27. (C) Jhalawar** — Jhalawar leads Rajasthan in soybean, followed by Baran. Rajasthan ranks third in India in soybean after Madhya Pradesh and Maharashtra.
- 28. (A) I, II and III** — All three are correct. Bajra is Rajasthan's principal kharif cereal; Barmer has the largest area while Alwar leads in production.
- 29. (C) I, II and III** — All three are correct. Mustard is sown in October-November and Rajasthan contributes the largest share of India's output; the ICAR directorate is at Sear, Bharatpur.
- 30. (B) I, II and III** — All three are correct. Guar gum extracted from the cluster bean is used as a fracturing agent in the petroleum industry, making it one of Rajasthan's major agricultural exports.
- 31. (D) I and II only** — Statements I and II are correct. The National Research Centre on Seed Spices is at Tabiji in Ajmer, not Jodhpur, so III is wrong.
- 32. (A) I, II and III** — All three are correct. Walra is slash-and-burn farming of forest patches; Chimata is practised on plains and lower slopes and Dajiya on hill slopes.
- 33. (C) I and II only** — Statements I and II are correct. Rajasthan University of Veterinary and Animal Sciences (RAJUVAS) is at Bikaner, not Jaipur.
- 34. (B) I and II only** — Statements I and II are correct. Bajra is a kharif crop sown with the onset of the monsoon, so III is wrong.
- 35. (D) I, II and III** — All three are correct. Rajasthan has promoted olive, date palm and citrus as high-value crops of the arid and canal-irrigated tracts.
- 36. (A) I, II and III** — All three are correct. CAZRI Jodhpur (1959), CIAH Bikaner and CSWRI Avikanagar (Malpura, Tonk) are the state's leading central research institutes.
- 37. (C) I, II and III** — All three are correct. Rajasthan presented its first separate agriculture budget in February 2022 and runs the Raj Kisan Saathi portal for farmer services.
- 38. (B) A-2, B-1, C-4, D-3** — Guar leads in Hanumangarh, soybean in Jhalawar, isabgol in Jalore and groundnut in Bikaner.
- 39. (D) A-4, B-1, C-2, D-3** — NRC on Seed Spices is at Ajmer, NRC on Camel at Bikaner, CAZRI at Jodhpur and the Directorate of Rapeseed-Mustard Research at Sear, Bharatpur.
- 40. (C) A-3, B-1, C-4, D-2** — Ramganj Mandi (Kota) is Asia's largest coriander market, India's first olive oil refinery is at Bassi (Jaipur), opium is licensed in Chittorgarh, and the date palm Centre of Excellence is at Sagra-Bhojka in Jaisalmer.
- 41. (C) A-3, B-1, C-2, D-4** — SKRAU is at Bikaner, MPUAT at Udaipur, SKNAU at Jobner in Jaipur district, and a separate Agriculture University functions at Kota. RAJUVAS, the veterinary university, is also at Bikaner.
- 42. (B) A-2, B-4, C-1, D-3** — Kinnow is grown in Sriganganagar, orange in Jhalawar, Mathania red chilli in Jodhpur and henna at Sojat in Pali.
- 43. (D) Cotton - Udaipur** — Cotton in Rajasthan is concentrated in the canal-irrigated north-west, led by Hanumangarh and Sriganganagar, not Udaipur.
- 44. (A) Barley** — Barley is a rabi crop sown in October-November. Moth, guar and sesame are kharif crops sown with the monsoon.
- 45. (C) National Research Centre on Seed Spices - Jaipur** — The National Research Centre on Seed Spices is at Tabiji, Ajmer, not Jaipur. The other three pairs are correct.
- 46. (B) Soybean** — Rajasthan ranks third in soybean, after Madhya Pradesh and Maharashtra. It is the largest producer of bajra, guar and moth bean.
- 47. (D) Moth** — Moth bean is a kharif pulse of the arid districts. Taramira, isabgol and gram are rabi crops.
- 48. (A) Mahi Kanchan - Bajra** — Mahi Kanchan is a maize variety, not a bajra variety. RCB 911 is a bajra hybrid.

49. (B) II, IV, III, I — CAZRI Jodhpur (1959), CSWRI Avikanagar (1962), NRC on Camel Bikaner (1984) and NRC on Seed Spices Ajmer (2000).

50. (C) II, I, IV, III — Rajasthan Agricultural University Bikaner (1987), MPUAT Udaipur (1999), RAJUVAS Bikaner (2010) and Agriculture University Kota (2013).

RG08 — EXPLANATIONS

1. (B) Second — Rajasthan had about 568 lakh livestock in the 20th Livestock Census (2019), second only to Uttar Pradesh. This is roughly 10.6% of India's livestock.

2. (C) Goat — Goats made up about 36.7% of Rajasthan's livestock, ahead of cattle (24.5%) and buffalo (24.1%). Rajasthan also has the largest goat population of any Indian state.

3. (C) Camel — Rajasthan holds the country's largest camel population (about 2.13 lakh, roughly 85% of India's camels). In the same census it ranked 4th in sheep, 6th in cattle and 17th in poultry.

4. (A) First — Rajasthan is India's largest wool producer, contributing about 48% of national output (47.85% as per Basic Animal Husbandry Statistics 2025); Jammu & Kashmir is a distant second. Bikaner has Asia's largest wool market.

5. (B) Second — Rajasthan is the second largest milk producing state in India after Uttar Pradesh, as reported in the Basic Animal Husbandry Statistics. It is first in goat milk production.

6. (C) Rathi — The Rathi, whose home tract is Bikaner, Sri Ganganagar, Hanumangarh and Jaisalmer, is the state's best milch breed and is named after the Rath community.

7. (D) Draught power — The Nagauri, from Nagaur district, is a premier draught breed used for ploughing and cart work; it is a poor milker.

8. (A) Kankrej — Kankrej, found in Barmer, Jalore and Sirohi, is locally called Wadad, Waged or Wadhiar and is famous for its 'sawai chaal' walking gait. It is a dual-purpose breed.

9. (A) Murrah — Murrah, of Haryana origin and reared mainly in Alwar, Bharatpur and the Shekhawati belt, is India's highest milk-yielding buffalo breed and is nicknamed 'black gold'.

10. (A) Bhadawari — Bhadawari buffalo milk carries the highest fat percentage (up to about 13%). In Rajasthan it is kept in the eastern districts such as Dholpur and Karauli.

11. (A) Chokla — Chokla, whose home tract is Churu, Jhunjhunu and Sikar, yields the finest carpet-grade wool in the country and is also called the 'Indian Merino'.

12. (C) Bikaner — Magra, also called Bikaneri, is centred on the eastern and southern parts of Bikaner district and extends into Nagaur, Jaisalmer and Churu. It is the only lustrous carpet-wool breed of the region.

13. (C) Jaisalmeri — Jaisalmeri sheep, found in Jaisalmer, western Barmer and Jodhpur, are the tallest and heaviest of the state's sheep breeds and give medium carpet-quality wool.

14. (D) Nali — Nali sheep of Sri Ganganagar, Hanumangarh, Churu and Jhunjhunu have a dense, long-stapled coarse fleece, the heaviest among Rajasthan's breeds.

15. (D) Jakhrana — Jakhrana, named after Jakhrana village near Behror in Alwar district, is the state's best dairy goat. It is black with white spots on the ears and muzzle.

16. (D) Sirohi, Pali and Ajmer — Sirohi goats, brown with white patches, are concentrated in Sirohi, Pali, Ajmer and adjoining Udaipur. It is Rajasthan's leading meat goat and is widely used for upgrading elsewhere in India.

17. (C) 2014 — The camel was notified as Rajasthan's state animal on 30 June 2014, followed by the Rajasthan Camel (Prohibition of Slaughter and Regulation of Temporary Migration or Export) Act, 2015.

18. (B) Jaisalmer — Nachna, named after the Nachna area of Jaisalmer, is a light, swift riding breed, as is the Jaisalmeri. Bikaneri camels, by contrast, are heavy draught animals.

19. (C) Bikaner — The National Research Centre on Camel was set up in 1984 at Jorbeed, Bikaner. Bikaner also houses the Central Institute for Arid Horticulture and RAJUVAS.

20. (B) Tonk — The Central Sheep and Wool Research Institute (1962) is at Avikanagar in Malpura tehsil of Tonk district, within the home tract of the Malpura sheep.

21. (A) Bikaner — RAJUVAS was established at Bikaner in 2010. Rajasthan's first veterinary college was also founded at Bikaner.

- 22. (C) Jodhpur** — The Central Wool Development Board, under the Union Ministry of Textiles, has its headquarters at Jodhpur. Bikaner, however, hosts Asia's largest wool market.
- 23. (A) I, II and III** — RCDF, headquartered at Jaipur, was set up in 1977, sells under the SARAS brand and works on the three-tier Anand (Amul) pattern of village society, district union and state federation.
- 24. (B) I, II and III** — All three are correct. The Chokla is a light, reddish-brown-faced, polled breed of the Shekhawati tract whose dense fine fleece has earned it the names 'Jewel of Rajasthan' and 'Indian Merino'.
- 25. (C) I and III only** — Statements I and III are correct. Statement II is wrong: the camel population fell by about 35% between the 19th (2012) and 20th (2019) censuses, which is why the state animal has been given legal protection.
- 26. (B) II and III only** — Statements II and III are correct. Tharparkar is a dual-purpose breed valued for both milk and draught, so statement I is wrong; the true draught specialist of Rajasthan is the Nagauri.
- 27. (D) I, II and III** — All three statements are correct. The hardy Marwari, adapted to the arid Marwar tract, carries a white, non-dense fleece and is the state's most widely distributed sheep breed.
- 28. (C) I, II and III** — All three are correct. Rajasthan has no coastline, so its fish output comes from reservoirs and tanks such as Rana Pratap Sagar, Jawahar Sagar, Kota Barrage, Mahi Bajaj Sagar and Jaisamand. PMMSY was launched in 2020.
- 29. (A) I and II only** — Statements I and II are correct. Statement III is wrong: the Barbari is a small, stall-fed goat of the eastern districts such as Alwar, Bharatpur and Dholpur.
- 30. (A) I and II only** — Statements I and II are correct. Rajasthan ranked sixth, not first, in cattle population in the 20th Livestock Census; goats accounted for about 36.7% of its livestock.
- 31. (C) A-2, B-1, C-4, D-3** — Rathi belongs to the Bikaner-Sri Ganganagar belt, Nagauri to Nagaur, Mewati (Kosi) to the Mewat tract of Alwar-Bharatpur and Kankrej to Barmer-Jalore-Sirohi.
- 32. (D) A-2, B-4, C-1, D-3** — Chokla is the Shekhawati breed, Magra is the Bikaneri breed, Sonadi (Chanothera) belongs to the southern districts and Malpura to the Jaipur-Tonk tract where CSWRI Avikanagar is located.
- 33. (A) A-2, B-1, C-4, D-3** — Jakhrana of Alwar is the best dairy goat of the state, Sirohi the leading meat breed, Barbari a small stall-fed eastern breed and Marwari the black long-haired goat of the desert districts.
- 34. (B) A-2, B-4, C-1, D-3** — Bikaneri is the heavy draught camel of Bikaner, Nachna the swift riding camel of Jaisalmer, Mewari the hill camel of the Mewar districts and best milker, and Kachchhi is reared in Barmer-Jalore.
- 35. (D) A-3, B-4, C-1, D-2** — CSWRI is at Avikanagar in Tonk district, NRC on Camel at Jorbeed in Bikaner, the Central Wool Development Board at Jodhpur and RCDF at Jaipur.
- 36. (C) Jakhrana** — Jakhrana is a goat breed of Alwar district, not a sheep breed. Pugal, Sonadi and Malpura are all recognised sheep breeds of Rajasthan.
- 37. (A) Jafarabadi - Punjab** — Jafarabadi originates in the Gir forest region of Saurashtra in Gujarat, not Punjab. It is India's heaviest buffalo breed.
- 38. (B) Gir - Hanumangarh** — The Gir, originally of the Gir forests of Saurashtra, is reared in Rajasthan mainly in Ajmer, Bhilwara, Chittorgarh and the Hadoti area, not in Hanumangarh.
- 39. (C) Rajasthan has its own indigenous buffalo breed named Murrah** — Rajasthan has no indigenous buffalo breed; Murrah is a Haryana breed widely reared in eastern Rajasthan. The other three statements are correct.
- 40. (A) II, IV, I, III** — The order is goat (about 36.7%), cattle (24.5%), buffalo (24.1%) and sheep (13.9%).

RG09 – EXPLANATIONS

- 1. (A) Kanwar Sen** — Kanwar Sen, then Chief Engineer of Bikaner state, conceived the scheme on 29 October 1948. It was first called the Rajasthan Canal Project and renamed after Indira Gandhi in 1984.
- 2. (B) Harike Barrage at the Sutlej-Beas confluence** — IGNP draws its water from the Harike Barrage, built at the confluence of the Sutlej and the Beas in Ferozepur district of Punjab.
- 3. (C) 204 km** — The Rajasthan Feeder is about 204 km long, of which roughly 170 km lies in Punjab and Haryana and about 35 km in Rajasthan. The Indira Gandhi Main Canal that follows it is 445 km long.

4. **(B) 445 km** — The Indira Gandhi Main Canal is 445 km long and lies entirely in Rajasthan. Adding the 204 km Rajasthan Feeder gives a total main course of about 649 km.

5. **(C) 1984** — The project was renamed in 1984 in memory of Prime Minister Indira Gandhi. Its foundation stone had been laid in 1958.

6. **(B) Govind Ballabh Pant** — Union Home Minister Govind Ballabh Pant laid the foundation stone of the Rajasthan Canal on 31 March 1958.

7. **(C) Mohangarh** — The main canal of Stage-II ends at Mohangarh in Jaisalmer district; a further extension towards Gadra Road in Barmer has long been proposed.

8. **(D) Lunkaransar Lift Canal** — The Kanwar Sen Lift Canal, named after IGNP's originator and headed at Gharsana, was formerly the Lunkaransar Lift Canal. It benefits Sri Ganganagar and Bikaner districts.

9. **(D) Churu and Jhunjhunu** — The Chaudhary Kumbha Ram Lift Canal carries IGNP water to Hanumangarh, Churu, Jhunjhunu and Bikaner, and is the drinking-water lifeline of the Churu-Jhunjhunu belt.

10. **(C) Gajner Lift Canal** — The Pannalal Barupal Lift Canal is the renamed Gajner Lift Canal and serves Bikaner and Nagaur districts.

11. **(A) Pokaran Lift Canal** — The Jai Narayan Vyas Lift Canal is the renamed Pokaran Lift Canal, benefiting Jaisalmer and Jodhpur districts.

12. **(A) Rajiv Gandhi Lift Canal** — The Rajiv Gandhi Lift Canal was built specifically to carry IGNP water to Jodhpur city for drinking supply.

13. **(B) Gang Canal** — The Gang Canal, opened on 26 October 1927, is Rajasthan's oldest canal. It was built by Maharaja Ganga Singh of Bikaner after the Chhappaniya famine of 1899-1900.

14. **(A) Sri Ganganagar** — The Gang Canal draws Sutlej water at the Ferozepur headworks and irrigates Sri Ganganagar district, which owes its agricultural prosperity to it.

15. **(A) Gobind Sagar** — The Bhakra Dam in Bilaspur district of Himachal Pradesh impounds Gobind Sagar. Rajasthan, with a share of about 15.2% in the Bhakra-Nangal project, uses the water in Hanumangarh and Sri Ganganagar.

16. **(A) Gandhi Sagar** — Gandhi Sagar, in Mandsaur district of Madhya Pradesh, is the first and largest reservoir of the Chambal Valley Project, followed downstream by Rana Pratap Sagar, Jawahar Sagar and Kota Barrage.

17. **(B) Chittorgarh** — Rana Pratap Sagar was built on the Chambal at Rawatbhata in Chittorgarh district; the Rajasthan Atomic Power Station stands at the same site.

18. **(D) Kota Barrage** — Kota Barrage, the last structure of the series, has no power house. It diverts water into the Right and Left Main Canals which irrigate Kota, Bundi, Baran, Sawai Madhopur and Tonk.

19. **(B) Banas** — Bisalpur dam stands on the Banas river at Bisalpur village in Todaraisingh tehsil of Tonk district and is the state's largest drinking-water project, supplying Jaipur, Ajmer and Tonk.

20. **(C) Pali** — Jawai dam was built on the Jawai, a tributary of the Luni, at Sumerpur in Pali district. It is the largest dam of western Rajasthan and benefits Pali and Jalore.

21. **(D) Gujarat** — Mahi Bajaj Sagar, built on the Mahi at Borkheda in Banswara district, is a joint Rajasthan-Gujarat project. It is the longest dam of Rajasthan and benefits Banswara and Dungarpur.

22. **(D) Jhalawar, Baran and Kota** — The Parwan project on the Parwan river, a tributary of the Kali Sindh, is located in Jhalawar district and provides irrigation and drinking water to Jhalawar, Baran and Kota.

23. **(A) Jalore and Barmer** — Rajasthan is the tail-end beneficiary of the Sardar Sarovar project; the Narmada Canal enters near Sanchole in Jalore and irrigates Jalore and Barmer districts. About 74 km of the canal lies in Rajasthan.

24. **(B) Sprinkler and drip irrigation are 100% compulsory** — Micro-irrigation, that is sprinkler and drip, was made mandatory over the entire Narmada Canal command in Rajasthan, a first for any canal command in the country.

25. **(A) Hanumangarh and Churu** — The Sidhmukh-Nohar project uses Ravi-Beas water to irrigate the Nohar and Bhadra areas of Hanumangarh and the Sidhmukh and Taranagar areas of Churu. It received European Union and later NABARD assistance.

- 26. (B) Ram Jal Setu Link Project** — The PKC-ERCP was renamed the Ram Jal Setu Link Project by the Rajasthan government on 22 January 2025. As of September 2026 the project is under implementation under this name.
- 27. (D) Pratapgarh** — The Jakham dam near Anuppura in Pratapgarh district (formerly part of Udaipur district) stands about 81 metres high, the tallest in Rajasthan. It is built on the Jakham, a tributary of the Som.
- 28. (B) Paliwal Brahmins of Jaisalmer** — Khadins, also called dhoras, were developed by the Paliwal Brahmins of Jaisalmer in the 15th century. An earthen bund across the lower slope of a rocky catchment holds run-off, and crops are grown on the residual soil moisture.
- 29. (D) I, II and III** — All three are correct. Stage-I covers the first 189 km of the 445 km main canal, and the remaining 256 km of Stage-II reaches Mohangarh in Jaisalmer.
- 30. (B) I, II and III** — All three statements are correct. Waterlogging or 'sem' in Sri Ganganagar and Hanumangarh is IGNP's best-known ecological criticism, while afforestation along the canal has helped fix dunes.
- 31. (B) I, II and III** — All three are correct. As of September 2026 the project, formed by integrating ERCP with the Parvati-Kalisindh-Chambal link and renamed on 22 January 2025, is being executed for about 17 eastern districts holding roughly 40% of the state's population.
- 32. (B) I and III only** — Statements I and III are correct. The dam is located at Bisalpur village in Todaraisingh tehsil of Tonk district, not Sawai Madhopur.
- 33. (A) I and II only** — Statements I and II are correct. Gandhi Sagar lies in Mandsaur district of Madhya Pradesh, so statement III is wrong.
- 34. (D) I, II and III** — All three are correct. Tanka, kund and jhalara are distinct structures: the first two store rainwater for drinking, while jhalaras such as those of Jodhpur draw seepage from upstream tanks and serve religious and community use.
- 35. (D) I, II and III** — All three are correct. MJSA was launched on 27 January 2016 at Nimbi Jodha in Nagaur; the Jal Jeevan Mission was announced on 15 August 2019; and groundwater sources irrigate the bulk of Rajasthan's irrigated land, with canals second.
- 36. (A) I and II only** — Statements I and II are correct. Of the canal's roughly 129 km, only about 17 km lies in Rajasthan and the rest in Punjab, so statement III is wrong.
- 37. (D) I, II and III** — All three are correct. Mahi Bajaj Sagar at Borkheda in Banswara is the longest dam of Rajasthan, with the Kagdi pick-up weir downstream feeding its canal system in Banswara and Dungarpur.
- 38. (C) A-2, B-1, C-4, D-3** — Bisalpur is on the Banas, Meja on the Kothari in Bhilwara, Jawai on the Jawai which is a tributary of the Luni, and Bajaj Sagar on the Mahi in Banswara.
- 39. (A) A-3, B-1, C-2, D-4** — Jawai serves Pali and Jalore, Parwan serves Jhalawar, Baran and Kota, the Narmada Canal serves Jalore and Barmer, and Som-Kamla-Amba serves the tribal belt of Dungarpur and Udaipur.
- 40. (B) A-3, B-4, C-1, D-2** — Kanwar Sen was the Lunkaransar Lift, Pannalal Barupal the Gajner Lift, Dr. Karni Singh the Kolayat Lift and Chaudhary Kumbha Ram the Gandheli-Sahwa Lift.
- 41. (D) A-2, B-1, C-4, D-3** — Guru Jambheshwar (old Phalodi Lift) serves Jodhpur, Jaisalmer and Bikaner; Kanwar Sen serves Sri Ganganagar and Bikaner; Pannalal Barupal serves Bikaner and Nagaur; Chaudhary Kumbha Ram serves Hanumangarh, Churu and Jhunjhunu.
- 42. (C) A-2, B-1, C-4, D-3** — Khadin traps run-off behind a bund for cropping, kui or beri is a narrow seepage pit, toba is a natural depression with its own catchment, and johad is the earthen check dam of Alwar revived by Rajendra Singh.
- 43. (B) A-2, B-1, C-3, D-4** — Panchana, the state's biggest earthen dam, is in Karauli; Gudha is on the Mej in Bundi; Bandh Baretha is on the Kakund in Bharatpur; and Sardar Samand lies in Pali.
- 44. (C) Orai - Kothari** — The Orai dam in Chittorgarh is built on the Orai river; the Kothari river carries the Meja dam in Bhilwara district.
- 45. (A) Kanwar Sen Lift Canal - Banswara** — The Kanwar Sen Lift Canal serves Sri Ganganagar and Bikaner in the north-west; Banswara lies in the southern Mahi basin and is entirely outside the IGNP command.
- 46. (C) Bisalpur** — Bisalpur is an independent project on the Banas in Tonk district. The Chambal Valley Project comprises Gandhi Sagar, Rana Pratap Sagar, Jawahar Sagar and Kota Barrage.

- 47. (B) Its entire command lies in the Chambal basin** — IGNP commands the north-western desert districts drained by no perennial river; the Chambal basin lies in south-eastern Rajasthan and is served by a separate project.
- 48. (D) Zing** — Zing is a meltwater collection tank of Ladakh. Khadin, tanka and johad are all Rajasthani systems.
- 49. (D) Isarda - Alwar** — The Isarda dam is being built on the Banas on the Tonk-Sawai Madhopur boundary to supply Dausa and Sawai Madhopur; it has no connection with Alwar.
- 50. (B) II, IV, I, III** — Going downstream along the Chambal the order is Gandhi Sagar (Mandsaur, MP), Rana Pratap Sagar (Rawatbhata), Jawahar Sagar (Kota) and finally Kota Barrage.

RG10 – EXPLANATIONS

- 1. (C) Eighth** — Rajasthan had 6,85,48,437 persons in Census 2011, making it the 8th most populous state, while it is the largest state by area.
- 2. (B) 21.31%** — Rajasthan grew 21.31% against the national 17.70%. 28.41% was Rajasthan's growth in the previous decade (1991-2001).
- 3. (B) 200 persons per sq km** — Rajasthan's density rose from 165 (2001) to 200 persons per sq km in 2011, well below the all-India figure of 382.
- 4. (C) 928** — Rajasthan's sex ratio is 928 females per 1000 males, below the all-India 943.
- 5. (B) 888** — Rajasthan's 0-6 child sex ratio was 888, against the all-India figure of 919.
- 6. (B) 66.11%** — Rajasthan's literacy was 66.11% in 2011 (60.41% in 2001); the all-India figure was 74.04%.
- 7. (C) 52.12%** — Female literacy in Rajasthan was 52.12% against male literacy of 79.19% — a gap of about 27 percentage points, the widest among major states.
- 8. (B) Dungarpur** — Dungarpur recorded 994 females per 1000 males, followed by Rajsamand (990) and Pali (987).
- 9. (D) Dholpur** — Dholpur had the lowest sex ratio at 846 females per 1000 males; Jaisalmer and Karauli are also at the bottom of the list.
- 10. (A) Banswara** — Banswara recorded the highest child sex ratio (934). The southern tribal districts generally show better child sex ratios than the Shekhawati belt.
- 11. (B) Jhunjhunu** — Jhunjhunu recorded 837, the lowest child sex ratio in the state, despite having the state's highest male literacy.
- 12. (C) Kota** — Kota led with 76.56% literacy; Kota also had the state's highest female literacy (about 65.9%).
- 13. (D) Jalore** — Jalore recorded 54.86% literacy, the lowest in Rajasthan; it also had the lowest female literacy (about 38.5%).
- 14. (D) Jhunjhunu** — Jhunjhunu recorded the highest male literacy (about 86.9%), reflecting the Shekhawati region's strong schooling tradition.
- 15. (B) Jaipur** — Jaipur district had 66.26 lakh persons, followed by Jodhpur (36.87 lakh) and Alwar (36.74 lakh).
- 16. (D) Jaisalmer** — Jaisalmer had only about 6.69 lakh persons though it is the largest district by area (38,401 sq km).
- 17. (C) Jaisalmer** — Jaisalmer's density of 17 persons per sq km is the lowest in Rajasthan; the highest is Jaipur at 595.
- 18. (D) Dholpur** — Dholpur, with about 3,034 sq km, is the smallest district by area; Jaisalmer is the largest.
- 19. (B) Barmer** — Barmer recorded about 32.5% decadal growth, the highest in the state; Sri Ganganagar recorded the lowest (about 10%).
- 20. (A) Sri Ganganagar** — Sri Ganganagar recorded roughly 10% decadal growth, the lowest among Rajasthan's districts.
- 21. (B) 24.9%** — About 24.89% of Rajasthan's population lived in urban areas in 2011, against 31.16% for India as a whole.
- 22. (C) Kota** — Kota district was about 60.3% urban, ahead of Jaipur (52.4%) and Ajmer (40.1%).

- 23. (D) Dungarpur** — Dungarpur was only about 6.4% urban, the lowest in the state; Banswara and Pratapgarh follow.
- 24. (B) Three** — Jaipur, Jodhpur and Kota crossed the ten-lakh mark in Census 2011; Jaipur alone exceeded 30 lakh.
- 25. (C) 17.8%** — SCs form 17.83% (about 1.22 crore) of Rajasthan's population, while STs form 13.48%.
- 26. (C) 13.5%** — STs numbered about 92.38 lakh, i.e. 13.48% of Rajasthan's population.
- 27. (B) Banswara** — Banswara has the highest ST share, followed by Dungarpur. In absolute numbers, however, Udaipur has the largest ST population.
- 28. (D) Udaipur** — Udaipur has the largest number of tribal persons, though Banswara has the highest tribal proportion.
- 29. (D) Nagaur** — Nagaur has the lowest ST share (about 0.2%), followed by Bikaner. The tribal belt is concentrated in the south of the state.
- 30. (C) Meena** — The Meena (Mina) are the most numerous ST of Rajasthan, followed by the Bhil; together the two account for the bulk of the state's tribal population.
- 31. (B) Sahariya** — The Sahariya of Baran district are Rajasthan's sole PVTG (earlier 'primitive tribal group'), concentrated in Kishanganj and Shahbad tehsils.
- 32. (D) Baran** — Sahariyas live in the Shahbad and Kishanganj tehsils of Baran district in the Dang region; their village headman is called 'Kotwal'.
- 33. (C) Garasia** — Walra is the slash-and-burn cultivation of the Garasia of the Sirohi-Udaipur-Pali hills. The Bhils' shifting cultivation is called Chimata and Dajiya.
- 34. (A) I and II only** — Density 200 and sex ratio 928 are correct. Rajasthan's decadal growth (21.31%) was HIGHER than India's (17.70%), so III is wrong.
- 35. (A) I and II only** — Statements I and II are correct. The lowest literacy district was Jalore (54.86%), not Barmer.
- 36. (A) I and II only** — I and II are correct as per Census 2011. The largest tribe of Rajasthan is the Meena, not the Bhil, so III is wrong.
- 37. (D) I, II and III** — All three are correct. Bhil shifting cultivation on level land is called 'Dajiya' and on hill slopes 'Chimata'; Gavri is their famous dance-drama.
- 38. (A) I and II only** — I and II are correct. The Garasia are the third largest tribe of Rajasthan after the Meena and the Bhil, so III is wrong.
- 39. (A) I and II only** — I and II are correct. The Sahariya live in Baran district (Shahbad and Kishanganj), not in Dungarpur-Banswara, so III is wrong.
- 40. (A) I and II only** — Urban share was 24.89% and Kota the most urbanised district. India's urban share (31.16%) is higher than Rajasthan's, so III is wrong.
- 41. (C) I, II and III** — All three statements are correct. In absolute numbers the largest SC population is in Jaipur district.
- 42. (B) I, II and III** — All three are correct. The Meena are concentrated in the eastern plains, unlike the Bhil who occupy the southern hills.
- 43. (A) I and II only** — After the December 2024 reorganisation Rajasthan has 41 districts and 7 divisions — Jaipur, Jodhpur, Ajmer, Kota, Bikaner, Bharatpur and Udaipur. The Banswara, Pali and Sikar divisions created in 2023 were abolished. (Position as of 2026.)
- 44. (B) I, II and III** — All three are correct. Out-migration is heaviest from the eastern and southern districts towards Gujarat, Maharashtra and Delhi.
- 45. (A) A-3, B-1, C-2, D-4** — Highest sex ratio Dungarpur (994), highest literacy Kota (76.56%), largest population Jaipur (66.26 lakh), highest child sex ratio Banswara (934).
- 46. (C) A-3, B-4, C-1, D-2** — Lowest sex ratio Dholpur (846), lowest literacy Jalore (54.86%), lowest density Jaisalmer (17), lowest child sex ratio Jhunjhunu (837).

- 47. (A) A-2, B-1, C-4, D-3** — Sahariya - Baran; Kathodi - Kotra/Jhadol in Udaipur; Damor - Simalwara and Aspur in Dungarpur; Garasia - Abu Road and Pindwara in Sirohi.
- 48. (A) A-2, B-1, C-4, D-3** — Palli is the Bhil hamlet, Walra the Garasia slash-and-burn cultivation, Kotwal the Sahariya headman and Mukhi the Damor village head.
- 49. (B) A-3, B-2, C-4, D-1** — Jaipur 66.26 lakh, Jodhpur 36.87 lakh, Alwar 36.74 lakh and Jaisalmer 6.69 lakh — the state's most and least populous districts.
- 50. (A) A-3, B-1, C-2, D-4** — Gadia Lohars are wandering blacksmiths who trace their origin to Chittorgarh; Rabaris are camel herders; Kathodis make catechu; the Sansi are a denotified community.
- 51. (C) A-3, B-4, C-2, D-1** — Kota (60.3%) is the most urbanised district, followed by Jaipur (52.4%) and Ajmer (40.1%); Dungarpur (6.4%) is the least urbanised.
- 52. (C) Lowest population density - Barmer** — The lowest population density in Rajasthan is in Jaisalmer (17 persons per sq km), not Barmer. Barmer did record the highest decadal growth (about 32.5%).
- 53. (D) The state ranked first in India in population** — Rajasthan ranks first in AREA, but eighth in population as per Census 2011. The other three figures are correct.
- 54. (D) Damor - Jhalawar** — The Damor are found in Simalwara and Aspur tehsils of Dungarpur and adjoining Banswara, not in Jhalawar.
- 55. (D) Toda** — The Toda are a tribe of the Nilgiris in Tamil Nadu. Damor, Patelia and Dhanka are all notified STs of Rajasthan.
- 56. (C) Their traditional headman is called 'Mukhi'** — The Sahariya headman is called 'Kotwal'; 'Mukhi' is the village head among the Damor.
- 57. (D) Ajmer** — Only Jaipur, Jodhpur and Kota crossed ten lakh in Census 2011; Ajmer's city population was well below that mark.
- 58. (D) Sahariya Development Programme - Dungarpur district** — The Sahariya development effort is focused on Baran district (Shahbad and Kishanganj), not Dungarpur.
- 59. (A) II, IV, I, III** — Jaipur (66.26 lakh) > Jodhpur (36.87 lakh) > Alwar (36.74 lakh) > Nagaur (about 33.07 lakh).
- 60. (A) II, III, I, IV** — Dungarpur (994) > Rajsamand (990) > Pali (987) > Dholpur (846, the lowest in the state).

RG11 — EXPLANATIONS

- 1. (B) Rock phosphate** — Jhamar Kotra in Udaipur district is India's largest rock phosphate deposit and is worked by RSMML.
- 2. (A) Gypsum** — Got-Manglodh in Nagaur district is a major gypsum belt; Bhadwasi (Nagaur) is another. Rajasthan is India's largest gypsum producer.
- 3. (C) Jhunjhunu** — Khetri-Singhana, Madan-Kudan and Koliha mines lie in Jhunjhunu district and are worked by Hindustan Copper Ltd's Khetri Copper Complex.
- 4. (D) Bhilwara** — Rampura-Agucha in Bhilwara district is operated by Hindustan Zinc Ltd and is India's largest zinc-producing mine.
- 5. (A) Udaipur** — The Zawar mines near Udaipur show evidence of zinc distillation from about the 13th century CE; they are still worked by Hindustan Zinc.
- 6. (B) Tungsten** — The Rewat hill deposit at Degana (Nagaur) is India's best-known tungsten (wolframite) occurrence.
- 7. (B) Nagaur** — Makrana lies in the Nagaur region (placed in Didwana-Kuchaman district after the 2023 reorganisation); its white marble was used in the Taj Mahal.
- 8. (A) Limestone** — Sanu supplies high-grade (SMS) limestone used by steel plants; it is worked by RSMML.
- 9. (A) Dungarpur** — Mando ki Pal in Dungarpur district is India's leading fluorite (fluorspar) deposit and is worked by RSMML.
- 10. (B) Sikar** — Rohil in the Khandela belt of Sikar district is Rajasthan's most important uranium find; Jahaj in Bhilwara is another.
- 11. (D) Banswara** — Bhukia-Jagpura in Banswara district is Rajasthan's principal gold prospect.

- 12. (B) Wollastonite** — Wollastonite, mined at Khera and Belka Pahar in Sirohi district, is produced only in Rajasthan; the state is also India's sole producer of lead-zinc ore, selenite and jasper.
- 13. (D) Rajsamand** — Sindesar Khurd, near Rajpura-Dariba in Rajsamand district, is operated by Hindustan Zinc and makes Rajasthan India's leading silver producer.
- 14. (B) Barmer-Sanchore basin** — Mangala, discovered in 2004 in the Barmer-Sanchore basin, was India's largest onshore oil discovery in decades; Bhagyam and Aishwariya lie in the same basin.
- 15. (C) Bikaner** — Palana and Barsingsar lie in Bikaner district; Palana is the oldest worked lignite field of Rajasthan and Barsingsar has an NLC lignite power station.
- 16. (B) Barmer** — Kapurdi and Jalipa in Barmer district feed the Barmer lignite thermal power project; Giral, also in Barmer, is another lignite field.
- 17. (C) Udaipur** — RSMML, headquartered at Udaipur, mines rock phosphate, limestone, gypsum, lignite and fluorite for the state.
- 18. (A) Udaipur** — Hindustan Zinc Ltd is headquartered at Udaipur; its smelters are at Debari, Chanderiya (Chittorgarh) and Dariba.
- 19. (A) Udaipur** — Nathara-ki-Pal and Dalani lie in Udaipur district; Morija-Banola (Jaipur) and Neemla-Rajpura (Dausa) are the other iron ore belts.
- 20. (B) Jalore** — Jalore is called the granite city of Rajasthan because of its extensive granite quarrying and processing.
- 21. (C) Bharatpur** — Bansi Paharpur red sandstone comes from the Bharatpur region (now in Deeg district after reorganisation); Dholpur and Karauli are the other red sandstone belts.
- 22. (B) Rajsamand** — Rajsamand leads Rajasthan in marble production; Makrana is famous for white marble, Andhi (Jaipur) for green and Babarmal (Udaipur) for pink marble.
- 23. (D) Phalodi** — Bhadla village lies in Phalodi district, carved out of the erstwhile Jodhpur district in 2023. The park has about 2,245 MW over roughly 56 sq km.
- 24. (B) Rajasthan** — Rajasthan leads India in installed solar capacity (about 41.7 GW as of April 2026); Gujarat is second in solar but first in total renewable capacity.
- 25. (C) RRECL** — The Rajasthan Renewable Energy Corporation Ltd (RRECL), Jaipur, is the nodal agency for solar, wind and biomass projects in the state.
- 26. (D) Suratgarh Super Thermal Power Station** — Suratgarh in Sri Ganganagar district, often called Rajasthan's 'thermal power house', is the state's largest thermal station.
- 27. (B) Kota** — The Kota Super Thermal Power Station on the Chambal was Rajasthan's first coal-based thermal power station.
- 28. (D) Baran** — Chhabra lies in Baran district and includes both subcritical and supercritical units.
- 29. (A) Jhalawar** — The Kalisindh station stands near Jhalawar; each of its two units is of 600 MW.
- 30. (C) Chittorgarh** — Rawatbhata, on the Chambal in Chittorgarh district, is India's second nuclear power station; its first unit was built with Canadian collaboration.
- 31. (D) Jaisalmer** — The Ramgarh station in Jaisalmer district runs on gas from the Tanot and Dandewala fields of the Jaisalmer basin.
- 32. (C) 300 units** — The scheme, launched in February 2024, offers rooftop solar with up to 300 free units a month and targets one crore households nationally.
- 33. (B) Installation of standalone solar agriculture pumps** — Component-A covers decentralised grid-connected plants on barren land, Component-B standalone solar pumps and Component-C solarisation of existing grid-connected pumps.
- 34. (B) RVPNL** — Rajasthan Rajya Vidyut Prasaran Nigam Ltd (RVPNL) handles transmission; RVUNL generates and the three Vidyut Vitran Nigams distribute.
- 35. (C) Four** — Four: Keoladeo National Park (1985), Jantar Mantar Jaipur (2010), the Hill Forts of Rajasthan (2013) and the walled city of Jaipur (2019). Position as of 2026.

- 36. (C) 2019** — Jaipur's walled city was inscribed in 2019, becoming India's second city after Ahmedabad to receive World Heritage city status.
- 37. (B) Gagron** — Gagron, a jal-durg at the confluence of the Ahu and Kali Sindh, lies in Jhalawar district and is one of the six inscribed Hill Forts of Rajasthan.
- 38. (B) 1982** — The Palace on Wheels was flagged off on 26 January 1982 by RTDC and Indian Railways; the Royal Rajasthan on Wheels followed in 2009.
- 39. (C) Jaipur** — The North Western Railway, created on 1 October 2002, has its headquarters at Jaipur with divisions at Jaipur, Jodhpur, Ajmer and Bikaner.
- 40. (B) Mansarovar and Chandpole** — Phase 1A of the Pink Line, from Mansarovar to Chandpole, was opened on 3 June 2015; the underground stretch to Badi Chaupar came later.
- 41. (B) Ajmer** — Kishangarh airport is in Ajmer district and began commercial operations in 2017; Jaipur is the state's main international airport.
- 42. (A) I and II only** — Rajasthan is India's only source of lead-zinc ore and its largest gypsum producer. Bauxite comes chiefly from Odisha, Gujarat and Jharkhand.
- 43. (D) I, II and III** — All three are correct. RSMML also works the Sanu limestone and Mando ki Pal fluorite deposits.
- 44. (A) I and II only** — Rampura-Agucha (Bhilwara) and Rajpura-Dariba (Rajsamand) are correctly placed; Zawar is in Udaipur district, not Chittorgarh.
- 45. (C) I, II and III** — All three are correct. Giral, also in Barmer, is another lignite field with an associated power project.
- 46. (A) I and II only** — Mangala was discovered in 2004 and production began in 2009, so III is wrong. Tanot and Dandewala are indeed Jaisalmer basin gas fields.
- 47. (C) I, II and III** — All three are correct. HPCL holds 74% and the state 26%; the complex includes a 2.4 MMTPA petrochemical unit and was declared commercially operational in June 2026.
- 48. (D) I, II and III** — All three are correct. Babarmal in Udaipur district is known for pink marble.
- 49. (A) I and II only** — Bhadla is in Phalodi district (earlier Jodhpur district), not Barmer, so III is wrong. It is India's largest solar park.
- 50. (C) I, II and III** — All three are correct as of 2026; the Rajasthan Integrated Clean Energy Policy was subsequently announced in 2024.
- 51. (A) I and II only** — Suratgarh (Sri Ganganagar) and Chhabra (Baran) are correct; the Kalisindh station is in Jhalawar district, not Kota.
- 52. (A) I and II only** — Rawatbhata was India's SECOND nuclear power station; Tarapur in Maharashtra was the first. Statements I and II are correct.
- 53. (D) I, II and III** — All three are correct: Chittorgarh, Kumbhalgarh, Ranthambore, Gagron, Amber and Jaisalmer make up the serial Hill Forts property inscribed in 2013.
- 54. (C) I, II and III** — All three are correct. Rajasthan also announced a new Tourism Policy in 2020 and accorded industry status to tourism in 2021.
- 55. (C) I, II and III** — All three are correct; roughly 373 km of the 1,386 km Delhi-Mumbai Expressway passes through Rajasthan.
- 56. (A) A-2, B-4, C-1, D-3** — Rock phosphate - Jhamar Kotra (Udaipur); gypsum - Got-Manglodh (Nagaur); copper - Khetri (Jhunjhunu); SMS-grade limestone - Sanu (Jaisalmer).
- 57. (B) A-2, B-3, C-4, D-1** — Jhamar Kotra - rock phosphate; Got-Manglodh - gypsum; Zawar - lead-zinc; Degana - tungsten. This is among the most frequently repeated matching sets in RAS.
- 58. (C) A-3, B-1, C-2, D-4** — Palana lies in Bikaner; Kapurdi and Giral both lie in Barmer; Matasukh lies in Nagaur.
- 59. (D) A-2, B-1, C-3, D-4** — Mangala and Aishwariya are crude oil fields of the Barmer-Sanchore basin; Tanot and Dandewala are gas fields of the Jaisalmer basin.
- 60. (A) A-3, B-4, C-1, D-2** — Suratgarh - Sri Ganganagar; Chhabra - Baran; Kalisindh - Jhalawar; Rawatbhata atomic station - Chittorgarh.

- 61. (B) A-3, B-1, C-4, D-2** — Fluorite - Mando ki Pal (Dungarpur); wollastonite - Khera and Belka Pahar (Sirohi); emerald - Kaliguman belt (Rajsamand); garnet - Rajmahal (Tonk).
-
- 62. (C) A-2, B-3, C-4, D-1** — Keoladeo 1985, Jantar Mantar 2010, Hill Forts 2013 and the walled city of Jaipur 2019.
-
- 63. (D) A-2, B-4, C-1, D-3** — Kumbhalgarh - Rajsamand; Gagron - Jhalawar; Ranthambore - Sawai Madhopur; Amber - Jaipur. Chittorgarh and Jaisalmer complete the six inscribed Hill Forts.
-
- 64. (A) A-2, B-1, C-4, D-3** — Chanderiya (Chittorgarh) has a Hindustan Zinc smelter; Khetri has the copper complex; Makrana is a marble centre; Sambhar is India's largest inland salt source.
-
- 65. (C) Fluorite - Sirohi** — Rajasthan's principal fluorite deposit is Mando ki Pal in Dungarpur district; Sirohi is associated with wollastonite.
-
- 66. (D) Jhamar Kotra** — Jhamar Kotra (Udaipur) is a rock phosphate deposit. Kapurdi and Jalipa are in Barmer and Barsingsar in Bikaner.
-
- 67. (D) It is operated solely by the Rajasthan Renewable Energy Corporation** — Bhadla was developed in four phases by several agencies and developers including NTPC, SECI, ACME, Fortum and Avaada — not by RRECL alone.
-
- 68. (D) Giral - Bikaner** — The Giral lignite power project is in Barmer district; Barsingsar is the lignite station located in Bikaner.
-
- 69. (D) Rani ki Vav** — Rani ki Vav is a stepwell at Patan in Gujarat, inscribed in 2014. Rajasthan has four inscribed properties.
-
- 70. (C) Mehrangarh** — Mehrangarh (Jodhpur) is not part of the inscribed serial property. The six are Chittorgarh, Kumbhalgarh, Ranthambore, Gagron, Amber and Jaisalmer.
-
- 71. (D) It is India's first refinery based entirely on imported crude** — The refinery is designed to process both imported crude and crude from the Barmer basin, so it is not based entirely on imported crude. The other three statements are correct (position as of 2026).
-
- 72. (D) Morija-Banola - manganese** — Morija-Banola in Jaipur district is an iron ore belt; manganese in Rajasthan comes chiefly from Banswara district.
-
- 73. (A) II, I, IV, III** — Keoladeo 1985, Jantar Mantar 2010, Hill Forts 2013 and Jaipur walled city 2019.
-
- 74. (A) II, I, IV, III** — Rawatbhata Unit-1 came on line in the 1970s, Kota Super Thermal in the 1980s, Suratgarh in the late 1990s and Bhadla reached full capacity around 2020.
-
- 75. (A) Both A and R are true and R is the correct explanation of A** — Both statements are true and the high insolation plus cheap barren land of the Thar directly explains the state's lead (about 41.7 GW of solar as of April 2026).
-