Augmented Reality & Video Service Emerging Technologies

# Skype, YouTube & H.264/MPEG-4 AVC

Prof. Jong-Moon Chung

Skype, YouTube & H.264/MPEG-4 AVC





#### Skype Audio Codecs

- Initially used G.729 and SVOPC for VoIP
- Skype added SILK to Skype 4.0 for Windows and other Skype clients
- SILK is a lightweight and embeddable audio codec created by Skype



## Skype Audio Codecs

- Skype's Opus is an open source codec that can integrate the SILK codec for voice transmission with CELT codecs for higher quality audio transmissions (e.g., live music performances)
  - CELT: Constrained Energy Lapped Transform



## ❖ Skype Audio Codec - SILK

- SILK is an audio compression format and audio codec
- Developed by Skype Limited
  - Initial released in March 2009
  - Latest release SDK 1.0.9 in 2012



## ❖ Skype Audio Codec - SILK

- SILK operation specs
  - Audio sampling frequencies
    - 8, 12, 16 or 24 kHz
  - Bitrate range
    - $6 \sim 40 \text{ kb/s (b/s = bit/s = bps)}$
  - Low algorithmic delay
    - 25 ms
    - Based on a 20 ms frame size + 5 ms look-ahead



#### Skype Audio Codec - SILK

- Reference programming in C language
- Codec is based on LPC
  - · LPC: Linear Predictive Coding
- SILK binary SDK is available
  - SDK: Software Development Kit



### Skype Audio Codec - Opus

- Designed as a lossy audio coding format to efficiently encode speech and general audio into a single format
- Opus was designed to combine SILK with CELT
  - Switching between or combining SILK and CELT as needed for maximum efficiency



#### Skype Audio Codec - Opus

- Maintains low-latency sufficient for real-time interactive communications
- Designed to have low-complexity to run on low end ARM3 processors
- Opus was developed by Xiph and is standardized as RFC 6716 by the IETF
  - IETF: Internet Engineering Task Force



# ❖ Skype Audio Codec - CELT

- CELT (Constrained Energy Lapped Transform)
- Open royalty-free lossy audio compression codec software algorithm format



#### ❖ Skype Audio Codec - CELT

- Very low algorithmic delay to support low-latency audio communications
- Designed using lower-latency MDCT
  - MDTC: Modified Discrete Cosine Transform



### Skype Video Codecs

- VP7 was used for versions prior to Skype 5.5 as the video codec
- After 2005, Skype used True Motion VP7 codec
- In early 2011, Skype 5.5 moved to VP8
- True Motion VP7 and VP8 were developed by On2 Technologies for Google



#### Skype Video Codecs

- Skype 5.7 uses VP8 for both group and one-on-one standard definition video chatting
- After Microsoft acquired Skype in 2011 the video codec was replaced to H.264





#### Skype Video Call Quality

- Standard mode has a video resolution of 320×240 pixels with 15 fps (frames/s)
- High-quality mode has a resolution of 640×480 pixels with 30 fps
- HD (High Definition) mode has the highest resolution of 1280×720 pixels with 30 fps
- Other H.264 codecs are also used in group and peer-to-peer (one-on-one) video chatting

Skype, YouTube & H.264/MPEG-4 AVC

References

#### References

- W. Mazurczyk, M. Karas, K. Szezypiorski, and A. Janicki, "Youskyde: information hiding for skype video traffic," Multimedia Tools and Applications, pp. 1-20, 2015.
- L. B. Aal, J. N. Parmar, V. R. Patel, and D. J. Sen, "Whatsapp, Skype, Wickr, Viber, Twitter and Blog are Ready to Asymptote Globally from All Corners during Communications in Latest Fast Life," Research J. Science and Tech., vol. 6, no. 2, pp. 101-116, 2014.
- Skype, http://www.skype.com
- Wikipedia, http://www.wikipedia.org

#### **Image Sources**

- Skype Logo, By Skype (http://www.skype.com) [Public domain], via Wikimedia Commons
- Skype Logo, By Skype Ltd. [Public domain], via Wikimedia Commons

#### References

- A. C. Begen, T. Akgul, and M. Baugher, "Watching Video over the Web, Part 1: Streaming Protocols," IEEE Internet Computing, Mar./Apr. 2011.
- I. Sodagar, "The MPEG-DASH Standard for Multimedia Streaming Over the Internet," IEEE MultiMedia, Oct.-Dec. 2011.
- J. Anorga, S. Arrizabalaga, B. Sedano, M. I. Alonso-Arce, and J. Mendizabal, "YouTube's DASH implementation analysis," in Proc. IEEE CCSC, 2015.
- D. K. Krishnappa, D. Bhat, and M. Zink, "DASHing YouTube an analysis of using DASH in YouTube video service," in Proc. 38th IEEE Conf. LCN, 2013.
- Youtube, http://www.youtube.com
- · Wikipedia, http://www.wikipedia.org

#### **Image Sources**

• Monitor icon, By No machine-readable author provided. Mobius assumed (based on copyright claims). [Public domain], via Wikimedia Commons

#### References

- Linphone Logo, By Arpabone [CC BY-SA 3.0 (http://creativecommons.org/licenses/by-sa/3.0)], via Wikimedia Commons
- · Hangouts Logo, By Google [Public domain], via Wikimedia Commons
- eBay Logo, By eBay / Adrian Frutiger (typeface) (eBay: A new look) [Public domain], via Wikimedia Commons
- · Microsoft Logo, By Microsoft Corporation [Public domain], via Wikimedia Commons
- Guvcview Icon, By GNOME icon artists. [GPL (http://www.gnu.org/licenses/gpl.html)], via Wikimedia Commons
- Headset Icon, By Architetto Francesco Rollandin (http://www.openclipart.org/wiki/User:Francesco.rollandin) [Public domain], via Wikimedia Commons
- User Icon, By Icon Land (http://www.icons-land.com)