

4G & 5G Mobile Technology

5G Wave

Technology

5G Wave Technology

| | < 6GHz | | | | | | > 6GHz | | |
|----------|---|----------|-----------------------|-----------------------------|---------------------|-----------|---|----------------------|-----------|
| | < 1 GHz | 1 GHz | 2 GHz | 3 GHz | 4 GHz | 6-24 GHz | 24-30 GHz | 30 GHz | 40 GHz |
| SPRINT | | | B41(2.6G) | | | | | | |
| CTC | | | B41(2.6G) | B42(3.5G) 3.3-3.4 | 4.4-4.5 4.8-4.99 | | | | |
| AT&T | | | | | | | | 37.6-40 37-37.6 | |
| DOCOMO | | | | 3.3-4.2 | 4.4-4.99 | | 26.5-29.5 (24.25-29.5) | | |
| KT | B8(900M) | B3(1.8G) | B1(2.1G) B40(2.3G) | 3.4-3.7 | | | 26.5-29.5 24.25-27.5 (24.25-29.5) | 31.8-33.4 37-40.5 | |
| CMCC | | | | B42(3.5G) SI on 3.3-4.99 | | | | | |
| ERICSSON | | | | | | | | | |
| ORANGE | B20(800M) B28(700M) | B3(1.8G) | B1(2.1G) B7(2.6G) | B42(3.5G) B43(3.7G) | | 5.925-8.5 | 24.25-27.5 | 31.8-33.4 | |
| DISH | | | | | | 12.2-12.7 | | | |
| HUAWEI | | | | 3.3-(3.8-4.2) | 4.4-4.99 | | 24.25-27.5 26.5-29.5 | 37-40 | 40.5-43.5 |
| ZTE | | | | 3.4-3.6 | | | 24.25-27.5 27.5-29.5 | | |
| SAMSUNG | [Ref] Discussion on defining "NR Band" in 3GPP RAN4 | | | 3.4-3.7 | | | 26.5-29.5 24.25-27.5 | 37.6-40 37-37.6 | |

5G Wave Technology

❖ mmWave System

- Huge bandwidth is available in the mmWave band (above 6 GHz) compared to the current LTE band
- mmWave Example
 - 2.2 Gbps data rate can be supported in the 28 GHz band using multi-cell and 500 MHz bandwidth transmission technology
- Supporting technologies
 - 28 GHz Polarization Interleaved Array
 - 60 GHz 360° Coverage, 16 Chain CMOS RFIC

5G Wave Technology


❖ mmWave System

- mmWave beamforming
 - Multiple beams need to provide coverage to the entire cell area
 - Beam management procedures to acquire and maintain best beam for each TRP/UE pair are applied

5G Wave Technology

❖ mmWave System


- mmWave beamforming
 - NR supports L1/L2 beam management procedures



5G Wave Technology

❖ Multi-RAT Internetworking

- UE/Network based Multi-RAT (Multi-Radio Access Technology) Coordination Technology
- Throughput and connection reliability enhancement using Unlicensed & Licensed spectrum coordination



5G Wave Technology

❖ Multi-RAT Internetworking

- Interworking and integrating the 5G system with other RATs (e.g., 3G, 4G, Wi-Fi, Bluetooth, etc.)
- Multi-path transmission technology enables a device to use multiple transmission protocols (Cellular, WLAN, Bluetooth, etc.) simultaneously

5G Wave Technology

❖ Multi-RAT Internetworking

- Multi-path transmission enhances connection reliability and data transmission rates
- MPTCP (Multi-Path TCP) enables a device to configure several TCP sessions simultaneously by utilizing multiple network connections and addresses

5G Wave Technology

❖ Advanced MIMO

- Advantage of Diversity Mode
 - Time Diversity
 - Using different timeslots and channel coding
 - Frequency Diversity
 - Using different channels & modulation technologies
 - Spread spectrum, OFDM, OFDMA, MIMO, etc.
 - Space Diversity
 - MIMO uses antennas located in different positions
 - Uncorrelated radio paths are simultaneously used
 - Multiple antenna spacing & positioning is important

5G Wave Technology

❖ Multiple Access

- OMA (Orthogonal Multiple Access)
 - Each time/frequency resource block is exclusively assigned to one user (e.g., OFDMA)
- NOMA (Non-Orthogonal Multiple Access)
 - Allows multiple users to share the same time/frequency resource
 - Enhance the system capacity and accommodate massive connectivity

OFDMA: Orthogonal Frequency-Division Multiple Access

5G Wave Technology


❖ Advanced D2D (Device to Device)

- Offloading data from the mobile network such that the load and cost of processing data and signaling is reduced
- MCPTT: Mission Critical PTT (Push-To-Talk)
- V2X (Vehicle-to-Anything) communication
 - IEEE 802.11p + IEEE1609.x Cooperative Computation
 - Efficient exchange of emergency signals between vehicles and RSUs (Road Side Units)

5G Wave Technology

❖ Advanced Small Cell


- Large number of small cells in a given area can provide significant throughput enhancements
- 5G system utilizes vast bandwidth in the mmWave band
 - High propagation loss of the mmWave makes it suitable for dense small cell deployment



5G Wave Technology

❖ Advanced Small Cell

- Distributed and self-configured network technology
 - Easy to deploy small cells



4G & 5G Mobile Technology

References

References

- ITU-R M. [IMT.VISION], “IMT for 2020 and beyond,” June 2015.
- Samsung Electronics DMC R&D Center, “5G Vision,” Feb. 2015.
- Sooyoung Hur et al., “Synchronous Channel Sounder Using Horn Antenna and Indoor Measurements on 28 GHz,” in *Proc. IEEE BlackSeaCom'14*, pp. 83-87, May 2014.
- 3GPP, “Technical Specification Group Core Network and Terminals; Handover procedures,” 3GPP TR 22.934 v. 8.3.0 Rel. 8, 2012.
- 3GPP, “Universal Mobile Telecommunications System (UMTS); Handover procedures,” 3GPP TS 23.009 v. 3.6.0 Rel. 1999, 2001.
- Cheol Jeong et al., “Random Access in Millimeter-Wave Beamforming Cellular Networks: Issues and Approaches,” *IEEE Commun. Mag.*, vol. 53, no. 1, pp.180-185, Jan. 2015.
- Taeyoung Kim et al., “Tens of Gbps Support with mmWave Beamforming Systems for Next Generation Communications,” in *Proc. IEEE GLOBECOM'13 Workshop*, pp.3685-3690, Dec. 2013.

References

- Samsung, “Technologies for Rel-12 and Onwards,” RWS-120021, 3GPP TSG RAN Workshop on Rel-12 and Onwards, Jun. 2012.
- Theodore S. Rappaport et al., “Millimeter Wave Mobile Communications for 5G Cellular: It Will Work!,” *IEEE Access*, vol.1, pp.335-349, May 2013.
- Young-Han Nam et al., “Full Dimension MIMO (FD-MIMO) for Next Generation Cellular Technology,” *IEEE Commun. Mag.*, vol. 51, no. 6, pp.172-179, June 2013.
- R12-WP5D-C-0258, “Technical Feasibility of IMT in the Bands above 6 GHz,” ITU, Jan. 2013.
- Open Networking Foundation (ONF), “Software-Defined Networking: The New Norm for Networks”, ONF White Paper, Apr. 2013
- ETSI GS NFV 002 v1.1.1, “Network Functions Virtualization (NFV); Architectural Framework, ETSI, Oct. 2013
- J., J. Garay, N. Toledo, J. Unzilla, and E. Jacob, “Toward an SDN-Enabled NFV Architecture,” *IEEE Commun. Mag.*, vol. 53, no. 4, pp. 187-193, Apr. 2015.

References

- S.-Y. Lien, S.-L. Shieh, Y. Huang, B. Su, Y.-L. Hsu, and H.-Y. Wei, "5G New Radio: Waveform, Frame Structure, Multiple Access, and Initial Access," *IEEE Commun. Mag.*, vol. 55, no. 6, pp. 64-71, Jun. 2017.
- J. Kim, D. Kim, S. Choi, "3GPP SA2 architecture and functions for 5G mobile communication system," *ICT Express*, 2017.
- 3GPP, "System Architecture for the 5G System," 3GPP TS 23.501 v. 1.5.0 Rel. 15, 2017.

References

Image sources

- Draw that represents the Internet of Things, By Wilgengebroed on Flickr [CC BY 2.0 (<http://creativecommons.org/licenses/by/2.0>)], via Wikimedia Commons
- Cybercompanion 02, By Rahedesign (Own work) [CC BY-SA 3.0 (<http://creativecommons.org/licenses/by-sa/3.0>)], via Wikimedia Commons
- Cloud Computing Image, Creative Commons Attribution-Share Alike 3.0 Unported license.
- President George W. Bush conduct a video tele-conference at Offutt Air Force Base, By White House photo by Eric Draper [Public domain], via Wikimedia Commons