

Spec Book

149 Acres- Monroe Womens Zilu Grunhut, Jay
Mikvah Mittelman
12/20/2022 149 Acres

YOURS TRULY
G

GENERAL NOTES:

01. The contractor shall be responsible to familiarize himself thoroughly with all drawings, specifications, field conditions and other requirements of this project and shall report any discrepancies to the designer;

02. The drawings reflect conditions reasonably interpreted from the existing visible conditions or from drawings or information furnished by the owner but cannot be guaranteed by the designer;

03. All construction shall comply with state and other local building codes and regulations and the best trade practices;

04. Minor details not usually shown or specified, but necessary for the proper construction, installation or operation or any part of the work as determined by the designer shall be included in the work as if it were specified or indicated in the drawings;

05. All materials shall be installed properly, for the use intended, in accordance with the manufacturer's written instructions and to the highest standards of the trade;

06. The contractor shall file for all permits controlled inspections, inspections and sign-offs, pay all related fees and present copies of approvals for final acceptance by the owner including final certificate of occupancy;

07. The drawings might not be to scale, only dimensions are to be used. All dimensional discrepancies shall be called to the designers attention. all dimensions shall be verified before starting work by the respective subcontractor, who shall be held responsible for his phase of the work;

08. All construction shall be as per plans and specifications unless otherwise agreed in writing by the owner;

09. No changes are to be made without the consultation and approval by the architect & designer;

10. Designer has not been retained to supervise any construction or installation of any equipment at building site;

NOTES ABOUT RENDERS

11. Renderings present in this spec-book are intended to help visualize design concept only, they do not replicate design precisely;

NOTES ABOUT WALLS

12. Contractor to coordinate with architect and structural engineer for exact details of exterior facade wall design, designer refrains from specifying details since drawings sometimes do not match;

NOTES ABOUT WINDOWS

13. Window manufacturer to verify all window dimension, rough and masonry opening sizes quantities as well as all finished partition thickness for frame width sizing prior to fabrications;

14. Designers provide Idea of window type, Contractor & Window Supplier to verify required Ratings Needed for the project by Architect;

15. Designers provide idea of window opening direction casement or awning etc. Window Suppliers responsibility to verify proper opening directions and amount of fresh air required by architect;

16. Contractor and Window Supplier to check window requirements by architect and adjust as required;

17. Client and window supplier to check architectural plans for requirements on window ratings required by architect;

18. Lot-line windows need to be double hung by code (not casement) because you cannot project into adjacent property. You also need a sprinkler head above those, and the windows need to be a fire rated windows.

19. Hardware color for windows and balcony doors, to match color selected for interior doors.

NOTES ABOUT DOORS

20. These plans do not show Door directions, the door directions shown here are for illustration purposes only, contractor to calculate directions necessary for each door on site before ordering;

NOTES ABOUT KITCHENS

21. Supplier to verify precise dimensions of range and fit granite tightly without gaps on sides and back;

22. Supplier to verify that each cabinet or appliance opens properly without interfering with any walls or other cabinets and rearrange as necessary;

23. Approve all samples with designer prior to order;

NOTES ABOUT PLUMBING FIXTURES

24. Plumbers to review designer proposed locations of vanities and toilets, it is common Designers adjust location to line up with overall design;

25. The recommended height of the wall mounted vanity should be 24" from the finish floor;

NOTES ABOUT CEILINGS

26. If project has poured slab floors without joists, pay attention to all mechanical fixtures and piping that will require to lower ceiling heights in those areas, our specifications may not include those lowered ceilings

NOTES ABOUT TILES

27. If you realize corner beads not specified properly please confirm with designer before ordering, the color and profiles can be critical;

NOTES ABOUT STAIRS

28. Dimensions to be verified on site based on existing conditions;

NOTES ABOUT PAINTING

29. When painting bathrooms or high moisture areas in matte finish. First, primer the surface with "Kilz Kitchen & Bath Interior Latex". Then paint with "Aura Bath & Spa Waterborne Interior Paint - Matte" from Benjamin Moore. Follow manufacturers' recommendations for optimal results.

30. Paint finishes through the whole building should always follow the scheme below:

TRIM	Satin
CEILING	Flat
WALLS	Eggshell
Interiors	Satin
Exteriors	Satin
DOORS	Satin
Interiors	Satin
Front	Satin
FURNITURE	Satin
Cabinets	Satin
Furniture	Satin
RAILINGS AND METAL RISERS	Satin

NOTES ABOUT DETAILS AND SHOP DRAWINGS

31. Shop drawings in this spec-book have been prepared for general conformance with design concept only and does not relieve the fabricator/vendor of responsibility for conformance with site measurements and applicable codes, all of which have priority over this shop drawing.

SYMBOL LIST

Exterior Windows and Doors Tag:
Tags starting with letter W are for Clad Windows and Doors
Tags starting with letter Q are for Aluminum Windows and Door
Please refer to Window and Door Legends for details and specifications



Interior Doors Tag:
Please refer to Interior Door Legend for details and specifications

Base Finish Material & Base type:
See Door and Millwork specifications for code meaning



Overall Room Finish Materials:
Please note that some different materials might be used in small specified area. Floor plan views will show specific tags to indicate these areas and their finishing materials.
The letter "M" (standing for MIXED) will be used when a room has not a prevailing finish material. In this cases please

Plumbing Fixtures Tag:
See Plumbing Fixtures legends and specifications for code meaning



Floor Finish Material :
See Wall and Floor Covering Specifications for code meaning




Floor Finish/Covering Material for the specified area



Ceiling Finish:
Please note: "M" stands for "MIXED". See detailed drawings for specifications

Lighting Fixtures Tag (Ceiling/Wall/Floor):
See Lighting Fixtures legends and specifications for code meaning




Wall Finish/Covering Material:
C = Wall and Floor Covering, V = Paint (Varnish)
See Wall and Floor Covering Legend , Other Finishing Materials and Paint Legend for code meaning



Saddle Type & Door Tag:
See Door and Millwork specifications for code meaning



Electrical Fixtures Tag:
See Electrical Fixtures legends and specifications for code meaning



Wall Finish/Covering Material for the specified area

Mechanical Equipment Tag:
See Mechanical Equipment legends and specifications for code meaning

Cabinet Type Tag:
See Kitchen Cabinet comments for code meaning

Tile Starting Point:
Point that indicates the beginning of the tile installation.

NOTES ABOUT TAG CODES

(W) - Clad Windows

Clad exterior windows mostly of standard size.

(Q) - Aluminum Windows

Retail storefronts with a lot of glass

(F) - Finish:

All Finishing materials not belonging to "paintings" or "Wall and Floor Coverings" such as finishing materials for cabinets or counter-tops etc.

(D) - Interior Doors

(DB) Metal Single Door for Technical Rooms and Storages - (DC) Metal Single Door for Bathrooms - (DD) Metal Single Door for Gym or Playrooms - (DE) Metal Single Door with a square window for Stair Exit - (DF) Metal Single Door with a Round Window for Stair Exit - (DG) Metal Double Door for Technical Rooms - (DH) Metal Single Door for cellar (building entry) - (DI) Metal Single Door for Bulkhead exit (Window + Grill) - (DN) Wooden Single Door for Apartment Bathrooms - (DO) Wooden Single Door for Apartment Bedrooms - (DP) Wooden Single Door for Apartment Closets - (DQ) Wooden Double Door

(P) - Plumbing fixtures:

Everything connected with the work of the plumber, both in kitchens and bathrooms including bathroom vanities and bathroom mirrors, sinks, faucets etc.

(L) - Lighting Fixtures:

(R) Recessed Lighting - (P) Pendant Lighting - (F) Surface Mounted Light - (L) LED Strip - (S) Sconce - (T) Track & Rail Light

(E) - Electrical Fixtures (excluding Lightings):

(V) - Painting:

All Paintings such as wall paints, molding paints, custom furniture paints, door paints, railing paints, etc.

(R) - Molding:

All Molding types such as wall base moulding, ceiling crown molding, door frame, etc.

(C) - Wall and Floor Covering:

(M) - Mechanical:

Mechanical equipment such as extractors, AC units, etc. Tags will show the letter "M" followed by progressive number starting from 01.

(H) - Hardware:


Door hardware such as levers, peep hole, security chains, etc.

Appliances:

Fridge (FR), Range (RG), Range Hood (RH), Dishwasher (DW), Washer

WARNING LIST

ICON	TAG	LEVEL	DESCRIPTION	IMAGE	STATUS
	ARCHITECTURAL PLANS		Click To Go		
	COMPARISON VIEWS		Click To Go		
	CUT OFF VIEWS		Click To Go		
	EXTERIOR		Click To Go		
	ALUMINUM WINDOWS		Click To Go		
	MIKVAH 3		Click To Go		
	MIKVAH 8		Click To Go		
	PREP ROOM TYPE 3		Click To Go		
	PREP ROOM WITH SHOWER		Click To Go		
	WAIT 1		Click To Go		
	WAIT 2		Click To Go		
	MIKVAH 4		Click To Go		
	MIKVAH 9		Click To Go		
	PREP ROOM TYPE 4		Click To Go		
	PREP ROOM TYPE 5		Click To Go		
	MIKVAH 5		Click To Go		
	PREP ROOM TYPE 6		Click To Go		
	MIKVAH 6		Click To Go		
	PREP ROOM TYPE 7		Click To Go		
	MIKVAH 7		Click To Go		
	PREP ROOM TYPE 2		Click To Go		
	RECEPTION		Click To Go		



1 SITE PLAN VIEW
3/32" = 1'-0"

[Click To Go](#) [GENERAL NOTES](#)

[Click To Go](#) [FINISHING MATERIALS](#)



Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com

Date:
12/20/2022 11:35:51 PM

Chapter 2: Architectural Plans
SITE PLAN VIEW

02.01



1 PLAN VIEW - 1ST FLOOR
1" = 10'-0"

TAG LEGEND:

DF_00	W00	MM	M99
Doors	Windows	Appliances	Mechanical Equipment

DOOR TAGS:

- DA - Metal Single Door with a Square window for Stair Exit
- DB - Metal Single Door for Apt. Entry
- DC - Metal Single Door for Bathrooms
- DD - Metal Single Door for Gym or Playrooms

DE - Metal Single Door with a Round Window for Stair Exit

DJ - Metal Single Door for Bulkhead exit (Window + Louver)

DN - Wooden Single Door for Apartment Bathrooms

DP - Wooden Double Door for Technical Rooms

DO - Wooden Single Door for Apartment Bedrooms

DG - Metal Double Door for Technical Rooms

DH - Metal Single Door for cellar (Building Entry)

DI - Metal Single Door with Louver (Bulkhead and Technical Rooms)

DOQ - Wooden Double Door for Apartment Closets

DQ - Wooden Single Door for Apartment Closets

W - Clad Windows

Q - Aluminum Windows


Amended & Proposed Walls

Click To Go

GENERAL NOTES

Click To Go

FINISHING MATERIALS



Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd Tel 845-442-6958 #104


Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maziar - maziar@yossig.com Revision 2
Drafter Ivan - ivan@yossig.com

Date: 12/20/2022 11:36:25 PM
Date 2

Chapter 2: Architectural Plans
SECOND FLOOR

02.12

1 PLAN VIEW - 3RD FLOOR
1" = 10'-0"



[Click To Go](#)

GENERAL NOTES

[Click To Go](#)

FINISHING MATERIALS

TAG LEGEND:



Doors



Windows




Appliances




Mechanical Equipment


DOOR TAGS:




DE - Metal Single Door with a Square window for Stair Exit




DJ - Metal Single Door for Bulkhead exit (Window + Louver)




DA - Metal Single Door for Apt. Entry




DF - Metal Single Door with a Round Window for Stair Exit




DN - Wooden Single Door for Apartment Bathrooms




DB - Metal Double Door for Technical Rooms and Storages




DC - Metal Single Door for Bathrooms



DD - Metal Single Door for cellar (Building Entry)



DI - Metal Single Door with Louver (Bulkhead and Technical Rooms)



DQ - Wooden Double Door for Apartment Closets

WINDOW TAGS:




W - Clad Windows



Q - Aluminum Windows

Amended 6
Proposed Walls

1 PLAN VIEW - ROOF
1" = 10'-0"



TAG LEGEND:



Doors



Windows



Appliances



Mechanical Equipment

DOOR TAGS:

- DA - Metal Single Door for Apt. Entry
- DB - Metal Single Door for Technical Rooms and Storages
- DC - Metal Double Door for Technical Rooms
- DD - Metal Single Door for Bathrooms
- DE - Metal Single Door with a Square window for Stair Exit
- DF - Metal Single Door with a Round Window for Stair Exit
- DG - Metal Double Door for Bathrooms
- DH - Metal Single Door for cellar (Building Entry)
- DI - Metal Single Door with Louver (Bulkhead and Technical Rooms)
- DJ - Metal Single Door for Bulkhead exit (Window + Louver)
- DN - Wooden Single Door for Apartment Bathrooms
- DO - Wooden Single Door for Apartment Bedrooms
- DP - Wooden Single Door for Apartment Closets
- DQ - Wooden Double Door for Apartment Closets

WINDOW TAGS:

- W = Clad Windows
- Q = Aluminum Windows
- Amended & Proposed Walls



Client Zilu Grunhut, Jay Mittelman
Address 149 Acres Rd
Tel 845-442-6958 #104

Project Name 149 Acres- Monroe Womens Mikvah

Senior Designer Ana - ana.e@yossig.com
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com

Date:
12/20/2022 11:36:34 PM

Chapter 2: Architectural Plans
PLAN VIEW - FIRST FLOOR - H-E/ 1-5

02.19

Click To Go **GENERAL NOTES**
Click To Go **FINISHING MATERIALS**



1 PLAN VIEW - 1ST FLOOR - E-C/ 1-5

1/4" = 1'-0"



Client Zilu Grunhut, Jay Mittelman
Address 149 Acres Rd
Tel 845-442-6958 #104

Project Name 149 Acres- Monroe Womens
Mikvah

Senior Designer Ana - ana.e@yossig.com
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com

Issuances/Revisions:
Date:
12/20/2022 11:36:40 PM

Chapter 2: Architectural Plans
PLAN VIEW - FIRST FLOOR - E-C/ 1-5

02.20

[Click To Go](#)

GENERAL NOTES

[Click To Go](#)

FINISHING MATERIALS



Client Zilu Grunhut, Jay Mittelman
Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com
Issuances/Revisions:

Date:
12/20/2022 11:36:44 PM

Chapter 2: Architectural Plans
PLAN VIEW - SECOND FLOOR - H-F/1-5

02.21

[Click To Go](#)

[GENERAL NOTES](#)

[Click To Go](#)

[FINISHING MATERIALS](#)



**1 PLAN VIEW - 2ND FLOOR - E-C/ 1-5
1/4" = 1'-0"**


Click To Go

GENERAL NOTES

Click To Go

FINISHING MATERIALS

Design Team suggest to cancel
this doors due to facade
aesthetics



1 COMPARISON APPROVED - 1ST FLOOR
1" = 10'-0"

Design Team suggest to
cancel this doors due to
facade aesthetics

Click To Go
GENERAL NOTES
Click To Go
FINISHING MATERIALS

NOTE: COMPARISON CAD-FILE NAME: Revit Link - Architects - 20220728.DWG




Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com

Date:
12/20/2022 11:36:51 PM


Chapter 2: Architectural Plans
COMPARISON VIEW - FIRST FLOOR

02.23




NOTE: COMPARISON CAD-FILE NAME: Revit Link - Architects - 20220728.DWG

1 COMPARISON APPROVED - 3RD FLOOR
1" = 10'-0"




NOTE: COMPARISON CAD-FILE NAME: Revit Link - Architects - 20220728.DWG

[Click To Go](#) GENERAL NOTES
[Click To Go](#) FINISHING MATERIALS



NOTE: COMPARISON CAD-FILE NAME: Revit Link - Architects - 20220728.DWG




[Click To Go](#)


GENERAL NOTES


[Click To Go](#)

FINISHING MATERIALS



[Click To Go](#) [GENERAL NOTES](#)
[Click To Go](#) [FINISHING MATERIALS](#)







Please note:
Renderings present in this spec-book are intended to help visualize design concept only,
they do not replicate design precisely;

YOSIG.COM



Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104
Senior Designer Ana - ana.e@yossig.com
Lead Designer Maziar - maziar@yossig.com
Drafter Ivan - ivan@yossig.com
Issuances/Revisions:

Date:
12/20/2022 11:42:22 PM

Chapter 5: Exterior Elevations
RENDER

05.01





yossig
DEFINING INTERIORS




Please note:
Renderings present in this spec-book are intended to help visualize design concept only, they do not replicate design precisely;

yossig
DEFINING INTERIORS


NOT FINAL




1 LEFT ELEVATION
1/8" = 1'-0"



D EXTERIOR WALL DETAIL - D
3/8" = 1'-0"




B EXTERIOR WALL DETAIL - B
1" = 1'-0"




C EXTERIOR WALL DETAIL C
1" = 1'-0"




A EXTERIOR WALL DETAIL - A
1 1/2" = 1'-0"



5 FRONT VIEW - CANOPY TYPE4
3/4" = 1'-0"



4 LEFT VIEW - CANOPY TYPE3,4
3/4" = 1'-0"



Canopy drawings are not shop drawings. They represent design idea only. Canopy framing to be designed and analyzed by licenced NYC structural engineer. Contractor to provide shop drawings.

Click To Go


GENERAL NOTES

Click To Go



FINISHING MATERIALS



2 REAR ELEVATION
1/8" = 1'-0"



3 FRONT VIEW - CANOPY TYPE3
3/4" = 1'-0"



Date:
Date 1
12/20/2022 11:43:05 PM


Chapter 5: Exterior Elevations
REAR & LEFT ELEVATION VIEWS

05.20




Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maziar - maziar@yossig.com Revision 1
Drafter Ivan - ivan@yossig.com




Q01

Description:	Window: 3 x Fixed
Width:	3' - 3" [39"]
Height:	10' - 4" [124"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM
Notes:	<...>




Q6

Description:	Window: 9 x Fixed
Width:	12' - 8" [152"]
Height:	13' - 8" [164"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM
Notes:	<...>




Q03

Description:	Window: 21 x Fixed
Width:	25' - 2 1/2" [302 1/2"]
Height:	13' - 8" [164"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM
Notes:	<...>




Q04

Description:	Window: 4 x Fixed Door: 1 x Right In-Swing and 1 x Left Out-Swing
Width:	8' - 10" [106"]
Height:	13' - 0 1/2" [156 1/2"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM
Notes:	<...>




Q05	
Description:	Window: 4 x Fixed
Width:	8' - 0" [96"]
Height:	13' - 0 1/2" [156 1/2"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM




00

Description:	Window: 11 x Fixed Door: 1 x Right In-Swing and 1 x Double In-Swing
Width:	22' - 7 1/4" [271 1/4"]
Height:	13' - 0 1/2" [156 1/2"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM




Q11

Description:	Window: 3 x Fixed Door: 1 x Right In-Swing
Width:	8' - 0" [96"]
Height:	13' - 0 1/2" [156 1/2"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM



Q07	
Description:	Window: 3 x Fixed Door: 1 x Left In-Swing
Width:	8' - 0" [96"]
Height:	13' - 0 1/2" [156 1/2"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>



Q08	
Description:	Window: 16 x Fixed Door: 2 x Double In-Swing
Width:	28' - 6 1/2" [342 1/2"]
Height:	14' - 0" [168"]
Material:	Aluminum
Treatment:	<...>
Int. Color:	Same As Wall Color
Ext. Color:	<...>
Manufacturer:	<...>
Model:	CUSTOM


Client Zilu Grunhut, Jay Mittelman
Address 149 Acres Rd
Tel 845-442-6958 #104

Project Name 149 Acres- Monroe Womens
Mikyah

Senior Designer Ana - ana.e@yossig.com **Issuances/Revisions:**
Lead Designer Maziar - maziar@yossig.com Revision 1
Drafter Ivan - ivan@yossig.com

Date:

Chapter 6: Windows, Storefronts & Al. Doors Diagrams



1 PLUMBING PLAN - 1ST FLOOR

1/8" = 1'-0"


Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd Tel 845-442-6958 #104

Senior Designer Lead Designer Drafter Approver Designer Author

Issuances/Revisions:

Date:
12/20/2022 11:43:50 PM

Chapter 7: Plumbing & Appliances Plans
FIRST FLOOR



1 PLUMBING PLAN - 2ND FLOOR
1/8" = 1'-0"

1 PLUMBING PLAN - 2ND FLOOR
1/8" = 1'-0"


Issues/Revisions

Dat

12/20/2022 11:43:53 PM


Chapter 7: Plumbing & Appliances Plans

SECOND FLOOR




A WET CORRIDOR CEILING - DETAIL A

1" = 1'-0"



B CORRIDOR CEILING B- DETAIL

1" = 1'-0"



C CORRIDOR CEILING - DETAIL C


3" = 1'-0"

1 RCP - 1ST FLOOR
1/8" = 1'-0"




SWITCH LEGEND

Standard switch height from F.F.L. = 48"



OTHER ELECTRICAL FIXTURES

Standard height from F.F.L. = 48"




LIGHTING FIXTURES


R - Recessed F - Flush S - Sconce
P - Pendant L - LED strip T - Track And Rail

CEILING LEGEND
Dropped (4" th.) Finish: V01 Dropped (10" th.) Finish: V01 Dropped (2" th.) Finish: C66 Curved Dropped (thickness variable) Finish: V01
Curved Dropped (thickness variable) Finish: C75 Curved Dropped (thickness variable) Finish: C22 Curved Dropped (thickness variable) Finish: C19 Dropped (10" th.) Finish: V01 Dropped (12" th.) Finish: F20




SWITCH LEGEND

Standard switch height from F.F.L. = 48"


OTHER ELECTRICAL FIXTURES

Standard height from F.F.L. = 48"


LIGHTING FIXTURES

R - Recessed
P - Pendant
F - Flush
L - LED strip
S - Sconce
T - Track And Rail

CEILING	Dropped (4" th.) Finish: V01	Dropped (10" th.) Finish: V01	Dropped (2" th.) Finish: C66	Curved Dropped (thickness variable) Finish: V01	Curved Dropped (thickness variable) Finish: C75	Curved Dropped (thickness variable) Finish: C22	Curved Dropped (thickness variable) Finish: C19	Dropped (10" th.) Finish: V01	Dropped (12" th.) Finish: F20
----------------	---------------------------------	----------------------------------	---------------------------------	--	--	--	--	----------------------------------	----------------------------------

 ADD NECESSARY EXIT SIGNS AS PER ARCHITECT
DRAWINGS. TYPE AND MODEL CAN BE FOUND WITH
ELECTRICAL FIXTURES SPECIFICATIONS




Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com
Lead Designer Maryna - maryna@yossig.com
Drafter Ivan - ivan@yossig.com
Issuances/Revisions:

Date:
12/20/2022 11:44:16 PM

Chapter 9: Reflected Ceiling Plans
SECOND FLOOR

09.03



FINISHING TAG LEGEND:


- Overall Floor Finish Material
- Floor Finish Material for specified area
- Overall Wall Finish Material
- Wall Finish Material for specified area
- Baseboard Type and Finish Material
- Baseboard Finish
- Baseboard Type
- Door Tag Saddle
- Overall Room Finish Materials
- (V) - Painting:
- (C) - Wall and Floor Covering:

Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maryna - maryna@yossig.com
Drafter Ivan - ivan@yossig.com

Date:
12/20/2022 11:44:23 PM

Chapter 10: Finishing Plan Views
FIRST FLOOR



1 FINISHING - 2ND FLOOR
1/8" = 1'-0"



FINISHING TAG LEGEND:

- Overall Floor Finish Material
- Floor Finish Material for specified area
- Overall Wall Finish Material
- Wall Finish Material for specified area
- Baseboard Finish
- Baseboard Type
- Door Tag Saddle
- Overall Room Finish Materials
- (V) - Painting:
- (C) - Wall and Floor Covering:

Overall Room Finish Materials

Baseboard Finish	Room Name
Baseboard Type	Floor Finish
Door Tag Saddle	Wall Finish
Baseboard Type and Finish Material	Baseboard Type

(V) - Painting:

(C) - Wall and Floor Covering:


Covering materials that need to be scheduled as to havefootage included tiles, and wallapers.

Client Zilu Grunhut, Jay Mittelman Project Name 149 Acres- Monroe Womens Mikvah
Address 149 Acres Rd
Tel 845-442-6958 #104

Senior Designer Ana - ana.e@yossig.com Issuances/Revisions:
Lead Designer Maryna - maryna@yossig.com
Drafter Ivan - ivan@yossig.com

Date: 12/20/2022 11:44:27 PM

Chapter 10: Finishing Plan Views
SECOND FLOOR




RECEPTACLE LEGEND
Number on every receptacle indicates height of center of receptacle from F.F.L.



OTHER ELECTRICAL FIXTURES





RECEPTACLE LEGEND
Number on every receptacle indicates height of center of receptacle from F.F.L.



OTHER ELECTRICAL FIXTURES

