

©2026 Meimu Mumeino. All rights reserved.

Human-authored original research. Direct Japanese-to-English translation by the author. AI training/scraping without explicit consent is prohibited.

Original Japanese nuances are maintained. This English metadata is for international indexing purposes.

本プロジェクトは、無名乃メймによる
「無名乃メйм式完全地声アプローチ」の研究成果を記録するものです。

This project records the research results of the 'The Meimu Mumeino complete Modal Voice Approach' by Meimu Mumeino.

氏名 (name)
無名乃 メイム／Meimu Mumeino

タイトル(title)

男性が発声する女声の性別における非識別化理論

A Theory of Sex-Indistinguishable Feminine Voice Production by Male Speakers

免責事項 (disclaimer) 本論文において使用する用語の定義は、現段階における解釈に基づくものであり、今後の研究の進展に伴い、より詳細に体系化される可能性がある。

現在の日本のインターネット上には、自身の性別と異なる性の声を出す両声類という人々が存在する。本論文においては、この両声類という呼称を対象の性別と異なる声を発声する発声者の総称として定義する。また、男性が女性の声を模倣する発声を女声と定義し、その新しい女声の出し方について発案を行う。なお両声類の性別は男女を問わず、ボイスチェンジャーなどの機器を使用せず、生身の肉体のみを使い異性の声を発声する発声者

を指す。生物学的女性が出す声は女性の声など明確に女声とは区別をする。また、現在の日本における女声の出し方として大きな枠組みに、地声アプローチと裏声アプローチがある。前者は、M1を高くしてM2に切り替えて、それを利用して女声を出す方法。後者は、M2を出してからそのままそれを利用して女声を出す方法である。

The definitions of terms used in this paper are based on the current stage of interpretation and may be further systematized as the research progresses.

In the current Japanese internet community, individuals who produce voices of a gender different from their own biological sex are known as Ryouseirui. In this paper, Ryouseirui is defined as a general term for vocal practitioners who produce voices differing from their own sex. Additionally, the act of a male mimicking a female voice is defined as Feminine Voice, and this paper proposes a novel method for its production. Note that Ryouseirui refers to practitioners who use only their natural vocal apparatus to produce the Voice of the opposite sex, without the use of electronic equipment such as voice changers, regardless of their gender. Finally, we clearly distinguish the Feminine Voice from the female voice produced by biological females. Currently, in Japan, there are two major frameworks for Feminine Voice production: the Modal Voice Approach and the Falsetto Approach. The former is a method of raising the M1 (modal voice) and then switching to M2 (falsetto), utilizing it to produce a Feminine Voice. The latter is a method of producing M2 (falsetto) and utilizing it as is to produce a Feminine Voice.

Abstract (抄録)

現在、男性が女声を出すための方法としては、そのほぼ全てがM2を利用した方法を使っている。インターネット上では地声アプローチと裏声アプローチ、これらの二つが主な枠組みとして両声類における女声の出し方として定義されている。既存の方法では、女性に限りなく近い発声を男性でもすることが可能だが、実際の女性はM1を使って日常会話や歌唱の多くを発声をするので、両者の声質は異なるものになる。それらは、両声類の声をよく聞く者や聴習に長けた者には、男性により発声された音であると識別が可能という限界が存在する。そこで本論文では、両声類や誰であれこれは男性が作った女声であることを人の耳には聞き分けられないレベルにまで引き上げる新しい女声の発声の方法を提案する。そしてそれは歌と日常会話、両者で行われるものとする。なぜならば、日常会話に限る話だが、日常会話で使われる音域は歌唱と比べた際に比較的狭いものである。だが、歌唱は幅広い音域を使用する。なので、歌唱のような低音から高音までの、広範囲における音域も対象とする。本理論は、この裏声を使用した女声により発生する微細な違和感をも排除し、女性の発声と男性の発声の非識別性を達成するという仮説を提示する。加えて、フォルマント周波数を含む主要な

音質を評価するための指標が、女性の発声と同等水準に到達することも目標とする。そして今後において、この仮説の証拠を揃えるものである。

Currently, almost all methods for males to produce a Feminine Voice rely on the use of the M2. In the online community, the Modal Voice Approach and the Falsetto Approach are defined as the two primary frameworks for Feminine Voice production among Ryouseirui. While existing methods enable males to achieve vocalizations that are exceptionally close to those of females, biological females predominantly use the M1 for both daily conversation and singing, resulting in a distinct vocal quality between the two. Consequently, these methods have a limitation: they are identifiable as vocal outputs produced by a male, particularly by those who frequently listen to Ryouseirui voices or individuals with keen listening skills. Therefore, this paper proposes a novel method of Feminine Voice production that elevates the quality to a level where no human ear—whether belonging to a Ryouseirui practitioner or anyone else—can distinguish it as a male-fabricated Feminine Voice. This method is intended to be applicable to both singing and daily conversation. This is because, while it is limited to daily conversation, the vocal range used in daily conversation is relatively narrow compared to singing. However, singing uses a wide vocal range. Therefore, a broad vocal range, from low to high pitches like singing, is also targeted. This theory presents the hypothesis that by eliminating even the finest unnatural nuances generated by a Feminine Voice using this falsetto, the non-identifiability of female vocalizations and male vocalizations can be achieved. Additionally, it aims to ensure that major parameters for evaluating voice quality, including formant frequencies, reach levels equivalent to those of female vocalizations. This paper will gather evidence for this hypothesis in the future.

本論(Body) どのようにして、この論文における理論を成立させるかと言うと。まず、誰が聞いても男性が出した女声だと気づかれない声の出し方を「無名乃メイム式完全地声アプローチ」と表記する。これらの主な特徴は、M1のみを使用し、女声を男性が発声する点である。先述の通り、現在少なくとも日本の男性の両声類の多くは、M2を利用した女声を出している。これらは、女性が出すM1のみの声とは根本的に聞こえ方が違うため、熟練の両声類や聴習に長けた者には判別が可能である。M1を利用した女声を男性が出すことで、そこを女性が出す声と一致させ、人間の耳には性別の判別を不可能にさせる。しかし、この無名乃メイム式完全地声アプローチを行うには、いくつかの主要な条件が存在する。

まず、声帯を薄く振動させる技術である。

大半の声変わりを終えた平均的な男性の声帯は、平均的な女性よりも厚くて長いのである。その声帯のまま完全に女性の声と区別がつかない声を出すことは、M1のみでは極めて困難である。それを解決する一つ目の方法が、物理的に厚い声帯を薄く振動させる技術である。それを行うためには、両声類になるための練習をする必要がある。具体的には、M2発声訓練などを長期的に継続することが、有効な方法の一つである。本理論による検

証例において、著者は両声類になるための訓練を積んでいる。これにより、厚い声帯を薄く扱うことに成功した。

そして二つ目の方法が、男性が女声を出す際に必要な喉の筋肉を鍛え上げることや、女声を出すための技術の習得である。厚い声帯を薄く振動させる技術も、ここに当てはまる。例えば、一般的に男性の声道は女性よりも長い。なので厚い声帯を薄く使用しても、声変わりを終えたほとんど全ての男性は、平均的な女性の声帯や骨格とは異なる。そこで男性が発声する声と、女性が発声する声には差異が生じる。それらの解決のために、男性が女声を出すために喉の筋肉を鍛えることや、女声を出すための技術の習得が必要である。例えば喉頭挙上を意図的に行い、声道を短縮することなどである。これ以外にも複数の技術は存在するが、ここでは割愛する。

現段階で、無名乃メイム式完全地声アプローチが管見の限りほぼ確認されない要因として、そもそも変声期に伴いほとんどの男性の声帯が厚くなる。そうすると、従来のM2を使用した女声を発声する方法の方が、声が女性らしく聞こえやすいのである。なので、わざわざM1のみの女声を発声しようとする男性は限られてくるのである。次に、変声期の影響を軽微に留めた、日常的に使う話声が女声になる男性は、意図的に両声類になるための訓練を積まないことが多い点が挙げられる。なぜなら、変声期の影響が軽微に留まったので、話声が女性らしく聞こえるからだ。彼らは既に日常的に使う話声が女声として、変声期を超えても完成させられている。なので、突き詰めて女声の訓練を行わなくても、M1のみの女声になる。無名乃メイム式完全地声アプローチは、女性の声と男性が出す女声を一致させることなので、元々の話声が女性に聞こえる男性は、既に訓練を行わなくても達成されていると言える。

無名乃メイム式完全地声アプローチの習得は、変声期の影響を軽微に留めた個体などを除き、平均的な変声期を経た成人男性が、男性が出す女声のための技術や必要とする喉の筋肉を習得することで達成される。これらの条件下において、M1のみで発声を行うことにより、性別識別が不可能な女声の発声が可能になるという仮説を提示する。

To establish the theory in this paper, it is as follows. First, we define a method for producing a Feminine Voice that prevents anyone from realizing it was produced by a male as the "Meimu Mumeino Complete Modal Voice Approach." Its primary characteristic is that the male speaker produces a Feminine Voice utilizing only the M1. As previously mentioned, currently at least the majority of male Ryouseirui in Japan utilize the M2 to produce a Feminine Voice. Since these sound fundamentally different from the M1-only voices produced by females, they remain identifiable to experienced Ryouseirui and listeners with keen hearing. By producing a Feminine Voice using the M1, males can match the vocal quality of biological females, rendering gender identification impossible to the human ear. However, to implement this Meimu Mumeino Complete Modal Voice Approach, several primary conditions exist.

First is the technique of vibrating the vocal folds thinly. The vocal folds of an average male who has passed puberty are thicker and longer than those of an average female. It is extremely difficult to produce a voice completely indistinguishable from a female's voice using only the M1 with such vocal folds. The first method to resolve this is the technique to vibrate physically thick vocal folds thinly. To achieve this, it is necessary to practice to become a Ryouseirui. Specifically, continuous long-term practice such as M2 phonation training is an effective method. In the verification case of this theory, the author has undergone training to become a Ryouseirui. As a result, the author successfully manipulated thick vocal folds to vibrate thinly.

The second method involves strengthening the laryngeal muscles and acquiring the techniques necessary for males to produce a Feminine Voice. The technique of vibrating thick vocal folds thinly also falls under this category. For instance, the male vocal tract is generally longer than the female vocal tract. Therefore, even if thick vocal folds are used thinly, almost all males who have passed puberty differ from the average female vocal anatomy and skeletal structure. To resolve this, it is necessary to strengthen the laryngeal muscles and acquire specialized techniques for males to produce a Feminine Voice. A primary example is the intentional elevation of the larynx to shorten the vocal tract. While several other techniques exist, they are omitted here for brevity.

The reason why the Meimu Mumeino Complete Modal Voice Approach is rarely observed at present, to the best of our knowledge, is primarily because the vocal folds of most males thicken following puberty. Consequently, the conventional method of producing a Feminine Voice using the M2 makes it much easier to produce a voice that sounds superficially feminine. Therefore, very few males deliberately attempt to produce a Feminine Voice using only the M1. Next, individuals whose daily speech naturally became feminine due to a minimal impact during their mutation period (voice breaking) rarely undergo intentional Ryouseirui training. This is because, since the effects of puberty were minimal, their everyday speaking voices already sound feminine. Their everyday speaking voices have already been finalized as Feminine Voices even after passing through puberty. Therefore, they can produce an M1-only Feminine Voice without intensive training. Since the goal of the Meimu Mumeino Complete Modal Voice Approach is to align a male's Feminine Voice with a biological female's voice, it can be argued that males whose original speaking voices naturally sound feminine have already achieved this without training.

The mastery of the Meimu Mumeino Complete Modal Voice Approach is achieved when an average adult male who has passed through normal puberty—excluding individuals whose pubertal mutation was minimally affected—acquires the specialized techniques and develops the necessary laryngeal muscles for male Feminine Voice production. Under these conditions, this paper presents the

hypothesis that exclusive phonation in the M1 enables the production of a completely sex-indistinguishable Feminine Voice.

結語 (Conclusion)

本理論がもたらすパラダイムシフトについてだが。まず、従来の女声は管見の限り会話や歌唱などを問わず、全てにおいて多くの大衆に性別を誤認させることは十二分に可能である。しかしながら著者の管見の限りでは、かなり多くの男性が出す女声は、明らかに女性が出す声とは違うと認識される場合もある。なぜなら、現状における男性が発声する女声はM2を利用する者も多いからである。特に両声類の声をよく聞く者や聴習に長けた者には、男性により発声された音であると識別が可能という限界が存在する。ただ、無名乃メイム式完全地声アプローチを成功させた発声には、その限界がないと仮説を行っている。発声における性別を誤認させる壁が、性別による差異を超えて、条件が整えば誰でも突破可能であるという仮説を提示する。

本論文は、無名乃メイム式完全地声アプローチの基礎理論を確立し、提唱された時点を明確化してその独創性を記録することを目的とする。現段階では仮説として、男性の発声における女声の、非識別化の限界を突破する理論的枠組みを提示する。実証的データ(FFT解析等)については、本理論に基づく継続的な研究課題としてjxivなどで順次公開されるものである。

本理論が、ジェンダーフリーな発声表現を志す者や、両声類。そして発声に関わる全ての分野についてのさらなる発展に寄与することを期待する。

Regarding the paradigm shift introduced by this theory, first, conventional methods of Feminine Voice production are fully capable of inducing gender misidentification in a large general audience across both speech and singing, to the best of our knowledge. However, to the best of the author's knowledge, in many cases, a Feminine Voice produced by a male is still recognized as distinctly different from a voice produced by a biological female. As previously discussed, this is because a large number of current male practitioners rely on the M2. Particularly for those accustomed to Ryouseirui voices or individuals with keen auditory perception, there remains a limitation where the sound can be identified as male. However, this paper hypothesizes that voice production achieved through successfully executing the Meimu Mumeino Complete Modal Voice Approach is free from such limitations. We propose the hypothesis that the barrier to gender misidentification in phonation can be overcome by anyone, transcending biological sex differences, provided that the required conditions are met.

The purpose of this paper is to establish the foundational theory of the Meimu Mumeino Complete Modal Voice Approach, clarify the point in time at which it was proposed, and record its originality. At this stage, it presents a theoretical framework as a hypothesis to break through the limits of non-identifiability in male vocal

production. Empirical data, including FFT analysis, will be sequentially released on platforms such as Jxiv as part of ongoing research based on this theory.

Finally, it is hoped that this theory will contribute to the further development of all fields related to vocalization, as well as for Ryouseirui practitioners and individuals aspiring to achieve gender-free vocal expression.