Lab 5

By Rudi Aleidan

Task 1: Links and layout customization

In `apps/static/main.css` is the new CSS file with styles for the 3 link blocks (padding, text center, text color, background color, display block) and :hover, :active, and :visited for each link:

```
#link-new-tab {
    display: block;
    padding: 20px;
    text-align: center;
    background-color: #90EE90;
    color: #cc0000;
    text-decoration: underline;
}

#link-same-tab {
    display: block;
    padding: 20px;
    text-align: center;
    background-color: #444444;
    color: #FFA500;
    text-decoration: underline;
}

#link-visited {
    display: block;
    padding: 20px;
    text-align: center;
    background-color: #000000;
    color: #ffffff;
    text-decoration: underline;
}

/* Link states */
#link-new-tab:hover,
#link-same-tab:hover,
#link-visited:hover {
    color: #ff1a1a;
}

#link-new-tab:active {
    color: #990000;
}

#link-new-tab:visited {
    color: #555555;
}
```

```
#link-same-tab:active {
    color: #ff8800;
}

#link-same-tab:visited {
    color: #555555;
}

#link-visited:active {
    color: #aaaaaa;
}

#link-visited:visited {
    color: #555555;
}
```

In `apps/templates/bookmodule/links.html` is the new template that contains 3 links. The first link opens in a new tab (`target="_blank"`), the other two open in the same tab:

```
{% extends "layouts/base.html" %}
{% load static %}
{% block title %}Links Page{% endblock title %}
{% block stylesheets %}
<link rel="stylesheet" href="{% static 'main.css' %}">
{% endblock stylesheets %}
{% block content %}
<a id="link-new-tab" href="https://www.qu.edu.sa/" target="_blank">Go to
QU website (open a new tab)</a>
<a id="link-same-tab" href="https://www.qu.edu.sa/">Go to QU website (open
in the same page/tab)</a>
<a id="link-visited" href="https://www.qu.edu.sa/">Go to QU website (open
in the same page/tab)</a>
{% endblock content %}
```

In `apps/bookmodule/views.py` the `links` view was added:

```
from django.shortcuts import render

def index(request):
    return render(request, "bookmodule/index.html")

def list_books(request):
    return render(request, 'bookmodule/list_books.html')
```

```
def viewbook(request, bookId):
    return render(request, 'bookmodule/one_book.html')

def aboutus(request):
    return render(request, 'bookmodule/aboutus.html')

def links(request): # Here
    return render(request, 'bookmodule/links.html')
```

In `apps/bookmodule/urls.py` the URL `html5/links` was added to the urlpatterns list:

```
from django.urls import path
from . import views

urlpatterns = [
    path('', views.index, name= "books.index"),
    path('list_books/', views.list_books, name= "books.list_books"),
    path('<int:bookId>/', views.viewbook, name="books.view_one_book"),
    path('aboutus/', views.aboutus, name="books.aboutus"),
    path('html5/links', views.links, name="books.links"),
]
```

The output at `http://127.0.0.1:8000/books/html5/links`:



Hovering over the links:



Visited state:



Task 2: Text formatters (nested formatters)

In `apps/static/main.css` the `#formatting-heading` style was added for the h1 tag (green italic text, background color):

```
#formatting-heading {
    color: #2e7d00;
    background-color: #f0f4d8;
    padding: 10px 20px;
    font-style: italic;
}
```

In `apps/templates/bookmodule/text_formatting.html` is the new template that displays 10 formatting tags:

```
{% extends "layouts/base.html" %}
{% load static %}
{% block title %}Text Formatting{% endblock title %}
{% block stylesheets %}
<link rel="stylesheet" href="{% static 'main.css' %}">
{% endblock stylesheets %}
{% block content %}
<h1 id="formatting-heading">Example of Formatting tags</h1>
<p>This text has <b>subtext</b> using b tag</p>
<p>This text has <strong>subtext</strong> using strong tag</p>
<p>This text has <i>subtext</i> using i tag</p>
<p>This text has <em>subtext</em> using emphasize tag</p>
<p>This text has <small>subtext</small> using small tag</p>
<p>This text has <mark>subtext</mark> using mark tag</p>
<p>This text has <del>subtext</del> using del tag</p>
<p>This text has <ins>subtext</ins> using ins tag</p>
<p>This text has X<sub>subtext</sub> using sub tag</p>
<p>This text has X<sup>subtext</sup> using sup tag</p>
{% endblock content %}
```

In `apps/bookmodule/views.py` the `text_formatting` view was added:

```
def text_formatting(request): # Here
    return render(request, 'bookmodule/text_formatting.html')
```

In `apps/bookmodule/urls.py` the URL `html5/text/formatting` was added to the urlpatterns list:

```
path('html5/text/formatting', views.text_formatting,
name="books.text_formatting"),
```

The output at `http://127.0.0.1:8000/books/html5/text/formatting`:



Task 3: Listing (nested)

In `apps/static/main.css` the `#listing-heading` style was added for the h1 tag (white bold text, background color):

```
#listing-heading {
    color: #ffffff;
    background-color: #4a9090;
    padding: 10px 20px;
    font-weight: bold;
}
```

In `apps/templates/bookmodule/listing.html` is the new template that displays nested lists:

```
{% extends "layouts/base.html" %}
{% load static %}
{% block title %}Listing{% endblock title %}
{% block stylesheets %}
<link rel="stylesheet" href="{% static 'main.css' %}">
{% endblock stylesheets %}
{% block content %}
<h1 id="listing-heading">The Best Features of the Internet</h1>
<ul>
    <li>You can meet new people from countries around the world.</li>
    <li>You have access to new media as it becomes public:
        <ul>
            <li>New games</li>
            <li>New applications
                <ol>
                    <li>For business</li>
                    <li>For pleasure</li>
                </ol>
            </li>
            <li>Around the clock news</li>
            <li>Search engines</li>
            <li>Shopping</li>
            <li>Programming
                <ol>
                    <li>XML</li>
                    <li>Java</li>
                    <li>HTML5</li>
                    <li>JavaScript</li>
                    <li>New languages</li>
                </ol>
            </li>
        </ul>
    </li>
    <li>Links</li>
    <li>Keeping in touch with old friends</li>
    <li>It's the technology of the future!</li>
</ul>
{% endblock content %}
```

In `apps/bookmodule/views.py` the `listing` view was added:

```
def listing(request): # Here
    return render(request, 'bookmodule/listing.html')
```

In `apps/bookmodule/urls.py` the URL `html5/listing` was added to the urlpatterns list:

```
path('html5/listing', views.listing, name="books.listing"),
```

The output at `http://127.0.0.1:8000/books/html5/listing`:



Task 4: Tables and layout customization

In `apps/static/main.css` styles were added for the two tables (centered layout, border, padding):

```
.tables-page {
    text-align: center;
}

.fruit-table {
    margin: 20px auto;
    border-collapse: collapse;
}

.fruit-table caption {
    font-weight: bold;
    margin-bottom: 5px;
}
```

```
.fruit-table th,
.fruit-table td {
    border: 1px solid #000;
    padding: 5px 10px;
}

.camelid-table {
    margin: 20px auto;
    border-collapse: collapse;
}

.camelid-table caption {
    margin-bottom: 5px;
}

.camelid-table th,
.camelid-table td {
    border: 1px solid #000;
    padding: 8px 15px;
}
```

In `apps/templates/bookmodule/tables.html` is the new template that displays two tables:

```
{% extends "layouts/base.html" %}
{% load static %}
{% block title %}Tables{% endblock title %}
{% block stylesheets %}
<link rel="stylesheet" href="{% static 'main.css' %}">
{% endblock stylesheets %}
{% block content %}
<div class="tables-page">

<table class="fruit-table">
    <caption>Table 1: Table of Fruits and Their Prices</caption>
    <tr>
        <th>Fruit</th>
        <th>Price</th>
    </tr>
    <tr><td>Apple</td><td>$0.25</td></tr>
    <tr><td>Orange</td><td>$0.50</td></tr>
    <tr><td>Banana</td><td>$1.00</td></tr>
    <tr><td>Pineapple</td><td>$2.00</td></tr>
    <tr><th>Total</th><th>$3.75</th></tr>
</table>

<table class="camelid-table">
    <caption>Table 2: A more complex sample table</caption>
    <tr>
        <td rowspan="2"><img src="{% static 'desert.png' %}" alt="Desert"
```

```
width="200"></td>
        <th colspan="4">Camelid comparison<br>Approximate as of
6/2011</th>
    </tr>
    <tr>
        <th># of humps</th>
        <th>Indigenous region</th>
        <th>Spits?</th>
        <th>Produces wool?</th>
    </tr>
    <tr><th>Dromedary</th><td>1</td><td>Arabian Peninsula</td><td>Yes</td>
<td>Yes</td></tr>
    <tr><th>Camels (bactrian)</th><td>2</td><td>Africa/Asia</td>
<td>Yes</td><td>Yes</td></tr>
    <tr><th>Llamas</th><td>1</td><td>Andes Mountains</td><td>Yes</td>
<td>Yes</td></tr>
</table>

</div>
{% endblock content %}
```

In `apps/bookmodule/views.py` the `tables` view was added:

```
def tables(request): # Here
    return render(request, 'bookmodule/tables.html')
```

In `apps/bookmodule/urls.py` the URL `html5/tables` was added to the urlpatterns list:

```
path('html5/tables', views.tables, name="books.tables"),
```

The output at `http://127.0.0.1:8000/books/html5/tables`:



Table 1: Table of Fruits and Their Prices

Fruit	Price
Apple	$0.25
Orange	$0.50
Banana	$1.00
Pineapple	$2.00
Total	**$3.75**

Table 2: A more complex sample table

	Camelid comparison Approximate as of 6/2011			
	# of humps	**Indigenous region**	**Spits?**	**Produces wool?**
Dromedary	1	Arabian Peninsula	Yes	Yes
Camels (bactrian)	2	Africa/Asia	Yes	Yes
Llamas	1	Andes Mountains	Yes	Yes