	attemptLogin()     ∴isEmailValid(Strin)	Companism vold splets) vold case booksan vold confirm String(T. Hill) vold vold vold d booksan						delegates de  Appocompasi  Appocompasi  On Prostripas  Appocontent  Ap	PreferenceActivity() undit) te(Bandie) te(Bandie) te(Bandie) te(Bandie) te(MandYiew, Leyous/Params, trytea(Yiew, Leyous/Param mar) topes(IcharSequence, inc) ottonChanges(Cenfiguen prionsMenu() 4) AppComp	s) void void void					
	is Passward Validy     get_status()     onRessme()     onCreateOptions()     onOptions(temSe)	boolean void Mens(Mens) boolean						# supportActic p menuinflate a contentView	er M	Toolbar lenuInflater View					
	≤ showProgress(box	olean) vold nr. Bundle) Loader <cursor> oader<cursor>, Cursor) vold</cursor></cursor>					iii sibino iii Com iii Setti	panion ngsActivity()	ToYokseListener OnPre		mpanion				
		Complete(List <string>) void intent) void Intent</string>					≟ seru ≟ on!s ≟ on®:	reate(Bundle) pActionBarr) MultiParre() ulldHeaders(List <head ldFragment(String)</head 	der>)		void void boolean void boolean				
© UserLoginTask		fileQuery (ECTION String[]			lee .		₫ onO)	ptions(temSelected)Me			boolean	GeneraiPreference     GeneraiPrefer	efragment	© DataSyncPrefer	
	Boolean & Profi	ARESS Int @Companion  ANCE ProfileQuery  IPCORN()  IRC/TION String[]	all isXLorgeTablet(Contract)  a	iummaryToYalueListener() OnPreference ext) xaryToYalue Preference, Context)	eChangeListener	pMentSettingsPrefFragmen iMentSettingsPrefFragment() te(Bundle) visStemSelected(MenuSten)	■ WASettingsFragmen     ■ onPreferenceChange     void     ■ onCreate(Remotive)	(Preference, Object)	boolean and onCreat	ntionPreferenceFr te(Bundle)	mament?	GeneralPreferenceF     anCreate(Bundle)     restort, app()     anOptions(temSelection)     anoptions(temS		void and onCreate(Bundle	nceFragment()
III Main Activity  II odigitar Arraydda II service; type, deine III offensonia II	pter-project, data- booken Companion vold booken vold vold vold vold vold vold vold vold	In the send from phonese in fact in fa	String ArrayAdapter-String- ArrayAdapter-String- ArrayAdapter-String- List-big_table_data- void void void void void void void void	andispoter3 and choisen, wender, let and bother, improretly and conferente(Blandie) and translate(blandie) and translate(blandie) and photoer_opopulatie(blandie) and photoer_opopulatie(blan	_data>) data>) Vector <aendor_c ne_data="">) Vector<be_datale_c< td=""><td>data&gt;</td><td>user_database_helper ArroyAdapter<user> Trivity ti  Aled void void void void 4, felskil/ Void Void Void Void Void Void Void Void</user></td><td>ProjectOptions2: ConCreate(Bundle SectionsPag</td><td>rAskapter SectionsPag (Activity) (e) gerAdapter erAdapter</td><td>void</td><td>  divobi_takelor_fragm   Companies   Companies   divobi_takelor_fragma   onCreatefrien(Tayoud   newsisstance)   Companien   Companien   newsisstance</td><td>we)</td><td>Companion ndle) View of fragment</td><td>Acidental Acidente de Companion  Acidente Acidente  Companion  Acidente Acidente  Companion  Acidente  Acidente  Companion  Acidente  Ac</td><td>KablaniMishneFragmen</td></be_datale_c<></aendor_c>	data>	user_database_helper ArroyAdapter <user> Trivity ti  Aled void void void void 4, felskil/ Void Void Void Void Void Void Void Void</user>	ProjectOptions2: ConCreate(Bundle SectionsPag	rAskapter SectionsPag (Activity) (e) gerAdapter erAdapter	void	divobi_takelor_fragm   Companies   Companies   divobi_takelor_fragma   onCreatefrien(Tayoud   newsisstance)   Companien   Companien   newsisstance	we)	Companion ndle) View of fragment	Acidental Acidente de Companion  Acidente Acidente  Companion  Acidente Acidente  Companion  Acidente  Acidente  Companion  Acidente  Ac	KablaniMishneFragmen
and on Descrey()  grt. sabrojung. of, mel)  Companion  Companion  Beservice. sync. don	void Vector <string></string>														
© Lozfragment		⊚ divohi_takalot_edit	Q	flet_chooser	€ floor_chooser		NewTakala		© table_big_edit_ar	rayadapter		<b>©</b> d	divohi_takalot_edit	_arrayadapter	
Companion LazFroament()	Cor	mpanion		polopter ArrayAdapter big_table_di	atas adopter Arra	ayAdapter big_table_data>		er-project_data>	act toble bia edit arra	wadapter/Contex	st. Vector-ship toble disto-		ontext fivatri takolot edit s	vrovadapteriActivity. Vector-stak	Activity (plp data>)
ancreateWew(Layout)n(lo	LogFi	View	toolean 4.6	init_spinnen() on_adapter_sea(Vector <d ig_table_data="">)</d>	wold anterest (Bandle) wold anterpreter (Bandle) wold on adapter seqVec wold anterpreter (Bandle)	void void ctor<0\g_table_data>) void void	onCreate(Bundle)     hit_spitner()     on_adapter_seqVector <pre>     init_buttons()</pre>	void void ect_data>) void void	gerinewjine, kiew, k apolate_roto(,sorm)		(e, sista)		peti/lewylint, l/lew, l/le ihowfilleChooser/intl		View void
	LozFragment														
© DivohiTakalotTofesActivit  ② DivohiTakalotTofesActivit  ③ onCreate(Bundle)  ② intractic(Bundle)			© table_proje  iii toble_project  void iii onCreate(Bu  plean iii nit_toble)	ts_est(t) == male) void ==	loz_activity loz_activity() onCreate(Bundle) init_soble()	₫ totale_	_peolot_edit peolot_edit) ate(Banale) v blet) book	© table_sa ≟ toble_sa/ roid ≟ onCreate ean ≟ /n/t_toble	h/poj_editj) e(Bandie)	void boolean			a toble_ wold a onCre	ste(Bundle)	void boolean
alispatchTouchEvent(Wat		■ dispatchTouchEvent(MotionEvent) boo			dispatchTouchEvent/MotionEver		chTouchEvent(MotionEvent) book		17 ouchEvent (Motion Even		adispotchTouchEven				boolean
© table_takal_edit  doble_takal_edit)  donCreate(Bundle)  int_cable()  disporchTouchEvent(Mos	void boolean lonfwent) boolean	divohi, takalot, tofes, arrayadapter     context     divohi, takalot, tofes, arrayadapter(Activity     getViewlint, View, ViewGroup)	Activity y, List-(takolo_dato+) View	table_salproj_arrayadapter     å obble_salproj_arrayadapter(Context, ii     å_getVlemint, Vlex, VlemGroup)     å_stringToDonString(String)	View	© loz_activity_arrayadapb  aloz_activity_arrayadapter all getViewint, View, ViewGri all stringToDoorStringString	(Context, Vector <salprojiluz_data>) xxp) View</salprojiluz_data>		hne_activity() == lunsile) void ==	divohi_takalot_ divohi_takalot_a onCreate(Bundh .inic_buttons()	ectivity()proje	ect_options ct_options() este(Bunsle) void uttors() void	© table_choose  ill table_choose ill onCreate(Bu ill init_buttons)	er() ndle) void	
			-114	=			- Indian made			ble and			@ V-61	dentes Des	
KablanArrayAdapter_Inv     KablanArrayAdapter_Inve     KablanArrayAdapter_Inve	ntory_Id/Context, int, Li		jid_arrayadapter(Context, in	t; List <project_data>) 👛 table_inve</project_data>	rentory_arrayadapter entory_arrayadapter(Context, Vec		kablan_pashot_arrayadapter & kablan_poshot_arrayadapter(Co		Ne_alota>) 👛 tat		vadapter(Context, Vector<			lapter_OpriContext, int, List big_	toble_data>)
gerDropDownView(int, View) \$\text{table takala arrawadap}		ViewgetDropDownVie	lew(int, View, ViewGroup)	View	nr, View, ViewGroup)	View S flatArrayAdapter	agerView(int, View, ViewGroup)	Package table vend		tViewjint, View, Vi	nworotip)	View	<u> — детэгорионей</u>	New(int, View, ViewGroup)	View
a totale takolo arroyadapte a getViewjint, View, ViewGro	n/Context, Vector <taker< td=""><td></td><td>(Content, Vector<opr_data>,</opr_data></td><td></td><td>t, List big_table_alota&gt;)</td><td>BatArrayAdapter(Context, i     BetDropDownView(int, View)     BetDropDownView(int, V</td><td>int, List big_table_data&gt;)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></taker<>		(Content, Vector <opr_data>,</opr_data>		t, List big_table_alota>)	BatArrayAdapter(Context, i     BetDropDownView(int, View)     BetDropDownView(int, V	int, List big_table_data>)								