



standing

DESIGN BRIEF

Visual redesign handoff

for an external design AI — product, content, brand and constraints as built, so the visual system can be reimagined without breaking what the product has to say.

PRODUCT	Standing — a notary for public web pages
NETWORK	GenLayer (Intelligent Contracts, Testnet Bradbury)
STACK	Next.js 14, standalone site, contract in Python (GenVM)
STATUS	Product complete; contract not yet deployed
PREPARED	2026-07-28

A notary for public web pages, built on GenLayer

Standing is a notary for public web pages, built as a smart contract on the GenLayer blockchain. A user pastes a url; several independent validator nodes on the GenLayer network each fetch that page on their own, extract the factual claims it makes, and reach on-chain consensus on what those claims are and whether the rendered screenshot actually matches the text (catching pages that show one thing to a person and another to a script). The result is a permanent, timestamped certificate: proof that several unrelated parties saw specific claims on a specific page at a specific moment — not proof that the claims were true, only that they were said, and by whom will never be able to quietly deny it.

Why it needs GenLayer specifically

This only works on GenLayer. GenLayer's Intelligent Contracts can call out to the live web and to an LLM from inside a smart contract, and its consensus mechanism (Optimistic Democracy) resolves agreement on *meaning* rather than requiring byte-identical output — which is the only way multiple validators can ever agree on a live, ad-serving, constantly-changing web page. A conventional blockchain cannot do this at all.








“One server capturing one screenshot is a trusted party. Many nodes agreeing on the claims is evidence.”

Who it is for

- Traders and researchers who need to freeze a tokenomics or terms page before it quietly changes.
- Journalists who need something stronger than a personal screenshot to cite in a story.
- Legal / compliance teams who need a timestamped record of what a page said on a given day.
- Other dApps and dispute-resolution products that consume certificates as an evidence input via the API.

Colour tokens

One accent colour, used for exactly three things — the primary action, the verified state, and the logo mark — so the eye always knows where the product wants attention. Everything else is ink, line and cream. This is a placeholder brand suitable for reinterpretation; the discipline behind it (one accent, reserved meaning) is more important to preserve than the specific hue.

	--cream #f3f0e8 Page background. Warm off-white, never pure white.
	--panel #fbf9f4 Cards, inputs, table zebra. Barely lighter than cream.
	--ink #17160f Body text, headings, primary button fill.
	--line #ddd6c6 All borders and rules. One weight, everywhere.
	--muted #6d6759 Secondary text, labels, timestamps, captions.
	--accent #4a37c8 The ONE color of intent: primary action, verified state, the mark. Nothing else uses it.
	--accent-soft #ece9fb Accent tint for notice backgrounds and the ok tag.
	--flag #a8391b Reserved exclusively for the cloaking warning state.
	--flag-soft #f7e9e4 Flag tint for warning notice backgrounds.

Type scale

Seven sizes, nothing in between, no italics: 12 / 14 / 15 / 18 / 22 / 30 / 44 px.

Size	Used for	Notes
12px	tiny / eyebrow / mono labels	uppercase, letter-spacing 0.1em when used as a label

Size	Used for	Notes
14px	small text, nav, table body	-
15px	body copy (base size)	line-height 1.55
18px	lede paragraphs, h3-adjacent	-
22px	h3 — section sub-headings	letter-spacing -0.02em
30px	h2 — page headings	letter-spacing -0.025em
44px	display — hero headline, certificate timestamp	letter-spacing -0.03em, line-height 1.05

Fonts

Role	Stack
Sans (UI)	ui-sans-serif, system-ui, -apple-system, Segoe UI, Inter, Helvetica, Arial
Mono (data)	ui-monospace, SFMono-Regular, SF Mono, Menlo, Consolas, Liberation Mono

Mono marks anything that is data — hashes, addresses, timestamps, prices, labels. Sans marks anything that is prose. This split is a functional signal in the current design, not decoration — a reader should be able to tell “verifiable fact” from “explanation” at a glance.

Other tokens

Token	Value	Note
radius	3px	Applied everywhere — buttons, panels, cards, tags.
content width	1080px	Max width of the page wrapper.
reading width	760px	Max width for prose-heavy sections (verify, api).
border weight	1px	One weight for every rule and border in the system.

Logo mark

A square notary stamp with a clock face inside it — “notary stamps are square, clocks are round, and the product is exactly the intersection of the two.” Drawn on a 24-unit grid, non-scaling stroke so it holds down to 16px, with only two clock hands (a third reads as noise at small sizes). This is the one identity element with a real concept behind it — worth keeping conceptually even if the execution changes completely.

How the product talks

The copy is the actual design constraint here — more than the colours. The product's entire value is trustworthiness, so its own writing is held to the same precision it demands of the pages it certifies.

- Plain sentences over marketing language. No exclamation points, no 'revolutionary', no hype adjectives.
- Every claim of certainty is qualified precisely: 'agreed', 'attested', 'provisional' are three different words used for three different guarantees, never interchanged.
- The product states its own limits voluntarily and prominently, on the pages a user is most likely to screenshot and share.
- Numbers are never invented for effect. If something has not been measured, the copy says so instead of guessing.
- Monospace type marks anything that is data (hashes, addresses, timestamps, prices); proportional type marks anything that is prose.

Example, verbatim from the product

“A certificate proves several independent validators saw these claims at this time. It does not prove the claims are true, and it never will.”

“The two digests on a certificate are not worth the same, and every surface that shows them says so.”

Site map

Route	Page	What's on it
/	Home	One field to notarize a url, a live certificate shown as proof-by-example, three-step explainer, pricing, recent captures table.
/c/[id]	Certificate	The core artifact. Big timestamp, url, claims list, agreement meter, cloaking notice, on-chain record table, citation block, evidence-bundle export.
/verify	Verify	Lookup by certificate id or sha256 digest. Plain-language 'what it proves / what it does not' two-column list. Self-check instructions. Dispute process.
/watch	Watch (index)	Form to open a new watch (url, cadence, prepaid captures). Table of all watched pages with cadence, last change, next due.
/w/[id]	Watch timeline	One watched page's full history: stat row, reverse-chronological diff timeline (added/removed claims per capture), first-seen/last-seen ledger table, JSON export.
/api	API	Endpoint table, live JSON sample generated from real data, pricing, rate limits, 'what you are buying' framing for integrators.
/not-found	404	'No record here' — distinguishes a missing certificate from a failed one.

Plus a JSON API under /api/v1 (certificates, watches, and a notarize endpoint that is stubbed pending a funded relay), and an OpenGraph image route per certificate (the image most people will actually encounter, in a share or a tweet, rather than the live page).

Home (/)

Eyebrow: “// web evidence, agreed by strangers”

Headline: “Freeze what this page says.”

Sub: “Paste a url. Independent validators fetch it, agree on what it claims, and record a certificate with a screenshot digest and a timestamp.”

- One url field with an https:// prefix chip and a primary button (“Notarize this page”).
- A real certificate rendered immediately below the fold — the product explains itself by showing its output rather than a feature grid.
- A stats strip: certificate count, price per capture (0.4 GEN), typical capture time (~40s).
- Three-step explainer: 01 capture / 02 agree / 03 record.
- Price panel and Watch-mode panel side by side.
- Recent captures table.

Certificate (/c/[id])

The core artifact — “the screen the product lives or dies on.” Designed to work as a standalone shared image as much as a web page.

- Hero: the captured date + time in the largest type on the site (currently 44px), because the entire product is a claim about one moment.
- Url, page title, status tags (certificate id, cloaking / image-matches-text, finalized / provisional, watch link).
- Numbered claim list — what the validators agreed the page said.
- Diff block if a previous capture of the same url exists.
- Agreement meter (threshold cleared, not a vote count) + cloaking notice (one full sentence, not just an icon).
- On-chain record table: text sha256, screenshot sha256, characters captured, http status, threshold, requester address.
- An explicit callout on what each digest is worth (network-verified text digest vs. leader-attested screenshot digest).
- One-line citation block with a copy button, for pasting into an article or filing.
- Evidence bundle export (paid) + report/verify/watch-this-page links.

Verify (/verify)

Headline: “Check a certificate you were shown.” Lookup by id or sha256 digest, then a deliberately plain two-column list: “What a certificate proves” vs. “What it does not prove,” followed by self-check instructions (read the contract directly; hash a file yourself) and the dispute/appeal process.

Watch (/watch and /w/[id])

Headline: “Turn a certificate into a monitor.” Open a watch (url + cadence + prepaid capture count), see a table of all watched pages (cadence, last change, next due). Each watch has its own timeline page: a reverse-chronological list of captures with added/removed claims per step, plus a first-seen/last-seen ledger for

every claim ever recorded against that url.

API (/api)

Headline: “Certificates as an input to your product.” Endpoint table, a live JSON sample generated from the same function that serves the real endpoint, pricing, rate limits, and an explicit framing for integrators: “this supplies exhibits — it does not judge them.”

Reusable pieces

Component	What it does
Mark	24-unit square-stamp-with-a-clock logo mark. Non-scaling stroke, holds at 16px. Two clock hands only (three read as noise at small size).
NotarizeField	The hero input: https:// prefix chip + url field + primary button inside one bordered field. States: idle / signing / sent (~40s narration) / accepted / finalized / failed.
CertificateCard	The shareable unit — designed to work as a screenshot of itself. Header (id, timestamp, cloaking/provisional tags), claim list, digest footer.
ClaimList / ClaimDiff	Numbered claim list; diff variant marks additions with + in accent and removals with strikethrough in muted.
AgreementMeter	Horizontal threshold bar (fill = required overlap %, not 'votes') with a plain-language caption underneath.
CloakingNotice	One full sentence explaining a match or a mismatch — treated as the single most valuable line the product produces, so it gets prose, not just an icon.
CitationBlock	One pasteable sentence (url, moment, record link, disclaimer) in a code chip with a copy button.
CopyButton	Small ghost button, label flips to a 'done' state on click.
ConnectButton	Wallet connect / shortened address display in the header nav.
SampleBanner	Full-width black bar pinned above the header, shown site-wide whenever the product is running on seed data instead of a live contract.
WatchForm	Panel-style form: url, cadence select, prepaid-captures number input, live total in GEN, submit.
Tags	Small uppercase mono pills: default (muted outline), tag-ok (accent, verified), tag-flag (flag, warning), tag-prov (dashed, provisional).

Must be preserved

These are product-trust decisions, not style choices — a design AI should treat them as hard requirements regardless of the visual direction it proposes.

- The captured timestamp is the single most important element on a certificate page — it has always been the visual hero (currently the largest type on the page, 44px) and must stay the dominant focal point in any redesign.
- The distinction between the text digest (network-verified, every validator recomputed it) and the screenshot digest (leader-attested only, unverified) must remain visually and textually distinct everywhere both appear. This is a trust-critical fact, not a style choice.
- The threshold meter must never be relabeled as a vote count ('4 of 5 validators agreed') — a contract genuinely cannot see how many validators agreed, only the threshold that was cleared. Any progress/agreement visualization must stay honest to that.
- The cloaking flag (image vs. text mismatch) needs a visually distinct warning treatment — it is the product's single most valuable signal.
- Sample/demo data must stay clearly, unmissably marked as such everywhere it appears (currently a black top banner + inline notes) — the product's entire value proposition is that its records are trustworthy, so fake ones must never look real.
- Provisional (not-yet-finalized) certificates must be visually distinguishable from finalized ones.
- The site must remain data-dense but calm: it is read by journalists, traders, and compliance teams, not consumers — avoid a playful/consumer-app tone.

Open to reimagine

Everything below is a first pass built for function, not a locked brand. This is the useful surface for a design AI to actually work on.

- Overall visual language. The current build is a deliberately restrained, editorial/utilitarian system (cream paper background, one violet accent, monospace-for-data) — a placeholder brand, not a fixed one. A design AI is free to propose an entirely different direction: color system, type pairing, texture, illustration, dark mode, motion.
- The logo mark (square stamp + clock hands) is a first pass, not a locked identity. Its underlying idea — a notary stamp crossed with a clock, i.e. 'this exact thing, at this exact moment' — is worth keeping conceptually; the execution is open.
- Layout density and rhythm — current spacing/grid is functional, not art-directed.
- The certificate-as-shareable-image concept (OpenGraph card) is core to the product and should get real design attention, since it is the artifact most people will actually see (in a tweet, a Slack message, a filing) rather than the live page.
- Any illustrative or diagrammatic treatment of 'how it works' (capture → agree → record) — currently three plain text columns with no visual support.

Where the real thing lives

Item	Detail
Repo	G:\GenLayer Works\Standing
Local preview	npm run dev → http://localhost:3200
Stylesheet	app/globals.css — every token and utility class in this brief
Network	GenLayer Testnet (Bradbury)
Contract	contracts/standing.py — 29 methods, fee 0.4 GEN, threshold 6000 bps
Status	Site complete; contract deployment pending a funded wallet

This document was generated directly from the live source of the product (stylesheet, page components, and copy) on 2026-07-28, so every colour, size and sentence quoted above is exactly what currently ships — nothing here is a paraphrase.