Emerging Technology Disruption Agent Record

Mei Qiong Xue | MASY1-GC 1800 | Assignment 2

Completed build and test record with preserved weaknesses, revised results, limitations, and student judgment. GitHub push is blocked by authentication and has not been completed.

Identity and version history

- Agent / assignment: Emerging Technology Disruption Agent; MASY1-GC 1800 Assignment 2.
- Repository: https://github.com/meix719/emerging-technology-agents.git
- Local branch: assignment-2-disruption.
- GitHub push status: BLOCKED BY AUTHENTICATION, NOT COMPLETED. The HTTPS push failed because this environment had no usable GitHub credentials. No successful push or local/remote commit match has been verified. Local commits and this record do not establish remote synchronization.
- Before-testing scaffold/instructions commit: 16cbea748b60f7beb8a1c0017afd3041b7650285.
- Case-input commit: a40a5f7fa3a0f8c47e9ed86fe43006f228ef3ca4.
- Preserved v1 response commit: 9a34e0f0c49eaabc06854bfc0813428000a629e6.
- Instruction revision and weakness record commit: c944ea758db95d0463ab4f95251e9e35b6dff12f.
- The v2 responses and results record were committed as 0ad4ab9a4fa929fe6939b7a39d0208b5f0b293a4. The final-materials commit is identified in Git history and reported separately to avoid a self-referential commit identifier.

Cases and procedure

Both cases use the same AI-assisted adult, non-emergency chest-X-ray preliminary findings/draft-report task. Qualified radiologists review images and output, make final interpretations, and sign reports. Technology, task, oversight, and time-horizon wording match. Organizations and business details are explicitly hypothetical assumptions.

- Primary: ClearView Independent Radiology Practice, earning interpretation fees from referring clinics/hospitals.
- Contrast: Pine Valley Rural Hospital, earning imaging-service revenue within local care while buying external interpretation services and facing limited radiology coverage and IT/budget capacity.
- One initial response per case and one conversational rerun per case were produced after a single instruction revision. Cases, common schemas, and frozen core were unchanged. Both v1 files are preserved alongside v2.
- v2 reused the previously verified evidence base; no newly verified external evidence was introduced. Original-source retrieval limitations remain recorded in the responses.

Results

Finding	Primary	Contrast
v1 potency	Moderate, provisional	Low, provisional, for hospital business-model disruption rather than clinical risk
v1 timing/matrix	Selected tentative Moderate/Mid-term despite insufficient timing evidence	Withheld forecast timing and a definite matrix placement

Finding	Primary	Contrast
v1 response	Due diligence and conditional supervised evaluation before pricing/staffing changes	Assess bottlenecks and provider contracts before conditional evaluation
v2 potency	Moderate, provisional; interpretation-fee exposure remains the central mechanism	Low, provisional; assistance changes an input to local care without demonstrating replacement of the hospital model
v2 timing status	Explicitly unsupported; no established forecast horizon	Explicitly unsupported; no established forecast horizon
v2 conditional matrix	P-A Moderate/Mid-term; default monitor/build optionality. Alternative P-B Moderate/Near-term if dated competitive/renewal conditions occur	R-A Low/Mid-term; default low-priority routine tracking. Alternative R-B Moderate/Near-term if documented referral/imaging-margin exposure occurs
v2 management implication	Gather local clinical/economic and contract evidence; conditionally evaluate; commercial redesign depends on actual signals	Establish whether drafting is an addressable bottleneck and value reaches the hospital; preserve reviewer coverage and condition evaluation on full-pathway value
Supplied validator	v1 and v2: VALIDATION PASSED	v1 and v2: VALIDATION PASSED

The v2 placements are conditional planning scenarios, not established forecasts or most-likely outcomes. Both include assumptions, default actions, bounded implications, and evidence needed to confirm, reject, or move them. Proposed date ranges are planning categories; decision deadlines and evaluation schedules are not external threat evidence.

What stayed stable and what changed

- Stable general technology finding: Original research supports draft-generation and clinician-assistance potential, with errors and setting-dependent results. Capability evidence alone does not establish business-model disruption, local benefit, or autonomous coverage.
- Stable application finding: Draft generation affects part of the completed-report pathway; correction, reviewer availability, sign-off, and integration remain relevant. Oversight and task scope stayed constant.
- Appropriate organization-specific change: The practice faces interpretation-fee pricing and margin exposure; the hospital purchases interpretation and must demonstrate improved completed service despite reviewer dependence. Potential provider savings are distinct from hospital-captured value. These causal differences support different provisional exposure judgments and management priorities without forcing different outcomes.
- Changed from v1 to v2: Primary now declares unsupported timing rather than using caveats to select a forecast window. Contrast now retains required matrix analysis through an explicit conditional placement rather than omitting a cell. Both distinguish current learning actions from scenario-contingent responses.

Preserved weakness and instruction revision

The primary v1 response selected Moderate/Mid-term despite insufficient timing evidence, while the contrast withheld timing. Caveats alone do not justify selecting a forecast window. Analyst-defined date ranges and

assumed adoption/contract changes did not establish impact arrival. The contrast avoided unsupported forecasting but omitted a definite conditional matrix placement, leaving the required matrix exercise incomplete. Both passed structural validation despite the analytical inconsistency.

Both unchanged v1 responses were committed before revision. The specialist instructions then adopted one evidence standard for every context: dated evidence is required for a supported forecast; unsupported timing must be explicit; matrix analysis must still provide labeled conditional scenarios with assumptions, default action, bounded implication, and confirmation/change evidence. The instructions prohibit turning a scenario into a forecast in summaries, recommendations, evidence, or triggers and distinguish internal learning schedules from external impact timing.

Observed v2 improvement

Both v2 responses explicitly state that material-impact timing is unsupported and that no established forecast horizon is available. Both provide conditional matrix scenarios, alternatives, assumptions, default actions, and evidence requirements. This addresses the identified timing-labeling inconsistency in the inspected outputs while preserving the course matrix analysis. It does not establish that potency judgments, scenario choices, or clinical/commercial recommendations are empirically correct.

Remaining limitations

- Hypothetical business inputs: organizational capabilities, revenue models, coverage constraints, and potential advantages are supplied assumptions, not verified provider facts.
- No validated local economics: volumes, margins, exposed contribution, payer/contract terms, vendor/integration/support costs, demand, and value capture are not established.
- No validated local performance: no named product/version has been tested for the local population, task, quality, correction burden, signed-report performance, or service continuity. Exact jurisdiction and operational suitability remain unresolved.
- Unsupported forecast timing: no sufficient dated market, adoption, competitor, referral, or contract evidence establishes a material-impact arrival category. Conditional scenarios must remain labeled as such.
- Limited testing: two contexts, one initial response and one conversational rerun per context, one instruction revision, and no independent or blinded evaluation. The narrow assisted task does not establish whole-industry or enterprise exposure.
- One conversational rerun does not establish repeatability. Conversational carryover, generation variation, and shared evidence may influence results; these observations do not isolate a causal effect of the instruction revision.
- Structural validation checks the supplied output contract; it does not verify sources, forecast validity, clinical safety, economic value, or analytical quality. Original research results do not automatically generalize to these hypothetical organizations.

Independent professional judgment

I see AI-assisted imaging interpretation mainly as an opportunity to support radiologists. For the hypothetical independent radiology practice, it could improve reporting accuracy and efficiency, but these benefits must be demonstrated locally. Continued human review does not guarantee that staffing, responsibilities, or interpretation fees will remain unchanged.

Management should introduce the technology gradually, beginning with a limited, supervised evaluation of accuracy, feasibility, total review and correction effort, and full costs. Expansion should depend on demonstrated value while preserving qualified radiologist review and final sign-off.

My escalation trigger would be insurers reducing reimbursement for interpretation because they expect AI-assisted work to cost less. This is a hypothetical development to monitor, not an observed payer policy.

Management should determine whether a change would directly affect payments billed by the practice or reach it through renegotiated client contracts, considering the relevant billing arrangements and contract terms.

The timing of material business-model effects remains uncertain. A Moderate-severity/Mid-term placement could serve as a conditional planning scenario if validated adoption leads to reimbursement or contract pressure during that period; it is not a supported forecast. Under that scenario, monitoring and building optionality would be appropriate, with stronger action depending on documented financial exposure.

Student reflection and verification

Craft Gained

I learned that evaluating emerging technology requires more than applying patterns from past data. During testing, the agent assigned a mid-term disruption timeline without enough supporting evidence. This showed me that a plausible answer can still rest on assumptions. New technologies may create conditions that historical examples do not fully explain. In future evaluations, I will question confident timelines, distinguish forecasts from conditional scenarios, and identify what new evidence would justify changing the recommendation.

AI and Verification Note

I used ChatGPT/Codex to specialize the supplied scaffold, develop two hypothetical healthcare cases, generate structured responses, run the supplied validator, and compare results. The comparison exposed inconsistent treatment of unsupported timing. ChatGPT/Codex revised the instructions to distinguish supported forecasts from conditional planning scenarios and reran both cases while preserving the original responses.

ChatGPT checked original-source passages from Collaboration between clinicians and vision–language models in radiology report generation (Nature Medicine, DOI: 10.1038/s41591-024-03302-1), A DeepSeek-powered AI system for automated chest radiograph interpretation in clinical practice (Nature Communications, DOI: 10.1038/s41467-026-72680-6), and the FDA's List of Artificial Intelligence-Enabled Medical Devices. Fortino's supplied Chapter 1 provided the conceptual framework.

Direct access to the research articles encountered access barriers, so verification relied on retrieved publisher passages rather than complete full-text inspection. These checks were performed by ChatGPT; I do not claim personal verification of sources I did not inspect. The revised runs reused the evidence base without new external verification. Validation confirmed output structure, not factual accuracy, local performance, economic value, or repeatability.