Description of KSeF <> SmartKSeF schema mapping

- Description of KSeF <> SmartKSeF schema mapping
  - 1. Naglowek
    - 1.1 KodFormularza (attributes)
  - 2. Podmiot1
    - 2.1 Podmiot1.DaneIdentyfikacyjne (identification data of the taxpayer (seller))
    - 2.2 Podmiot1.Adres (address of the taxpayer (seller))
    - 2.3 Podmiot1.AdresKoresp (correspondence address of the taxpayer (seller))
    - 2.4 Podmiot1.DaneKontaktowe (contact details of the taxpayer (seller))
  - 3. Podmiot2
    - 3.1 Podmiot2.DaneIdentyfikacyjne (identification data of the buyer)
    - 3.2 Podmiot2.Adres (address of the buyer)
    - 3.3 Podmiot2.AdresKoresp (correspondence address of the buyer)
    - 3.4 Podmiot2.DaneKontaktowe (contact details of the buyer)
  - 4. Podmiot3
    - 4.1 Podmiot3.DaneIdentyfikacyjne (identification data of the third party)
    - 4.2 Podmiot3.Adres (address of the third party)
    - 4.3 Podmiot3.AdresKoresp (correspondence address of the third party)
    - 4.4 Podmiot3.DaneKontaktowe (contact details of the third party)
  - 5. PodmiotUpowazniony
    - 5.1 PodmiotUpowazniony.DaneIdentyfikacyjne (identification data of the authorized entity)
    - 5.2 PodmiotUpowazniony.Adres (address of the authorized entity)
    - 5.3 PodmiotUpowazniony.AdresKoresp (correspondence address of the authorized entity)
    - 5.4 PodmiotUpowazniony.DaneKontaktowe (contact details of the authorized entity)
  - 6. Fa (invoice data)
    - 6.1 Fa.OkresFa
    - 6.2 Fa.Adnotacje
      - 6.2.1 Fa.Adnotacje.Zwolnienie
      - 6.2.2 Fa.Adnotacje.NoweSrodkiTransportu
        - 6.2.2.1 Fa.Adnotacje.NoweSrodkiTransportu.NowySrodekTransportu

- 6.2.3 Fa.Adnotacje.PMarzy
- 6.3 Fa.DaneFaKorygowanej
- 6.4 Fa.Podmiot1K
  - 6.4.1 Podmiot1K.DaneIdentyfikacyjne
  - 6.4.2 Podmiot1K.Adres
- 6.5 Fa.Podmiot2K
  - 6.5.1 Podmiot2K.DaneIdentyfikacyjne
  - 6.5.2 Podmiot2K.Adres
- 6.6 Fa.ZaliczkaCzesciowa
- 6.7 Fa.DodatkowyOpis
- 6.8 Fa.FakturaZaliczkowa
- 6.9 Fa.FaWiersz
  - 6.9.1 Fa.FaWiersz.Procedura
- 6.10 Fa.Rozliczenie
  - 6.10.1 Fa.Rozliczenie.Obciazenia
  - 6.10.2 Fa.Rozliczenie.Odliczenia
- 6.11 Fa.Platnosc
  - 6.11.1 Fa.Platnosc.ZaplataCzesciowa
  - 6.11.2 Fa.Platnosc.TerminPlatnosci
  - 6.11.3 Fa.Platnosc.RachunekBankowy
  - 6.11.4 Fa.Platnosc.RachunekBankowyFaktora
  - 6.11.5 Fa.Platnosc.Skonto
- 6.12 Fa.WarunkiTransakcji
  - 6.12.1 Fa.WarunkiTransakcji.Umowy
  - 6.12.1 Fa.WarunkiTransakcji.Zamowienia
  - 6.12.1 Fa.WarunkiTransakcji.Transport
    - 6.12.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik
      - 6.12.1.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik.DaneIdentyfikacyjne
      - 6.12.1.1.2 Fa.WarunkiTransakcji.Transport.Przewoznik.AdresPrzewoznika
    - 6.12.1.2 Fa.WarunkiTransakcji.Transport.WysylkaZ
    - 6.12.1.3 Fa.WarunkiTransakcji.Transport.WysylkaPrzez
    - 6.12.1.4 Fa.WarunkiTransakcji.Transport.WysylkaDo
- 6.13 Fa.Zamowienie
- 6.13 Fa.Zamowienie.ZamowienieWiersz

- 6.13.1 Fa.Zamowienie.ZamowienieWiersz.ProceduraZ
- 7. Stopka
  - 7.1 Stopka.Informacje
  - 7.2 Stopka.Rejestry

1. Naglowek

Fields in the header section are filled by SmartKSeF (no direct mapping in the schema).

Element KSeF	Mapowanie w SmartKSeF	Description
KodFormularza	-	Field filled by SmartKSeF.
WariantFormularza	-	Field filled by SmartKSeF.
DataWytworzeniaFa	-	Field filled by SmartKSeF.
SystemInfo	-	Field filled by SmartKSeF as follows: `"SmartKSeF, ID: ${id}"` , where `${id}` is replaced by the invoice identifier in SmartKSeF.

1.1 KodFormularza (attributes)

Element KSeF	Mapowanie w SmartKSeF	Description
KodSystemowy	-	Field filled by SmartKSeF.
WersjaSchemy	-	Field filled by SmartKSeF.

2. Podmiot1

Podmiot1 represents the taxpayer's (seller's) data.

Element KSeF	Pole w SmartKSeF	Description
PrefiksPodatnika	-	Determined based on the invoice type (intra-community invoice). For the seller, PrefiksPodatnika, if present, contains the constant value "PL".
NrEORI	seller.EORI	-
DaneIdentyfikacyjne	seller.identity	-
Adres	seller.address	-
AdresKoresp	seller.correspondenceAddress	-
DaneKontaktowe	seller.contact	-
StatusInfoPodatnika	seller.status	-

2.1 Podmiot1.DaneIdentyfikacyjne (identification data of the taxpayer (seller))

Element KSeF	Pole w SmartKSeF	Description
Nip	seller.identity.taxId.nip	-
Nazwa	seller.identity.name	-

2.2 Podmiot1.Adres (address of the taxpayer (seller))

Element KSeF	Pole w SmartKSeF	Description
KodKraju	seller.address.countryCode	-
AdresL1	seller.address.line1	-
AdresL2	seller.address.line2	-
GLN	seller.address.gln	-

2.3 Podmiot1.AdresKoresp (correspondence address of the taxpayer (seller))

Element KSeF	Pole w SmartKSeF	Description
KodKraju	seller.correspondenceAddress.countryCode	-
AdresL1	seller.correspondenceAddress.line1	-
AdresL2	seller.correspondenceAddress.line2	-
GLN	seller.correspondenceAddress.gln	-

2.4 Podmiot1.DaneKontaktowe (contact details of the taxpayer (seller))

Element KSeF	Pole w SmartKSeF	Description
Email	seller.contact.email	-
Telefon	seller.contact.phoneNumber	-

3. Podmiot2

Podmiot2 represents the buyer's data.

Element KSeF	Pole w SmartKSeF	Description
NrEORI	buyer.EORI	-
DaneIdentyfikacyjne	buyer.identity	-
Adres	buyer.address	-
AdresKoresp	buyer.correspondenceAddress	-
DaneKontaktowe	buyer.contact	-

Element KSeF	Pole w SmartKSeF	Description
NrKlienta	buyer.customerId	-
IDNabywcy	`Not supported.`	-

3.1 Podmiot2.DaneIdentyfikacyjne (identification data of the buyer)

Element KSeF	Pole w SmartKSeF	Description
Nip	buyer.identity.taxId.nip	-
KodUE	buyer.identity.taxId.countryCode	If buyer.identity.taxId.type = EU.
NrVatUE	buyer.identity.taxId.eu	-
KodKraju	buyer.identity.taxId.countryCode	If buyer.identity.taxId.type = OTHER.
NrID	buyer.identity.taxId.other	-
BrakID	buyer.identity.taxId	If = `null` .
Nazwa	buyer.identity.name	-

3.2 Podmiot2.Adres (address of the buyer)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	buyer.address.countryCode	-
AdresL1	buyer.address.line1	-
AdresL2	buyer.address.line2	-
GLN	buyer.address.gln	-

3.3 Podmiot2.AdresKoresp (correspondence address of the buyer)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	buyer.correspondenceAddress.countryCode	-
AdresL1	buyer.correspondenceAddress.line1	-
AdresL2	buyer.correspondenceAddress.line2	-
GLN	buyer.correspondenceAddress.gln	-

3.4 Podmiot2.DaneKontaktowe (contact details of the buyer)

Element KSeF	Pole w SmartKSeF	Description
Email	buyer.contact.email	-
Telefon	buyer.contact.phoneNumber	-

4. Podmiot3

Podmiot3 represents the data of a third party (there are many types - payer, recipient, factor, etc.).

Element KSeF	Pole w SmartKSeF	Description
IDNabywcy	`Not supported.`	-
NrEORI	thirdParties.*.EORI	-
DaneIdentyfikacyjne	thirdParties.*.identity	-
Adres	thirdParties.*.address	-
AdresKoresp	thirdParties.*.correspondenceAddress	-
DaneKontaktowe	thirdParties.*.contact	-

Element KSeF	Pole w SmartKSeF	Description
Rola	thirdParties.*	thirdParties.factor = 1, thirdParties.recipient = 2, thirdParties.primarySeller = 3, thirdParties.additionalBuyers = 4, thirdParties.issuer = 5, thirdParties.payer = 6 thirdParties.localGovernmentUnitRecipient = 7 thirdParties.localGovernmentUnitIssuer = 8 thirdParties.vatGroupMemberRecipient = 9 thirdParties.vatGroupMemberIssuer = 10
RolaInna	thirdParties.others	For all entities listed in others.
OpisRoli	thirdParties.others.description	-
Udzial	thirdParties.additionalBuyers.percentageShare	-
NrKlienta	thirdParties.additionalBuyers.customerId	-

4.1 Podmiot3.DaneIdentyfikacyjne (identification data of the third party)

Element KSeF	Pole w SmartKSeF	Description
Nip	thirdParties.*.identity.taxId.nip	-
IDWew	`Not supported.`	-
KodUE	thirdParties.*.identity.taxId.countryCode	If thirdParties.*.identity.taxId.type = EU.
NrVatUE	thirdParties.*.identity.taxId.eu	-
KodKraju	thirdParties.*.identity.taxId.countryCode	If thirdParties.*.identity.taxId.type = OTHER.
NrID	thirdParties.*.identity.taxId.other	-

Element KSeF	Pole w SmartKSeF	Description
BrakID	thirdParties.*.identity.taxId	If = `null`
Nazwa	thirdParties.*.identity.name	-

4.2 Podmiot3.Adres (address of the third party)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	thirdParties.*.address.countryCode	-
AdresL1	thirdParties.*.address.line1	-
AdresL2	thirdParties.*.address.line2	-
GLN	thirdParties.*.address.gln	-

4.3 Podmiot3.AdresKoresp (correspondence address of the third party)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	thirdParties.*.correspondenceAddress.countryCode	-
AdresL1	thirdParties.*.correspondenceAddress.line1	-
AdresL2	thirdParties.*.correspondenceAddress.line2	-
GLN	thirdParties.*.correspondenceAddress.gln	-

4.4 Podmiot3.DaneKontaktowe (contact details of the third party)

Element KSeF	Pole w SmartKSeF	Description
Email	thirdParties.*.contact.email	-

Element KSeF	Pole w SmartKSeF	Description
Telefon	thirdParties.*.contact.phoneNumber	-

5. PodmiotUpowazniony

PodmiotUpowazniony is another (special, distinguished by KSeF) type of entity that may appear on an invoice.

Element KSeF	Pole w SmartKSeF	Description
NrEORI	empoweredParty.EORI	-
DaneIdentyfikacyjne	empoweredParty.identity	-
Adres	empoweredParty.address	-
AdresKoresp	empoweredParty.correspondenceAddress	-
DaneKontaktowe	empoweredParty.contact	-
RolaPU	empoweredParty.role	EXECUTIVE_ORGAN = 1, COUNTY_COURT_BAILIFF = 2, TAX_REPRESENTATIVE = 3

5.1 PodmiotUpowazniony.DaneIdentyfikacyjne (identification data of the authorized entity)

Element KSeF	Pole w SmartKSeF	Description
Nip	empoweredParty.identity.taxId.nip	-
Nazwa	empoweredParty.identity.name	-

5.2 PodmiotUpowazniony.Adres (address of the authorized entity)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	empoweredParty.address.countryCode	-
AdresL1	empoweredParty.address.line1	-
AdresL2	empoweredParty.address.line2	-
GLN	empoweredParty.address.gln	-

5.3 PodmiotUpowazniony.AdresKoresp (correspondence address of the authorized entity)

Element KSeF	Pole w SmartKSeF	Description
KodKraju	empoweredParty.correspondenceAddress.countryCode	-
AdresL1	empoweredParty.correspondenceAddress.line1	-
AdresL2	empoweredParty.correspondenceAddress.line2	-
GLN	empoweredParty.correspondenceAddress.gln	-

5.4 PodmiotUpowazniony.DaneKontaktowe (contact details of the authorized entity)

Element KSeF	Pole w SmartKSeF	Description
EmailPU	empoweredParty.contact.email	-
TelefonPU	empoweredParty.contact.phoneNumber	-

6. Fa (invoice data)

Element KSeF	Pole w SmartKSeF	Description
KodWaluty	transaction.currencyCode	-

Element KSeF	Pole w SmartKSeF	Description
P_1	issueDate	-
P_1M	issuePlace	-
P_2	number	-
WZ	goodsDispatchNoteNumbers	-
P_6	transaction.supplyDate	-
OkresFa	transaction.supplyPeriod	-
P_13_1	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 23 or 22
P_14_1	vat.subtotals.amount	For vat.subtotals.rate = 23 or 22
P_14_1W	vat.subtotals.convertedVatAmount	For vat.subtotals.rate = 23 or 22, when transaction.currencyCode != PLN
P_13_2	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 8 or 7
P_14_2	vat.subtotals.amount	For vat.subtotals.rate = 8 or 7
P_14_2W	vat.subtotals.convertedVatAmount	For vat.subtotals.rate = 8 or 7, when transaction.currencyCode != PLN
P_13_3	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 5
P_14_3	vat.subtotals.amount	For vat.subtotals.rate = 5
P_14_3W	vat.subtotals.convertedVatAmount	For vat.subtotals.rate = 5, when transaction.currencyCode != PLN
P_13_4	`Not supported.`	Applies to lump-sum tax for taxis.
P_14_4	`Not supported.`	Applies to lump-sum tax for taxis.
P_14_4W	`Not supported.`	Applies to lump-sum tax for taxis.
P_13_5	`Not supported.`	Applies to invoices issued to individuals.
P_14_5	`Not supported.`	Applies to invoices issued to individuals.

Element KSeF	Pole w SmartKSeF	Description
P_13_6_1	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 0, when transaction.type = LOCAL
P_13_6_2	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 0, when transaction.type = INTRA_COMMUNITY
P_13_6_3	vat.subtotals.exclusiveAmount	For vat.subtotals.rate = 0, when transaction.type = EXTRA_COMMUNITY
P_13_7	vat.exemptAmount	
P_13_8	vat.freeAmount	For transaction.type = EXTRA_COMMUNITY
P_13_9	vat.freeAmount	For transaction.type = INTRA_COMMUNITY
P_13_10	vat.freeAmount	For transaction.type = LOCAL. **This situation applies to the so-called reverse charge in domestic transactions (the provision has been withdrawn, the field remains due to the possibility of corrections).**
P_13_11	`Not supported.`	-
P_15	transaction.amount	-
KursWalutyZ	transaction.exchangeRate	-
Adnotacje	-	No direct mapping of the structure, depending on the context of the annotation, the data is placed in the appropriate structure (transaction/entity data). Details in point 6.2 Fa.Adnotacje
RodzajFaktury	type	VAT_STANDARD = VAT, VAT_PREPAYMENT = ZAL, VAT_FINAL = ROZ, VAT_SIMPLIFIED = UPR, CORRECTIVE_STANDARD = KOR, CORRECTIVE_PREPAYMENT = KOR_ZAL, CORRECTIVE_FINAL = KOR_ROZ, CORRECTIVE_SIMPLIFIED = KOR, CORRECTIVE_PERIOD = KOR

Element KSeF	Pole w SmartKSeF	Description
PrzyczynaKorekty	reason	For corrective invoices (type = CORRECTIVE_*)
TypKorekty	effectType	For corrective invoices (type = CORRECTIVE_*)
DaneFaKorygowanej	originalInvoiceRef	Details in 6.3 Fa.DaneFaKorygowanej
OkresFaKorygowanej	periodDescription	For type = CORRECTIVE_PERIOD
NrFaKorygowany	correctiveNumber	-
Podmiot1K	- (based on seller)* originalInvoiceRef.seller**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
Podmiot2K	- (based on buyer)* originalInvoiceRef.buyer** originalInvoiceRef.additionalBuyers**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
P_15ZK	transaction.amount	For corrective invoices (type = CORRECTIVE_*)
KursWalutyZK	transaction.exchangeRate	For corrective invoices (type = CORRECTIVE_*)
ZaliczkaCzesciowa	`Not supported.`	-
FP	transaction.receiptFlag	-
TP	partiesRelatedFlag	-
DodatkowyOpis	additionalInformation transaction.items.additionalInformation	-
FakturaZaliczkowa	prepaymentInvoices	For type = VAT_PREPAYMENT or VAT_FINAL. Details in 6.8 Fa.FakturaZaliczkowa

Element KSeF	Pole w SmartKSeF	Description
ZwrotAkcyzy	transaction.exciseDutyRefundFlag	-
FaWiersz	transaction.items	Details in 6.9 Fa.FaWiersz
Rozliczenie	settlement	Details in 6.10 Fa.Rozliczenie
Platnosc	transaction.payments	Details in 6.11 Fa.Platnosc
WarunkiTransakcji	transaction.terms	Details in 6.12 Fa.WarunkiTransakcji
Zamowienie	transaction	For type = VAT_PREPAYMENT. Data has been placed in transaction structures. Details in 6.13 Fa.Zamowienie

6.1 Fa.OkresFa

Element KSeF	Pole w SmartKSeF	Description
P_6_Od	transaction.supplyPeriod	According to the format (described in the interface documentation)
P_6_Do	transaction.supplyPeriod	According to the format (described in the interface documentation)

6.2 Fa.Adnotacje

Element KSeF	Pole w SmartKSeF	Description
P_16	seller.cashAccountingSchemeFlag	Cash method.
P_17	selfBillingFlag	Self-billing.
P_18	-	Reverse charge. If transaction.type != LOCAL and vat.freeAmount != 0.
P_18A	splitPaymentFlag	Split payment method.
Zwolnienie	-	Details in 6.2.1 Fa.Adnotacje.Zwolnienie
NoweSrodkiTransportu	`Not supported.`	-

Element KSeF	Pole w SmartKSeF	Description
P_23	transaction.terms.transports.*.intermediaryPartyStandardFlag	-
PMarzy	transaction.marginProcedureType	Details in 6.2.3 Fa.Adnotacje.PMarzy.

6.2.1 Fa.Adnotacje.Zwolnienie

Element KSeF	Pole w SmartKSeF	Description
P_19	-	Structure filled by SmartKSeF if **there is** (at least one) element vat.subtotals.*.amount.type = VAT_EXEMPT, the field takes the value `1` . Otherwise, the element does not appear in the XML structure.
P_19A	vat.subtotals.*.amount.reason.description	If vat.subtotals.*.amount.reason.type = BY_INTERNAL_LAW.
P_19B	vat.subtotals.*.amount.reason.description	If vat.subtotals.*.amount.reason.type = BY_UE_DIRECTIVE.
P_19C	vat.subtotals.*.amount.reason.description	If vat.subtotals.*.amount.reason.type = OTHER.
P_19N	-	Structure filled by SmartKSeF if **there is no** element vat.subtotals.*.amount.type = VAT_EXEMPT, the field takes the value `1` . Otherwise, the element does not appear in the XML structure (opposite case to P_19).

6.2.2 Fa.Adnotacje.NoweSrodkiTransportu

Element KSeF	Pole w SmartKSeF	Description
P_22	`Not supported.`	-
P_42_5	`Not supported.`	-
NowySrodekTransportu	`Not supported.`	-
P_22N	`Not supported.`	-

6.2.2.1 Fa.Adnotacje.NoweSrodkiTransportu.NowySrodekTransportu

Element KSeF	Pole w SmartKSeF	Description
P_22A	Not supported.	-
P_NrWierszaNST	Not supported.	-
P_22BMK	Not supported.	-
P_22BMD	Not supported.	-
P_22BK	Not supported.	-
P_22BNR	Not supported.	-
P_22BRP	Not supported.	-
P_22B	Not supported.	-
P_22B1	Not supported.	-
P_22B2	Not supported.	-
P_22B3	Not supported.	-
P_22B4	Not supported.	-
P_22BT	Not supported.	-
P_22C	Not supported.	-
P_22C1	Not supported.	-
P_22D	Not supported.	-
P_22D1	Not supported.	-

6.2.3 Fa.Adnotacje.PMarzy

Element KSeF	Pole w SmartKSeF	Description
P_PMarzy	marginProcedureType	If `marginProcedureType = null` , the element takes the value 1. Opposite of the `P_PMarzyN` element.
P_PMarzy_2	marginProcedureType	If `marginProcedureType = TOURISM_SERVICES` , the element takes the value 1.
P_PMarzy_3_1	marginProcedureType	If `marginProcedureType = USED_GOODS` , the element takes the value 1.
P_PMarzy_3_2	marginProcedureType	If `marginProcedureType = WORKS_OF_ART` , the element takes the value 1.
P_PMarzy_3_3	marginProcedureType	If `marginProcedureType = COLLECTIBLES_OR_ANTIQUES` , the element takes the value 1.
P_PMarzyN	marginProcedureType	If `marginProcedureType = null` , the element takes the value 1. Opposite of the `P_PMarzy` element.

6.3 Fa.DaneFaKorygowanej

Element KSeF	Pole w SmartKSeF	Description
DataWystFaKorygowanej	originalInvoiceRef.issueDate or filled by SmartKSeF (see description)	If originalInvoiceRef.type = SMARTKSEF, data filled by SmartKSeF.
NrFaKorygowanej	originalInvoiceRef.number or filled by SmartKSeF (see description)	If originalInvoiceRef.type = SMARTKSEF, data filled by SmartKSeF.
NrKSeF	-	If originalInvoiceRef.type = KSEF, the element takes the value `1` . If originalInvoiceRef.type = SMARTKSEF, the element takes the value `1` if the original invoice (the one being corrected) was registered in KSeF.
NrKSeFFaKorygowanej	originalInvoiceRef.ksefId or filled by SmartKSeF (see description)	If originalInvoiceRef.type = KSEF, the element takes the value of the field originalInvoiceRef.ksefId.
NrKSeFN	-	If originalInvoiceRef.type = OUTSIDE_KSEF, the element takes the value `1` (opposite of the NrKSeF element).

Element KSeF	Pole w SmartKSeF	Description
		If originalInvoiceRef.type = SMARTKSEF, the element takes the value `1` if the original invoice (the one being corrected) **was not** registered in KSeF.

6.4 Fa.Podmiot1K

Element KSeF	Pole w SmartKSeF	Description
PrefiksPodatnika	-	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
DaneIdentyfikacyjne	- (based on seller.identity)* originalInvoiceRef.seller.identity**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
Adres	- (based on seller.address)* originalInvoiceRef.seller.address**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

6.4.1 Podmiot1K.DaneIdentyfikacyjne

Element KSeF	Pole w SmartKSeF	Description
Nip	- (based on seller.identity.taxId.nip)*	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice.

Element KSeF	Pole w SmartKSeF	Description
	originalInvoiceRef.seller.identity.taxId.nip**	**For originalInvoiceRef.type != SMARTKSEF.
Nazwa	- (based on seller.identity.name)* originalInvoiceRef.seller.identity.name**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

6.4.2 Podmiot1K.Adres

Element KSeF	Pole w SmartKSeF	Description
KodKraju	- (based on seller.address.countryCode) originalInvoiceRef.seller.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
AdresL1	- (based on seller.address.line1) originalInvoiceRef.seller.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
AdresL2	- (based on seller.address.line2) originalInvoiceRef.seller.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

Element KSeF	Pole w SmartKSeF	Description
GLN	- (based on seller.address.gln) originalInvoiceRef.seller.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

6.5 Fa.Podmiot2K

Element KSeF	Pole w SmartKSeF	Description
DaneIdentyfikacyjne	- (based on buyer.identity)* originalInvoiceRef.buyer.identity**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
Adres	- (based on buyer.address)* originalInvoiceRef.buyer.address**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
IDNabywcy	`Not supported.`	-

6.5.1 Podmiot2K.DaneIdentyfikacyjne

Element KSeF	Pole w SmartKSeF	Description
Nip	- (based on buyer.identity.taxId.nip)*	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice.

Element KSeF	Pole w SmartKSeF	Description
	originalInvoiceRef.buyer.identity.taxId.nip**	**For originalInvoiceRef.type != SMARTKSEF.
KodUE	- (based on buyer.identity.taxId.countryCode)* originalInvoiceRef.buyer.identity.taxId.countryCode**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
NrVatUE	- (based on buyer.identity.taxId.eu)* originalInvoiceRef.buyer.identity.taxId.eu**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
KodKraju	- (based on buyer.identity.taxId.countryCode)* originalInvoiceRef.buyer.identity.taxId.countryCode**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
NrID	- (based on buyer.identity.taxId.other)* originalInvoiceRef.buyer.identity.taxId.other**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
BrakID	- (based on buyer.identity.taxId)* originalInvoiceRef.buyer.identity.taxId**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

Element KSeF	Pole w SmartKSeF	Description
Nazwa	- (based on buyer.identity.name)* originalInvoiceRef.buyer.identity.name**	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.

6.5.2 Podmiot2K.Adres

Element KSeF	Pole w SmartKSeF	Description
KodKraju	- (based on buyer.address.countryCode) originalInvoiceRef.buyer.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
AdresL1	- (based on buyer.address.line1) originalInvoiceRef.buyer.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
AdresL2	- (based on buyer.address.line2) originalInvoiceRef.buyer.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice. **For originalInvoiceRef.type != SMARTKSEF.
GLN	- (based on buyer.address.gln) originalInvoiceRef.buyer.address	*For originalInvoiceRef.type == SMARTKSEF, the system compares the data from the original invoice with those received in the correction. If there are differences, the system completes the structure with data from the original invoice.

Element KSeF	Pole w SmartKSeF	Description
		**For originalInvoiceRef.type != SMARTKSEF.

6.6 Fa.ZaliczkaCzesciowa

Element KSeF	Pole w SmartKSeF	Description
P_6Z	`Not supported.`	-
P_15Z	`Not supported.`	-
KursWalutyZW	`Not supported.`	-

6.7 Fa.DodatkowyOpis

Element KSeF	Pole w SmartKSeF	Description
NrWiersza	- transaction.items.*.number	Not applicable for `additionalInformation` placed at the invoice level. For additional information placed in `transaction.items.*.additionalInformation` .
Klucz	additionalInformation transaction.items.*.additionalInformation	Field name acting as a key in the structure.
Wartosc	additionalInformation transaction.items.*.additionalInformation	Field value assigned to the key.

6.8 Fa.FakturaZaliczkowa

Element KSeF	Pole w SmartKSeF	Description
NrKSeFZN	-	Field filled by SmartKSeF for `prepaymentInvoices.*.type = OUTSIDE_KSEF` , takes the value 1.
NrFaZaliczkowej	prepaymentInvoices.*.number	For `prepaymentInvoices.*.type = OUTSIDE_KSEF` .
NrKSeFFaZaliczkowej	prepaymentInvoices.*.ksefId -	For `prepaymentInvoices.*.type = KSEF` . For `prepaymentInvoices.*.type = SMARTKSEF` , field filled by SmartKSeF.

6.9 Fa.FaWiersz

Element KSeF	Pole w SmartKSeF	Description
NrWierszaFa	transaction.items.*.number	-
UU_ID	transaction.items.*.id	-
P_6A	transaction.items.*.supplyDate	-
P_7	transaction.items.*.name	-
Indeks	transaction.items.*.productCode	-
GTIN	transaction.items.*.gtin	-
PKWiU	transaction.items.*.pkwiu	-
CN	transaction.items.*.cn	-
PKOB	transaction.items.*.pkob	-
P_8A	transaction.items.*.unitOfMeasure	-
P_8B	transaction.items.*.quantity	-
P_9A	transaction.items.*.price	If `transaction.pricesVatScheme = VAT_EXCLUSIVE`

Element KSeF	Pole w SmartKSeF	Description
P_9B	transaction.items.*.price	If `transaction.pricesVatScheme = VAT_INCLUSIVE`
P_10	transaction.items.*.discount	-
P_11	transaction.items.*.amount	If `transaction.pricesVatScheme = VAT_EXCLUSIVE`
P_11A	transaction.items.*.amount	If `transaction.pricesVatScheme = VAT_INCLUSIVE`
P_11Vat	transaction.items.*.vat.amount	-
P_12	transaction.items.*.vat.rate	-
P_12_XII	`Not supported.`	Field applies to invoices issued to individuals in another EU country (OSS procedure). At the moment, issuing invoices to individuals in KSeF has been abandoned.
P_12_Zal_15	transaction.items.*.splitPaymentFlag	-
KwotaAkcyzy	transaction.items.*.exciseDutyAmount	-
GTU	transaction.items.*.gtu	-
Procedura	transaction.items.*.{dedicatedField}	Details in 6.9.1 Fa.FaWiersz.Procedura.
KursWaluty	transaction.items.*.exchangeRate	-
StanPrzed	-	Field filled by SmartKSeF for corrections made in the mode of indicating the state before and after the correction `transaction.method = BY_VOID` for structures passed in `transaction.items.*.originalRef` .

6.9.1 Fa.FaWiersz.Procedura

Element KSeF	Pole w SmartKSeF	Description
WSTO_EE	-	Field applies to invoices issued to individuals in another EU country (OSS procedure). At the moment, issuing invoices to individuals in KSeF has been abandoned.

Element KSeF	Pole w SmartKSeF	Description
IED	`Not supported.`	-
TT_D	transaction.items.*.intermediaryPartySimplifiedProcedureFlag	Applies only to `transaction.type = INTRA_COMMUNITY`
I_42	transaction.items.*.importFlag	Applies only to `transaction.type = INTRA_COMMUNITY`
I_63	transaction.items.*.reimportFlag	Applies only to `transaction.type = INTRA_COMMUNITY`
B_SPV	transaction.items.*.spvIssueFlag	-
B_SPV_DOSTAWA	transaction.items.*.spvSupplyFlag	-
B_MPV_PROWIZJA	transaction.items.*.mpvFeeFlag	-

6.10 Fa.Rozliczenie

Element KSeF	Pole w SmartKSeF	Description
Obciazenia	settlement.additions	Details in 6.10.1 Fa.Rozliczenie.Obciazenia.
SumaObciazen	settlement.additionAmount	-
Odliczenia	settlement.deductions	Details in 6.10.2 Fa.Rozliczenie.Odliczenia.
SumaOdliczen	settlement.deductionAmount	-
DoZaplaty	-	Field calculated by SmartKSeF based on `transaction.amount` and the sum of additions/deductions if there is an amount left to pay.
DoRozliczenia	-	Field calculated by SmartKSeF based on `transaction.amount` and the sum of additions/deductions if there is an amount left to settle with the counterparty (opposite of DoZaplaty).

6.10.1 Fa.Rozliczenie.Obciazenia

Element KSeF	Pole w SmartKSeF	Description
Kwota	settlement.additions.*.amount	-
Powod	settlement.additions.*.reason	-

6.10.2 Fa.Rozliczenie.Odliczenia

Element KSeF	Pole w SmartKSeF	Description
Kwota	settlement.deductions.*.amount	-
Powod	settlement.deductions.*.reason	-

6.11 Fa.Platnosc

Element KSeF	Pole w SmartKSeF	Description
Zaplacono	-	Field takes the value `1` , filled automatically by SmartKSeF when: `settlement = null` and `transaction.amount <= sum(settlement.payments.*.amount)` for `transaction.payments.*.type = PAID` `settlement != null` and `transaction.amount - sum(settlement.deductions.*.amount) + sum(settlement.additions.*.amount) <= 0` for `transaction.payments.*.type = PAID` . The condition <= 0 results from the fact that there may be an amount left to settle (overpayment) as part of the settlement.
DataZaplaty	max(transaction.payments.*.date)	Filled when SmartKSeF marked `Zaplacono = 1` . If several payments were used to pay, the date of the last (newest) payment is taken.
ZnacznikZaplatyCzesciowej	-	Field takes the value `1` , filled automatically by SmartKSeF when: `settlement = null` and `transaction.amount > sum(settlement.payments.*.amount)` for `transaction.payments.*.type = PAID` `settlement != null` and `transaction.amount - sum(settlement.deductions.*.amount) + sum(settlement.additions.*.amount) > 0` for `transaction.payments.*.type = PAID` .

Element KSeF	Pole w SmartKSeF	Description
ZaplataCzesciowa	-	Filled when SmartKSeF marked `ZnacznikZaplatyCzesciowej = 1` . Details in 6.11.1 Fa.Platnosc.ZaplataCzesciowa.
TerminPlatnosci	-	Filled when `transaction.payments.*.type = UNPAID` . Details in 6.11.2 Fa.Platnosc.TerminPlatnosci.
FormaPlatnosci	transaction.payments.*.method	Field filled only if all elements passed in the `transaction.payments` array have the same payment method other than `OTHER` (`transaction.payments.method != OTHER`). Mapping: CASH -> 1 CARD -> 2 VOUCHER -> 3 CHECK -> 4 CREDIT -> 5 TRANSFER -> 6 MOBILE -> 7
PlatnoscInna	-	Field filled in case of different payment forms.
OpisPlatnosci	-	Field filled automatically, in the content we indicate all occurring payment forms (with information whether it was used for payment or is to be used for future payment).
RachunekBankowy	-	For `transaction.payments.method = TRANSFER` where `bankOwnAccountType != null` . Details in 6.11.3 Fa.Platnosc.RachunekBankowy.
RachunekBankowyFaktora	-	For `transaction.payments.method = TRANSFER` where `bankOwnAccountType != null` . Details in 6.11.4 Fa.Platnosc.RachunekBankowyFaktora.
Skonto	`Not supported.`	-

6.11.1 Fa.Platnosc.ZaplataCzesciowa

Element KSeF	Pole w SmartKSeF	Description
KwotaZaplatyCzesciowej	transaction.payments.*.amount	-

Element KSeF	Pole w SmartKSeF	Description
DataZaplatyCzesciowej	transaction.payments.*.date	-

6.11.2 Fa.Platnosc.TerminPlatnosci

Element KSeF	Pole w SmartKSeF	Description
Termin	transaction.payments.*.date	-
TerminOpis	transaction.payments.*.description	-

6.11.3 Fa.Platnosc.RachunekBankowy

Element KSeF	Pole w SmartKSeF	Description
NrRB	transaction.payments.*.account.number.number	-
Swift	transaction.payments.*.account.number.swift	For `transaction.payments.*.account.number.type = IBAN` .
RachunekWlasnyBanku	-	-
NazwaBanku	transaction.payments.*.account.bankName	-
OpisRachunku	transaction.payments.*.account.description	-

6.11.4 Fa.Platnosc.RachunekBankowyFaktora

Element KSeF	Pole w SmartKSeF	Description
NrRB	transaction.payments.*.account.number.number	-
Swift	transaction.payments.*.account.number.swift	For `transaction.payments.*.account.number.type = IBAN` .

Element KSeF	Pole w SmartKSeF	Description
RachunekWlasnyBanku	transaction.payments.*.account.bankOwnAccountType	Mapping: RECEIVABLES_ASSIGNMENT -> 1 FACTORING -> 2 OWN_ECONOMY -> 3
NazwaBanku	transaction.payments.*.account.bankName	-
OpisRachunku	transaction.payments.*.account.description	-

6.11.5 Fa.Platnosc.Skonto

Element KSeF	Pole w SmartKSeF	Description
WarunkiSkonta	`Not supported.`	-
WysokoscSkonta	`Not supported.`	-

6.12 Fa.WarunkiTransakcji

Element KSeF	Pole w SmartKSeF	Description
Umowy	transaction.terms.origins	For `transaction.terms.origins.*.type = CONTRACT` . Details in 6.12.1 Fa.WarunkiTransakcji.Umowy
Zamowienia	transaction.terms.origins	For `transaction.terms.origins.*.type = ORDER` . Details in 6.12.1 Fa.WarunkiTransakcji.Zamowienia
NrPartiiTowaru	transaction.terms.lotNumbers	-
WarunkiDostawy	transaction.terms.deliveryTerms	-
KursUmowny	transaction.terms.exchange.rate	-
WalutaUmowna	transaction.terms.exchange.currency	-

Element KSeF	Pole w SmartKSeF	Description
Transport	transaction.terms.transports	Details in 6.12.1 Fa.WarunkiTransakcji.Transport
PodmiotPosredniczacy	transaction.terms.transports.*.intermediaryPartyStandardFlag	-

6.12.1 Fa.WarunkiTransakcji.Umowy

Element KSeF	Pole w SmartKSeF	Description
DataUmowy	transaction.terms.origins.*.date	-
NrUmowy	transaction.terms.origins.*.number	-

6.12.1 Fa.WarunkiTransakcji.Zamowienia

Element KSeF	Pole w SmartKSeF	Description
DataZamowienia	transaction.terms.origins.*.date	-
NrZamowienia	transaction.terms.origins.*.number	-

6.12.1 Fa.WarunkiTransakcji.Transport

Element KSeF	Pole w SmartKSeF	Description
RodzajTransportu	transaction.terms.transports.*.description	If the passed value is **consistent** with the mapping: SEA -> 1 RAIL -> 2 ROAD -> 3 AIR -> 4 POSTAL_CONSIGNMENT -> 5 FIXED_TRANSPORT_INSTALLATION -> 7 INLAND_WATERWAY -> 8

Element KSeF	Pole w SmartKSeF	Description
TransportInny	-	If the passed value is **inconsistent** with the mapping specified in `RodzajTransportu` , the flag takes the value `1` .
OpisInnegoTransportu	transaction.terms.transports.*.description	If the passed value is **inconsistent** with the mapping specified in `RodzajTransportu` .
Przewoznik	transaction.terms.transports.*.carrier	Details in 6.12.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik.
NrZleceniaTransportu	transaction.terms.transports.*.number	-
OpisLadunku	transaction.terms.transports.*.cargo.description	If the passed value is **consistent** with the mapping: CHURN -> 1 BARREL -> 2 CYLINDER -> 3 CARTON -> 4 CANISTER -> 5 CAGE -> 6 CONTAINER -> 7 BASKET -> 8 PUNNET -> 9 COLLECTIVE_PACKAGING -> 10 PACK -> 11 PACKAGE -> 12 PALETTE -> 13 SIMPLE_CONTAINER -> 14 LIQUID_CONTAINER -> 15 SOLIDS_CONTAINER -> 16 BOX -> 17 CAN -> 18 CHEST -> 19 BAG -> 20
LadunekInny	-	If the passed value is **inconsistent** with the mapping specified in `OpisLadunku` , the flag takes the value `1` .

Element KSeF	Pole w SmartKSeF	Description
OpisInnegoLadunku	transaction.terms.transports.*.cargo.description	If the passed value is **inconsistent** with the mapping specified in `OpisLadunku` .
JednostkaOpakowania	transaction.terms.transports.*.cargo.unit	-
DataGodzRozpTransportu	transaction.terms.transports.*.beginDateTime	-
DataGodzZakTransportu	transaction.terms.transports.*.endDateTime	-
WysylkaZ	transaction.terms.transports.*.initialAddress	Details in 6.12.1.2 Fa.WarunkiTransakcji.Transport.WysylkaZ
WysylkaPrzez	transaction.terms.transports.*.intermediateAddresses	Details in 6.12.1.3 Fa.WarunkiTransakcji.Transport.WysylkaPrzez
WysylkaDo	transaction.terms.transports.*.finalAddress	Details in 6.12.1.4 Fa.WarunkiTransakcji.Transport.WysylkaDo

6.12.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik

Element KSeF	Pole w SmartKSeF	Description
DaneIdentyfikacyjne	transaction.terms.transports.*.carrier.identity	Details in 6.12.1.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik.DaneIdentyfikacyjne
AdresPrzewoznika	transaction.terms.transports.*.carrier.address	Details in 6.12.1.1.2 Fa.WarunkiTransakcji.Transport.Przewoznik.AdresPrzewoznika

6.12.1.1.1 Fa.WarunkiTransakcji.Transport.Przewoznik.DaneIdentyfikacyjne

Element KSeF	Pole w SmartKSeF	Description
Nip	transaction.terms.transports.*.carrier.identity.taxId.nip	If `taxId.type = NIP` .
KodUE	transaction.terms.transports.*.carrier.identity.taxId.countryCode	If `taxId.type = EU` .
NrVatUE	transaction.terms.transports.*.carrier.identity.taxId.eu	If `taxId.type = EU` .
KodKraju	transaction.terms.transports.*.carrier.identity.taxId.countryCode	If `taxId.type = OTHER` .
NrID	transaction.terms.transports.*.carrier.identity.taxId.other	If `taxId.type = OTHER` .

Element KSeF	Pole w SmartKSeF	Description
BrakID	-	If `taxId = null` , the element takes the value 1.
Nazwa	transaction.terms.transports.*.carrier.identity.name	-

6.12.1.1.2 Fa.WarunkiTransakcji.Transport.Przewoznik.AdresPrzewoznika

Element KSeF	Pole w SmartKSeF	Description
KodKraju	transaction.terms.transports.*.carrier.address.countryCode	-
AdresL1	transaction.terms.transports.*.carrier.address.line1	-
AdresL2	transaction.terms.transports.*.carrier.address.line2	-
GLN	transaction.terms.transports.*.carrier.address.gln	-

6.12.1.2 Fa.WarunkiTransakcji.Transport.WysyłkaZ

Element KSeF	Pole w SmartKSeF	Description
KodKraju	transaction.terms.transports.*.initialAddress.countryCode	-
AdresL1	transaction.terms.transports.*.initialAddress.line1	-
AdresL2	transaction.terms.transports.*.initialAddress.line2	-
GLN	transaction.terms.transports.*.initialAddress.gln	-

6.12.1.3 Fa.WarunkiTransakcji.Transport.WysyłkaPrzez

Element KSeF	Pole w SmartKSeF	Description
KodKraju	transaction.terms.transports.*.intermediateAddresses.countryCode	-
AdresL1	transaction.terms.transports.*.intermediateAddresses.line1	-

Element KSeF	Pole w SmartKSeF	Description
AdresL2	transaction.terms.transports.*.intermediateAddresses.line2	-
GLN	transaction.terms.transports.*.intermediateAddresses.gln	-

6.12.1.4 Fa.WarunkiTransakcji.Transport.WysyłkaDo

Element KSeF	Pole w SmartKSeF	Description
KodKraju	transaction.terms.transports.*.finalAddress.countryCode	-
AdresL1	transaction.terms.transports.*.finalAddress.line1	-
AdresL2	transaction.terms.transports.*.finalAddress.line2	-
GLN	transaction.terms.transports.*.finalAddress.gln	-

6.13 Fa.Zamowienie

Element KSeF	Pole w SmartKSeF	Description
WartoscZamowienia	transaction.amount	-
ZamowienieWiersz	transaction.items	Details in 6.13 Fa.Zamowienie.ZamowienieWiersz.

6.13 Fa.Zamowienie.ZamowienieWiersz

Element KSeF	Pole w SmartKSeF	Description
NrWierszaZam	transaction.items.*.number	-
UU_IDZ	transaction.items.*.id	-
P_7Z	transaction.items.*.name	-

Element KSeF	Pole w SmartKSeF	Description
IndeksZ	transaction.items.*.productCode	-
GTINZ	transaction.items.*.gtin	-
PKWiUZ	transaction.items.*.pkwiu	-
CNZ	transaction.items.*.cn	-
PKOBZ	transaction.items.*.pkob	-
P_8AZ	transaction.items.*.unitOfMeasure	-
P_8BZ	transaction.items.*.quantity	-
P_9AZ	transaction.items.*.price	-
P_11NettoZ	transaction.items.*.amount	-
P_11VatZ	transaction.items.*.vat.amount	-
P_12Z	transaction.items.*.vat.rate	-
P_12Z_XII	`Not supported.`	Field applies to invoices issued to individuals in another EU country (OSS procedure). At the moment, issuing invoices to individuals in KSeF has been abandoned.
P_12Z_Zal_15	transaction.items.*.splitPaymentFlag	-
GTUZ	transaction.items.*.gtu	-
ProceduraZ	transaction.items.*.{dedicatedField}	Details in 6.13.1 Fa.Zamowienie.ZamowienieWiersz.ProceduraZ.
KwotaAkcyzyZ	transaction.items.*.exciseDutyAmount	-
StanPrzedZ	-	Field filled by SmartKSeF for corrections made in the mode of indicating the state before and after the correction `transaction.method = BY_VOID` for structures passed in `transaction.items.*.originalRef` .

6.13.1 Fa.Zamowienie.ZamowienieWiersz.ProceduraZ

Element KSeF	Pole w SmartKSeF	Description
WSTO_EE	-	Field applies to invoices issued to individuals in another EU country (OSS procedure). At the moment, issuing invoices to individuals in KSeF has been abandoned.
IED	`Not supported.`	-
TT_D	transaction.items.*.intermediaryPartySimplifiedProcedureFlag	Applies only to `transaction.type = INTRA_COMMUNITY`
B_SPV	transaction.items.*.spvIssueFlag	-
B_SPV_DOSTAWA	transaction.items.*.spvSupplyFlag	-
B_MPV_PROWIZJA	transaction.items.*.mpvFeeFlag	-

7. Stopka

Element KSeF	Pole w SmartKSeF	Description
Informacje	seller.additionalInformation	-
Rejestry	seller	Data has been placed in seller structures.

7.1 Stopka.Informacje

Element KSeF	Pole w SmartKSeF	Description
StopkaFaktury	seller.additionalInformation	-

7.2 Stopka.Rejestry

Element KSeF	Pole w SmartKSeF	Description
PelnaNazwa	`Not supported.`	-
KRS	seller.krs	-
REGON	seller.regon	-
BDO	seller.bdo	-