

RELASI + KONEKSI


Information architecture & database schema

Companion reference to the PRD (v1.0, MVP) · Program KKN Mekar Banjar


2 July 2026

1. User flows

1.1 Tourist — general browsing flow




1.2 Tourist — homestay contact flow (the only conversion action)



No booking form, no availability calendar, no in-site database write — this is a one-way redirect. The WhatsApp number and greeting template live in `data/homestays.ts`.

1.3 Villager — KONEKSI publish flow



Villagers cannot create new document types, edit homestays, attractions, the booklet, or downloads, or touch site settings — those don't exist in Sanity at all.

2. Database schema

ARTICLE and CATEGORY live in Sanity (KONEKSI) and have a real relation: one category categorizes many articles. HOMESTAY, ATTRACTION, BOOKLET_PAGE, and DOWNLOAD are hardcoded TypeScript arrays in the repository — by design they have no foreign keys or relations to anything.

2.1 Sanity documents (relational)

CATEGORY	
title_id	string
title_en	string
slug	slug

↓ *categorizes (one category, many articles)*

ARTICLE	
title_id	string
title_en	string
slug	slug
coverImage	image
category	reference → CATEGORY
excerpt_id	text
excerpt_en	text
body_id	portableText
body_en	portableText
publishedAt	datetime
authorName	string

title_en, excerpt_en and body_en are optional — if empty, the English site falls back to Indonesian content with an “available in Indonesian only” note. Body fields are Portable Text, not HTML or Markdown.

2.2 Hardcoded repository entities (standalone, no relations)

HOMESTAY

name_id	string
name_en	string
description_id	text
description_en	text
photos	image[]
priceRange	string
facilities	string[]
whatsappNumber	string

ATTRACTION

name_id	string
name_en	string
description_id	text
description_en	text
photos	image[]
mapLink	string

BOOKLET_PAGE

photo	image
commonName_id	string
commonName_en	string
scientificName	string
description_id	text
description_en	text

DOWNLOAD

afterMovieYoutubeUrl	string
guidebookPdf	file
guidebookCover	image

2.3 Content source → route map

Route	Data source	Notes
/{{locale}} (Home)	Sanity (latest 3 articles) + hardcoded teasers	Mixed
/{{locale}}/attractions	data/attractions.ts	Hardcoded, static import
/{{locale}}/homestay	data/homestays.ts	Hardcoded, static import
/{{locale}}/articles + /articles/[slug]	Sanity (article, category)	SOG + ISR, revalidate 60s or webhook
/{{locale}}/booklet	data/booklet.ts	Hardcoded, flip-book
/{{locale}}/downloads	data/downloads.ts	Hardcoded, YouTube embed + PDF
/{{locale}}/about	Hardcoded / messages JSON	Static

Rendering strategy: SSG with ISR for article pages only. Everything else is static at build time — no client-side fetching for primary content.

3. Open questions for the human team

Per the PRD's own rule ("if silent, ask — never guess"), flag these before implementation if not already decided:

- Exact WhatsApp greeting template text (ID and EN) per homestay.
- Final list of seed categories for articles (e.g. Berita, Acara, Cerita Desa).
- Whether the Home page's "latest 3 articles" pulls the newest by publishedAt regardless of category, or needs any filtering.