

ICPSR 25504

**National Health and Nutrition
Examination Survey (NHANES),
2005-2006**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Laboratory: Blood Total Mercury
and Blood Inorganic Mercury

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Laboratory: Blood Total Mercury and Blood Inorganic Mercury

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

LBXTHG Mercury, total (ug/L)

Location: 6-10 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, total (ug/L) English Instructions:

LBDTHGSI Mercury, total (umol/L)

Location: 11-17 (width: 7; decimal: 2)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, total (umol/L) English Instructions:

LBDTHGLC Mercury, total comment code

Location: 18-20 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, total comment code English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	At or above the detection limit	6267	66.4 %
1	Below lower detection limit	2140	22.7 %
. (M)	-	1033	10.9 %

LBXIHG Mercury, inorganic (ug/L)

Location: 21-26 (width: 6; decimal: 2)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, inorganic (ug/L) English Instructions:

LBDIHGSI Mercury, inorganic (umol/L)

Location: 27-32 (width: 6; decimal: 2)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, inorganic (umol/L) English Instructions:

LBDIHGLC Mercury, inorganic comment code

Location: 33-35 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Mercury, inorganic comment code English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	At or above the detection limit	2116	22.4 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Below lower detection limit	6255	66.3 %
. (M)	-	1069	11.3 %

SDDSRVYR

Data Release Number

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	NHANES 2005-2006 Public Release	9440	100.0 %

RIDSTATR

Interview/Examination Status

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	9440	100.0 %

RIDEXMON

Six month time period

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	4528	48.0 %
2	May 1 through October 31	4912	52.0 %

RIAGENDR

Gender

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4606	48.8 %
2	Female	4834	51.2 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	346	3.7 %
2	-	341	3.6 %
3	-	208	2.2 %
4	-	240	2.5 %
5	-	219	2.3 %
6	-	201	2.1 %
7	-	165	1.7 %
8	-	180	1.9 %
9	-	192	2.0 %
10	-	195	2.1 %
11	-	173	1.8 %
12	-	282	3.0 %
13	-	267	2.8 %
14	-	251	2.7 %
15	-	289	3.1 %
16	-	288	3.1 %
17	-	269	2.8 %
18	-	301	3.2 %
19	-	260	2.8 %
20	-	95	1.0 %
21	-	99	1.0 %
22	-	105	1.1 %
23	-	111	1.2 %
24	-	104	1.1 %
25	-	109	1.2 %
26	-	103	1.1 %
27	-	85	0.9 %
28	-	97	1.0 %
29	-	113	1.2 %
30	-	93	1.0 %
31	-	87	0.9 %
32	-	78	0.8 %
33	-	78	0.8 %
34	-	93	1.0 %
35	-	91	1.0 %
36	-	86	0.9 %
37	-	63	0.7 %
38	-	81	0.9 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	68	0.7 %
40	-	103	1.1 %
41	-	85	0.9 %
42	-	77	0.8 %
43	-	71	0.8 %
44	-	84	0.9 %
45	-	92	1.0 %
46	-	91	1.0 %
47	-	71	0.8 %
48	-	72	0.8 %
49	-	69	0.7 %
50	-	79	0.8 %
51	-	85	0.9 %
52	-	55	0.6 %
53	-	73	0.8 %
54	-	79	0.8 %
55	-	60	0.6 %
56	-	50	0.5 %
57	-	41	0.4 %
58	-	54	0.6 %
59	-	55	0.6 %
60	-	80	0.8 %
61	-	71	0.8 %
62	-	79	0.8 %
63	-	66	0.7 %
64	-	67	0.7 %
65	-	65	0.7 %
66	-	72	0.8 %
67	-	62	0.7 %
68	-	35	0.4 %
69	-	64	0.7 %
70	-	65	0.7 %
71	-	57	0.6 %
72	-	45	0.5 %
73	-	55	0.6 %
74	-	49	0.5 %
75	-	36	0.4 %
76	-	48	0.5 %
77	-	37	0.4 %
78	-	46	0.5 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	31	0.3 %
80	-	42	0.4 %
81	-	55	0.6 %
82	-	41	0.4 %
83	-	39	0.4 %
84	-	33	0.3 %
85	>= 85 years of age	148	1.6 %

RIDAGEMN Age in Months - Recode

Location: 51-54 (width: 4; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 55-58 (width: 4; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 59-61 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2514	26.6 %
2	Other Hispanic	310	3.3 %
3	Non-Hispanic White	3631	38.5 %
4	Non-Hispanic Black	2532	26.8 %
5	Other Race - Including Multi-Racial	453	4.8 %

DMQMILIT Veteran/Military Status

Location: 62-64 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	678	7.2 %
2	No	4922	52.1 %
7	Refused	3	0.0 %
. (M)	-	3837	40.6 %

- Study 25504 -

DMDBORN

Country of Birth - Recode

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7962	84.3 %
2	Born in Mexico	921	9.8 %
3	Born Elsewhere	554	5.9 %
7	Refused	3	0.0 %

DMDCITZN

Citizenship Status

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	8380	88.8 %
2	Not a citizen of the US	1055	11.2 %
7	Refused	5	0.1 %

DMDYRSUS

Length of time in US

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	52	0.6 %
2	1 yr., less than 5 yrs.	319	3.4 %
3	5 yrs., less than 10 yrs.	329	3.5 %
4	10 yrs., less than 15 yrs.	215	2.3 %
5	15 yrs., less than 20 yrs.	125	1.3 %
6	20 yrs., less than 30 yrs.	184	1.9 %
7	30 yrs., less than 40 yrs.	107	1.1 %
8	40 yrs., less than 50 yrs.	51	0.5 %
9	50 years or more	54	0.6 %
77	Refused	15	0.2 %
99	Don't know	21	0.2 %
. (M)	-	7968	84.4 %

- Study 25504 -

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	232	2.5 %
1	1st Grade	185	2.0 %
2	2nd Grade	182	1.9 %
3	3rd Grade	204	2.2 %
4	4th Grade	197	2.1 %
5	5th Grade	201	2.1 %
6	6th Grade	280	3.0 %
7	7th Grade	255	2.7 %
8	8th Grade	294	3.1 %
9	9th Grade	282	3.0 %
10	10th Grade	300	3.2 %
11	11th Grade	264	2.8 %
12	12th Grade, No Diploma	46	0.5 %
13	High School Graduate	204	2.2 %
14	GED or Equivalent	10	0.1 %
15	More than high school	139	1.5 %
66	Less Than 9th Grade	36	0.4 %
99	Don't know	1	0.0 %
. (M)	-	6128	64.9 %

DMDEDUC2 Education Level - Adults 20+

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	597	6.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	733	7.8 %
3	High School Grad/GED or Equivalent	1136	12.0 %
4	Some College or AA degree	1361	14.4 %
5	College Graduate or above	939	9.9 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Refused	4	0.0 %
9	Don't Know	3	0.0 %
. (M)	-	4667	49.4 %

DMDSCHOL **Now attending school?**

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2248	23.8 %
2	On vacation from school (between grades)	533	5.6 %
3	Neither in school or on vacation from school (btwn grades)	295	3.1 %
. (M)	-	6364	67.4 %

DMDMARTL **Marital Status**

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2618	27.7 %
2	Widowed	430	4.6 %
3	Divorced	449	4.8 %
4	Separated	158	1.7 %
5	Never married	2312	24.5 %
6	Living with partner	456	4.8 %
77	Refused	6	0.1 %
99	Don't know	1	0.0 %
. (M)	-	3010	31.9 %

DMDHHSIZ **Total number of people in the Household**

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	734	7.8 %
2	-	1785	18.9 %
3	-	1724	18.3 %
4	-	1983	21.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	1577	16.7 %
6	-	795	8.4 %
7	7 or more people in the Household	842	8.9 %

D MDFMSIZ Total number of people in the Family

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1178	12.5 %
2	-	1599	16.9 %
3	-	1659	17.6 %
4	-	1935	20.5 %
5	-	1542	16.3 %
6	-	790	8.4 %
7	7 or more people in the Family	737	7.8 %

INDHHINC Annual Household Income

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	232	2.5 %
2	\$ 5,000 to \$ 9,999	395	4.2 %
3	\$10,000 to \$14,999	731	7.7 %
4	\$15,000 to \$19,999	720	7.6 %
5	\$20,000 to \$24,999	735	7.8 %
6	\$25,000 to \$34,999	1212	12.8 %
7	\$35,000 to \$44,999	912	9.7 %
8	\$45,000 to \$54,999	846	9.0 %
9	\$55,000 to \$64,999	574	6.1 %
10	\$65,000 to \$74,999	520	5.5 %
11	\$75,000 and Over	2023	21.4 %
12	Over \$20,000	169	1.8 %
13	Under \$20,000	65	0.7 %
77	Refused	59	0.6 %
99	Don't know	143	1.5 %
. (M)	-	104	1.1 %

- Study 25504 -

INDFMINC Annual Family Income

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	320	3.4 %
2	\$ 5,000 to \$ 9,999	450	4.8 %
3	\$10,000 to \$14,999	789	8.4 %
4	\$15,000 to \$19,999	746	7.9 %
5	\$20,000 to \$24,999	771	8.2 %
6	\$25,000 to \$34,999	1218	12.9 %
7	\$35,000 to \$44,999	928	9.8 %
8	\$45,000 to \$54,999	825	8.7 %
9	\$55,000 to \$64,999	532	5.6 %
10	\$65,000 to \$74,999	486	5.1 %
11	\$75,000 and Over	1916	20.3 %
12	Over \$20,000	122	1.3 %
13	Under \$20,000	64	0.7 %
77	Refused	62	0.7 %
99	Don't know	125	1.3 %
. (M)	-	86	0.9 %

INDFMPIR Family PIR

Location: 98-102 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab pregnancy test or self-reported pregnant	371	3.9 %
2	SP not pregnant at exam	2781	29.5 %
3	Cannot ascertain if SP is pregnant at exam	103	1.1 %
. (M)	-	6185	65.5 %

- Study 25504 -

DMDHRGND

HH Ref Person Gender

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5091	53.9 %
2	Female	4349	46.1 %

DMDHRAGE

HH Ref Person Age

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	3	0.0 %
18	-	85	0.9 %
19	-	118	1.2 %
20	-	101	1.1 %
21	-	98	1.0 %
22	-	102	1.1 %
23	-	109	1.2 %
24	-	164	1.7 %
25	-	190	2.0 %
26	-	205	2.2 %
27	-	207	2.2 %
28	-	177	1.9 %
29	-	206	2.2 %
30	-	176	1.9 %
31	-	240	2.5 %
32	-	207	2.2 %
33	-	242	2.6 %
34	-	244	2.6 %
35	-	291	3.1 %
36	-	248	2.6 %
37	-	247	2.6 %
38	-	259	2.7 %
39	-	244	2.6 %
40	-	338	3.6 %
41	-	257	2.7 %
42	-	298	3.2 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	257	2.7 %
44	-	220	2.3 %
45	-	235	2.5 %
46	-	213	2.3 %
47	-	242	2.6 %
48	-	186	2.0 %
49	-	140	1.5 %
50	-	159	1.7 %
51	-	205	2.2 %
52	-	115	1.2 %
53	-	145	1.5 %
54	-	118	1.2 %
55	-	90	1.0 %
56	-	98	1.0 %
57	-	84	0.9 %
58	-	70	0.7 %
59	-	77	0.8 %
60	-	110	1.2 %
61	-	78	0.8 %
62	-	118	1.2 %
63	-	92	1.0 %
64	-	83	0.9 %
65	-	90	1.0 %
66	-	82	0.9 %
67	-	77	0.8 %
68	-	33	0.3 %
69	-	82	0.9 %
70	-	85	0.9 %
71	-	71	0.8 %
72	-	43	0.5 %
73	-	59	0.6 %
74	-	50	0.5 %
75	-	39	0.4 %
76	-	74	0.8 %
77	-	33	0.3 %
78	-	48	0.5 %
79	-	35	0.4 %
80	-	40	0.4 %
81	-	49	0.5 %
82	-	49	0.5 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
83	-	38	0.4 %
84	-	26	0.3 %
85	>= 85 years of age	146	1.5 %

DMDHRBRN HH Ref Person Country of Birth

Location: 112-114 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	6834	72.4 %
2	Born in Mexico	1490	15.8 %
3	Born Elsewhere	834	8.8 %
7	Refused	3	0.0 %
9	Don't know	2	0.0 %
. (M)	-	277	2.9 %

DMDHREDU HH Ref Person Education Level

Location: 115-117 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1142	12.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	1555	16.5 %
3	High School Grad/GED or equivalent	2193	23.2 %
4	Some College or AA degree	2560	27.1 %
5	College Graduate or above	1659	17.6 %
7	Refused	8	0.1 %
9	Don't know	46	0.5 %
. (M)	-	277	2.9 %

DMDHRMAR HH Ref Person Marital Status

Location: 118-120 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	5454	57.8 %
2	Widowed	545	5.8 %
3	Divorced	879	9.3 %
4	Separated	417	4.4 %
5	Never married	1261	13.4 %
6	Living with partner	572	6.1 %
77	Refused	37	0.4 %
99	Don't know	2	0.0 %
. (M)	-	273	2.9 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	707	7.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	650	6.9 %
3	High School Grad/GED or equivalent	1139	12.1 %
4	Some College or AA degree	1408	14.9 %
5	College Graduate or above	1130	12.0 %
7	Refused	4	0.0 %
9	Don't know	19	0.2 %
. (M)	-	4383	46.4 %

SIALANG Language of SP Interview

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8115	86.0 %
2	Spanish	1323	14.0 %
. (M)	-	2	0.0 %

SIAPROXY Proxy used in SP Interview?

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3583	38.0 %
2	No	5855	62.0 %
. (M)	-	2	0.0 %

SIAINTRP

Interpreter used in SP Interview?

Location:

130-132 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	186	2.0 %
2	No	9252	98.0 %
. (M)	-	2	0.0 %

FIALANG

Language of Family Interview

Location:

133-135 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8456	89.6 %
2	Spanish	895	9.5 %
. (M)	-	89	0.9 %

FIAPROXY

Proxy used in Family Interview?

Location:

136-138 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	14	0.1 %
2	No	9337	98.9 %
. (M)	-	89	0.9 %

FIAINTRP

Interpreter used in Family Interview?

Location:

139-141 (width: 3; decimal: 0)

Variable Type:

numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	168	1.8 %
2	No	9183	97.3 %
. (M)	-	89	0.9 %

MIALANG

Language of MEC Interview

Location:

142-144 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6497	68.8 %
2	Spanish	639	6.8 %
. (M)	-	2304	24.4 %

MIAPROXY

Proxy used in MEC Interview?

Location:

145-147 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	51	0.5 %
2	No	7085	75.1 %
. (M)	-	2304	24.4 %

MIAINTRP

Interpreter used in MEC Interview?

Location:

148-150 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	19	0.2 %
2	No	7117	75.4 %
. (M)	-	2304	24.4 %

AIALANG

Language of ACASI Interview

Location:

151-153 (width: 3; decimal: 0)

Variable Type:

numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6660	70.6 %
2	Spanish	665	7.0 %
. (M)	-	2115	22.4 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 154-167 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 168-181 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4690	49.7 %
2	4750	50.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	707	7.5 %
45	597	6.3 %
46	715	7.6 %
47	586	6.2 %
48	578	6.1 %
49	858	9.1 %
50	609	6.5 %
51	591	6.3 %
52	609	6.5 %
53	564	6.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
54	631	6.7 %
55	608	6.4 %
56	684	7.2 %
57	619	6.6 %
58	484	5.1 %