

ICPSR 25504

**National Health and Nutrition
Examination Survey (NHANES),
2005-2006**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Physical Activity

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Physical Activity

SEQN	Respondent sequence number
------	----------------------------

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

PAD020	Walked or bicycled over past 30 days
--------	--------------------------------------

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The next series of questions are about physical activities that {you/SP} {have/has} done over the past 30 days. First I will ask about activities that are related to transportation. Then I'll ask about physical activities that {you/he/she} do at school or in {your/his/her} leisure time. Over the past 30 days, {have/has} {you/SP} walked or bicycled as part of getting to and from work, or school, or to do errands? English Instructions: CODE 'UNABLE TO DO' ONLY IF RESPONDENT VOLUNTEERS.

Value	Label	Unweighted Frequency	%
1	Yes	2370	25.1 %
2	No	4644	49.3 %
3	Unable to do activity	135	1.4 %
7	Refused	2	0.0 %
. (M)	-	2273	24.1 %

PAQ050Q	# times walked or bicycled
---------	----------------------------

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: [Over the past 30 days], how often did {you/SP} do this? [Walk or bicycle as part of getting to and from work, or school, or to do errands.] PROBE: How many times per day, per week, or per month did {you/s/he} do these activities? English Instructions: ENTER NUMBER OF TIMES (PER DAY, WEEK OR MONTH).

Value	Label	Unweighted Frequency	%
1	-	649	6.9 %
2	-	522	5.5 %
3	-	326	3.5 %
4	-	170	1.8 %
5	-	362	3.8 %
6	-	54	0.6 %
7	-	81	0.9 %
8	-	15	0.2 %
9	-	2	0.0 %
10	-	55	0.6 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	4	0.0 %
12	-	10	0.1 %
13	-	3	0.0 %
14	-	8	0.1 %
15	-	28	0.3 %
16	-	1	0.0 %
20	-	31	0.3 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
30	-	27	0.3 %
34	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
50	-	1	0.0 %
90	-	1	0.0 %
100	-	1	0.0 %
. (M)	-	7054	74.9 %

PAQ050U **Unit of measure (day/week/month)**

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: UNIT OF MEASURE. English Instructions: ENTER UNIT.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Day	661	7.0 %
2	Week	1071	11.4 %
3	Month	638	6.8 %
. (M)	-	7054	74.9 %

PAD080 **How long per day (minutes)**

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: On those days when {you/SP} walked or bicycled, about how long did {you/s/he} spend altogether doing this (minutes)? English Instructions: ENTER NUMBER (OF MINUTES).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	12	0.1 %
2	-	7	0.1 %
3	-	15	0.2 %
4	-	3	0.0 %
5	-	69	0.7 %
6	-	13	0.1 %
7	-	1	0.0 %
8	-	5	0.1 %
10	-	303	3.2 %
11	-	2	0.0 %
12	-	4	0.0 %
13	-	2	0.0 %
15	-	266	2.8 %
16	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	287	3.0 %
25	-	35	0.4 %
29	-	1	0.0 %
30	-	517	5.5 %
35	-	8	0.1 %
40	-	59	0.6 %
45	-	95	1.0 %
50	-	5	0.1 %
55	-	2	0.0 %
60	-	357	3.8 %
70	-	2	0.0 %
75	-	2	0.0 %
80	-	2	0.0 %
90	-	45	0.5 %
100	-	1	0.0 %
101	-	1	0.0 %
105	-	2	0.0 %
115	-	1	0.0 %
120	-	131	1.4 %
150	-	2	0.0 %
180	-	56	0.6 %
210	-	1	0.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
240	-	17	0.2 %
300	-	17	0.2 %
360	-	7	0.1 %
420	-	2	0.0 %
480	-	2	0.0 %
600	-	1	0.0 %
. (M)	-	7061	74.9 %

PAQ100 **Tasks around home/yard past 30 days**

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: Over the past 30 days, did {you/SP} do any tasks in or around {your/his/her} home or yard for at least 10 minutes that required moderate or greater physical effort? By moderate physical effort I mean, tasks that caused light sweating or a slight to moderate increase in {your/his/her} heart rate or breathing. [Such as raking leaves, mowing the lawn or heavy cleaning.] English Instructions: CODE 'UNABLE TO DO' ONLY IF RESPONDENT VOLUNTEERS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3637	38.6 %
2	No	2362	25.1 %
3	Unable to do activity	138	1.5 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	3285	34.9 %

PAD120 **# of times past 30 days**

Location: 21-25 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: [Over the past 30 days], how often did {you/SP} do these tasks in or around {your/his/her} home or yard, that is tasks requiring at least moderate effort? [Such as raking leaves, mowing the lawn or heavy cleaning.] PROBE: How many times per day, per week, or per month did {you/s/he} do these activities? English Instructions: ENTER NUMBER (OF TIMES past 30 days).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	304	3.2 %
2	-	420	4.5 %
3	-	178	1.9 %
4	-	900	9.6 %
5	-	99	1.1 %
6	-	34	0.4 %
7	-	15	0.2 %
8	-	27	0.3 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	455	4.8 %
10	-	71	0.8 %
12	-	11	0.1 %
13	-	292	3.1 %
15	-	37	0.4 %
16	-	2	0.0 %
17	-	107	1.1 %
20	-	23	0.2 %
21	-	72	0.8 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	8	0.1 %
26	-	8	0.1 %
30	-	508	5.4 %
43	-	5	0.1 %
47	-	1	0.0 %
60	-	37	0.4 %
90	-	8	0.1 %
107	-	1	0.0 %
113	-	1	0.0 %
120	-	6	0.1 %
99999	Don't know	2	0.0 %
. (M)	-	5789	61.4 %

PAD160

How long each time (minutes)

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: About how long did {you/SP} do these tasks each time (minutes)? English Instructions: IF MORE THAN 1 TASK, ASK FOR TASK DONE MOST OFTEN. ENTER NUMBER (OF MINUTES).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	111	1.2 %
12	-	4	0.0 %
15	-	171	1.8 %
20	-	242	2.6 %
22	-	1	0.0 %
25	-	24	0.3 %
28	-	1	0.0 %
30	-	648	6.9 %
35	-	11	0.1 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	1	0.0 %
40	-	29	0.3 %
45	-	167	1.8 %
48	-	1	0.0 %
50	-	2	0.0 %
60	-	1010	10.7 %
75	-	6	0.1 %
80	-	1	0.0 %
90	-	133	1.4 %
120	-	658	7.0 %
150	-	8	0.1 %
180	-	193	2.0 %
240	-	97	1.0 %
300	-	34	0.4 %
360	-	25	0.3 %
420	-	1	0.0 %
480	-	36	0.4 %
540	-	2	0.0 %
600	-	7	0.1 %
. (M)	-	5800	61.5 %

PAQ180 **Avg level of physical activity each day**

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: Please tell me which of these four sentences best describes {your/SP's} usual daily activities? [Daily activities may include {your/his/her} work, housework if {you are/s/he is} a homemaker, going to and attending classes if {you are/s/he is} a student, and what {you/s/he} normally {do/does} throughout a typical day if {you are/he/she is} a retiree or unemployed.] . . . English Instructions: HAND CARD PAQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	{you sit/he/she sits} during the day and {do/does} not walk	1399	14.8 %
2	{you/he/she stands or walks} a lot, but {do/does} not lift	3120	33.1 %
3	{you/he/she} lift(s) light load or climb(s) stairs or hills	1150	12.2 %
4	{you/he/she} {do/does} heavy work or {carry/carries} loads	464	4.9 %
7	Refused	2	0.0 %
9	Don't know	4	0.0 %
. (M)	-	3285	34.9 %

PAD200 **Vigorous activity over past 30 days**

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: The next questions are about physical activities including exercise, sports, and physically active hobbies that {you/SP} may have done in {your/his/her} leisure time or at school over the past 30 days. First I will ask you about vigorous activities that cause heavy sweating or large increases in breathing or heart rate. Then I will ask you about moderate activities that cause only light sweating or a slight to moderate increase in breathing or heart rate. Over the past 30 days, did {you/SP} do any vigorous activities for at least 10 minutes that caused heavy sweating, or large increases in breathing or heart rate? Some examples are running, lap swimming, aerobics classes or fast bicycling. English Instructions: CODE 'UNABLE TO DO' ONLY IF RESPONDENT VOLUNTEERS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3092	32.8 %
2	No	3816	40.5 %
3	Unable to do activity	241	2.6 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	2273	24.1 %

PAD320

Moderate activity over past 30 days

Location:

35-37 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: [Over the past 30 days], did {you/SP} do moderate activities for at least 10 minutes that cause only light sweating or a slight to moderate increase in breathing or heart rate? Some examples are brisk walking, bicycling for pleasure, golf, and dancing . English Instructions: CODE 'UNABLE TO DO' ONLY IF RESPONDENT VOLUNTEERS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	4091	43.4 %
2	No	2891	30.7 %
3	Unable to do activity	166	1.8 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	2273	24.1 %

PAD440

Muscle strengthening activities

Location:

38-40 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: Over the past 30 days, did {you/SP} do any physical activities specifically designed to strengthen {your/his/her} muscles such as lifting weights, push-ups or sit-ups? Include all such activities even if you have mentioned them before. English Instructions: CODE 'UNABLE TO DO' ONLY IF RESPONDENT VOLUNTEERS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2574	27.3 %
2	No	4384	46.5 %
3	Unable to do activity	190	2.0 %
7	Refused	1	0.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	Don't know	2	0.0 %
. (M)	-	2273	24.1 %

PAD460 **Number of times past 30 days**

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: [Over the past 30 days], how often did {you/SP} do these physical activities? [Activities designed to strengthen {your/his/her} muscles such as lifting weights, push-ups or sit-ups.] English Instructions: ENTER NUMBER OF TIMES (30 days).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	94	1.0 %
2	-	112	1.2 %
3	-	72	0.8 %
4	-	314	3.3 %
5	-	42	0.4 %
6	-	24	0.3 %
7	-	13	0.1 %
8	-	20	0.2 %
9	-	375	4.0 %
10	-	45	0.5 %
11	-	1	0.0 %
12	-	11	0.1 %
13	-	444	4.7 %
14	-	10	0.1 %
15	-	58	0.6 %
16	-	4	0.0 %
17	-	168	1.8 %
19	-	3	0.0 %
20	-	30	0.3 %
21	-	225	2.4 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	7	0.1 %
26	-	26	0.3 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	406	4.3 %
34	-	1	0.0 %
37	-	1	0.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	-	2	0.0 %
60	-	35	0.4 %
64	-	1	0.0 %
73	-	1	0.0 %
77	-	1	0.0 %
86	-	3	0.0 %
90	-	12	0.1 %
150	-	3	0.0 %
180	-	2	0.0 %
210	-	2	0.0 %
999	Don't know	1	0.0 %
. (M)	-	6850	72.7 %

PAQ500

Activity comparison last mo - last yr

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: How does the amount of activity that you reported {for SP} for the past 30 days compare with {your/his/her} physical activity for the past 12 months? Over the past 30 days, {were you/was he/she} . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	more active	1529	16.2 %
2	less active, or	1609	17.1 %
3	About the same?	4009	42.5 %
7	Refused	1	0.0 %
9	Don't know	3	0.0 %
. (M)	-	2273	24.1 %

PAQ520

Compare activity w/others same age

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: (MEC Interview Version) Compared with most {boys/girls} {your/SP's} age, would you say that {you are/SP is}... (SP Interview Version) Compared with most {men/boys/women/girls} {your/SP's} age, would you say that {you are/s/he is} . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	more active	2463	26.1 %
2	less active, or	1448	15.4 %
3	About the same?	3164	33.6 %
7	Refused	1	0.0 %
9	Don't Know	75	0.8 %
. (M)	-	2273	24.1 %

- Study 25504 -

PAQ540 Compare activity with 10 years ago

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(30 Yrs. to 150 Yrs.) English Text: Compared with {yourself/himself/herself} 10 years ago, would you say that {you are/SP is} . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	More active now,	503	5.3 %
2	Less active now, or	2467	26.2 %
3	About the same?	939	10.0 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	5512	58.5 %

PAQ560 # time/week you play or exercise hard

Location: 53-57 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 11 Yrs.) English Text: Now I'd like to ask you some questions about {SP's} activities. How many times per week {does SP} play or exercise enough to make {him/her} sweat and breathe hard? English Instructions: IF NEVER, ENTER 0. IF LESS THAN ONCE PER WEEK, ENTER 1. ENTER NUMBER OF TIMES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	79	0.8 %
1	-	58	0.6 %
2	-	107	1.1 %
3	-	193	2.0 %
4	-	127	1.3 %
5	-	258	2.7 %
6	-	63	0.7 %
7	-	1162	12.3 %
8	-	10	0.1 %
9	-	4	0.0 %
10	-	26	0.3 %
11	-	1	0.0 %
12	-	14	0.1 %
13	-	2	0.0 %
14	-	42	0.4 %
15	-	4	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	6	0.1 %
21	-	16	0.2 %
24	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
35	-	3	0.0 %
40	-	3	0.0 %
57	-	1	0.0 %
67	-	2	0.0 %
77	-	1	0.0 %
99999	Don't know	4	0.0 %
. (M)	-	7228	76.7 %

PAD590 # hours watch TV or videos past 30 days

Location: 58-60 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Over the past 30 days, on average about how many hours per day did {you/SP} sit and watch TV or videos? Would you say... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 hour,	1252	13.3 %
1	1 hour,	1747	18.5 %
2	2 hours,	2556	27.1 %
3	3 hours,	1541	16.4 %
4	4 hours, or	902	9.6 %
5	5 hours or more?	1197	12.7 %
6	None	145	1.5 %
77	Refused	1	0.0 %
99	Don't know	6	0.1 %
. (M)	-	77	0.8 %

PAD600 # of hours use computer past 30 days

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Over the past 30 days, on average about how many hours per day did {you/SP} use a computer or play computer games? Would you say... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Less than 1 hour	2699	28.6 %
1	1 hour	1437	15.2 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2 hours	791	8.4 %
3	3 hours	304	3.2 %
4	4 hours	175	1.9 %
5	5 hours	236	2.5 %
6	None	3698	39.2 %
77	Refused	1	0.0 %
99	Don't know	6	0.1 %
. (M)	-	77	0.8 %

PAAQUX Questionnaire source flag for weighting

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Questionnaire source flag for weighting English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sample Person Interview	8335	88.4 %
2	-	1089	11.6 %

SDDSRVYR Data Release Number

Location: 67-69 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	NHANES 2005-2006 Public Release	9424	100.0 %

RIDSTATR Interview/Examination Status

Location: 70-72 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	330	3.5 %
2	Both Interviewed and MEC examined	9094	96.5 %

RIDEXMON Six month time period

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	4381	46.5 %
2	May 1 through October 31	4713	50.0 %
. (M)	-	330	3.5 %

RIAGENDR

Gender

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4584	48.6 %
2	Female	4840	51.4 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	353	3.7 %
3	-	219	2.3 %
4	-	249	2.6 %
5	-	230	2.4 %
6	-	211	2.2 %
7	-	173	1.8 %
8	-	187	2.0 %
9	-	193	2.0 %
10	-	205	2.2 %
11	-	176	1.9 %
12	-	282	3.0 %
13	-	267	2.8 %
14	-	251	2.7 %
15	-	289	3.1 %
16	-	299	3.2 %
17	-	277	2.9 %
18	-	316	3.4 %
19	-	268	2.8 %
20	-	102	1.1 %
21	-	102	1.1 %
22	-	110	1.2 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	114	1.2 %
24	-	108	1.1 %
25	-	116	1.2 %
26	-	109	1.2 %
27	-	89	0.9 %
28	-	99	1.1 %
29	-	118	1.3 %
30	-	96	1.0 %
31	-	90	1.0 %
32	-	81	0.9 %
33	-	83	0.9 %
34	-	96	1.0 %
35	-	93	1.0 %
36	-	90	1.0 %
37	-	72	0.8 %
38	-	84	0.9 %
39	-	71	0.8 %
40	-	107	1.1 %
41	-	90	1.0 %
42	-	79	0.8 %
43	-	75	0.8 %
44	-	85	0.9 %
45	-	93	1.0 %
46	-	92	1.0 %
47	-	74	0.8 %
48	-	74	0.8 %
49	-	73	0.8 %
50	-	80	0.8 %
51	-	87	0.9 %
52	-	55	0.6 %
53	-	73	0.8 %
54	-	80	0.8 %
55	-	62	0.7 %
56	-	53	0.6 %
57	-	42	0.4 %
58	-	56	0.6 %
59	-	56	0.6 %
60	-	84	0.9 %
61	-	75	0.8 %
62	-	83	0.9 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	-	68	0.7 %
64	-	71	0.8 %
65	-	66	0.7 %
66	-	73	0.8 %
67	-	64	0.7 %
68	-	36	0.4 %
69	-	68	0.7 %
70	-	68	0.7 %
71	-	58	0.6 %
72	-	47	0.5 %
73	-	59	0.6 %
74	-	52	0.6 %
75	-	38	0.4 %
76	-	49	0.5 %
77	-	38	0.4 %
78	-	46	0.5 %
79	-	33	0.4 %
80	-	46	0.5 %
81	-	59	0.6 %
82	-	44	0.5 %
83	-	39	0.4 %
84	-	36	0.4 %
85	>= 85 years of age	170	1.8 %

RIDAGEMN Age in Months - Recode

Location: 82-85 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 86-89 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2492	26.4 %
2	Other Hispanic	309	3.3 %
3	Non-Hispanic White	3648	38.7 %
4	Non-Hispanic Black	2517	26.7 %
5	Other Race - Including Multi-Racial	458	4.9 %

DMQMILIT Veteran/Military Status

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	705	7.5 %
2	No	5130	54.4 %
7	Refused	5	0.1 %
. (M)	-	3584	38.0 %

DMDBORN Country of Birth - Recode

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7881	83.6 %
2	Born in Mexico	956	10.1 %
3	Born Elsewhere	582	6.2 %
7	Refused	5	0.1 %

DMDCITZN Citizenship Status

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	8319	88.3 %
2	Not a citizen of the US	1097	11.6 %
7	Refused	7	0.1 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	Don't know	1	0.0 %

DMDYRSUS

Length of time in US

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	52	0.6 %
2	1 yr., less than 5 yrs.	332	3.5 %
3	5 yrs., less than 10 yrs.	349	3.7 %
4	10 yrs., less than 15 yrs.	218	2.3 %
5	15 yrs., less than 20 yrs.	130	1.4 %
6	20 yrs., less than 30 yrs.	191	2.0 %
7	30 yrs., less than 40 yrs.	114	1.2 %
8	40 yrs., less than 50 yrs.	52	0.6 %
9	50 years or more	57	0.6 %
77	Refused	18	0.2 %
99	Don't know	24	0.3 %
. (M)	-	7887	83.7 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	244	2.6 %
1	1st Grade	191	2.0 %
2	2nd Grade	190	2.0 %
3	3rd Grade	206	2.2 %
4	4th Grade	206	2.2 %
5	5th Grade	203	2.2 %
6	6th Grade	280	3.0 %
7	7th Grade	255	2.7 %
8	8th Grade	294	3.1 %
9	9th Grade	288	3.1 %
10	10th Grade	306	3.2 %
11	11th Grade	277	2.9 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	12th Grade, No Diploma	48	0.5 %
13	High School Graduate	214	2.3 %
14	GED or Equivalent	10	0.1 %
15	More than high school	143	1.5 %
66	Less Than 9th Grade	37	0.4 %
99	Don't know	1	0.0 %
. (M)	-	6031	64.0 %

DMDEDUC2

Education Level - Adults 20+

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	628	6.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	766	8.1 %
3	High School Grad/GED or Equivalent	1181	12.5 %
4	Some College or AA degree	1417	15.0 %
5	College Graduate or above	978	10.4 %
7	Refused	6	0.1 %
9	Don't Know	3	0.0 %
. (M)	-	4445	47.2 %

DMDSCHOL

Now attending school?

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2295	24.4 %
2	On vacation from school (between grades)	544	5.8 %
3	Neither in school or on vacation from school (btwn grades)	306	3.2 %
. (M)	-	6279	66.6 %

DMDMARTL

Marital Status

Location: 114-116 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2711	28.8 %
2	Widowed	463	4.9 %
3	Divorced	471	5.0 %
4	Separated	164	1.7 %
5	Never married	2392	25.4 %
6	Living with partner	468	5.0 %
77	Refused	8	0.1 %
99	Don't know	1	0.0 %
. (M)	-	2746	29.1 %

DMDHHSIZ Total number of people in the Household

Location: 117-119 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	777	8.2 %
2	-	1861	19.7 %
3	-	1694	18.0 %
4	-	1948	20.7 %
5	-	1539	16.3 %
6	-	784	8.3 %
7	7 or more people in the Household	821	8.7 %

DMDFMSIZ Total number of people in the Family

Location: 120-122 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1237	13.1 %
2	-	1666	17.7 %
3	-	1626	17.3 %
4	-	1900	20.2 %
5	-	1498	15.9 %
6	-	779	8.3 %
7	7 or more people in the Family	718	7.6 %

INDHHINC Annual Household Income

Location: 123-125 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	223	2.4 %
2	\$ 5,000 to \$ 9,999	396	4.2 %
3	\$10,000 to \$14,999	709	7.5 %
4	\$15,000 to \$19,999	702	7.4 %
5	\$20,000 to \$24,999	724	7.7 %
6	\$25,000 to \$34,999	1202	12.8 %
7	\$35,000 to \$44,999	926	9.8 %
8	\$45,000 to \$54,999	848	9.0 %
9	\$55,000 to \$64,999	575	6.1 %
10	\$65,000 to \$74,999	504	5.3 %
11	\$75,000 and Over	2053	21.8 %
12	Over \$20,000	177	1.9 %
13	Under \$20,000	62	0.7 %
77	Refused	61	0.6 %
99	Don't know	143	1.5 %
. (M)	-	119	1.3 %

INDFMINC

Annual Family Income

Location:

126-128 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	312	3.3 %
2	\$ 5,000 to \$ 9,999	453	4.8 %
3	\$10,000 to \$14,999	768	8.1 %
4	\$15,000 to \$19,999	733	7.8 %
5	\$20,000 to \$24,999	758	8.0 %
6	\$25,000 to \$34,999	1211	12.9 %
7	\$35,000 to \$44,999	941	10.0 %
8	\$45,000 to \$54,999	825	8.8 %
9	\$55,000 to \$64,999	534	5.7 %
10	\$65,000 to \$74,999	472	5.0 %
11	\$75,000 and Over	1939	20.6 %
12	Over \$20,000	128	1.4 %
13	Under \$20,000	62	0.7 %
77	Refused	64	0.7 %
99	Don't know	126	1.3 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	98	1.0 %

INDFMPIR

Family PIR

Location: 129-133 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

RIDEXPRG

Pregnancy Status at Exam - Recode

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab pregnancy test or self-reported pregnant	382	4.1 %
2	SP not pregnant at exam	2791	29.6 %
3	Cannot ascertain if SP is pregnant at exam	175	1.9 %
. (M)	-	6076	64.5 %

DMDHRGND

HH Ref Person Gender

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5085	54.0 %
2	Female	4339	46.0 %

DMDHRAGE

HH Ref Person Age

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	2	0.0 %
18	-	87	0.9 %
19	-	121	1.3 %
20	-	99	1.1 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	87	0.9 %
22	-	96	1.0 %
23	-	105	1.1 %
24	-	164	1.7 %
25	-	172	1.8 %
26	-	196	2.1 %
27	-	191	2.0 %
28	-	168	1.8 %
29	-	198	2.1 %
30	-	176	1.9 %
31	-	234	2.5 %
32	-	203	2.2 %
33	-	230	2.4 %
34	-	244	2.6 %
35	-	284	3.0 %
36	-	249	2.6 %
37	-	234	2.5 %
38	-	262	2.8 %
39	-	239	2.5 %
40	-	331	3.5 %
41	-	258	2.7 %
42	-	304	3.2 %
43	-	258	2.7 %
44	-	225	2.4 %
45	-	239	2.5 %
46	-	217	2.3 %
47	-	245	2.6 %
48	-	185	2.0 %
49	-	142	1.5 %
50	-	157	1.7 %
51	-	208	2.2 %
52	-	114	1.2 %
53	-	143	1.5 %
54	-	120	1.3 %
55	-	92	1.0 %
56	-	99	1.1 %
57	-	84	0.9 %
58	-	72	0.8 %
59	-	78	0.8 %
60	-	114	1.2 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
61	-	83	0.9 %
62	-	125	1.3 %
63	-	92	1.0 %
64	-	91	1.0 %
65	-	93	1.0 %
66	-	83	0.9 %
67	-	77	0.8 %
68	-	35	0.4 %
69	-	89	0.9 %
70	-	87	0.9 %
71	-	71	0.8 %
72	-	47	0.5 %
73	-	63	0.7 %
74	-	55	0.6 %
75	-	41	0.4 %
76	-	75	0.8 %
77	-	33	0.4 %
78	-	47	0.5 %
79	-	37	0.4 %
80	-	42	0.4 %
81	-	51	0.5 %
82	-	52	0.6 %
83	-	38	0.4 %
84	-	28	0.3 %
85	>= 85 years of age	163	1.7 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	6820	72.4 %
2	Born in Mexico	1475	15.7 %
3	Born Elsewhere	827	8.8 %
7	Refused	4	0.0 %
9	Don't know	2	0.0 %
. (M)	-	296	3.1 %

DMDHREDU

HH Ref Person Education Level

- Study 25504 -

Location: 146-148 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1155	12.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	1528	16.2 %
3	High School Grad/GED or equivalent	2183	23.2 %
4	Some College or AA degree	2559	27.2 %
5	College Graduate or above	1652	17.5 %
7	Refused	10	0.1 %
9	Don't know	41	0.4 %
. (M)	-	296	3.1 %

DMDHRMAR HH Ref Person Marital Status

Location: 149-151 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	5400	57.3 %
2	Widowed	577	6.1 %
3	Divorced	898	9.5 %
4	Separated	418	4.4 %
5	Never married	1281	13.6 %
6	Living with partner	557	5.9 %
77	Refused	39	0.4 %
99	Don't know	1	0.0 %
. (M)	-	253	2.7 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 152-154 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	713	7.6 %
2	9-11th Grade (Includes 12th grade with no diploma)	646	6.9 %
3	High School Grad/GED or equivalent	1128	12.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Some College or AA degree	1374	14.6 %
5	College Graduate or above	1102	11.7 %
7	Refused	4	0.0 %
9	Don't know	15	0.2 %
. (M)	-	4442	47.1 %

SIALANG **Language of SP Interview**

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8111	86.1 %
2	Spanish	1311	13.9 %
. (M)	-	2	0.0 %

SIAPROXY **Proxy used in SP Interview?**

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3329	35.3 %
2	No	6093	64.7 %
. (M)	-	2	0.0 %

SIAINTRP **Interpreter used in SP Interview?**

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	188	2.0 %
2	No	9234	98.0 %
. (M)	-	2	0.0 %

FIALANG **Language of Family Interview**

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8439	89.5 %
2	Spanish	884	9.4 %
. (M)	-	101	1.1 %

FIAPROXY

Proxy used in Family Interview?

Location:

167-169 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	16	0.2 %
2	No	9307	98.8 %
. (M)	-	101	1.1 %

FIAINTRP

Interpreter used in Family Interview?

Location:

170-172 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	165	1.8 %
2	No	9158	97.2 %
. (M)	-	101	1.1 %

MIALANG

Language of MEC Interview

Location:

173-175 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6497	68.9 %
2	Spanish	639	6.8 %
. (M)	-	2288	24.3 %

MIAPROXY

Proxy used in MEC Interview?

Location:

176-178 (width: 3; decimal: 0)

Variable Type:

numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	51	0.5 %
2	No	7085	75.2 %
. (M)	-	2288	24.3 %

MIAINTRP

Interpreter used in MEC Interview?

Location:

179-181 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	19	0.2 %
2	No	7117	75.5 %
. (M)	-	2288	24.3 %

AIALANG

Language of ACASI Interview

Location:

182-184 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6660	70.7 %
2	Spanish	665	7.1 %
. (M)	-	2099	22.3 %

WTINT2YR

Full Sample 2 Year Interview Weight

Location:

185-198 (width: 14; decimal: 6)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR

Full Sample 2 Year MEC Exam Weight

Location:

199-212 (width: 14; decimal: 6)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU

Masked Variance Pseudo-PSU

Location:

213-215 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4657	49.4 %
2	4767	50.6 %

SDMVSTRA

Masked Variance Pseudo-Stratum

Location: 216-218 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	697	7.4 %
45	601	6.4 %
46	698	7.4 %
47	581	6.2 %
48	569	6.0 %
49	849	9.0 %
50	595	6.3 %
51	592	6.3 %
52	640	6.8 %
53	576	6.1 %
54	620	6.6 %
55	605	6.4 %
56	688	7.3 %
57	616	6.5 %
58	497	5.3 %