

ICPSR 25504

**National Health and Nutrition
Examination Survey (NHANES),
2005-2006**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Examination: Blood Pressure

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Examination: Blood Pressure

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

PEASCST1 Blood Pressure Status

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Blood Pressure Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	9512	95.6 %
2	Partial	101	1.0 %
3	Not done	337	3.4 %

PEASCCTM1 Blood Pressure Time in Seconds

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Blood Pressure Time in Seconds English Instructions:

PEASCCT1 Blood Pressure Comment

Location: 13-15 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Blood Pressure Comment English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Safety exclusion	4	0.0 %
2	SP refusal	104	1.0 %
3	No time	2	0.0 %
4	Physical limitation	34	0.3 %
5	Communication problem	5	0.1 %
7	SP ill/emergency	10	0.1 %
14	Interrupted	2	0.0 %
56	Came late/left early	142	1.4 %
84	SP with child	3	0.0 %
99	Other, specify	132	1.3 %
. (M)	-	9512	95.6 %

BPXCHR 60 sec HR (30 sec HR * 2)

Location: 16-18 (width: 3; decimal: 0)

- Study 25504 -

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 7 Yrs.) English Text: 60 sec HR (30 sec HR * 2) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3	0.0 %
50	1	0.0 %
58	2	0.0 %
60	2	0.0 %
64	5	0.1 %
66	2	0.0 %
68	8	0.1 %
70	8	0.1 %
72	17	0.2 %
74	9	0.1 %
76	28	0.3 %
78	28	0.3 %
80	39	0.4 %
82	50	0.5 %
84	54	0.5 %
86	66	0.7 %
88	56	0.6 %
90	81	0.8 %
92	77	0.8 %
94	73	0.7 %
96	90	0.9 %
98	79	0.8 %
100	96	1.0 %
102	74	0.7 %
104	88	0.9 %
106	81	0.8 %
108	95	1.0 %
110	89	0.9 %
112	101	1.0 %
114	76	0.8 %
116	82	0.8 %
118	68	0.7 %
120	78	0.8 %
122	54	0.5 %
124	53	0.5 %
126	52	0.5 %
128	41	0.4 %
130	34	0.3 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
132	25	0.3 %
134	27	0.3 %
136	21	0.2 %
138	25	0.3 %
140	14	0.1 %
142	23	0.2 %
144	10	0.1 %
146	17	0.2 %
148	9	0.1 %
150	5	0.1 %
152	12	0.1 %
154	1	0.0 %
156	5	0.1 %
158	6	0.1 %
160	5	0.1 %
162	2	0.0 %
164	6	0.1 %
166	2	0.0 %
168	2	0.0 %
170	2	0.0 %
176	1	0.0 %
178	1	0.0 %
180	1	0.0 %
184	1	0.0 %
188	1	0.0 %
190	1	0.0 %
240	2	0.0 %
288	1	0.0 %
. (M)	7782	78.2 %

BPQ150A

Had food in the past 30 minutes?

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Have you had any of the following in the past 30 minutes?:
Food English Instructions: Check each that applies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2167	21.8 %
2	No	5288	53.1 %
. (M)	-	2495	25.1 %

- Study 25504 -

BPQ150B Had alcohol in the past 30 minutes?

Location: 22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Have you had any of the following in the past 30 minutes?: Alcohol English Instructions: Check each that applies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	4	0.0 %
2	No	7451	74.9 %
. (M)	-	2495	25.1 %

BPQ150C Had coffee in the past 30 minutes?

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Have you had any of the following in the past 30 minutes?: Coffee English Instructions: Check each that applies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	27	0.3 %
2	No	7428	74.7 %
. (M)	-	2495	25.1 %

BPQ150D Had cigarettes in the past 30 minutes?

Location: 28-30 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Have you had any of the following in the past 30 minutes?: Cigarettes English Instructions: Check each that applies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	90	0.9 %
2	No	7365	74.0 %
. (M)	-	2495	25.1 %

BPAARM Arm selected:

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Arm selected: English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Right	7356	73.9 %
2	Left	37	0.4 %
8	Could not obtain	62	0.6 %
. (M)	-	2495	25.1 %

BPACSZ Coded cuff size

- Study 25504 -

Location: 34-36 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Cuff size (cm) (width X length) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Infant (6X12)	1	0.0 %
2	Child (9X17)	457	4.6 %
3	Adult (12X22)	2793	28.1 %
4	Large (15X32)	3291	33.1 %
5	Thigh (18X35)	846	8.5 %
. (M)	-	2562	25.7 %

BPXPLS 60 sec. pulse (30 sec. pulse * 2):

Location: 37-39 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: 60 sec. pulse (30 sec. pulse * 2): English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	3	0.0 %
42	2	0.0 %
44	9	0.1 %
46	10	0.1 %
48	32	0.3 %
50	45	0.5 %
52	75	0.8 %
54	106	1.1 %
56	165	1.7 %
58	201	2.0 %
60	253	2.5 %
62	337	3.4 %
64	372	3.7 %
66	413	4.2 %
68	418	4.2 %
70	472	4.7 %
72	468	4.7 %
74	466	4.7 %
76	482	4.8 %
78	412	4.1 %
80	394	4.0 %
82	367	3.7 %
84	345	3.5 %
86	267	2.7 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
88	249	2.5 %
90	237	2.4 %
92	174	1.7 %
94	134	1.3 %
96	129	1.3 %
98	89	0.9 %
100	73	0.7 %
102	47	0.5 %
104	47	0.5 %
106	32	0.3 %
108	38	0.4 %
110	16	0.2 %
112	15	0.2 %
114	11	0.1 %
116	7	0.1 %
118	9	0.1 %
120	6	0.1 %
122	4	0.0 %
124	1	0.0 %
126	1	0.0 %
128	2	0.0 %
136	1	0.0 %
142	1	0.0 %
166	1	0.0 %
172	1	0.0 %
200	1	0.0 %
220	1	0.0 %
. (M)	2509	25.2 %

BPXDB

of dropped beats in 30 seconds

Location: 40-42 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 49 Yrs.) English Text: # of dropped beats in 30 seconds English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	21	0.2 %
2	14	0.1 %
3	4	0.0 %
4	2	0.0 %
5	2	0.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	4	0.0 %
7	2	0.0 %
9	1	0.0 %
10	2	0.0 %
15	1	0.0 %
18	2	0.0 %
. (M)	9895	99.4 %

BPXPULS **Pulse regular or irregular?**

Location: 43-45 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Pulse regular or irregular? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regular	9230	92.8 %
2	Irregular	208	2.1 %
. (M)	-	512	5.1 %

BPXPTY **Pulse type:**

Location: 46-48 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Pulse type: English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Radial	7444	74.8 %
2	Brachial	5	0.1 %
. (M)	-	2501	25.1 %

BPXML1 **MIL: maximum inflation levels (mm Hg)**

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: MIL: maximum inflation levels (mm Hg) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
110	-	27	0.3 %
120	-	541	5.4 %
130	-	1464	14.7 %
140	-	1951	19.6 %
150	-	1427	14.3 %
160	-	803	8.1 %
170	-	547	5.5 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
180	-	277	2.8 %
190	-	140	1.4 %
200	-	97	1.0 %
210	-	51	0.5 %
220	-	25	0.3 %
230	-	13	0.1 %
240	-	7	0.1 %
250	-	3	0.0 %
260	-	1	0.0 %
270	-	2	0.0 %
290	-	1	0.0 %
. (M)	-	2573	25.9 %

BPXSY1

Systolic: Blood pres (1st rdg) mm Hg

Location: 52-54 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Systolic: Blood pressure (first reading) mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
74	1	0.0 %
78	3	0.0 %
80	3	0.0 %
82	7	0.1 %
84	19	0.2 %
86	33	0.3 %
88	28	0.3 %
90	55	0.6 %
92	86	0.9 %
94	101	1.0 %
96	150	1.5 %
98	176	1.8 %
100	215	2.2 %
102	222	2.2 %
104	288	2.9 %
106	335	3.4 %
108	334	3.4 %
110	329	3.3 %
112	414	4.2 %
114	375	3.8 %
116	405	4.1 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
118	322	3.2 %
120	293	2.9 %
122	276	2.8 %
124	263	2.6 %
126	228	2.3 %
128	166	1.7 %
130	192	1.9 %
132	160	1.6 %
134	138	1.4 %
136	129	1.3 %
138	106	1.1 %
140	76	0.8 %
142	77	0.8 %
144	82	0.8 %
146	58	0.6 %
148	46	0.5 %
150	53	0.5 %
152	53	0.5 %
154	50	0.5 %
156	32	0.3 %
158	28	0.3 %
160	35	0.4 %
162	19	0.2 %
164	31	0.3 %
166	17	0.2 %
168	15	0.2 %
170	23	0.2 %
172	12	0.1 %
174	9	0.1 %
176	9	0.1 %
178	13	0.1 %
180	8	0.1 %
182	7	0.1 %
184	8	0.1 %
186	7	0.1 %
188	2	0.0 %
190	4	0.0 %
192	4	0.0 %
194	4	0.0 %
196	5	0.1 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
198	5	0.1 %
200	3	0.0 %
202	1	0.0 %
204	1	0.0 %
206	4	0.0 %
208	1	0.0 %
210	1	0.0 %
214	2	0.0 %
216	4	0.0 %
218	2	0.0 %
220	1	0.0 %
224	1	0.0 %
228	1	0.0 %
256	1	0.0 %
270	1	0.0 %
. (M)	3282	33.0 %

BPXDI1 Diastolic: Blood pres (1st rdg) mm Hg

Location: 55-57 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Diastolic: Blood pressure (first reading) mm Hg English
Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	50	0.5 %
4	1	0.0 %
8	1	0.0 %
12	1	0.0 %
16	1	0.0 %
18	5	0.1 %
20	5	0.1 %
22	6	0.1 %
24	7	0.1 %
26	1	0.0 %
28	9	0.1 %
30	16	0.2 %
32	13	0.1 %
34	24	0.2 %
36	25	0.3 %
38	35	0.4 %
40	61	0.6 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	77	0.8 %
44	80	0.8 %
46	116	1.2 %
48	174	1.7 %
50	208	2.1 %
52	243	2.4 %
54	264	2.7 %
56	342	3.4 %
58	353	3.5 %
60	384	3.9 %
62	395	4.0 %
64	356	3.6 %
66	388	3.9 %
68	371	3.7 %
70	402	4.0 %
72	367	3.7 %
74	368	3.7 %
76	327	3.3 %
78	247	2.5 %
80	216	2.2 %
82	142	1.4 %
84	134	1.3 %
86	106	1.1 %
88	71	0.7 %
90	80	0.8 %
92	42	0.4 %
94	37	0.4 %
96	33	0.3 %
98	19	0.2 %
100	18	0.2 %
102	6	0.1 %
104	10	0.1 %
106	7	0.1 %
108	8	0.1 %
110	4	0.0 %
112	2	0.0 %
114	4	0.0 %
116	1	0.0 %
118	2	0.0 %
120	2	0.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
124	1	0.0 %
. (M)	3282	33.0 %

BPAEN1 **Enhancement used first reading**

Location: 58-60 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Enhancement used first reading English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	7388	74.3 %
. (M)	-	2562	25.7 %

BPXSY2 **Systolic: Blood pres (2nd rdg) mm Hg**

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Systolic: Blood pressure (second reading) mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
74	1	0.0 %
78	1	0.0 %
80	2	0.0 %
82	8	0.1 %
84	12	0.1 %
86	26	0.3 %
88	25	0.3 %
90	45	0.5 %
92	88	0.9 %
94	117	1.2 %
96	162	1.6 %
98	166	1.7 %
100	201	2.0 %
102	275	2.8 %
104	306	3.1 %
106	304	3.1 %
108	353	3.5 %
110	321	3.2 %
112	371	3.7 %
114	381	3.8 %
116	339	3.4 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
118	310	3.1 %
120	263	2.6 %
122	233	2.3 %
124	227	2.3 %
126	198	2.0 %
128	174	1.7 %
130	145	1.5 %
132	164	1.6 %
134	135	1.4 %
136	99	1.0 %
138	98	1.0 %
140	90	0.9 %
142	81	0.8 %
144	72	0.7 %
146	44	0.4 %
148	56	0.6 %
150	29	0.3 %
152	37	0.4 %
154	36	0.4 %
156	28	0.3 %
158	21	0.2 %
160	24	0.2 %
162	25	0.3 %
164	27	0.3 %
166	16	0.2 %
168	11	0.1 %
170	17	0.2 %
172	12	0.1 %
174	8	0.1 %
176	8	0.1 %
178	11	0.1 %
180	10	0.1 %
182	2	0.0 %
184	9	0.1 %
186	6	0.1 %
188	3	0.0 %
190	4	0.0 %
192	4	0.0 %
194	2	0.0 %
196	4	0.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
198	1	0.0 %
200	2	0.0 %
204	2	0.0 %
208	3	0.0 %
214	3	0.0 %
218	2	0.0 %
220	1	0.0 %
230	2	0.0 %
232	1	0.0 %
. (M)	3685	37.0 %

BPXDI2 **Diastolic: Blood pres (2nd rdg) mm Hg**

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Diastolic: Blood pressure (second reading) mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	33	0.3 %
10	2	0.0 %
12	1	0.0 %
18	1	0.0 %
20	2	0.0 %
22	1	0.0 %
24	7	0.1 %
26	7	0.1 %
28	6	0.1 %
30	15	0.2 %
32	16	0.2 %
34	21	0.2 %
36	16	0.2 %
38	41	0.4 %
40	52	0.5 %
42	68	0.7 %
44	86	0.9 %
46	99	1.0 %
48	138	1.4 %
50	200	2.0 %
52	205	2.1 %
54	238	2.4 %
56	305	3.1 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	317	3.2 %
60	369	3.7 %
62	404	4.1 %
64	398	4.0 %
66	353	3.5 %
68	399	4.0 %
70	406	4.1 %
72	313	3.1 %
74	350	3.5 %
76	285	2.9 %
78	243	2.4 %
80	191	1.9 %
82	155	1.6 %
84	112	1.1 %
86	101	1.0 %
88	66	0.7 %
90	59	0.6 %
92	52	0.5 %
94	29	0.3 %
96	26	0.3 %
98	14	0.1 %
100	15	0.2 %
102	7	0.1 %
104	18	0.2 %
106	4	0.0 %
108	1	0.0 %
110	3	0.0 %
112	3	0.0 %
114	5	0.1 %
116	4	0.0 %
118	1	0.0 %
120	1	0.0 %
124	1	0.0 %
. (M)	3685	37.0 %

BPAEN2

Enhancement used second reading

Location: 67-69 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Enhancement used second reading English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	138	1.4 %
2	No	7246	72.8 %
. (M)	-	2566	25.8 %

BPXSY3

Systolic: Blood pres (3rd rdg) mm Hg

Location: 70-72 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Systolic: Blood pressure (third reading) mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	1	0.0 %
80	4	0.0 %
82	8	0.1 %
84	12	0.1 %
86	19	0.2 %
88	33	0.3 %
90	54	0.5 %
92	69	0.7 %
94	111	1.1 %
96	154	1.5 %
98	191	1.9 %
100	198	2.0 %
102	274	2.8 %
104	321	3.2 %
106	324	3.3 %
108	312	3.1 %
110	327	3.3 %
112	351	3.5 %
114	366	3.7 %
116	347	3.5 %
118	294	3.0 %
120	297	3.0 %
122	235	2.4 %
124	196	2.0 %
126	210	2.1 %
128	149	1.5 %
130	133	1.3 %
132	147	1.5 %
134	122	1.2 %
136	85	0.9 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
138	95	1.0 %
140	75	0.8 %
142	76	0.8 %
144	71	0.7 %
146	61	0.6 %
148	38	0.4 %
150	39	0.4 %
152	36	0.4 %
154	32	0.3 %
156	25	0.3 %
158	31	0.3 %
160	28	0.3 %
162	13	0.1 %
164	15	0.2 %
166	15	0.2 %
168	8	0.1 %
170	6	0.1 %
172	10	0.1 %
174	3	0.0 %
176	11	0.1 %
178	4	0.0 %
180	8	0.1 %
182	3	0.0 %
184	4	0.0 %
186	7	0.1 %
188	6	0.1 %
190	3	0.0 %
192	1	0.0 %
194	3	0.0 %
196	4	0.0 %
198	1	0.0 %
200	3	0.0 %
204	3	0.0 %
208	1	0.0 %
212	1	0.0 %
216	1	0.0 %
218	3	0.0 %
222	1	0.0 %
224	1	0.0 %
234	1	0.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	3859	38.8 %

BPXDI3

Diastolic: Blood pres (3rd rdg) mm Hg

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Diastolic: Blood pressure (third reading) mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	26	0.3 %
12	1	0.0 %
14	1	0.0 %
18	2	0.0 %
20	1	0.0 %
22	7	0.1 %
24	3	0.0 %
26	4	0.0 %
28	4	0.0 %
30	10	0.1 %
32	16	0.2 %
34	19	0.2 %
36	23	0.2 %
38	33	0.3 %
40	65	0.7 %
42	60	0.6 %
44	85	0.9 %
46	92	0.9 %
48	133	1.3 %
50	192	1.9 %
52	232	2.3 %
54	222	2.2 %
56	280	2.8 %
58	331	3.3 %
60	352	3.5 %
62	386	3.9 %
64	338	3.4 %
66	407	4.1 %
68	381	3.8 %
70	407	4.1 %
72	360	3.6 %
74	294	3.0 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
76	279	2.8 %
78	231	2.3 %
80	188	1.9 %
82	135	1.4 %
84	111	1.1 %
86	85	0.9 %
88	72	0.7 %
90	56	0.6 %
92	45	0.5 %
94	27	0.3 %
96	25	0.3 %
98	15	0.2 %
100	13	0.1 %
102	9	0.1 %
104	8	0.1 %
106	4	0.0 %
108	4	0.0 %
110	6	0.1 %
112	4	0.0 %
114	1	0.0 %
116	3	0.0 %
118	2	0.0 %
122	1	0.0 %
. (M)	3859	38.8 %

BPAEN3 **Enhancement used third reading**

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Enhancement used third reading English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	137	1.4 %
2	No	7247	72.8 %
. (M)	-	2566	25.8 %

BPXSY4 **Systolic: Blood pres (4th rdg) mm Hg**

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Systolic: Blood pressure (fourth reading if necessary) mm Hg English Instructions:

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
76	1	0.0 %
80	1	0.0 %
84	3	0.0 %
86	2	0.0 %
88	6	0.1 %
90	8	0.1 %
92	12	0.1 %
94	17	0.2 %
96	21	0.2 %
98	36	0.4 %
100	35	0.4 %
102	42	0.4 %
104	58	0.6 %
106	52	0.5 %
108	63	0.6 %
110	48	0.5 %
112	74	0.7 %
114	85	0.9 %
116	58	0.6 %
118	48	0.5 %
120	46	0.5 %
122	51	0.5 %
124	48	0.5 %
126	35	0.4 %
128	38	0.4 %
130	39	0.4 %
132	24	0.2 %
134	28	0.3 %
136	20	0.2 %
138	25	0.3 %
140	22	0.2 %
142	19	0.2 %
144	18	0.2 %
146	6	0.1 %
148	13	0.1 %
150	13	0.1 %
152	10	0.1 %
154	6	0.1 %
156	3	0.0 %
158	6	0.1 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
160	3	0.0 %
162	4	0.0 %
164	1	0.0 %
166	4	0.0 %
168	5	0.1 %
172	1	0.0 %
174	5	0.1 %
176	1	0.0 %
178	3	0.0 %
180	2	0.0 %
182	2	0.0 %
184	1	0.0 %
186	1	0.0 %
190	1	0.0 %
192	3	0.0 %
202	1	0.0 %
222	1	0.0 %
. (M)	8771	88.2 %

BPXDI4

Diastolic: Blood pres (4th rdg) mm Hg

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Diastolic: Blood pressure (fourth reading if necessary)
mm Hg English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	10	0.1 %
12	2	0.0 %
20	1	0.0 %
22	1	0.0 %
26	2	0.0 %
28	2	0.0 %
30	1	0.0 %
32	4	0.0 %
34	6	0.1 %
36	11	0.1 %
38	10	0.1 %
40	16	0.2 %
42	14	0.1 %
44	15	0.2 %
46	18	0.2 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	26	0.3 %
50	34	0.3 %
52	41	0.4 %
54	43	0.4 %
56	57	0.6 %
58	53	0.5 %
60	52	0.5 %
62	59	0.6 %
64	56	0.6 %
66	71	0.7 %
68	65	0.7 %
70	57	0.6 %
72	75	0.8 %
74	53	0.5 %
76	51	0.5 %
78	53	0.5 %
80	51	0.5 %
82	49	0.5 %
84	27	0.3 %
86	26	0.3 %
88	14	0.1 %
90	10	0.1 %
92	8	0.1 %
94	9	0.1 %
96	6	0.1 %
98	5	0.1 %
100	4	0.0 %
102	1	0.0 %
104	2	0.0 %
106	1	0.0 %
108	2	0.0 %
112	1	0.0 %
116	1	0.0 %
118	1	0.0 %
122	1	0.0 %
124	1	0.0 %
. (M)	8771	88.2 %

BPAEN4

Enhancement used fourth reading

Location:

85-87 (width: 3; decimal: 0)

- Study 25504 -

Variable Type: numeric

Question: Target: B(8 Yrs. to 150 Yrs.) English Text: Enhancement used fourth reading English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	112	1.1 %
2	No	2086	21.0 %
. (M)	-	7752	77.9 %

SDDSRVYR Data Release Number

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	NHANES 2005-2006 Public Release	9950	100.0 %

RIDSTATR Interview/Examination Status

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	9950	100.0 %

RIDEXMON Six month time period

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	4793	48.2 %
2	May 1 through October 31	5157	51.8 %

RIAGENDR Gender

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4885	49.1 %
2	Female	5065	50.9 %

RIDAGEYR Age at Screening Adjudicated - Recode

- Study 25504 -

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	510	5.1 %
1	-	346	3.5 %
2	-	341	3.4 %
3	-	208	2.1 %
4	-	240	2.4 %
5	-	219	2.2 %
6	-	201	2.0 %
7	-	165	1.7 %
8	-	180	1.8 %
9	-	192	1.9 %
10	-	195	2.0 %
11	-	173	1.7 %
12	-	282	2.8 %
13	-	267	2.7 %
14	-	251	2.5 %
15	-	289	2.9 %
16	-	288	2.9 %
17	-	269	2.7 %
18	-	301	3.0 %
19	-	260	2.6 %
20	-	95	1.0 %
21	-	99	1.0 %
22	-	105	1.1 %
23	-	111	1.1 %
24	-	104	1.0 %
25	-	109	1.1 %
26	-	103	1.0 %
27	-	85	0.9 %
28	-	97	1.0 %
29	-	113	1.1 %
30	-	93	0.9 %
31	-	87	0.9 %
32	-	78	0.8 %
33	-	78	0.8 %
34	-	93	0.9 %
35	-	91	0.9 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	86	0.9 %
37	-	63	0.6 %
38	-	81	0.8 %
39	-	68	0.7 %
40	-	103	1.0 %
41	-	85	0.9 %
42	-	77	0.8 %
43	-	71	0.7 %
44	-	84	0.8 %
45	-	92	0.9 %
46	-	91	0.9 %
47	-	71	0.7 %
48	-	72	0.7 %
49	-	69	0.7 %
50	-	79	0.8 %
51	-	85	0.9 %
52	-	55	0.6 %
53	-	73	0.7 %
54	-	79	0.8 %
55	-	60	0.6 %
56	-	50	0.5 %
57	-	41	0.4 %
58	-	54	0.5 %
59	-	55	0.6 %
60	-	80	0.8 %
61	-	71	0.7 %
62	-	79	0.8 %
63	-	66	0.7 %
64	-	67	0.7 %
65	-	65	0.7 %
66	-	72	0.7 %
67	-	62	0.6 %
68	-	35	0.4 %
69	-	64	0.6 %
70	-	65	0.7 %
71	-	57	0.6 %
72	-	45	0.5 %
73	-	55	0.6 %
74	-	49	0.5 %
75	-	36	0.4 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
76	-	48	0.5 %
77	-	37	0.4 %
78	-	46	0.5 %
79	-	31	0.3 %
80	-	42	0.4 %
81	-	55	0.6 %
82	-	41	0.4 %
83	-	39	0.4 %
84	-	33	0.3 %
85	>= 85 years of age	148	1.5 %

RIDAGEMN

Age in Months - Recode

Location: 103-106 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX

Exam Age in Months - Recode

Location: 107-110 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1

Race/Ethnicity - Recode

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2739	27.5 %
2	Other Hispanic	330	3.3 %
3	Non-Hispanic White	3778	38.0 %
4	Non-Hispanic Black	2615	26.3 %
5	Other Race - Including Multi-Racial	488	4.9 %

DMQMILIT

Veteran/Military Status

Location: 114-116 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	678	6.8 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	4922	49.5 %
7	Refused	3	0.0 %
. (M)	-	4347	43.7 %

DMDBORN

Country of Birth - Recode

Location: 117-119 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	8469	85.1 %
2	Born in Mexico	922	9.3 %
3	Born Elsewhere	556	5.6 %
7	Refused	3	0.0 %

DMDCITZN

Citizenship Status

Location: 120-122 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	8888	89.3 %
2	Not a citizen of the US	1057	10.6 %
7	Refused	5	0.1 %

DMDYRSUS

Length of time in US

Location: 123-125 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	54	0.5 %
2	1 yr., less than 5 yrs.	320	3.2 %
3	5 yrs., less than 10 yrs.	329	3.3 %
4	10 yrs., less than 15 yrs.	215	2.2 %
5	15 yrs., less than 20 yrs.	125	1.3 %
6	20 yrs., less than 30 yrs.	184	1.8 %
7	30 yrs., less than 40 yrs.	107	1.1 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	40 yrs., less than 50 yrs.	51	0.5 %
9	50 years or more	54	0.5 %
77	Refused	15	0.2 %
99	Don't know	21	0.2 %
. (M)	-	8475	85.2 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 126-128 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	232	2.3 %
1	1st Grade	185	1.9 %
2	2nd Grade	182	1.8 %
3	3rd Grade	204	2.1 %
4	4th Grade	197	2.0 %
5	5th Grade	201	2.0 %
6	6th Grade	280	2.8 %
7	7th Grade	255	2.6 %
8	8th Grade	294	3.0 %
9	9th Grade	282	2.8 %
10	10th Grade	300	3.0 %
11	11th Grade	264	2.7 %
12	12th Grade, No Diploma	46	0.5 %
13	High School Graduate	204	2.1 %
14	GED or Equivalent	10	0.1 %
15	More than high school	139	1.4 %
66	Less Than 9th Grade	36	0.4 %
99	Don't know	1	0.0 %
. (M)	-	6638	66.7 %

DMDEDUC2 Education Level - Adults 20+

Location: 129-131 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	597	6.0 %
2	9-11th Grade (Includes 12th grade with no diploma)	733	7.4 %
3	High School Grad/GED or Equivalent	1136	11.4 %
4	Some College or AA degree	1361	13.7 %
5	College Graduate or above	939	9.4 %
7	Refused	4	0.0 %
9	Don't Know	3	0.0 %
. (M)	-	5177	52.0 %

DMDSCHOL

Now attending school?

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2248	22.6 %
2	On vacation from school (between grades)	533	5.4 %
3	Neither in school or on vacation from school (btwn grades)	295	3.0 %
. (M)	-	6874	69.1 %

DMDMARTL

Marital Status

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2618	26.3 %
2	Widowed	430	4.3 %
3	Divorced	449	4.5 %
4	Separated	158	1.6 %
5	Never married	2312	23.2 %
6	Living with partner	456	4.6 %
77	Refused	6	0.1 %
99	Don't know	1	0.0 %
. (M)	-	3520	35.4 %

DMDHHSIZ

Total number of people in the Household

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	734	7.4 %
2	-	1791	18.0 %
3	-	1828	18.4 %
4	-	2125	21.4 %
5	-	1685	16.9 %
6	-	853	8.6 %
7	7 or more people in the Household	934	9.4 %

DMDFMSIZ Total number of people in the Family

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1178	11.8 %
2	-	1605	16.1 %
3	-	1768	17.8 %
4	-	2080	20.9 %
5	-	1649	16.6 %
6	-	847	8.5 %
7	7 or more people in the Family	823	8.3 %

INDHHINC Annual Household Income

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	249	2.5 %
2	\$ 5,000 to \$ 9,999	414	4.2 %
3	\$10,000 to \$14,999	781	7.8 %
4	\$15,000 to \$19,999	780	7.8 %
5	\$20,000 to \$24,999	795	8.0 %
6	\$25,000 to \$34,999	1285	12.9 %
7	\$35,000 to \$44,999	951	9.6 %
8	\$45,000 to \$54,999	883	8.9 %
9	\$55,000 to \$64,999	598	6.0 %
10	\$65,000 to \$74,999	545	5.5 %
11	\$75,000 and Over	2098	21.1 %
12	Over \$20,000	175	1.8 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	Under \$20,000	71	0.7 %
77	Refused	64	0.6 %
99	Don't know	151	1.5 %
. (M)	-	110	1.1 %

INDFMINC

Annual Family Income

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	338	3.4 %
2	\$ 5,000 to \$ 9,999	470	4.7 %
3	\$10,000 to \$14,999	842	8.5 %
4	\$15,000 to \$19,999	808	8.1 %
5	\$20,000 to \$24,999	832	8.4 %
6	\$25,000 to \$34,999	1288	12.9 %
7	\$35,000 to \$44,999	967	9.7 %
8	\$45,000 to \$54,999	861	8.7 %
9	\$55,000 to \$64,999	555	5.6 %
10	\$65,000 to \$74,999	512	5.1 %
11	\$75,000 and Over	1990	20.0 %
12	Over \$20,000	128	1.3 %
13	Under \$20,000	70	0.7 %
77	Refused	67	0.7 %
99	Don't know	131	1.3 %
. (M)	-	91	0.9 %

INDFMPIR

Family PIR

Location: 150-154 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

RIDEXPRG

Pregnancy Status at Exam - Recode

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab pregnancy test or self-reported pregnant	371	3.7 %
2	SP not pregnant at exam	2781	27.9 %
3	Cannot ascertain if SP is pregnant at exam	103	1.0 %
. (M)	-	6695	67.3 %

DMDHRGND

HH Ref Person Gender

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5371	54.0 %
2	Female	4579	46.0 %

DMDHRAGE

HH Ref Person Age

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	3	0.0 %
18	-	89	0.9 %
19	-	126	1.3 %
20	-	108	1.1 %
21	-	114	1.1 %
22	-	117	1.2 %
23	-	121	1.2 %
24	-	189	1.9 %
25	-	213	2.1 %
26	-	233	2.3 %
27	-	229	2.3 %
28	-	203	2.0 %
29	-	227	2.3 %
30	-	192	1.9 %
31	-	263	2.6 %
32	-	233	2.3 %
33	-	261	2.6 %
34	-	267	2.7 %
35	-	312	3.1 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	261	2.6 %
37	-	265	2.7 %
38	-	271	2.7 %
39	-	254	2.6 %
40	-	354	3.6 %
41	-	268	2.7 %
42	-	309	3.1 %
43	-	268	2.7 %
44	-	231	2.3 %
45	-	240	2.4 %
46	-	218	2.2 %
47	-	246	2.5 %
48	-	189	1.9 %
49	-	144	1.4 %
50	-	162	1.6 %
51	-	210	2.1 %
52	-	118	1.2 %
53	-	149	1.5 %
54	-	122	1.2 %
55	-	91	0.9 %
56	-	99	1.0 %
57	-	85	0.9 %
58	-	72	0.7 %
59	-	77	0.8 %
60	-	113	1.1 %
61	-	82	0.8 %
62	-	118	1.2 %
63	-	93	0.9 %
64	-	83	0.8 %
65	-	90	0.9 %
66	-	82	0.8 %
67	-	77	0.8 %
68	-	33	0.3 %
69	-	83	0.8 %
70	-	86	0.9 %
71	-	73	0.7 %
72	-	44	0.4 %
73	-	59	0.6 %
74	-	51	0.5 %
75	-	39	0.4 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
76	-	74	0.7 %
77	-	33	0.3 %
78	-	50	0.5 %
79	-	35	0.4 %
80	-	40	0.4 %
81	-	49	0.5 %
82	-	49	0.5 %
83	-	39	0.4 %
84	-	26	0.3 %
85	>= 85 years of age	146	1.5 %

DMDHRBRN HH Ref Person Country of Birth

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7130	71.7 %
2	Born in Mexico	1640	16.5 %
3	Born Elsewhere	882	8.9 %
7	Refused	3	0.0 %
9	Don't know	2	0.0 %
. (M)	-	293	2.9 %

DMDHREDU HH Ref Person Education Level

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1224	12.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	1651	16.6 %
3	High School Grad/GED or equivalent	2319	23.3 %
4	Some College or AA degree	2667	26.8 %
5	College Graduate or above	1734	17.4 %
7	Refused	8	0.1 %
9	Don't know	55	0.6 %
. (M)	-	292	2.9 %

- Study 25504 -

DMDHRMAR HH Ref Person Marital Status

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	5804	58.3 %
2	Widowed	556	5.6 %
3	Divorced	899	9.0 %
4	Separated	435	4.4 %
5	Never married	1298	13.0 %
6	Living with partner	596	6.0 %
77	Refused	37	0.4 %
99	Don't know	2	0.0 %
. (M)	-	323	3.2 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	766	7.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	702	7.1 %
3	High School Grad/GED or equivalent	1204	12.1 %
4	Some College or AA degree	1487	14.9 %
5	College Graduate or above	1210	12.2 %
7	Refused	4	0.0 %
9	Don't know	20	0.2 %
. (M)	-	4557	45.8 %

SIALANG Language of SP Interview

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8502	85.4 %
2	Spanish	1446	14.5 %
. (M)	-	2	0.0 %

- Study 25504 -

SIAPROXY

Proxy used in SP Interview?

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	4092	41.1 %
2	No	5856	58.9 %
. (M)	-	2	0.0 %

SIAINTRP

Interpreter used in SP Interview?

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	201	2.0 %
2	No	9747	98.0 %
. (M)	-	2	0.0 %

FIALANG

Language of Family Interview

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	8870	89.1 %
2	Spanish	986	9.9 %
. (M)	-	94	0.9 %

FIAPROXY

Proxy used in Family Interview?

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	15	0.2 %
2	No	9841	98.9 %
. (M)	-	94	0.9 %

FIAINTRP

Interpreter used in Family Interview?

- Study 25504 -

Location: 191-193 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	183	1.8 %
2	No	9673	97.2 %
. (M)	-	94	0.9 %

MIALANG Language of MEC Interview

Location: 194-196 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6497	65.3 %
2	Spanish	639	6.4 %
. (M)	-	2814	28.3 %

MIAPROXY Proxy used in MEC Interview?

Location: 197-199 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	51	0.5 %
2	No	7085	71.2 %
. (M)	-	2814	28.3 %

MIAINTRP Interpreter used in MEC Interview?

Location: 200-202 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	19	0.2 %
2	No	7117	71.5 %
. (M)	-	2814	28.3 %

AIALANG Language of ACASI Interview

Location: 203-205 (width: 3; decimal: 0)

- Study 25504 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	6660	66.9 %
2	Spanish	665	6.7 %
. (M)	-	2625	26.4 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 206-219 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 220-233 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 234-236 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4946	49.7 %
2	5004	50.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 237-239 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	739	7.4 %
45	616	6.2 %
46	748	7.5 %
47	613	6.2 %
48	605	6.1 %
49	907	9.1 %
50	641	6.4 %
51	606	6.1 %
52	640	6.4 %

- Study 25504 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	584	5.9 %
54	670	6.7 %
55	651	6.5 %
56	739	7.4 %
57	664	6.7 %
58	527	5.3 %