ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

National Health and Nutrition Examination Survey (NHANES), 2005-2006

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Sleep Disorders

Terms of Use

Information about Copyrighted Content

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Sleep Disorders

SEQN	Respondent sequence number
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

SLD010H	How much sleep do you get (hours)?
Location:	6-8 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: The next set of questions is about your sleeping habits. How much sleep {do you/does SP} usually get at night on weekdays or workdays? English Instructions: INTERVIEWER INSTRUCTION: ENTER HOURS.

Value	Label	Unweighted Frequency	%
1	-	9	0.1 %
2	-	19	0.3 %
3	-	55	0.9 %
4	-	208	3.4 %
5	-	565	9.2 %
6	-	1324	21.6 %
7	-	1614	26.3 %
8	-	1745	28.4 %
9	-	359	5.8 %
10	-	154	2.5 %
11	-	26	0.4 %
12	12 hours or more	50	0.8 %
77	Refused	1	0.0 %
99	Don't know	10	0.2 %

SLD020M	How long to fall asleep (minutes)?
Location:	9-11 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: How long does it usually take {you/SP} to fall asleep at bedtime? English Instructions: INTERVIEWER INSTRUCTION: ENTER MINUTES.

Value	Label	Unweighted Frequency	%
0	-	97	1.6 %
1	-	293	4.8 %
2	-	213	3.5 %
3	-	92	1.5 %
4	-	22	0.4 %

Value	Label	Unweighted Frequency	%
5	-	983	16.0 %
6	-	7	0.1 %
7	-	17	0.3 %
8	-	8	0.1 %
9	-	4	0.1 %
10	-	955	15.6 %
12	-	4	0.1 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	706	11.5 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	401	6.5 %
21	-	1	0.0 %
25	-	18	0.3 %
29	-	2	0.0 %
30	-	1187	19.3 %
35	-	12	0.2 %
39	-	1	0.0 %
40	-	24	0.4 %
45	-	117	1.9 %
50	-	1	0.0 %
60	60 minutes or more	924	15.1 %
77	Refused	1	0.0 %
99	Don't know	44	0.7 %

SLQ030		**How often do you snore?**

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: In the past 12 months, how often did {you/SP} snore while {you were/s/he was} sleeping? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never	2014	32.8 %
1	Rarely (1-2 nights/week)	1017	16.6 %
2	Occasionally (3-4 nights/week)	803	13.1 %
3	Frequently (5 or more nights/week)	1495	24.4 %
7	Refused	3	0.0 %
9	Don't know	807	13.1 %

SLQ040		**How often do you snort / stop breathing?**

Location:	15-17 (width: 3; decimal: 0)	
Variable Type:	numeric	
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: In the past 12 months, how often did {you/SP} snort, gasp, or stop breathing while {you were/s/he was} asleep? English Instructions:	

Value	Label	Unweighted Frequency	%
0	Never	4655	75.8 %
1	Rarely (1-2 nights/week)	437	7.1 %
2	Occasionally (3-4 nights/week)	274	4.5 %
3	Frequently (5 or more nights/week)	268	4.4 %
7	Refused	2	0.0 %
9	Don't know	503	8.2 %

SLQ050	Ever told doctor had trouble sleeping?

Location:	18-20 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} ever told a doctor or other health professional that {you have/s/he has} trouble sleeping? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1184	19.3 %
2	No	4946	80.6 %
7	Refused	1	0.0 %
9	Don't know	8	0.1 %

SLQ060	Ever told by doctor have sleep disorder?

Location:	21-23 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you have/s/he has} a sleep disorder? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	370	6.0 %
2	No	5763	93.9 %
7	Refused	1	0.0 %
9	Don't know	5	0.1 %

SLQ070A	Sleep disorder: Sleep Apnea

Location:	24-26 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: What was the sleep disorder? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Sleep Apnea	201	3.3 %

Value	Label	Unweighted Frequency	%
9	Don't know	28	0.5 %
. (M)	-	5910	96.3 %

SLQ070B	**Sleep disorder: Insomnia**		

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What was the sleep disorder? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Insomnia	78	1.3 %
. (M)	-	6061	98.7 %

SLQ070C	**Sleep disorder: Restless Legs**		

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What was the sleep disorder? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Restless Legs	25	0.4 %
. (M)	-	6114	99.6 %

SLQ070D	**Sleep disorder: Other**		

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: What was the sleep disorder? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
4	Other	62	1.0 %
. (M)	-	6077	99.0 %

SLQ080	**How often have trouble falling asleep?**		

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: This next set of questions is about {your/SP?s} sleeping habits in the past month. In the past month, how often did {you/SP} have trouble falling asleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	2629	42.8 %
1	Rarely (1 time a month)	1262	20.6 %

Value	Label	Unweighted Frequency	%
2	Sometimes (2-4 times a month)	1304	21.2 %
3	Often (5-15 times a month)	526	8.6 %
4	Almost always (16-30 times a month)	416	6.8 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %

SLQ090 — How often wake up during night?

Location:	39-41 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] wake up during the night and had trouble getting back to sleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	2401	39.1 %
1	Rarely (1 time a month)	1231	20.1 %
2	Sometimes (2-4 times a month)	1396	22.7 %
3	Often (5-15 times a month)	695	11.3 %
4	Almost always (16-30 times a month)	409	6.7 %
7	Refused	1	0.0 %
9	Don't know	6	0.1 %

SLQ100 — How often wake up too early in morning?

Location:	42-44 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] wake up too early in the morning and {were/was} unable to get back to sleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	2822	46.0 %
1	Rarely (1 time a month)	1112	18.1 %
2	Sometimes (2-4 times a month)	1196	19.5 %
3	Often (5-15 times a month)	625	10.2 %
4	Almost always (16-30 times a month)	376	6.1 %
7	Refused	1	0.0 %
9	Don't know	7	0.1 %

SLQ110 — How often feel unrested during the day?

Location:	45-47 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] feel unrested during the day, no matter how many hours of sleep {you have/s/he has} had? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	1918	31.2 %
1	Rarely (1 time a month)	996	16.2 %
2	Sometimes (2-4 times a month)	1713	27.9 %
3	Often (5-15 times a month)	932	15.2 %
4	Almost always (16-30 times a month)	570	9.3 %
7	Refused	1	0.0 %
9	Don't know	9	0.1 %

SLQ120	**How often feel overly sleepy during day?**

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] feel excessively or overly sleepy during the day? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	2124	34.6 %
1	Rarely (1 time a month)	1311	21.4 %
2	Sometimes (2-4 times a month)	1599	26.0 %
3	Often (5-15 times a month)	715	11.6 %
4	Almost always (16-30 times a month)	378	6.2 %
7	Refused	1	0.0 %
9	Don't know	11	0.2 %

SLQ130	**How often did you not get enough sleep?**

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] not get enough sleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	1856	30.2 %
1	Rarely (1 time a month)	1077	17.5 %
2	Sometimes (2-4 times a month)	1697	27.6 %
3	Often (5-15 times a month)	923	15.0 %
4	Almost always (16-30 times a month)	564	9.2 %
7	Refused	1	0.0 %
9	Don't know	21	0.3 %

SLQ140	**How often take pills to help you sleep?**

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

| | Question: | Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] take sleeping pills or other medication to help {you/him/her} sleep? English Instructions: HAND CARD SLQ1 |

Value	Label	Unweighted Frequency	%
0	Never	5190	84.5 %
1	Rarely (1 time a month)	237	3.9 %
2	Sometimes (2-4 times a month)	277	4.5 %
3	Often (5-15 times a month)	145	2.4 %
4	Almost always (16-30 times a month)	288	4.7 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %

SLQ150 — How often have leg jerks while sleeping?

Location:	57-59 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] have leg jerks while trying to sleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	4867	79.3 %
1	Rarely (1 time a month)	431	7.0 %
2	Sometimes (2-4 times a month)	487	7.9 %
3	Often (5-15 times a month)	192	3.1 %
4	Almost always (16-30 times a month)	118	1.9 %
7	Refused	1	0.0 %
9	Don't know	43	0.7 %

SLQ160 — How often have legs cramp while sleeping

Location:	60-62 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: [In the past month, how often did {you/SP}] have leg cramps while trying to sleep? English Instructions: HAND CARD SLQ1

Value	Label	Unweighted Frequency	%
0	Never	4267	69.5 %
1	Rarely (1 time a month)	731	11.9 %
2	Sometimes (2-4 times a month)	778	12.7 %
3	Often (5-15 times a month)	246	4.0 %
4	Almost always (16-30 times a month)	109	1.8 %
7	Refused	1	0.0 %
9	Don't know	7	0.1 %

SLQ170 — Difficulty concentrating when tired?

| Location: | 63-65 (width: 3; decimal: 0) |

Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: The purpose of this next set of questions is to find out if {you generally have/SP generally has} difficulty carrying out certain activities because {you are/s/he is} too sleepy or tired. When the words 'sleepy' or 'tired' are used, it means the feeling that {you/s/he} can't keep {your/his/her} eyes open, {your/his/her} head is droopy, that {you/s/he} want to 'nod off' or that {you feel/s/he feels} the urge to take a nap. The words do not refer to the tired or fatigued feeling {you/she} may have after {you have/s/he has} exercised. {Do you/Does SP} have difficulty concentrating on the things {you do/s/he does} because {you feel/s/he feels} sleepy or tired? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	61	1.0 %
2	No difficulty	4539	73.9 %
3	Yes, a little difficulty	1266	20.6 %
4	Yes, moderate difficulty	207	3.4 %
5	Yes, extreme difficulty	58	0.9 %
7	Refused	2	0.0 %
9	Don't know	6	0.1 %

SLQ180 — Difficulty remembering when tired?

Location:	66-68 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} generally have difficulty remembering things, because {you are/s/he is} sleepy or tired? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	41	0.7 %
2	No difficulty	4895	79.7 %
3	Yes, a little difficulty	965	15.7 %
4	Yes, moderate difficulty	165	2.7 %
5	Yes, extreme difficulty	59	1.0 %
7	Refused	2	0.0 %
9	Don't know	12	0.2 %

SLQ190 — Difficulty eating when tired?

Location:	69-71 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty finishing a meal because {you become/s/he becomes} sleepy or tired? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	27	0.4 %
2	No difficulty	5842	95.2 %
3	Yes, a little difficulty	218	3.6 %
4	Yes, moderate difficulty	39	0.6 %

Value	Label	Unweighted Frequency	%
5	Yes, extreme difficulty	9	0.1 %
7	Refused	2	0.0 %
9	Don't know	2	0.0 %

SLQ200 — **Difficulty with a hobby when tired?**

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty working on a hobby, for example, sewing, collecting, gardening, because {you are/s/he is} sleepy or tired? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	232	3.8 %
2	No difficulty	5082	82.8 %
3	Yes, a little difficulty	675	11.0 %
4	Yes, moderate difficulty	108	1.8 %
5	Yes, extreme difficulty	36	0.6 %
7	Refused	2	0.0 %
9	Don't know	4	0.1 %

SLQ210 — **Difficulty getting things done?**

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty getting things done because {you are/s/he is} too sleepy or tired to drive or take public transportation? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	292	4.8 %
2	No difficulty	5087	82.9 %
3	Yes, a little difficulty	592	9.6 %
4	Yes, moderate difficulty	120	2.0 %
5	Yes, extreme difficulty	42	0.7 %
7	Refused	3	0.0 %
9	Don't know	3	0.0 %

SLQ220 — **Difficulty with finance when tired?**

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty taking care of financial affairs and doing paperwork (for example, paying bills or keeping financial records) because {you are/s/he is} sleepy or tired? English Instructions: HAND CARD SLQ2 CAPI INSTRUCTION: DISPLAY

IF AGE 16-19: '{Do you/Does s/he} have difficulty doing homework or paperwork, for example paying bills or keeping financial records, because {you are/s/he is} sleepy or tired?'

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	305	5.0 %
2	No difficulty	4955	80.7 %
3	Yes, a little difficulty	685	11.2 %
4	Yes, moderate difficulty	145	2.4 %
5	Yes, extreme difficulty	42	0.7 %
7	Refused	3	0.0 %
9	Don't know	4	0.1 %

SLQ230	**Difficulty at work because tired?**

Location:	81-83 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty performing employed or volunteer work because {you are/s/he is} sleepy or tired? English Instructions: HAND CARD SLQ2 CAPI INSTRUCTION: DISPLAY IF AGE 16-19: '{Do you/Does SP} have difficulty performing employed or volunteer work or attending school because {you are/s/he is} sleepy or tired?'

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	627	10.2 %
2	No difficulty	4883	79.5 %
3	Yes, a little difficulty	494	8.0 %
4	Yes, moderate difficulty	101	1.6 %
5	Yes, extreme difficulty	30	0.5 %
7	Refused	2	0.0 %
9	Don't know	2	0.0 %

SLQ240	**Difficulty on phone when tired?**

Location:	84-86 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(16 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} have difficulty maintaining a telephone conversation because {you become/s/he becomes} sleepy or tired? English Instructions: HAND CARD SLQ2

Value	Label	Unweighted Frequency	%
1	Don't do this activity for other reasons	85	1.4 %
2	No difficulty	5390	87.8 %
3	Yes, a little difficulty	537	8.7 %
4	Yes, moderate difficulty	92	1.5 %
5	Yes, extreme difficulty	32	0.5 %
7	Refused	2	0.0 %
9	Don't know	1	0.0 %

SDDSRVYR	Data Release Number		

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
4	NHANES 2005-2006 Public Release	6139	100.0 %

RIDSTATR	Interview/Examination Status		

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	248	4.0 %
2	Both Interviewed and MEC examined	5891	96.0 %

RIDEXMON	Six month time period		

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	2756	44.9 %
2	May 1 through October 31	3135	51.1 %
. (M)	-	248	4.0 %

RIAGENDR	Gender		

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2966	48.3 %
2	Female	3173	51.7 %

RIDAGEYR	Age at Screening Adjudicated - Recode		

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
16	-	299	4.9 %
17	-	277	4.5 %
18	-	316	5.1 %
19	-	268	4.4 %
20	-	102	1.7 %
21	-	102	1.7 %
22	-	110	1.8 %
23	-	114	1.9 %
24	-	108	1.8 %
25	-	116	1.9 %
26	-	109	1.8 %
27	-	89	1.4 %
28	-	99	1.6 %
29	-	118	1.9 %
30	-	96	1.6 %
31	-	90	1.5 %
32	-	81	1.3 %
33	-	83	1.4 %
34	-	96	1.6 %
35	-	93	1.5 %
36	-	90	1.5 %
37	-	72	1.2 %
38	-	84	1.4 %
39	-	71	1.2 %
40	-	107	1.7 %
41	-	90	1.5 %
42	-	79	1.3 %
43	-	75	1.2 %
44	-	85	1.4 %
45	-	93	1.5 %
46	-	92	1.5 %
47	-	74	1.2 %
48	-	74	1.2 %
49	-	73	1.2 %
50	-	80	1.3 %
51	-	87	1.4 %
52	-	55	0.9 %
53	-	73	1.2 %
54	-	80	1.3 %
55	-	62	1.0 %

Value	Label	Unweighted Frequency	%
56	-	53	0.9 %
57	-	42	0.7 %
58	-	56	0.9 %
59	-	56	0.9 %
60	-	84	1.4 %
61	-	75	1.2 %
62	-	83	1.4 %
63	-	68	1.1 %
64	-	71	1.2 %
65	-	66	1.1 %
66	-	73	1.2 %
67	-	64	1.0 %
68	-	36	0.6 %
69	-	68	1.1 %
70	-	68	1.1 %
71	-	58	0.9 %
72	-	47	0.8 %
73	-	59	1.0 %
74	-	52	0.8 %
75	-	38	0.6 %
76	-	49	0.8 %
77	-	38	0.6 %
78	-	46	0.7 %
79	-	33	0.5 %
80	-	46	0.7 %
81	-	59	1.0 %
82	-	44	0.7 %
83	-	39	0.6 %
84	-	36	0.6 %
85	>= 85 years of age	170	2.8 %

RIDAGEMN	**Age in Months - Recode**

Location:	102-105 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX	**Exam Age in Months - Recode**

Location:	106-109 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1	Race/Ethnicity - Recode

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1368	22.3 %
2	Other Hispanic	191	3.1 %
3	Non-Hispanic White	2795	45.5 %
4	Non-Hispanic Black	1528	24.9 %
5	Other Race - Including Multi-Racial	257	4.2 %

DMQMILIT	Veteran/Military Status

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	705	11.5 %
2	No	5130	83.6 %
7	Refused	5	0.1 %
. (M)	-	299	4.9 %

DMDBORN	Country of Birth - Recode

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4854	79.1 %
2	Born in Mexico	780	12.7 %
3	Born Elsewhere	500	8.1 %
7	Refused	5	0.1 %

DMDCITZN	Citizenship Status

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	5249	85.5 %
2	Not a citizen of the US	882	14.4 %
7	Refused	7	0.1 %
9	Don't know	1	0.0 %

DMDYRSUS	**Length of time in US**

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	34	0.6 %
2	1 yr., less than 5 yrs.	223	3.6 %
3	5 yrs., less than 10 yrs.	270	4.4 %
4	10 yrs., less than 15 yrs.	174	2.8 %
5	15 yrs., less than 20 yrs.	129	2.1 %
6	20 yrs., less than 30 yrs.	191	3.1 %
7	30 yrs., less than 40 yrs.	114	1.9 %
8	40 yrs., less than 50 yrs.	52	0.8 %
9	50 years or more	57	0.9 %
77	Refused	14	0.2 %
99	Don't know	22	0.4 %
. (M)	-	4859	79.1 %

DMDEDUC3	**Education Level - Children/Youth 6-19**

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
8	8th Grade	27	0.4 %
9	9th Grade	122	2.0 %
10	10th Grade	285	4.6 %
11	11th Grade	276	4.5 %
12	12th Grade, No Diploma	48	0.8 %
13	High School Graduate	214	3.5 %
14	GED or Equivalent	10	0.2 %
15	More than high school	143	2.3 %
66	Less Than 9th Grade	34	0.6 %

Value	Label	Unweighted Frequency	%
99	Don't know	1	0.0 %
. (M)	-	4979	81.1 %

DMDEDUC2	Education Level - Adults 20+

Location:	128-130 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	628	10.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	766	12.5 %
3	High School Grad/GED or Equivalent	1181	19.2 %
4	Some College or AA degree	1417	23.1 %
5	College Graduate or above	978	15.9 %
7	Refused	6	0.1 %
9	Don't Know	3	0.0 %
. (M)	-	1160	18.9 %

DMDSCHOL	Now attending school?

Location:	131-133 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	697	11.4 %
2	On vacation from school (between grades)	171	2.8 %
3	Neither in school or on vacation from school (btwn grades)	290	4.7 %
. (M)	-	4981	81.1 %

DMDMARTL	Marital Status

Location:	134-136 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2711	44.2 %
2	Widowed	463	7.5 %
3	Divorced	471	7.7 %
4	Separated	164	2.7 %

Value	Label	Unweighted Frequency	%
5	Never married	1854	30.2 %
6	Living with partner	467	7.6 %
77	Refused	8	0.1 %
99	Don't know	1	0.0 %

DMDHHSIZ	**Total number of people in the Household**

Location:	137-139 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

Value	Label	Unweighted Frequency	%
1	-	777	12.7 %
2	-	1737	28.3 %
3	-	1205	19.6 %
4	-	990	16.1 %
5	-	690	11.2 %
6	-	364	5.9 %
7	7 or more people in the Household	376	6.1 %

DMDFMSIZ	**Total number of people in the Family**

Location:	140-142 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

Value	Label	Unweighted Frequency	%
1	-	1220	19.9 %
2	-	1525	24.8 %
3	-	1127	18.4 %
4	-	942	15.3 %
5	-	658	10.7 %
6	-	362	5.9 %
7	7 or more people in the Family	305	5.0 %

INDHHINC	**Annual Household Income**

Location:	143-145 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	$ 0 to $ 4,999	146	2.4 %

Value	Label	Unweighted Frequency	%
2	$ 5,000 to $ 9,999	274	4.5 %
3	$10,000 to $14,999	434	7.1 %
4	$15,000 to $19,999	441	7.2 %
5	$20,000 to $24,999	450	7.3 %
6	$25,000 to $34,999	778	12.7 %
7	$35,000 to $44,999	606	9.9 %
8	$45,000 to $54,999	577	9.4 %
9	$55,000 to $64,999	388	6.3 %
10	$65,000 to $74,999	335	5.5 %
11	$75,000 and Over	1318	21.5 %
12	Over $20,000	137	2.2 %
13	Under $20,000	32	0.5 %
77	Refused	44	0.7 %
99	Don't know	96	1.6 %
. (M)	-	83	1.4 %

INDFMINC — Annual Family Income

Location:	146-148 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	$ 0 to $ 4,999	216	3.5 %
2	$ 5,000 to $ 9,999	315	5.1 %
3	$10,000 to $14,999	485	7.9 %
4	$15,000 to $19,999	469	7.6 %
5	$20,000 to $24,999	480	7.8 %
6	$25,000 to $34,999	789	12.9 %
7	$35,000 to $44,999	618	10.1 %
8	$45,000 to $54,999	557	9.1 %
9	$55,000 to $64,999	348	5.7 %
10	$65,000 to $74,999	310	5.0 %
11	$75,000 and Over	1223	19.9 %
12	Over $20,000	95	1.5 %
13	Under $20,000	32	0.5 %
77	Refused	46	0.7 %
99	Don't know	85	1.4 %
. (M)	-	71	1.2 %

INDFMPIR — Family PIR

Location:	149-153 (width: 5; decimal: 2)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

RIDEXPRG	**Pregnancy Status at Exam - Recode**

Location:	154-156 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant	378	6.2 %
2	SP not pregnant at exam	1880	30.6 %
3	Cannot ascertain if SP is pregnant at exam	146	2.4 %
. (M)	-	3735	60.8 %

DMDHRGND	**HH Ref Person Gender**

Location:	157-159 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3460	56.4 %
2	Female	2679	43.6 %

DMDHRAGE	**HH Ref Person Age**

Location:	160-162 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	81	1.3 %
19	-	111	1.8 %
20	-	73	1.2 %
21	-	71	1.2 %
22	-	62	1.0 %
23	-	72	1.2 %
24	-	103	1.7 %

Value	Label	Unweighted Frequency	%
25	-	110	1.8 %
26	-	105	1.7 %
27	-	93	1.5 %
28	-	96	1.6 %
29	-	102	1.7 %
30	-	81	1.3 %
31	-	114	1.9 %
32	-	92	1.5 %
33	-	103	1.7 %
34	-	108	1.8 %
35	-	118	1.9 %
36	-	108	1.8 %
37	-	105	1.7 %
38	-	120	2.0 %
39	-	113	1.8 %
40	-	170	2.8 %
41	-	139	2.3 %
42	-	156	2.5 %
43	-	147	2.4 %
44	-	143	2.3 %
45	-	144	2.3 %
46	-	140	2.3 %
47	-	153	2.5 %
48	-	113	1.8 %
49	-	109	1.8 %
50	-	115	1.9 %
51	-	157	2.6 %
52	-	82	1.3 %
53	-	118	1.9 %
54	-	97	1.6 %
55	-	76	1.2 %
56	-	73	1.2 %
57	-	69	1.1 %
58	-	57	0.9 %
59	-	67	1.1 %
60	-	97	1.6 %
61	-	74	1.2 %
62	-	116	1.9 %
63	-	78	1.3 %
64	-	82	1.3 %

Value	Label	Unweighted Frequency	%
65	-	84	1.4 %
66	-	81	1.3 %
67	-	71	1.2 %
68	-	33	0.5 %
69	-	71	1.2 %
70	-	80	1.3 %
71	-	65	1.1 %
72	-	42	0.7 %
73	-	62	1.0 %
74	-	52	0.8 %
75	-	35	0.6 %
76	-	69	1.1 %
77	-	32	0.5 %
78	-	46	0.7 %
79	-	36	0.6 %
80	-	41	0.7 %
81	-	50	0.8 %
82	-	50	0.8 %
83	-	38	0.6 %
84	-	28	0.5 %
85	>= 85 years of age	159	2.6 %

DMDHRBRN — HH Ref Person Country of Birth

Location: 163-165 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4590	74.8 %
2	Born in Mexico	810	13.2 %
3	Born Elsewhere	540	8.8 %
7	Refused	4	0.1 %
9	Don't know	2	0.0 %
. (M)	-	193	3.1 %

DMDHREDU — HH Ref Person Education Level

Location: 166-168 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	748	12.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	897	14.6 %
3	High School Grad/GED or equivalent	1455	23.7 %
4	Some College or AA degree	1689	27.5 %
5	College Graduate or above	1119	18.2 %
7	Refused	9	0.1 %
9	Don't know	29	0.5 %
. (M)	-	193	3.1 %

DMDHRMAR **HH Ref Person Marital Status**

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3383	55.1 %
2	Widowed	495	8.1 %
3	Divorced	626	10.2 %
4	Separated	232	3.8 %
5	Never married	870	14.2 %
6	Living with partner	397	6.5 %
77	Refused	16	0.3 %
. (M)	-	120	2.0 %

DMDHSEDU **HH Ref Person's Spouse Education Level**

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	449	7.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	355	5.8 %
3	High School Grad/GED or equivalent	736	12.0 %
4	Some College or AA degree	850	13.8 %
5	College Graduate or above	691	11.3 %
7	Refused	3	0.0 %
9	Don't know	10	0.2 %
. (M)	-	3045	49.6 %

SIALANG	**Language of SP Interview**

Location: 175-177 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	5421	88.3 %
2	Spanish	716	11.7 %
. (M)	-	2	0.0 %

SIAPROXY	**Proxy used in SP Interview?**

Location: 178-180 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	59	1.0 %
2	No	6078	99.0 %
. (M)	-	2	0.0 %

SIAINTRP	**Interpreter used in SP Interview?**

Location: 181-183 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	118	1.9 %
2	No	6019	98.0 %
. (M)	-	2	0.0 %

FIALANG	**Language of Family Interview**

Location: 184-186 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	5583	90.9 %
2	Spanish	482	7.9 %
. (M)	-	74	1.2 %

FIAPROXY	**Proxy used in Family Interview?**

Location:	187-189 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	13	0.2 %
2	No	6052	98.6 %
. (M)	-	74	1.2 %

FIAINTRP — Interpreter used in Family Interview?

Location:	190-192 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	94	1.5 %
2	No	5971	97.3 %
. (M)	-	74	1.2 %

MIALANG — Language of MEC Interview

Location:	193-195 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	4821	78.5 %
2	Spanish	576	9.4 %
. (M)	-	742	12.1 %

MIAPROXY — Proxy used in MEC Interview?

Location:	196-198 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	37	0.6 %
2	No	5360	87.3 %
. (M)	-	742	12.1 %

MIAINTRP — Interpreter used in MEC Interview?

Location:	199-201 (width: 3; decimal: 0)

| | Variable Type: | numeric |
| | Question: | Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions: |

Value	Label	Unweighted Frequency	%
1	Yes	18	0.3 %
2	No	5379	87.6 %
. (M)	-	742	12.1 %

AIALANG — Language of ACASI Interview

Location:	202-204 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	4952	80.7 %
2	Spanish	603	9.8 %
. (M)	-	584	9.5 %

WTINT2YR — Full Sample 2 Year Interview Weight

Location:	205-218 (width: 14; decimal: 6)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR — Full Sample 2 Year MEC Exam Weight

Location:	219-232 (width: 14; decimal: 6)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU — Masked Variance Pseudo-PSU

Location:	233-235 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
1	3018	49.2 %
2	3121	50.8 %

SDMVSTRA — Masked Variance Pseudo-Stratum

Location:	236-238 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
44	504	8.2 %
45	383	6.2 %
46	482	7.9 %
47	399	6.5 %
48	356	5.8 %
49	583	9.5 %
50	417	6.8 %
51	357	5.8 %
52	448	7.3 %
53	343	5.6 %
54	396	6.5 %
55	382	6.2 %
56	415	6.8 %
57	362	5.9 %
58	312	5.1 %